




MEET THE HOUNDS

JANUS

Identity Inventory

Janus Hound · Category: Identity

“Every identity — human or not — and its weaknesses.”

The two-faced god of doorways — Janus sees human and non-human identities alike, and every door they open.

THE PROBLEM

Non-human identities, reused local admins, default credentials, and Active Directory attack paths are the real fuel of lateral movement — and they're invisible to vulnerability scans framed around CVEs. The accounts attackers actually ride through your estate never show up on a severity-sorted finding list.

WHAT IT DOES

Janus builds a content-first inventory of every identity in the estate — human and non-human — via a 3-pass content sweep. It flags non-expiring, privileged, guest-enabled, and machine identities, then surfaces what attackers love most: **credential reuse, default and blank credentials, AD attack-path exposure**, and the **coverage gaps** (blind hosts) where it can't see at all.

KEY CAPABILITIES

- **Identity discovery + classification** — a 3-pass content sweep over plugin output finds human and non-human identities alike — service accounts, machine identities, the NHI population no CMDB tracks — and classifies each one.
- **Risk flags from identity plugins** — non-expiring passwords, privileged and guest-enabled accounts, default/blank credentials, and password-auth SSH, each flagged from specific plugin evidence rather than inference.
- **Correlation layer** — names your crown-jewel identities (privileged accounts on KEV/critical-exposed hosts) and surfaces credentials reused across five or more hosts — the exact fuel of lateral movement.
- **Provenance columns** — every identity claim traces back to the plugin that produced it, so IAM teams can verify a finding before acting on it instead of trusting a black box.
- **Coverage-gap headline** — blind and uncredentialed hosts lead the report rather than hiding in a footnote, so silence is never mistaken for safety.
- **Gated tagging** — identity risk becomes taggable, routable work — proposed and human-approved, like every write in the pack.

HOW IT WORKS

Janus runs against the local navi.db built from your Tenable data: the **vulns** plugin family and output, plus specific identity plugins (83303, 10860, 41028, 10859, 149334, 17651). All writes are proposed, human-approved, and logged.

WHY IT'S DIFFERENT

- **Identity risk from vuln data you already collect** — no extra agent, no new deployment, no separate identity scanner.
- It's the **biggest single feeder to attack-path analysis** — the credential pivots Fenrir chains come from Janus.
- **Honest coverage-gap headline**: Janus leads with what it can't see, so you never mistake silence for safety.
- **Evidence-first with provenance** — every claim traces to a plugin, so IAM teams can verify before they act.

PROOF POINTS

- Discovers and classifies identities across a reference environment of 268 mixed RHEL/Windows assets — including the non-human identities no CVE list mentions.
- Correlates privileged identities with KEV/critical exposure to name your **crown-jewel identities**, and flags credentials reused across 5 or more hosts.

Honest caveat: signals depend on the relevant plugins being present in your scans — validate against a known host first. Blind and uncredentialed hosts are called out, not hidden.

WORKS BETTER WITH

Janus is **Fenrir's** biggest feeder — its credential weaknesses become the lateral-movement pivots in ranked attack paths — and it drives **Anubis** ACR calibration so identity-critical assets get the priority they deserve.

WHO IT'S FOR

IAM and identity-security teams who need visibility beyond the directory; AD admins hunting reuse and default creds; threat teams tracing the accounts attackers would actually use.

CALL TO ACTION

Ask Janus which doorways are open in your estate — both faces are watching.