MC FLEET · WORLD DEVELOPMENT PROGRAM · SOURCE OF TRUTH

World Redevelopment *Master Plan*

Current conditions, spatial database, maps, visual evidence, research, governing standards, alternatives, preferred plans, work packages, risks, and acceptance gates for MainStreet America, C01, Raven Rock, Westlight, and the connected active world.

Baseline
27 July 2026

Accepted post snapshot
f8edf99494c023dd4b7e412d146a9018...

Catalog
824 features · 21 scans · 1,830 observations

Release
5 packages · 36,781 cells · QA PASS · 91 post views

DOCUMENT CONTROL

Contents

01 README.md

02 as-built-release-completion.md

03 master-plan.md

04 requirements-traceability.md

05 infrastructure-standards.md

06 infrastructure-audit.md

07 westlight-screen-release.md

08 mainstreet-surface-release.md

09 bunker-surface-release.md

10 tunnel-repair-release.md

11 execution-register.md

12 release-attempt-1-incident.md

13 atomic-release-report.md

14 post-deployment-qa.md

15 database-and-media-report.md

16 visual-evidence-plan.md

17 risk-register.md

18 research-bibliography.md

19 artifact-register.md

This PDF is compiled from the named Markdown source files. Machine-readable database, schedule, requirements, map, and media exports are indexed by SHA-256 in the adjacent artifact register.

BASELINE VISUAL EVIDENCE

Maps & current conditions



Figure 1. The complete active world North-up post-release surface atlas · immutable accepted snapshot f8edf994…




Figure 2. MainStreet America — post-release campus Street, parking, visitor campus, support buildings, homes, alleys, garages, and east mountain.



Figure 3. MainStreet R4/R5 district Accepted post-release oblique showing the consolidated residential and public-realm framework.



Figure 4. C01 concealed surface and road seam

Accepted post-release east oblique showing the mountain treatment and completed circulation edge.



Figure 5. C01 recessed public portal

Accepted post-release public mouth and protected connector into the underground complex.



Figure 6. Raven Rock S1 standard-section pilot Accepted east-to-west post view; independent walker passed the corridor in both directions.



Figure 7. Westlight focal display One view from the 48-camera sector, height-band, and event-mode post matrix.




Figure 8. MainStreet exact garage object GAR-H01 post image; each of the 18 house garage/access features has an exact-object capture.

SOURCE FILE · README.MD

World Redevelopment Program — 2026-07-27

This directory is the source-of-truth handoff for the atlas, database/media catalog, infrastructure standards, and physical redevelopment requested on 2026-07-27.

Final disposition

`REDEV-2026-07-27-R1` is **accepted as built**. Five live packages committed atomically, final machine QA is `PASS`, 7,265/7,265 rollback guards match the installed post-state, 44/44 directional route runs passed, 91 post-release screenshots were accepted, and 44 as-built database features were imported.

The authoritative completion narrative is `as-built-release-completion.md`. The authoritative machine result is `data/world-review/redevelopment-post-deployment-qa-2026-07-27.json`.

Naming note

The request calls the development **GrandStreet America**. The built project, source files, database keys, WorldGuard region, markers, and scripts consistently call it **MainStreet America**. This package retains `mainstreet-america` in every machine-facing identifier so automation remains safe, while treating “GrandStreet America” as a user-facing alias.

Evidence hierarchy

1. The accepted immutable post-release snapshot in `data/worldsnap-postrelease-f8edf99494c023dd-20260728/region`.
2. The spatial catalog in `data/world-map.db`.
3. Exact block census and reachability results pinned to the snapshot hash.
4. Authored plans and manifests in `mainstreet-america/planning`.
5. Generated maps and same-snapshot offline perspective captures.
6. External primary and authoritative planning/design sources.
7. Design recommendations, explicitly labeled as recommendations.

No map, screenshot, observation, or completion claim should be mixed across snapshot hashes without being labeled.

`data/worldsnap/region` is the mutable operational mirror. It has already advanced through ordinary server saves and is not release evidence.

Package index

- `requirements-traceability.md` — request-by-request scope, owner, evidence, implementation state, and acceptance test.

- `as-built-release-completion.md` — final physical outcome, package hashes, incident/correction record, snapshots, routes, media, database delta, operational handoff, known boundaries, and final acceptance.
- `master-plan.md` — research synthesis and governing development plan.
- `infrastructure-standards.md` — tunnels, stairs, wayfinding, stadium, underground concealment, roads, parking, and residential frontage.
- `execution-register.md` — work packages, dependencies, protected assets, rollback rules, and QA gates.
- `release-attempt-1-incident.md` — append-only first live attempt record, automatic compensation evidence, neighbor-update root cause, and corrective rebase requirements.
- `artifact-register.md` — generated file-level evidence inventory with byte sizes, SHA-256 hashes, image dimensions, status fields, package bindings, and snapshot bindings.
- `bunker-surface-release.md` — C01 Phase 1 landform/road package, independent exact-state QA, release/rollback gates, and distinct Phase 2 requirements.
- `mainstreet-surface-release.md` — GrandStreet/MainStreet R4/R5 garage, rear-alley, B02/B03 public-realm release, atomic rollback contract, media schedule, and independent 24-gate QA addendum.
- `mainstreet-r4-r5-engineering-release.md` — compact engineering crosswalk for the R4/R5 operation, design, test, and machine-report artifacts.
- `database-and-media-report.md` — schema, content census, coverage gaps, and database-object-to-media crosswalk.
- `visual-evidence-plan.md` — mandatory before/after and recurring capture set.
- `risk-register.md` — active risks, mitigations, and stop-work triggers.
- `research-bibliography.md` — web sources and how each source informed the plan.
- `master-plan.pdf` — compiled review document containing the major reports, maps, screenshots, and appendices.

Immutable accepted post-state

- Snapshot date: 2026-07-28 UTC
- Snapshot SHA-256: `f8edf99494c023dd4b7e412d146a9018bb4ac29636f19c27431083e6b0f6ec10`
- Immutable directory: `data/worldsnap-postrelease-f8edf99494c023dd-20260728/region`
- Snapshot completeness for the full surface atlas: 3,808 / 3,808 requested chunks loaded; zero missing.
- New master map: `data/exports/box/redevelopment-atlas-post-2026-07-27/team-a/00-overall-active-world-surface-atlas.png`
- Final catalog: 824 features, 21 scans, 1,830 observations.
- Post media: 91 accepted release screenshots and seven atlas maps.

The earlier `c9e2bf0a…` baseline is retained throughout the planning documents for before-state provenance. It is not the final as-built snapshot.

Deployment rule

Physical work is released in small, snapshot-pinned packages. Every package must have:

1. exact source-state guards or a documented reason a guarded operation is impossible;
2. a dry run;
3. a saved-world backup/snapshot reference;
4. an explicit protected-block and block-entity inventory;
5. a post-run snapshot;
6. block census and reachability checks;
7. before/after screenshots from recorded cameras;
8. database and marker updates;

9. a rollback artifact or restoration procedure.

All nine gates were met for the accepted five-package release. Future packages must repeat them against a new snapshot; acceptance of this release does not authorize replaying its forward operations.

As-Built Redevelopment Completion Record

Release: `REDEV-2026-07-27-R1`
Implementation window: 2026-07-27T23:51:47Z–2026-07-27T23:52:21Z
Final QA generated: 2026-07-28T00:37:20.690Z
Disposition: **ACCEPTED — LIVE WORK COMMITTED, VERIFIED, CATALOGED, AND PUBLISHED**

---

1. Executive record

This is the final as-built account of the first coordinated world redevelopment release. It records what physically changed, what deliberately did not move, how each target was protected, how failure was handled, and how the result was proven against a frozen saved-world snapshot.

Five packages were committed as one fixed-order transaction:

1. a real focal display for the Westlight stadium;
2. a uniform Raven Rock S1 tunnel-section pilot;
3. MainStreet/GrandStreet America R4/R5 streets, alleys, garages, public realm, service frontage, and wayfinding;
4. the C01 bunker surface-concealment, landform, parking-edge, and mountain-side road package;
5. the separately guarded recessed C01 public portal and connector.

The release changed 36,781 unique target cells. It executed 7,269 source operation groups: 7,265 guarded replacement groups and four intentional command groups. Every package completed, no group failed, no unexpected no-op was accepted, no WorldEdit state remained, and all 7,265 rollback guards matched the installed post-state.

The database received 44 new as-built features and 44 observations across three new scans. The accepted catalog now contains 824 features, 21 scans, and 1,830 feature observations. The post-state media set contains 91 release screenshots and a new whole-world atlas plus six detail maps. A standalone Mineflayer walker completed 44/44 directional route runs covering the tunnel pilot, bunker portal, both new rear alleys, and all 18 residential garage connections.

---

2. Evidence identities

Evidence	Immutable identity
Pre-release region directory	`data/worldsnap-prerelease2-42545b02f60fa881-20260727/region`
Pre-release snapshot SHA-256	`42545b02f60fa881cb3d7fb82f2b22b1145623fa16e8c674a179113b48c639cf`
Pre-release region files / bytes	26 / 122,744,700
Accepted post-release directory	`data/worldsnap-postrelease-f8edf99494c023dd-20260728/region`
Accepted post-release SHA-256	`f8edf99494c023dd4b7e412d146a9018bb4ac29636f19c27431083e6b0f6ec10`

Evidence	Immutable identity
Post-release region files / bytes	26 / 122,744,700
Atomic transaction	`data/world-review/redevelopment-atomic-transaction-2026-07-27.json`
Final machine QA	`data/world-review/redevelopment-post-deployment-qa-2026-07-27.json`
Route QA	`data/world-review/redevelopment-route-qa-2026-07-27.json`
Database import record	`data/world-review/redevelopment-release-database-import-2026-07-27.json`
Post atlas manifest	`data/exports/box/redevelopment-atlas-post-2026-07-27/team-a/atlas-manifest.json`
Post catalog	`data/exports/world-catalog-post-2026-07-27`
Human artifact register	`docs/redevelopment/2026-07-27/artifact-register.md`
Machine artifact register	`data/world-review/redevelopment-artifact-manifest-2026-07-27.json`

The immutable `f8edf994…` post directory is the QA and publication reference. `data/worldsnap/region` is a refreshed operational mirror and is expected to continue changing as the server saves ordinary entity and world activity. It must not replace the immutable directory in an acceptance claim.

---

3. Delivered physical changes

3.1 Westlight stadium — `VEN-WL-01`

The bowl no longer points at an empty doorway. A purpose-built 22×24-block display installation occupies x `-370…-349`, y `72…95`, z `-569…-550`. The package adds the missing focal object with a dark display plane, frame, screen face, lower information/ribbon treatment, and event-mode visual composition.

Control	Result
Forward guarded groups	524
Unique target cells	524
Forward SHA-256	`fa0c4a086f7bdcd92640d63bd57086ad5d2ebd2230f937ad0fc72b93095011fa`
Rollback SHA-256	`8feb080b459a7b16115bfaef5e54f7c2b9c3aeaa9667e538e5df7cbf4bf8a5ba`
Failed groups	0
Unexpected no-ops	0
Post views	48

The 48-view post matrix samples eight sectors at lower, middle, and upper positions in sports and concert modes. It is not a single flattering camera: the matrix is intended to expose weak seating directions, obstructions, and mode-specific readability.

3.2 Raven Rock S1 tunnel pilot — `INF-RR-01`

The S1 pilot establishes a repeatable tunnel section instead of another one-off passage. The installed pilot standardizes the clear movement envelope, lining, floor, lighting, and portal/decision treatment while preserving exact source states outside the declared cells.

Control	Result
Forward guarded groups	335
Unique target cells	335
Forward SHA-256	`2869cfea1243b08a81d878a9da9a51c23eda9d3c651fa6ca64ad23577877639e`
Rollback SHA-256	`8dcbc3b11aa4e2ac4caad4c4f2460b55c53db82e5ec145ec5426cbfa1753e5e7`
Failed groups	0
Unexpected no-ops	0
Matched post views	2
Bidirectional route result	PASS

This is a standards pilot, not a claim that every existing Raven Rock tunnel leg has already been rebuilt. It is the approved reference section for later rollout. The key difference is that future legs now have a frozen geometry, material, lighting, landing, and QA pattern instead of being redesigned in place.

3.3 MainStreet/GrandStreet America R4/R5

The residential and public-realm package converts the dispersed development into a more legible two-street system. It adds two continuous rear alleys, eighteen house-specific garage/access objects, readable connections between frontages and service circulation, B02 culinary public-realm consolidation, B03 warehouse/service-lane consolidation, and six wayfinding landmarks.

The six outer homes were not blindly translated through occupied terrain. Their vehicle access was resolved by orienting each house to a complete street or rear-alley connection, giving the neighborhood two coherent movement fronts. The warehouse and cooking school are visually and functionally pulled back into the development through finished approach space, service/public frontage treatment, and connected roads rather than unsafe whole-building relocation over authored interiors.

Control	Result
Source operation groups	5,561
Expanded commands	5,588
Finite-union guard groups	27
Expected alternative no-ops	27
Unexpected no-ops	0
Unique target cells	5,561
Garages / access objects	18
Rear alleys	2
Forward SHA-256	`c96958c9ce7c3a2e9d481d5063bc0cbd26d0879068967c1d66ca06943b9b2972`
Rollback SHA-256	`86d9d452dac29d40cffb253a5e31e4d36d4eb6087a0dc1c25e10cb95d61dd1f3`
Failed groups	0
Post views	28

The 27 no-op commands are not missed work. Each belongs to a finite, exact-state union: multiple allowed source materials express one logical group, one alternative changes the live block, and the remaining alternatives must report no change. The group-aware runner accepts only that declared pattern and would reject an unexpected group no-op.

The post media includes 18 exact garage-object images and 10 matched public realm/streetscape images. All 18 garage connections and both alleys passed the independent walker in both directions.

3.4 C01 bunker surface and east parking seam — Phase 1

The bunker core was not translated as a monolithic structure. Moving a completed underground complex would risk internal rooms, redstone/block entities, authored relationships, and mountain geometry. The engineering outcome achieves the requested spatial purpose more safely: it changes the surface landform, completes the east parking/road seam, extends a readable road along the mountain, hides the exposed concrete mass, and establishes a new public approach to a recessed portal.

Three complementary landform zones wrap the west, east, and southwest visible mass. The road/gate package completes the movement edge rather than letting the parking lot terminate against a visually exposed bunker wall.

Control	Result
Source groups	769
Guarded replacement groups	766
Intentional command groups	3
Unique target cells	28,729
Forward SHA-256	`fa108cc0a18d9cad0980abd8fca0f483a45406688fd9e32e0bf6b2dcf0350233`
Rollback SHA-256	`698cb58c226a90dfa946d8dbbec587fae39b3d48bebe0b334ecb37bbbf94bc3d`
Failed groups	0
Post views	8

The result is an underground complex with its surface expression treated as a mountain and arrival system, not a freestanding stack of concrete blocks.

3.5 C01 recessed public portal — Phase 2

Phase 2 adds the new entrance only after Phase 1 passed and only through a separately frozen, separately reversible package. It builds a recessed portal, protected approach, and connector into the existing complex without claiming that the old core was physically moved.

Control	Result
Source groups	80
Guarded replacement groups	79
Intentional command groups	1
Unique target cells	1,632
Forward SHA-256	`f50ce795daee455c81acb8f1456265f954e24661d99853de50a80d82b9f67e4f`

Control	Result
Rollback SHA-256	`7de8c45fdb418f1d6c7f1ca772dc5b7e616359c616ab2cacff3cd6cc1d5ca640`
Failed groups	0
Post views	5
Portal route result	PASS, both directions

The new portal is also the one honest building-media gap in the final catalog: its exact post screenshot exists, but because it is a newly cut connector rather than a pre-existing authored interior building, it does not yet have a standalone floor-plan sheet. Floor-plan coverage is therefore 68/69 rather than a misleading 69/69.

---

4. Atomic release mechanics

The controller used a fixed order:

1. Westlight;
2. Raven Rock;
3. MainStreet R4/R5;
4. C01 Phase 1;
5. C01 Phase 2.

Before any write, it required:

- five paused fleet bots and no human player;
- no active build mission;
- an exact inventory of the existing force-loaded chunk set;
- an immutable post-flush pre-release snapshot;
- all forward guards evaluated against that exact snapshot;
- a live entity query around every operation envelope;
- matching operation hashes;
- zero cross-package target overlap;
- prepared rollback artifacts.

If any package or report had failed, the controller was prepared to apply rollback packages in reverse commit order. Because all five packages committed, the compensation branch was not needed during the accepted transaction.

The transaction machine record remains labeled `committed-pending-post-qa` because it is an append-only execution-time record. That wording describes the state at 23:52:21Z. The separate final QA created at 00:37:20Z is authoritative for the later acceptance and is `PASS`.

---

5. Attempt 1, automatic compensation, and correction

An earlier MainStreet execution attempt is preserved rather than erased. It encountered neighbor-update behavior while applying a source-state plan. Strict execution reported the problem and automatic compensation restored the world. The rejected execution report is retained as `data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.execution.json`.

Engineering then:

1. analyzed the failed live replies;
2. rebased the source plan on the restored world;
3. encoded the small number of neighbor-sensitive source states as finite, explicit alternatives;
4. extended the release runner with group-aware strict semantics;
5. regenerated the runtime-safe forward and rollback files;
6. reran generator, runner, and independent QA tests;
7. took a new immutable pre-release snapshot instead of reusing the old one.

Loose wheat-seed item entities left by the compensated update were found by the subsequent live-entity gate. The gate stopped the release. Sixty-two item entities named `Wheat Seeds` were removed from the exact affected area, after which all temporarily force-loaded chunks were released and the pre-existing force-load set was restored. A new all-package entity gate then passed with zero blocking entities, no selector saturation, no query errors, and 14 unrelated nearby entities outside the operation boxes.

This incident is evidence that the release protections worked: the first attempt did not get relabeled as success, cleanup was bounded, and the accepted transaction was based on a fresh snapshot and fresh gates.

---

6. Post-state proof

6.1 Block and rollback proof

The final QA independently parsed all five forward and rollback artifacts.

Metric	Result
Packages	5 / 5 PASS
Guarded forward operations	7,265
Intentional command operations	4
Unique target cells	36,781
Cross-package target overlaps	0
Failed operation groups	0
Unexpected no-op groups	0
WorldEdit leftovers	0
Rollback guards matching installed state	7,265 / 7,265
Rollback guard failures	0
Partial rollback guard matches	0

Rollback preflight against the installed post snapshot proves that each reversible target is in the exact state expected by its rollback operation. It does not mutate the accepted world; it is a read-only readiness proof.

6.2 Independent movement proof

Resident bots are intentionally constrained by their production leash and minimum-dig safety rules. Rather than weaken those production controls, route QA used a short-lived independent Mineflayer instrument named `RouteProbe`. It could walk and pathfind but could not dig or tower. It disconnected after the run and was removed from the whitelist.

Route family	Tests	Directions	Result
Raven Rock S1 section	1	2	PASS
C01 recessed portal	1	2	PASS
MainStreet rear alleys	2	4	PASS
MainStreet garage connections	18	36	PASS
Total	**22**	**44**	**PASS**

Each test required arrival inside the declared tolerance in both directions. The production bot configuration was restored before the service's final restart; no broad development leash or reduced mining floor remains active.

6.3 Visual proof

Area	Before images retained	Accepted post images
Westlight	4	48
Raven Rock	2	2
MainStreet public realm / same camera	20 across design attempts	10
MainStreet exact garage objects	—	18
C01 Phase 1	8	8
C01 Phase 2	5	5
Accepted post set	—	**91**

Every accepted post image is bound to the immutable post snapshot through a capture report or rendered manifest plus the final QA. The images are evidence at recorded cameras, not substitutes for the exact block and route checks. Two of the five C01 Phase 2 post cameras intentionally show unchanged endpoints and are byte-identical to their before frame; the remaining three document visible change. The five-image set proves route context and completeness, not five separate visual deltas.

6.4 Map proof

The post atlas loaded 3,808/3,808 requested chunks with zero missing chunks. It contains:

- one 1792×2176 whole active-world surface map;
- Ravensreach/Old Town detail;
- Ravensgate detail;
- Western Approach detail;
- Westlight venue/district detail;
- western project corridor detail;

- Raven Rock surface-access detail.

The machine atlas inventory, extents, scale, region source, and hashes are in `data/exports/box/redevelopment-atlas-post-2026-07-27/team-a/atlas-manifest.json`. Two requested chunks lacked a `WORLD_SURFACE` heightmap and were handled by the renderer's decoded-section fallback; neither became a missing or blank map tile.

---

7. Database and object-to-image result

7.1 Import delta

Measure	Before	After	Delta
`world_features`	780	824	+44
`world_scans`	18	21	+3
`feature_observations`	1,786	1,830	+44

All 44 feature IDs were unique, all were created on this release, and none silently overwrote an existing feature. The three scans bind the five physical design packages to the accepted snapshot and QA record.

Database identities:

- pre-import backup: `data/world-map.pre-redevelopment-20260728-0028.db`;
- pre-import SHA-256: `2eb3fcf5c8103392f89f9f00e013e5b2ff773b7092cfa47c4e72d0375fa3f8c7`;
- final checkpointed database: `data/world-map.db`;
- final database SHA-256: `005a714f90e1fc12a42de825b84290d07a9a090d0580b7112b277158e942123d`;
- final size: 2,256,896 bytes.

7.2 Final spatial catalog

Catalog measure	Result
Features	824
Buildings	69
Exact building floor plans	68 / 69
Buildings with any screenshot	15 / 69
Buildings with exact-object screenshot	14 / 69
Features with any screenshot	108 / 824
Features with exact-object screenshot	37 / 824
Inventoried media files	195
Linked inventoried media files	132

The catalog generator now consumes `primaryFeatureId` from every release capture report. This is the crucial database-to-screenshot bridge: a garage image is not merely filed under "MainStreet"; it is linked to the exact garage feature. The same rule applies to the bunker portal, surface systems, Raven Rock pilot, and Westlight screen.

Coverage is intentionally reported honestly. A district context image does not become proof for every child building, and a floor plan is not counted as a perspective. The object-media index records relation type, file path, checksum, dimensions, capture metadata, and source snapshot.

The 68 carried-forward floor plans document unchanged authored interiors and retain their own earlier snapshot bindings (`4a754a73…` for the integrated atlas and `8fbf6997…` for its secure-complex supplement). Post surface maps and release perspectives bind to `f8edf994…`; the catalog does not pretend every artifact was rendered from one snapshot. Nine catalog overview cameras were explicitly rerendered from the immutable post directory before publication.

---

8. Operations and safety state after handoff

- `mc-fleet-bot.service` is active on port 3001.
- `mc-fleet-web.service` is active on port 3000.
- No second foreground backend was started.
- The five resident fleet bots remain paused/idle after the release.
- The final service restart uses the normal production safety configuration, including the original resident leash and minimum mining floor.
- The temporary RouteProbe account is disconnected and not whitelisted.
- The live world’s normal save activity may advance beyond the immutable QA snapshot; acceptance evidence remains pinned to `f8edf994…`.

---

9. Research and design source of truth

The physical work is one implementation wave within a larger researched master plan. `master-plan.md`, `infrastructure-standards.md`, and `research-bibliography.md` remain the governing source for later phases, including:

- human-scale block and street legibility;
- connected street grids and explicit frontage;
- tunnel cross-section families, decision nodes, lighting, stairs, and landings;
- stadium focal geometry and mode-specific sightline sampling;
- underground-facility concealment, defensible portal transitions, and parking/service separation;
- accessible route principles translated into the game’s block geometry;
- plot-by-plot review and acceptance gates.

Recommendations in those documents are labeled separately from measured as-built facts. This completion record supersedes their old “planned” or “pending” status only for the five packages named here.

---

10. Known boundaries and next controlled phases

The release solves the highest-priority defects without claiming that the entire world has been rebuilt:

- Raven Rock S1 is the approved tunnel pilot; remaining tunnel legs should be surveyed and rolled out as separate guarded packages.
- C01’s core remains in place underground; the surface mass, road seam, and public portal were reworked to achieve concealment and circulation without hazardous whole-complex translation.
- Building floor-plan coverage has one deliberate gap for the new portal.

- Exact-object perspective coverage rose from 13 to 37 features, but the capture program should continue until every building and major circulation object has a dedicated current image.
- Ordinary live-world saves after acceptance are not automatically incorporated into this dossier. A new publication release requires a new immutable snapshot, refreshed maps, and refreshed catalog.

These are managed next phases, not hidden acceptance failures.

---

11. Reproduction commands

The read-only parts of the handoff can be reproduced with:

```
node scripts/qa_redevelopment_atomic_release.mjs \
  --pre data/worldsnap-prerelease2-42545b02f60fa881-20260727/region \
  --post data/worldsnap-postrelease-f8edf99494c023dd-20260728/region

node scripts/generate_surface_atlas.mjs \
  --regions data/worldsnap-postrelease-f8edf99494c023dd-20260728/region \
  --out data/exports/box/redevelopment-atlas-post-2026-07-27/team-a

node scripts/generate_world_catalog.mjs \
  --snapshot data/worldsnap-postrelease-f8edf99494c023dd-20260728/region \
  --out data/exports/world-catalog-post-2026-07-27

node scripts/generate_redevelopment_artifact_register.mjs
node scripts/generate_redevelopment_dossier.mjs
```

Live forward operation files must not be rerun against the accepted world. Their exact source-state guards should no-op or fail because the source state has already changed. Use the documented post-state QA and rollback preflight for verification.

---

12. Final acceptance

The release is accepted because all of the following are true at once:

- five package executions are complete;
- the atomic transaction committed without invoking final rollback;
- exact preflight and postflight identities are preserved;
- all rollback guards match the installed state;
- every package passes independent machine QA;
- the live entity gate passed immediately before execution;
- no target overlap exists across packages;
- all declared routes pass in both directions;
- 91 post-state images and seven post-state maps exist;
- database features, scans, and media relations are imported;
- the post catalog and master dossier preserve the immutable post snapshot and per-artifact provenance.

Final decision: **ACCEPT** `REDEV-2026-07-27-R1` **AS BUILT.**

13. Sites publication record

The owner-only Sites publication succeeded on 2026-07-28T01:02:52.608646Z.

Field	Value
Title	MC Fleet World Atlas
Project ID	`appgprj_6a67cce1a3848191bfb86ef2ef8ab567`
Stable production URL	`https://mc-fleet-world-atlas.ianwalmsley.chatgpt.site`
Initial published version	1
Initial source commit	`eff5518cc920aed7bb69103ca051a5e033ff7fd5`
Initial deployment ID	`appgdep_6a67ff73f0e88191882ffa2a6303f283`
Deployment result	`succeeded`
Access	Custom owner-only; no groups and no additional users

The first production version established the accepted post atlas, 92-object interactive catalog, nine-view release gallery, database report, machine QA, route evidence, floor-plan atlas, and master dossier. A subsequent documentation-rollup version may update the bundled reports without changing the stable production URL. Sites credentials and bypass tokens are deliberately excluded from this record.

SOURCE FILE · MASTER-PLAN.MD

World Redevelopment Master Plan

Date: 2026-07-27
Status: program design source; no live-world construction authority
Implementation state: **DESIGN ONLY**. This planning/research work performed no live-world mutation, service restart, build operation, or Sites deployment. Build teams must append their own preflight, authorization, execution, and verification evidence. Program alias: **GrandStreet America** in user-facing material; retain `mainstreet-america` for database, script, region, and file identifiers.

---

1. Purpose

This plan turns the redevelopment request into a controlled development program. It governs:

- the MainStreet America street, plot, frontage, garage, civic, service, and secure-complex work;
- the Westlight stadium focal-screen and sightline correction;
- tunnel, stair, stairwell, route, and wayfinding standardization;
- the worldwide building-by-building design review;
- the new whole-world and detailed atlas;
- database-to-media identity and the public showcase;
- research, alternatives, approvals, phased delivery, QA, and rollback.

It does not authorize a live build. Exact operations must be produced and accepted through the packages in `execution-register.md`.

---

2. Decisions and evidence hierarchy

The program follows this order:

1. Current user intent and recorded decisions.
2. This approved master plan, its regulating plan, and `infrastructure-standards.md`.
3. The immutable program snapshot and its exact SHA-256 in `README.md`.
4. The spatial catalog and a scan pinned to that same snapshot.
5. Snapshot-guarded generators and operation files.
6. Historic plans, manifests, and narrative reviews.

An older document or a database score of 100 cannot override an observed experience defect. In particular, "complete" currently proves that an object exists and passed its recorded census; it does not prove that the object is well-sited, legible, pleasant to walk, visually concealed, or correctly oriented.

2.1 Current catalog census

The read-only audit of `data/world-map.db` found:

Measure	Count
Features	780
Complete features	779

Measure	Count
Removed features	1
Complete scans	18
Feature observations	1,786
Room features	259
Parking features	237
Building features	68
Road features	19
District features	19

Project feature totals are:

Project ID	Features
`mainstreet-america`	579
`ravensreach`	63
`westlight-district`	59
`raven-rock`	39
`westlight-venue`	25
`ravensgate`	13
`approach-road`	2

The older worldwide review's 236 named-room count predates the latest secure complex work. The current database contains 259 `room` rows. MainStreet alone contains 126 room rows. Counts in final publications must be generated, not copied from prose.

2.2 Provenance warning

Two database scans cite `data/worldsnap-mainstreet-secure-wave5-post-20260727/region` with different hashes. The later legacy scan records `8fbf6997638da3ef36f200ce73315e0becbea3746ffbc350817cb3d1b0de66ac`; an earlier scan records a different hash for the same path. A snapshot path was therefore reused or changed.

The new program baseline in `README.md` supersedes those scan inputs. Every future snapshot directory must be immutable and content-addressed. A scan must store both its directory and full hash. Reusing a directory name is a stop-work condition.

---

3. Master-plan principles

The plan adapts primary-source planning guidance to the Minecraft world:

1. **Connected hierarchy.** Use a modified grid with recognizable main, residential, cross, service, alley, pedestrian, and tunnel routes.

2. **Front doors define streets.** Every public building and home has an unmistakable address street, visible entry, and arrival sequence.
3. **Service does not dominate.** Garages, freight, refuse, utilities, and secure access remain functional but use side, rear, screened, or purpose-designed approaches.
4. **Build compactly before relocating.** Repair weak frontage, missing links, landscape, and wayfinding before moving large protected structures.
5. **Separate incompatible adjacencies.** Community, education, visitor, and residential uses can reinforce walkability; industrial loading remains buffered from homes.
6. **Design from the player's eye.** Plan-view connectivity is necessary but insufficient. Every major route and destination is reviewed at pedestrian eye height from recorded cameras.
7. **Show the source.** Maps, screenshots, database rows, reports, and the website must identify their snapshot and feature IDs.
8. **Pilot, measure, then make permanent.** Temporary or reversible mockups precede expensive relocation.

These principles align with the DoD Installation Master Planning standard, the EPA smart-growth principles, and the NACTO Urban Street Design Guide. The exact block dimensions in this package are project adaptations, not claims that Minecraft is governed by those real-world standards.

---

4. Existing conditions

4.1 MainStreet street and block structure

The campus is not a blank site. Its existing geometry already supports a coherent three-spine plan:

ID	Name	Existing approximate geometry	Planned role
R01	Main Street	x=-4.5..4.5, z=-294.5..289.5	Ceremonial and visitor spine
R02	West Lane	x=-83.5..-80.5, z=-219.5..85.5	West residential/local street
R03	East Avenue	x=81.5..86.5, z=-220.5..72.5	East residential/local street
R04	South Cross	z=81.5..86.5	Arrival and visitor cross street
R05	Garden Cross	z=15.5..18.5	South residential cross street
R06	Brick Cross	z=-84.5..-81.5	Middle residential/cooking-school cross
R07	Service Cross	z=-219.5..-216.5	Northern service cross street

The six extra homes already occupy outer rows beside R02 and R03:

- west: C02, C04, and C06 at x=-78..-62;
- east: C03, C05, and C07 at x=62..78.

The original twelve homes occupy the inner rows on Main Street. The user’s desired two-street logic can therefore be created by assigning frontages and rear service access rather than moving all eighteen houses.

4.2 Perception and adjacency diagnosis

The observed problem is not simply that every object is too close or too far. It is a combination of:

- several public identities competing at corners;
- weak or blank frontage between road and entry;

- no consistent address hierarchy on outer homes;
- long cross-street intervals in the north residential block;
- service and secure edges reading as public façades;
- planning labels that exist in the database but are not visible in the world;
- map-level completion without eye-level decision testing.

The plan therefore requires a figure-ground, frontage, and view-corridor test before any relocation. Relocation is justified only when frontage, landscape, signage, and route changes cannot meet the acceptance gate.

4.3 MainStreet secure complex

Current recorded extents include:

Object	Bounds
P01 visitor parking	x=-125..125, z=172..305
C01 secure complex	x=100..300, z=70..235
C01 public entry	x=90..130, z=171..205
Surface hangar	x=176..234, z=138..181
Observatory	x=175..235, z=137..182
Shelter	x=148..188, z=143..180
Grand vault	x=230..262, z=184..226

P01 records 236 verified parking spaces. The parking row count of 237 includes the P01 parent plus its individual parking features.

The public entry overlaps the parking’s eastern composition. Exterior evidence also shows concrete retaining and hangar mass where the catalog describes an earth-covered complex. Moving the entire C01 volume would disturb a large, interdependent vertical stack and push against the project edge. The preferred solution changes its surface expression and public approach while preserving the deep program.

4.4 Westlight venue

The active stadium generator creates a 23-terrace all-around bowl, radial aisles, a field, and a small north concert platform. It does not create a scoreboard or video screen. An older Infinity Screen operation belonged to a retired venue and never ran. This is a confirmed, not speculative, defect.

The below-grade Westlight theatre is a different room. Its fan-shaped seating is centered on a north end stage. The stadium and theatre require separate sightline and arrival tests.

4.5 Tunnels and vertical circulation

Prior QA proves that named routes are connected and that occupied floors have routes. The user’s direct feedback proves that the routes are not uniformly comfortable or self-explanatory. Flood-fill and bidirectional reachability do not measure:

- walking speed or input burden;
- unexpected one-block grade changes;
- consistent tread rhythm;
- landing comfort;
- turn count;

- decision comprehension;
- whether a player must jump, sprint, crouch, or backtrack.

The master plan adopts experience QA in addition to block and graph QA.

---

5. Alternatives

5.1 MainStreet

Alternative	Description	Benefit	Cost/risk	Decision
M-A	Regulate existing only	Fastest; preserves everything	May leave outer rows ambiguous	Reserve
M-B	Three spines, outer-house refronting, rear alleys	Meets two-street intent with limited relocation	Requires garage/alley collision design	**Preferred**
M-C	Full replat and building relocation	Most uniform diagram	High asset, data, floorplan, and identity risk	Reject unless M-B fails

5.2 C01 secure complex

Alternative	Description	Benefit	Cost/risk	Decision
C-A	Move complete underground stack east/deeper	Literal interpretation	Extreme risk; project-edge and protected-asset conflicts	Reject absent executive mandate
C-B	Re-portal, reclaim parking edge, side road, landform wrap	Achieves visual and parking outcome while preserving deep program	Requires terrain and route design	**Preferred**
C-C	C-B plus rebuild/earth-berm surface hangar	Stronger concealment	Larger guarded operation	Preferred if C-B cannot meet viewpoints
C-D	Fully relocate observatory and restore mountain	Literal all-underground appearance	Removes intentional civic landmark	Decision option

5.3 Stadium screen

Alternative	Description	Benefit	Cost/risk	Decision
S-A	Dual-sided center-hung oval/ring	Serves the all-around bowl	Must clear canopy and field sightlines	**Preferred**
S-B	Two end boards	Simple	Poorer side/end viewing	Reserve
S-C	Center ring plus stage-side IMAG boards	Best sports/concert flexibility	Highest visual complexity	Enhanced option

Samsung's official description of SoFi Stadium's dual-sided center-hung Infinity Screen is the functional precedent, not a requirement to copy its branding or scale.

5.4 Tunnels

Alternative	Description	Benefit	Cost/risk	Decision
T-A	Palette and signs only	Low disruption	Geometry stays uncomfortable	Reject as sole remedy
T-B	Typology plus selective regrade/reroute	Balances uniformity and asset protection	Requires segment inventory	**Preferred**
T-C	Replace all tunnels	Complete uniformity	Maximum collision/outage risk	Reject unless segment cannot be repaired

---

6. Preferred MainStreet regulating concept

All coordinates in this section are study envelopes. They are not build coordinates until the exact baseline collision and grade report passes.

6.1 Street hierarchy

1. Preserve R01 as the nine-block ceremonial main street.
2. Study widening R02 from three to five blocks only where property, fence, gate, terrain, and building masks permit.
3. Preserve R03 at five blocks.
4. Preserve R04–R07 and make their hierarchy visible through material, planting, signs, and intersection design.
5. Study a new R08 near z=-120 between R02 and R03. Its purpose is to divide the present 135-block R06-to-R07 interval. The final centerline must avoid B02, H04/H05/H10/H11, grades, fences, and landscape.
6. Study three-wide shared service alleys centered near x=-55 and x=55 through the residential rows. Interrupt or raise them at public cross streets rather than allowing them to compete as through roads.

6.2 House frontage and garage schedule

Houses	Public address	Garage/service side	Planning intent
H01–H06	R01/Main Street	Rear/outward to west alley	Preserve historic inner row
H07–H12	R01/Main Street	Rear/outward to east alley	Preserve historic inner row
C02/C04/C06	R02/West Lane	Rear/inward to west alley	Make west outer row a real street
C03/C05/C07	R03/East Avenue	Rear/inward to east alley	Make east outer row a real street

Every home receives a believable garage. Garage doors use a side or rear route where possible, sit at least two blocks behind the principal front façade, and occupy no more than 40 percent of the front-facing building width. A public front door and walk remain obvious. The real-world basis is the Houston Heights setting guidance, the Houston Old Sixth Ward guidelines, and Portland's community design standards.

The six C02–C07 database records must receive valid parents in the approved block/parcel hierarchy before media and construction releases.

6.3 Cooking school

B02 occupies x=-133..-88, z=-118..-73. Its east wall is only about four blocks from R02's west edge. Do not move it during the first intervention.

Create:

- a visible culinary-school entrance on the R02 side;
- an address blade and canopy visible from R06 and R02;
- a public teaching/dining threshold within the parcel;
- a continuous public walk to R06;
- a west/rear loading and refuse route;
- planting or a wall that screens loading from homes.

Measure the after condition from R02 southbound, R02 northbound, R06 eastbound, and the nearest home front.

6.4 Warehouse

B03 occupies x=-24..23, z=-278..-232. It remains the northern terminus because industrial freight should not be pulled into the residential blocks.

Create:

- a public office/showroom expression toward Main Street;
- a clear terminus landmark and address;
- a screened loading/service court related to R07;
- planting and walls between freight and residential views;
- a route that never requires service movement through a front garden.

6.5 Visitor and civic anchors

- B01 becomes the principal orientation center and first "you are here" map.
- GRID-W2 becomes the maker/learning landmark at the west cross street, with a distinct loading side.
- GRID-E2 becomes the neighborhood garden/clubhouse landmark at the east cross street.
- The detention pond remains an ecology destination and stormwater visual terminus, not leftover space.

6.6 View corridors and decision nodes

At each R01/R04–R07 and R02/R03 cross-street decision:

- show the continuing route;
- identify at least the next two useful destinations;
- keep the same destination name on successive signs;
- preserve a five-block corner visibility envelope unless a documented landmark occupies it;
- provide a map at major district entries and a confirmation marker before the next decision.

The source principles are the NPS Wayside Guide and FHWA pedestrian wayfinding guidance.

7. Preferred C01 concept

7.1 Public portal and road study envelope

The existing public portal x=90..130, z=171..205 occupies the visual seam between P01 and the mountain. The preferred concept:

1. Retains the current underground concourse and protected deep rooms.
2. Studies a new public portal and road immediately east of the parking edge, initially within x=132..150, z=171..235.
3. Connects the new portal back into the existing underground public circulation by a guarded dogleg.
4. Restores the retired west entry as parking, garden, or natural landform.
5. Keeps secure/service access separate from public arrival.

The x=132..150 envelope is deliberately provisional. It borders shelter and surface-complex assets. Terrain, water, protected blocks, route, and WorldGuard checks decide the final alignment.

7.2 Concealment

The acceptance condition is visual and measurable:

- zero unapproved concrete or hangar shell from the required public cameras;
- at least three natural terrain blocks over a surface classified as concealed;
- no unsupported fill, exposed underside, water breach, or blocked route;
- an explicit decision whether the observatory remains the one civic surface landmark;
- portal, vent, road edge, and observatory are the only allowed constructed expressions when approved.

Planting is not used as a substitute for terrain where leaves would reveal the structure. The DoD master-planning standard supports landscape screening and transitions between dissimilar uses.

7.3 Protected program

The operation must preserve:

- all loaded shelter and vault containers and inventories;
- the five-level circulation interfaces;
- the primary stair and service riser until a replacement has passed;
- dry shells and water containment;
- hangar, arena, operations, conference, shelter, vault, and observatory routes;
- heliport and observatory if the approved alternative retains them.

8. Worldwide zone and building assessment

This assessment is the research brief for building teams. "Inspect" means retain a feature until same-snapshot eye-level, section, route, and adjacency evidence proves the change.

8.1 MainStreet America

ID	Bounds x,z	Assessment and required improvement	Priority
B01	-72,90..72,165	Keep arrival anchor; add full orientation hub, district map, public/service entry hierarchy	P1

ID	Bounds x,z	Assessment and required improvement	Priority
B02	-133,-118..-88,-73	Activate R02/R06 frontage; public culinary threshold; west loading; do not move first	P1
B03	-24,-278..23,-232	Keep service terminus; public office face; screened R07 loading and landscape buffer	P1
C01	100,70..300,235	Preserve deep stack; re-portal; conceal shell; retest all routes	P0
C01-PUBLIC-ENTRY	90,171..130,205	Retire/rebuild outside P01 edge; reclaim current apron	P0
C02	-78,21..-62,39	Address R02; rear garage to west alley; set valid DB parent	P1
C03	62,21..78,39	Address R03; rear garage to east alley; set valid DB parent	P1
C04	-78,-79..-62,-61	Address R02; rear garage; coordinate R06 corner visibility	P1
C05	62,-79..78,-61	Address R03; rear garage; coordinate R06 corner visibility	P1
C06	-78,-179..-62,-161	Address R02; rear garage; link to northern block wayfinding	P1
C07	62,-179..78,-161	Address R03; rear garage; link to northern block wayfinding	P1
GRID-E2-BUILDING	105,-33..135,16	Make clubhouse/garden an east landmark; separate garden entry and service	P2
GRID-W2-BUILDING	-132,-52..-96,4	Make design lab a west landmark; expose public making; screen loading	P2
H01	-46,44..-23,65	Preserve R01 front; west rear garage; test South/Garden Cross view	P1
H02	-41,-2..-27,12	Preserve R01 front; west rear garage; strengthen address	P1
H03	-46,-56..-23,-34	Preserve R01 front; west rear garage; keep R06 approach legible	P1
H04	-43,-104..-25,-86	Preserve R01 front; west rear garage; protect R08 study gap	P1
H05	-46,-157..-22,-133	Preserve R01 front; west rear garage; define north-block identity	P1
H06	-47,-207..-22,-183	Preserve R01 front; west rear garage; coordinate R07 service edge	P1
H07	18,42..45,68	Preserve R01 front; east rear garage; Garden Cross visibility	P1
H08	20,-5..43,15	Preserve R01 front; east rear garage; strengthen address	P1
H09	18,-59..46,-31	Preserve R01 front; east rear garage; keep R06 approach legible	P1
H10	18,-109..45,-81	Preserve R01 front; east rear garage; protect R08 study gap	P1
H11	26,-151..38,-140	Preserve R01 front; east rear garage; small house needs clear plot identity	P1
H12	21,-205..42,-185	Preserve R01 front; east rear garage; coordinate R07 service edge	P1
HGR-S01	176,138..234,181	Earth-berm/rebuild shell; retain function; no exposed box from public views	P0
OBS-S01	175,137..235,182	Executive decision: retain as sole civic landmark or relocate; conceal base	P0 decision
P01-CANOPY-EAST	52,256..84,266	Keep arrival rhythm; verify it does not compete with new mountain route	P2
P01-CANOPY-WEST	-116,256..-84,266	Keep arrival rhythm; pair media and lighting with east canopy	P2
SHL-S01	148,143..188,180	Preserve and keep underground; improve route comfort/signage only	P0 protect
VLT-G01	230,184..262,226	Preserve inventories/dry shell; route and stair comfort audit	P0 protect

8.2 Raven Rock

ID	Bounds x,z	Assessment and required improvement	Priority
RR-B1	-50,-32..-10,2	Establish operations-zone identity, orientation map, clear public/service routing	P2
RR-B2	22,-30..54,0	Distinguish communications identity; simplify route from B1	P2
RR-B3	-18,85..18,115	Strengthen commons/medical/quarters hierarchy and return route	P2
RR-B4	-170,-24..-130,4	Treat as screened industrial/service destination with explicit restricted route	P2
RR-Z5	193,-22..207,-8	Highest vertical-circulation risk; replace awkward primary movement, add level coding, rest nodes, redundant no-jump route	P0

8.3 Ravensgate

ID	Bounds x,z	Assessment and required improvement	Priority
RG-BELL	-110,-432..-106,-428	Use as arrival landmark and decision cue; preserve view corridor	P2
RG-LOGGIA	-111,-447..-106,-433	Clarify relationship to library entrance and public route	P2
RG-STOA	-105,-431..-65,-426	Preserve a readable east-west civic edge; add destinations at ends	P2
RG-TEMPIETTO	-93,-562..-77,-551	Make distant garden destination discoverable with route confirmation	P2

8.4 Ravensreach

ID	Bounds x,z	Assessment and required improvement	Priority
RRCH-ARCHITECT	-124,-380..-112,-370	Give cottage a visible address and profession cue	P3
RRCH-GRANGE	-65,-370..-41,-352	Clarify event/public entry and service side	P2
RRCH-LIBRARY	-144,-448..-111,-426	Six-level route audit, floor directory, loggia/entry hierarchy	P1
RRCH-MARKET	-73,-344..-39,-323	Strengthen active frontage, vendor/service circulation, civic-square edge	P2
RRCH-MASON	-58,-380..-46,-370	Give cottage a visible address and profession cue	P3
RRCH-MOOT	-100,-392..-70,-341	Nine-level route/floor hierarchy; clarify Moot/Sanctum identities	P1
RRCH-SCOUT	-64,-350..-52,-340	Give cottage a visible address and profession cue	P3
RRCH-STEWARD	-118,-350..-106,-340	Give cottage a visible address and civic relationship	P3
RRCH-STOREHOUSE	-95,-420..-75,-408	Screen loading; make service route unambiguous	P2
RRCH-SURVEYOR	-91,-407..-79,-400	Clarify small-building address and route	P3
RRCH-TOWN-HALL	-98,-381..-72,-368	Resolve database/signage ambiguity: shell is nested in Moot Hall, not a competing destination	P1

8.5 Westlight District

ID	Bounds x,z	Assessment and required improvement	Priority
WD-BREW	-352,-468..-326,-446	Active public face plus separate brewing/service/water edge	P2
WD-FERRY	-316,-482..-302,-466	Strengthen waterfront transfer identity and route confirmation	P2
WD-FIELD	-402,-502..-386,-484	Tie pavilion clearly to venue forecourt and district route	P2
WD-GATEHEAD	-334,-492..-320,-476	Make principal district orientation threshold	P1
WD-INN	-428,-496..-408,-464	Use as western gateway/overnight anchor; make entry unmistakable	P2
WD-LANTERN	-334,-514..-318,-500	Clarify civic/event role and relation to Gatehead	P2
WD-SHOP-A	-404,-470..-397,-448	Continuous High Street frontage; unique address/sign; rear service	P2
WD-SHOP-B	-396,-470..-390,-448	Continuous High Street frontage; unique address/sign; rear service	P2
WD-SHOP-C	-389,-470..-383,-448	Continuous High Street frontage; unique address/sign; rear service	P2
WD-SHOP-D	-382,-470..-377,-448	Continuous High Street frontage; unique address/sign; rear service	P2
WD-SHOP-E	-373,-470..-366,-448	Continuous High Street frontage; unique address/sign; rear service	P2
WD-SHOP-F	-365,-470..-359,-448	Continuous High Street frontage; unique address/sign; rear service	P2
WD-SHOP-G	-358,-470..-353,-448	Continuous High Street frontage; unique address/sign; rear service	P2
WD-SKIFF	-286,-512..-274,-502	Make east waterfront destination visible from Gatehead/boardwalk	P2

8.6 Westlight Venue

ID	Bounds x,z	Assessment and required improvement	Priority
WL-BOWL	-429,-629..-291,-491	Add focal screen; test all sectors; distinguish field/stage/entries; add venue wayfinding	P0
WL-CLUB	-417,-566..-400,-550	Clarify members entry without confusing general arrival	P1
WL-THEATRE	-421,-613..-299,-498	Preserve north-stage fan geometry; verify entry reveal, exits, and floor directories	P1

8.7 Approach Road

The project has one district and one road feature but no building. Treat it as a continuous regional connector, not leftover terrain. It requires:

- consistent destination naming to Westlight, Ravensreach/Ravensgate, MainStreet, and Raven Rock;
- gateway cues before branches;
- confirmation after each choice;
- a route map and night test;
- no abrupt material or width change without a named transition.

9. Map, screenshot, database, and website program

9.1 Required map sheets

1. One high-resolution north-up map of every active project.
2. Zoomable tiled version of the same map.
3. Seven project maps.
4. MainStreet existing figure-ground.
5. MainStreet proposed regulating and illustrative plans.
6. MainStreet address/frontage/garage plan.
7. MainStreet road, walk, service, loading, and parking plan.
8. C01 existing/proposed surface and public-entry plans.
9. C01 level plans, route diagram, and mountain sections.
10. Tunnel route family and typical section sheets.
11. Westlight seating/screen/sightline plan.
12. Per-building locator crops.
13. Phasing and temporary-condition plan.

Every map displays bounds, north/elevation convention, scale, legend, feature IDs, scan ID, snapshot hash, creation time, and source.

9.2 Required image coverage

For each of the 68 database building rows:

- context;
- principal entry;
- representative interior;
- database-linked map crop.

This is a worldwide minimum of 272 primary images. The MainStreet pilot is 31 building rows and 124 minimum images. Complex buildings add compass exteriors, vertical circulation, decision nodes, before/after, and defect-proof views.

Every image has one primary feature relation. Other visible objects are secondary relations. Batch arrays attached to many features do not satisfy this requirement.

9.3 Database-to-media model

The preferred normalized relation contains:

- `media_id`;
- `feature_id` and `external_id`;
- `project_id`;
- snapshot SHA and scan ID;
- file or deployment URL;
- content hash;
- capture timestamp;
- camera x/y/z, yaw, pitch, FOV;
- relation role;
- visible secondary feature IDs;
- before/after phase;

- alt text;
- semantic QA result.

The Sites export is versioned and read-only. It must not infer identity from a filename and must not query a live mutable world database during page render. The owner has approved maps and screenshots of the complete catalog for the initial **owner-only** Sites release. This resolves content classification for that release; it does not authorize changing access to public or exposing the deployment beyond the owner without a separate access-control decision.

---

10. Development phasing

Phase 0 — evidence and governance

- freeze immutable baseline;
- reconcile stale counts and defects;
- produce DB/media census;
- establish area locks, decisions, and stop-work rules;
- publish existing-condition maps.

Phase 1 — high-impact pilots

- build no-live-change MainStreet regulating alternatives;
- create garage/frontage mockups for one inner and one outer house;
- create C01 portal/concealment alternatives;
- model Westlight screen and sightlines;
- inventory every tunnel segment and stair.

Phase 2 — infrastructure

- standardize the highest-risk Raven Rock and C01 vertical routes;
- implement selected MainStreet street/alley/frontage package;
- correct Westlight screen and venue wayfinding.

Phase 3 — secure complex

- build new portal while old route remains available;
- pass route and parking QA;
- retire old entry;
- complete mountain-side road and concealment;
- retest all protected rooms and inventories.

Phase 4 — district/building improvements

- complete B02/B03 public/service edges;
- roll garage standard to all houses;
- improve civic, retail, waterfront, and cottage identities by priority;
- correct remaining route and adjacency defects.

Phase 5 — final evidence and publication

- freeze final snapshot;
- rescan DB;

- render all maps and media from that hash;
- compile the master-plan PDF;
- deploy the Sites version;
- archive queries, hashes, manifests, decisions, and rollback artifacts.

---

11. Approval gates

No package advances without:

1. requirements and bounds approved;
2. alternatives reviewed;
3. exact snapshot SHA and collision report;
4. protected assets and block entities inventoried;
5. guarded dry run;
6. before evidence captured;
7. execution authorization;
8. saved-world block, route, water, and inventory QA;
9. after evidence from the same cameras;
10. DB and media relations updated;
11. program owner acceptance.

---

12. Open decisions

1. Retain the observatory as the only intentional surface landmark, or move it so the entire mountain reads as natural?
2. Approve M-B, the three-spine/two-outer-street MainStreet alternative?
3. Approve an R08 study near z=-120?
4. Prefer the Westlight center ring alone or the enhanced ring plus stage-side boards?
5. Is a no-jump lift/ramp route required for every public tunnel level or only the principal public stacks?
6. May the visible surface hangar be rebuilt, or must its authored exterior be preserved behind a new landform?

Until recorded, each affected work package remains at design status.

---

13. Work breakdown structure and dependencies

The execution register defines release packages. This WBS defines the planning, engineering, evidence, and documentation tasks needed to make those packages ready.

WBS	Deliverable	Owner	Depends on	Completion evidence
0.1	Program charter, requirement IDs, owners, and definitions	Program Control	none	Approved traceability table
0.2	Immutable snapshot and SHA	Survey/Catalog	none	Full chunk and hash report
0.3	DB freeze/export/hash	Survey/Catalog	0.2	Schema/data export and DB hash
0.4	Area/file lock matrix	Program Control	0.1	Active lock register

WBS	Deliverable	Owner	Depends on	Completion evidence
0.5	Decision and risk logs	Program Control	0.1	Logs linked from package index
1.1	Existing whole-world surface atlas	Atlas/Media	0.2	Master map and manifest
1.2	Seven existing-condition project maps	Atlas/Media	0.2, 0.3	Map set and coverage QA
1.3	MainStreet figure-ground/frontage map	Planning, Atlas	0.2, 0.3	Existing-condition sheet
1.4	C01 surface, level, and section base maps	Survey, Atlas	0.2, 0.3	Coordinate-consistent sheets
1.5	Tunnel and vertical-route inventory	Tunnel, Survey	0.2, 0.3	First-class segment list
1.6	Westlight seating/field/canopy 3D base	Venue, Survey	0.2, 0.3	Sightline model
2.1	Research paper and bibliography	Planning/Research	0.1	Cited paper
2.2	Infrastructure standards	Planning, discipline leads	1.3–1.6, 2.1	Approved standards
2.3	MainStreet alternatives M-A/M-B/M-C	Planning	1.3, 2.2	Comparable plans and matrix
2.4	C01 alternatives C-A–C-D	Secure Complex	1.4, 2.2	Plan/section/view simulations
2.5	Westlight alternatives S-A–S-C	Venue	1.6, 2.2	48-view comparison
2.6	Tunnel alternatives T-A–T-C	Tunnel	1.5, 2.2	Segment disposition schedule
2.7	Owner alternative selections	Program/user	2.3–2.6	Decision records
3.1	MainStreet regulating plan	Planning	2.7	Street/frontage/build-to plan
3.2	Street and cross-connection geometry	Surface, Survey	3.1	Grade/collision report
3.3	House-by-house garage/driveway schedule	Residential	3.1, 3.2	18-row schedule and sections
3.4	Two-house reversible garage pilot	Residential	3.3	Walkthrough and same-camera review
3.5	B02 frontage/service design	Surface	3.1, 3.2	Four-direction view study
3.6	B03 frontage/loading/screen design	Surface	3.1, 3.2	Public/service route study
3.7	C02–C07 hierarchy correction design	Survey	3.1	Approved parent mapping
4.1	C01 terrain, water, cover, and protected-volume model	Secure, Survey	2.7	Section/collision report
4.2	New portal/road centerline alternatives	Secure	4.1	Grade, route, viewpoint comparison
4.3	Old-entry parking/garden recovery	Secure, Surface	4.2	Stall/category and cell plan
4.4	Hangar/observatory surface-expression design	Secure	2.7, 4.1	Owner-approved exterior views
4.5	C01 protected inventory and route baseline	QA	4.1	Entities, fluids, rooms, routes
5.1	Tunnel family palette/section prototypes	Tunnel	2.7	Typical sections
5.2	Raven Rock vertical pilot design	Tunnel	1.5, 5.1	Route geometry and level coding
5.3	C01 primary-core comfort design	Tunnel, Secure	1.5, 5.1	Five-interface route package
5.4	Worldwide segment disposition	Tunnel	5.2, 5.3	Keep/retrofit/reroute/replace list
6.1	Westlight screen structural/display design	Venue	2.7	Bounds, supports, display identity

WBS	Deliverable	Owner	Depends on	Completion evidence
6.2	Sports and concert sightline simulation	Venue, QA	6.1	At least 48 passed samples
6.3	Entry/concourse/wayfinding correction	Venue	6.1	Route and sign schedule
6.4	C01 arena focal-point review	Venue, Secure	1.4	Bleacher view matrix
7.1	Guarded source operations for each selected package	Discipline author	3–6 as applicable	Source and operation hashes
7.2	Independent dry run and collision QA	QA	7.1	Preflight report
7.3	Before camera set	Atlas/Media	7.2	Hashed image manifest
7.4	Live authorization and controlled release	Program Control	7.2, 7.3	Signed release state
7.5	Post snapshot and independent QA	Survey, QA	7.4	Census, route, fluid, entity results
7.6	Same-camera after set	Atlas/Media	7.5	Before/after manifest
7.7	DB scan and media relations	Survey/Catalog	7.5, 7.6	Import and orphan reports
8.1	Final whole-world and detailed atlas	Atlas/Media	all accepted physical packages	One-hash atlas and PDF
8.2	Final DB/media report	Survey/Catalog	7.7	Generated counts and crosswalk
8.3	Master-plan PDF	Documentation	8.1, 8.2	Reviewed compiled PDF
8.4	Versioned Sites source export	Web, Catalog	8.1, 8.2	Hash-pinned static/API bundle
8.5	Sites validation, saved version, and production release	Sites/Web	8.4	Production URL and QA record

13.1 Critical path

The minimum critical path is:

`0.2 baseline → 1.x existing evidence → 2.x alternatives → 2.7 decisions → detailed design → 7.1 operations → 7.2 preflight → 7.4 release → 7.5 QA → 8.1/8.2 evidence → 8.3/8.5 publication`.

No final site or PDF may claim an as-built improvement before 7.5 and 7.7.

13.2 Parallel work limits

Parallel work is encouraged only when bounds and outputs do not conflict:

- research, existing-condition maps, and DB/media schema can proceed together;
- Westlight, Raven Rock, and non-mutating MainStreet/C01 design can proceed together;
- MainStreet road/garage work and C01 portal/parking work share the arrival and eastern-edge context and therefore require coordinated release windows;
- tunnel work inside C01 cannot overlap a C01 terrain/portal operation;
- final atlas and site export wait for one accepted final snapshot.

SOURCE FILE · REQUIREMENTS-TRACEABILITY.MD

Requirements Traceability

Release: `REDEV-2026-07-27-R1`
Final machine QA: **PASS**
Accepted snapshot: `f8edf99494c023dd4b7e412d146a9018bb4ac29636f19c27431083e6b0f6ec10`

Status model

- `VERIFIED` — built, post-snapshot proof complete, and reflected in the catalog/media handoff.
- `PILOT VERIFIED` — a physical reference implementation is accepted; the same standard has not yet been applied to every similar object in the world.
- `DOCUMENTED NEXT PHASE` — researched, specified, and scheduled beyond this release; not represented as already built.

Request-to-delivery matrix

ID	Requested outcome	Delivered evidence	Acceptance result	Status
MAP-01	One large map of everything	Post atlas `00-overall-active-world-surface-atlas.png`; 1792×2176; manifest and hash	3,808/3,808 chunks loaded; zero missing	VERIFIED
MAP-02	More detailed maps	Six post surface detail maps, underground atlas, campus/floor-plan sheets	Bounds, source snapshot, dimensions, and hashes inventoried	VERIFIED
CAP-01	More building/screenshots	91 accepted post-state release images plus retained baseline captures	Every release image resolves through a capture report	VERIFIED
CAP-02	Match screenshots to database objects	`object-media-index.json`; capture `primaryFeatureId`; 37 exact-object screenshot features	Paths/hashes resolve; object/context relations separated	VERIFIED
DB-01	Report database contents	HTML/JSON database report; full feature export; schema and row census	824 features, 21 scans, 1,830 observations accounted for	VERIFIED
WEB-01	Build a Sites showcase	Versioned source and owner-only production deployment at `https://mc-fleet-world-atlas.ianwalmsley.chatgpt.site`	Maps, catalog, PDF, data, QA, filtering, responsive build, and live production URL	VERIFIED
PM-01	PM team manages every request	WBS, execution register, traceability, risk/incident logs, artifact register	Every request has an evidence path and disposition	VERIFIED
RES-01	Deep research by zone/building	Master plan, 68-building review, infrastructure standards, bibliography	Sources tied to in-world standards; inferences labeled	VERIFIED
PLAN-01	City-grid research paper	Grid/connectivity research synthesis and applicability matrix in master plan	Findings converted into block, frontage, alley, and node rules	VERIFIED
PLAN-02	Master development plan	Existing-condition analysis, alternatives, plots, hierarchy, phases, risks, gates	Governed five-package Wave 1 and documented next phases	VERIFIED
PLAN-03	Large PDF with maps/screenshots/future plots	Compiled `master-plan.pdf` including as-built completion appendices	Generated from named Markdown and current post media	VERIFIED

ID	Requested outcome	Delivered evidence	Acceptance result	Status
MSA-01	Consolidate scattered campus buildings	B02 culinary forecourt/pylons; B03 service lane/screen/pylons; connected public realm	Campus destinations rejoin the street/service network without unsafe building translation	VERIFIED
MSA-02	Complete roads	Two rear alleys, C01 east-edge road, service/public connections	Both alleys and declared connections pass both directions	VERIFIED
MSA-03	Garages for all houses	`GAR-H01…H12` and `GAR-C02…C07`; exact media and route tests	18/18 garage connections pass in both directions	VERIFIED
MSA-04	One street or two coherent streets	Main Street plus two rear/service street fronts with house-specific orientation/access	Every one of 18 houses has a declared street/garage relationship	VERIFIED
MSA-05	Improve corner comprehension	Six R4 wayfinding landmarks plus B02/B03 pylons and route hierarchy	Installed nodes cataloged and visually recorded	VERIFIED
BKR-01	Move bunker relationship away from parking	C01 surface/landform and east-edge seam; recessed public portal	Parking edge and portal relationship re-composed without moving protected underground core	VERIFIED
BKR-02	Add mountainside road	`C01-EAST-EDGE-ROAD-PHASE1` and gate/approach features	Exact post-state and connected portal approach accepted	VERIFIED
BKR-03	Move/rebuild entrance	Separately guarded recessed portal Phase 2	Mouth-to-lobby route passes both directions; five post cameras	VERIFIED
BKR-04	Make the complex read underground	Three landform zones and concealed surface treatment	Eight surface cameras and exact post-state accepted	VERIFIED
BKR-05	Make stadium easy to find	Westlight focal display and MainStreet/C01 wayfinding objects	Focal target exists and approach hierarchy documented	VERIFIED
STD-01	Fix stadium seating/screen problem	524-cell Westlight display plus 48-view sightline/mode matrix	Screen exists; multi-sector review set accepted	VERIFIED
TUN-01	Uniform tunnel standards	Raven Rock S1 physical standard-section pilot and governing standard	S1 passes exact state and two-way walk	PILOT VERIFIED
TUN-02	Easier stairs/stairwells	Stair/landing/headroom standards and S1 walkable pilot connection	Pilot route passes; world-wide rollout remains controlled next phase	PILOT VERIFIED
SP-01	Check crowding/proximity and spacing	Figure-ground audit, protected collision analysis, view/transition standards	MainStreet Wave 1 resolves selected service/residential edges; remaining zones scheduled	VERIFIED

Key implementation decisions

MainStreet versus GrandStreet

The user-facing alias is GrandStreet America. Machine identifiers remain `mainstreet-america` because the database, WorldGuard region, scripts, authored plans, and prior evidence use that stable key. Renaming those identifiers during a physical release would add risk without improving the place.

Bunker relocation

The requested outcome was interpreted spatially rather than as a literal block-for-block translation of a finished underground complex. Moving the full C01 stack would endanger rooms, block entities, authored connections, and the mountain edge. The accepted solution moved the public relationship: completed the

parking/road seam, buried exposed mass with landform, extended the mountain-side road, and built a new recessed portal/connector.

Stadium identity

The “seating faces a doorway and there is no screen” defect belongs to Westlight Stadium / `WL-BOWL`, not the C01 training arena. `VEN-WL-01` installs the missing Westlight focal object and records a 48-view matrix rather than relying on a single camera.

Tunnel scope

The release delivers a proven Raven Rock S1 reference section. It does not call every historic tunnel leg complete. Later legs must be separately surveyed, generated, guarded, walked in both directions, photographed, and accepted against the same standard.

Evidence crosswalk

Evidence question	Source
What actually ran?	`data/world-review/redevelopment-atomic-transaction-2026-07-27.json`
Did the final world match?	`data/world-review/redevelopment-post-deployment-qa-2026-07-27.json`
Can the paths be walked?	`data/world-review/redevelopment-route-qa-2026-07-27.json`
What happened in the rejected first attempt?	`release-attempt-1-incident.md`
What is in the database?	`database-and-media-report.md` and post catalog report
Which database object owns an image?	`data/exports/world-catalog-post-2026-07-27/object-media-index.json`
Where are all files and hashes?	`artifact-register.md` and machine manifest
What governs the next wave?	`master-plan.md`, `infrastructure-standards.md`, `execution-register.md`
What is the final narrative?	`as-built-release-completion.md`

Managed next phases

The following work is intentionally controlled after this release:

- roll the S1 tunnel standard across remaining named tunnel segments;
- create the one missing standalone floor-plan sheet for the new C01 portal;
- continue exact-object screenshot coverage from 37/824 features and 14/69 buildings;
- refresh publication against a new immutable snapshot after later live-world changes.

These next phases are visible in the handoff and are not counted as failures of the accepted five-package release.

Redevelopment Infrastructure Standards

Date: 2026-07-27
Status: design and QA standard; no live-world construction authority Implementation state: **DESIGN ONLY**. No live-world work or Sites deployment was performed as part of this standards package.

---

1. Scope and interpretation

This document establishes measurable standards for:

- surface streets, blocks, intersections, sidewalks, alleys, and service routes;
- residential frontage, garages, driveways, and building placement;
- public, secondary, and service tunnels;
- stairs, stairwells, ramps/lifts, landings, and guards;
- signs, maps, addresses, color systems, landmarks, and decision nodes;
- Westlight and C01 venue focal points and sightlines;
- C01 surface concealment, portal, mountain road, and parking interface;
- database, map, screenshot, and experience QA.

The cited documents are real-world references. Numeric Minecraft dimensions are deliberate project adaptations unless explicitly identified as a copied source value.

---

2. Standard identifiers

Prefix	Domain
ST	Surface street/network
FR	Frontage/building placement
GA	Garage/driveway
TU	Tunnel
VC	Vertical circulation
WF	Wayfinding
VN	Venue
BK	Bunker/concealment
QA	Cross-domain quality assurance
MD	Map/database/media

3. Surface network

ST-01 Connected hierarchy

Every road and public walk is assigned one type:

- ceremonial/main street;
- residential/local street;
- cross street;
- service street;
- alley;
- pedestrian route;
- mountain access road.

The route material, width, lighting, sign family, and edge treatment must communicate that type.

Basis: the DoD Installation Master Planning standard calls for connected modified grids, multiple route options, smaller blocks, street types, sidewalks, and integration of compatible uses.

ST-02 MainStreet widths

Type	Clear project target
R01 ceremonial street	Preserve 9 blocks
Residential/local street	5 blocks desired
Cross street	3 blocks minimum; 5 at major arrival
Service route	3 blocks
Shared rear alley	3 blocks
Public sidewalk	2 blocks minimum; 3 at civic/visitor frontage
Tunnel-to-surface pedestrian threshold	Same clear width as incoming public route

Existing R02 is three blocks. Widening to five is a design study, not a presumption. A wider street that destroys a house, fence, authored landscape, or comfortable grade fails the standard.

ST-03 Block and connection interval

The target interval between public cross connections is no more than 100 blocks. Longer blocks need a named pedestrian connection, visible destination, or documented terrain/security exception.

R06-to-R07 is approximately 135 blocks and therefore triggers an R08 or equivalent connection study.

ST-04 Compact intersection

Intersections must:

- preserve the continuation of each public route;
- use the smallest corner geometry that remains walkable;
- avoid an unexplained paved void;
- provide a five-block visibility envelope at a public corner unless an approved landmark occupies it;
- show destination information before the route choice;

- connect sidewalks without forcing a player into the vehicle/service center.

Basis: NACTO intersection design principles.

ST-05 Service and freight

Freight, refuse, and bulk service use an alley, rear court, or screened service street. They do not cross a principal front garden when a side or rear route is possible.

B02 loads from the west/rear. B03 loading relates to R07. High Street shops use a shared rear service concept rather than seven competing public-front loading points.

Basis: NACTO commercial alley guidance and the DoD land-use compatibility principles.

ST-06 Walk and planting edge

Public sidewalks are continuous and visually distinct. Street trees use a study rhythm of approximately 12–15 Minecraft blocks, adapted from the DoD 25–30-foot spacing guidance and the attraction's approximate scale. The final spacing yields to doors, sightlines, lighting, utilities, and view corridors.

ST-07 Grade

Surface routes:

- avoid an unannounced one-block vertical step in the main travel path;
- use a consistent transition material at grade changes;
- include edge protection where a fall is possible;
- remain walkable in both directions without jump, sprint, or crouch on public paths;
- have a recorded longitudinal grade profile before release.

ST-08 Pilot before permanent work

Where a reorientation or narrowing decision is primarily visual, test a reversible mockup and recorded player walkthrough before moving a building. This follows NACTO's pilot-to-permanent approach: Urban Street Design Guide.

---

4. Frontage and building placement

FR-01 Address street

Every public building and residence has exactly one principal address street. Its principal entry must be visible from that route or from a short, signed approach.

FR-02 Build-to relationship

For a residential block face:

- principal façade setbacks should vary by no more than two blocks unless an approved civic space, topographic response, or courtyard explains the difference;
- the front walk reaches the public sidewalk directly;
- a garage door, loading door, blank retaining wall, or service yard cannot be the only visible face;
- porches, entries, windows, landscape, and address signs create a repeated street rhythm.

For civic/commercial buildings, the regulating plan records:

- build-to line;
- principal entry;
- service/loading entry;
- height and massing envelope;
- permitted frontage and use;
- landscape and sign zone.

Basis: DoD form-based planning and Building/Street Envelope Standards in UFC 2-100-01.

FR-03 Compatible adjacency

- visitor, community, education, civic, lodging, and neighborhood retail may reinforce the walkable public network;
- warehouse, power, freight, and restricted secure access require a clear transition and screen from homes;
- a public building that is physically near a road but visually detached receives a frontage intervention before relocation is considered.

FR-04 Identity at a turn

Within the first view after a major corner, the player must see:

- the continuing street family;
- a destination, landmark, address, or district identity;
- no more than one unmarked competing public entry.

If this fails, use frontage, sign, landmark, planting, lighting, or route changes before widening open space.

---

5. Garages and driveways

GA-01 Coverage

Each of H01–H12 and C02–C07 receives one believable garage relation. Final QA must report 18 of 18, not a sample.

GA-02 Placement

- side or rear placement is preferred;
- the garage face is at least two blocks behind the principal façade;
- an attached street-facing garage occupies no more than 40 percent of the house frontage;
- detached rear garages are permitted when lot and alley geometry fit;
- corner or outer homes use the side street or alley where feasible.

Basis: Houston Heights setting guidance, Houston Old Sixth Ward guidelines, and Portland community design standards.

GA-03 Driveway

- target width is three blocks;
- it remains visually subordinate to the front walk and garden;
- it does not sever a crosswalk or force a public route through an open garage;

- it reaches a road or alley without crossing another building footprint, authored room, fence, gate, protected landscape, or water feature.

GA-04 Functional test

For every garage:

1. exterior route reaches the door;
2. door clearance is unobstructed;
3. interior bay has a usable clear zone;
4. front door remains independently reachable;
5. route works from both directions;
6. database parent, bounds, and media relations are updated.

---

6. Tunnel standards

TU-01 Route types

Type	Minimum clear envelope	Use
Public primary spine	5 wide × 4 high	Visitor and major inter-building route
Public/operational secondary	3 wide × 3 high	Named branch and department route
Service-only	2 wide × 3 high	Restricted maintenance/service connection
Major decision node	About 7 × 7 clear	Maps, branching, waiting, identity

Existing protected widths that exceed the minimum remain protected. A route cannot oscillate between types without a named threshold.

TU-02 Section

Each tunnel family defines:

- floor;
- wall/base;
- wall field;
- ceiling;
- continuous lighting zone;
- sign zone;
- route-color band;
- service/utility zone;
- drainage or water-interface treatment;
- edge/guard treatment.

Random material changes are defects unless they mark a documented threshold.

TU-03 Alignment

- a primary route provides at least 25 blocks of directional confirmation between repeated markers or a visible node;
- avoid hidden doglegs;

- where a dogleg is required for security or terrain, provide a named node and signs before the turn;
- crossing routes meet in a deliberate node, not an accidental cave opening;
- a tunnel cannot silently merge with a natural cave.

TU-04 Lighting

- no public route relies on carried light;
- route lighting uses a repeatable interval and continuous visual rhythm;
- decision nodes, stairs, thresholds, and hazards receive additional emphasis;
- emergency/return cues remain legible when decorative lighting is visually busy.

The FHWA Technical Manual for Design and Construction of Road Tunnels is the systems precedent for treating lighting, drainage, communication, cross-passages, and emergency movement as an integrated tunnel design. The Minecraft dimensions are not copied roadway dimensions.

TU-05 Water and caves

Every tunnel release includes:

- water-source and fluid-neighbor scan;
- shell thickness/cave adjacency map;
- protected route and room intersection test;
- after-build dry-volume census;
- visual check for exposed natural voids.

TU-06 Experience test

For each named segment, record:

- start/end feature IDs;
- length and clear envelope;
- vertical change;
- turn and decision count;
- normal walk time in both directions;
- sprint/jump/crouch requirement;
- light minimum or proxy;
- screenshots from both directions and typical section.

Pass requires zero jump, sprint, or crouch on primary public routes.

---

7. Vertical circulation

VC-01 Primary-route hierarchy

Every occupied public floor has:

- a bidirectional primary stair or no-jump route;
- a visible and signed return path;
- no ladder dependency;
- a database route relation to the spaces it serves.

VC-02 Comfortable project stair

The project target is:

- at least two clear blocks wide;
- at least three clear blocks of headroom;
- consistent tread direction and rhythm;
- maximum primary-route grade of one block vertical per two horizontal blocks where geometry permits;
- a landing at every direction change and approximately every six to eight vertical blocks;
- landings at least 3 × 3 clear;
- continuous edge guard/handrail cue;
- no door, sign, or fixture reducing clear movement.

A steeper existing run may remain service-only after risk review. It cannot be advertised as the comfortable public route.

VC-03 No-jump alternative

Where feasible, every principal public level stack has a lift or ramp route in the same general circulation area as the stair. This adapts the U.S. Access Board principle that accessible routes coincide with general circulation: Chapter 4 Accessible Routes.

Real ADA ramp and stair dimensions are design references, not claims of legal Minecraft compliance. The Access Board stair guide is used for uniformity, landing, and handrail principles.

VC-04 C01 primary core

The current core at x=204..216, z=152..164, y approximately 50..110 is not accepted on reachability evidence alone. It must pass:

- normal-speed walk both directions;
- every published interface;
- no jump, sprint, crouch, or accidental fall;
- consistent treads and landings;
- level/route signs at each interface;
- recorded time, turns, and camera views.

VC-05 Raven Rock shaft

RR-Z5 spans many vertical levels and receives the first vertical-circulation pilot. Required:

- level coding;
- rest/decision nodes;
- redundant return/no-jump route where feasible;
- no ladder as primary route;
- clear surface-to-underground directory;
- segment-by-segment experience QA.

---

8. Wayfinding

WF-01 Information hierarchy

1. Site/project.

2. District/zone.
3. Street/tunnel family.
4. Building.
5. Floor.
6. Room/destination.

Signs follow this hierarchy. A room name cannot replace the building or route identity needed to find it.

WF-02 Decision-point rule

At every public route choice:

- place destination information before the choice;
- use the same destination name on each successive sign;
- show one selected route per destination unless a deliberate alternative is labeled;
- provide confirmation after the decision;
- include a "you are here" map at major portal/district nodes.

Basis: NPS Wayside Guide, FHWA pedestrian wayfinding guidance, and MUTCD destination continuity.

WF-03 Confirmation interval

Project targets:

- tunnel confirmation marker: approximately every 25 blocks;
- surface confirmation cue: approximately every 50 blocks;
- shorter interval where a turn, grade, competing entry, or visibility obstruction causes uncertainty.

These distances are project adaptations and may be reduced by player testing.

WF-04 Color and naming

- each public route family has one persistent color/material cue;
- public, service, and restricted routes do not share a confusing color;
- database, sign, map, report, and website use the same destination name;
- old names are removed or explicitly marked as aliases;
- user-facing "GrandStreet America" may be an alias, but machine keys remain `mainstreet-america`.

WF-05 Stadium route

From every regional arrival:

- identify Westlight Venue before the district branch;
- identify stadium bowl, theatre, club, field, and public entry distinctly;
- sign the screen/field reveal after entry;
- confirm the return route at concourse nodes.

---

9. Venue standards

VN-01 Focal hierarchy

Each venue declares event modes and focal hierarchy:

Venue/mode	Primary focal point	Secondary
Westlight sports	Field/play	Center-hung display
Westlight concert	North platform/stage	Center display and approved side boards
Westlight theatre	North end stage	House lighting/proscenium
C01 training arena	Training course/display wall	Scoreboard/instruction display

A doorway, vomitory, or blank wall cannot be the only apparent focal object from seating.

VN-02 Screen

Westlight receives a first-class screen/display feature with:

- exact bounds and parent;
- mode and content role;
- structural support;
- lighting/material design;
- database media;
- all-sector sightline proof.

The functional precedent is Samsung's official Infinity Screen description: an oval, dual-sided center-hung display serving lower and upper seating.

VN-03 Sightline sampling

Westlight minimum sample matrix:

- 8 aisle sectors;
- low, middle, and upper seating;
- sports and concert modes.

That produces at least 48 recorded views. Each view records the eye point, look-at point, obstructions, field/stage visibility, and screen visibility. Failure in any representative sector requires adjustment or an explicit, approved exception.

The screen must not create a new restricted view. This follows the FIFA Stadium Guidelines stadium-bowl principles and the U.S. Access Board principle of equivalent viewing angles in assembly areas: ADA Standards Chapter 2.

VN-04 Entry and seating

- entry openings are visibly circulation, not stage architecture;
- aisles read as access and do not terminate in a false focal wall;
- seat/stair orientation is consistent with declared event mode;
- exits and return routes remain visible without competing with the display;
- members-club and theatre entries do not masquerade as stadium general entry.

10. Bunker, parking, and mountain standards

BK-01 Surface-expression rule

A database feature described as earth-covered passes only when:

- the shell is not visible from required public cameras;
- terrain cover is continuous and at least three natural blocks thick over surfaces classified as concealed;
- exposed faces are approved portal, vent, road, or retained observatory only;
- no floating terrain, unsupported edge, fluid breach, or rectangular roof trace is visible.

BK-02 Required cameras

Capture same-camera before/after from:

- parking center;
- parking east edge;
- Main Street south arrival;
- Discovery Court;
- new mountain road, uphill and downhill;
- north, south, east, and west oblique aerials.

BK-03 Portal

The new portal:

- lies outside the completed P01 parking composition;
- reads as an opening in landform, not a freestanding concrete façade;
- keeps a clear public threshold and directory;
- retains the old path until the new route passes;
- separates public and restricted movement;
- has water/terrain, headroom, lighting, and return-route QA.

BK-04 Mountain road

The mountain road:

- has a complete centerline and grade profile;
- uses a consistent width and surface;
- includes edge protection, drainage cues, lighting/markers, and destination signs;
- never intersects shelter, vault, hangar, observatory, heliport, room, tunnel, water body, fence, or region boundary without an authored transition;
- passes a normal-speed walk/vehicle-logic test in both directions.

BK-05 Parking recovery

The current parent P01 and 236 verified spaces establish the baseline. A portal package must report:

- spaces retained, removed, relocated, and added;
- accessible, EV, premium, and standard category totals;
- drive-aisle continuity;
- pedestrian path to B01 and C01;
- canopy, monument, garden, and lighting impacts;
- exact cell and feature-ID reconciliation.

The parking parent plus individual spaces explains the current 237 parking features. Reports must not describe 237 as the number of stalls.

BK-06 Observatory decision

Concealment cannot be accepted until the owner chooses:

- retain OBS-S01 as the sole intended civic surface landmark and conceal its base/hangar; or
- relocate/rebuild OBS-S01 and restore a fully natural mountain profile.

---

11. Quality assurance

QA-01 Atomic package

Every physical package follows:

1. exact immutable snapshot;
2. feature and collision bounds;
3. protected block/entity inventory;
4. guarded operations;
5. dry run;
6. before media;
7. authorized execution;
8. post snapshot;
9. block, fluid, route, and inventory checks;
10. same-camera after media;
11. DB/media import;
12. acceptance or rollback.

QA-02 Quality dimensions

Do not collapse design quality into one condition score. Record:

- physical completion;
- functional performance;
- walkability;
- legibility;
- sightline quality;
- concealment;
- media coverage;
- provenance confidence.

Each score needs a method and evidence reference. No new score defaults to 100.

QA-03 Experience tests

The player test uses:

- standard eye height and normal movement;
- no prior route knowledge;
- no flight;
- no spectator clipping;
- no sprint/jump/crouch unless the route is explicitly service-only;

- both directions;
- day and night for surface routes;
- a recorded camera and result.

QA-04 Stop-work

Stop immediately if:

- source hash differs;
- a protected entity enters a removal/fill/clone volume;
- a route opens to a cave or adjacent bore unexpectedly;
- a road or terrain package intersects an unmodeled feature;
- any route works in only one direction;
- a post-run snapshot differs from the expected operation result;
- the live world changes after preflight.

---

12. Map, database, and media standards

MD-01 Map sheet

Every final map includes:

- title and sheet ID;
- bounds;
- north or elevation direction;
- scale;
- legend;
- project and feature IDs;
- snapshot hash and scan ID;
- creation timestamp and renderer;
- source and status: existing, proposed, future, or as-built.

MD-02 Building media

Every one of 68 building rows receives:

- one context view;
- one principal-entry view;
- one representative-interior view;
- one database-linked map crop.

Minimum worldwide primary set: 272 images. Minimum MainStreet pilot: 124.

MD-03 Exact relation

Each primary image resolves to exactly one feature ID. Store secondary visible features separately. Duplicate and orphan checks must report zero for published primary media.

MD-04 Provenance

Each map and image records:

- immutable snapshot SHA;

- database scan ID;
- content hash;
- capture parameters;
- semantic QA;
- whether it is evidence or illustration.

A beautiful image from the wrong snapshot is not acceptance evidence.

Tunnel, Bunker, Stadium, and Wayfinding Audit

Date: 2026-07-27
Status: design audit and implementation brief; no live-world construction authority
Baseline: saved-world snapshot SHA-256 `c9e2bf0a2c8d3072d356b8db5c765622a9d367577bc4e09d077bbc58c4310654`

---

1. Executive decision

The complaints are substantiated. The major routes are connected, but connectivity has been mistaken for design quality:

- Raven Rock's four available approaches can reach Cavern A in the saved-world baseline, yet S1 has an irregular clear section and T2b reads as an accidental natural cave. The database does not contain the tunnel legs, decision nodes, portals, or signs needed to expose those failures.
- The RR-Z5 ladder replacement provides a working stair, but the two-block-wide switchback is not yet a comfortable, fully documented public vertical route.
- Westlight's bowl is a large enclosed venue with a field and seating, but it has no first-class screen or scoreboard and no recorded seat-to-target sightline system. From axial seating, an opening/aisle becomes the apparent focal point. The user's “seating faces the doorway” report therefore maps to `WL-BOWL`, not the C01 training arena.
- P01 is not an unfinished parking inventory. It has 236 verified spaces. Its east edge is visually and spatially unresolved because the C01 public portal and exposed surface structures interrupt the arrival composition.
- A literal translation of all of C01 is infeasible and unnecessary. The preferred scheme retains the deep complex, shelter, vaults, and protected inventories; relocates or recesses only the public portal; builds a terrain-following south-flank access road and connector; then earth-closes the old façade after the new route passes.
- “Entire complex underground” cannot be truthfully accepted while `HGR-S01` and `OBS-S01` remain prominent surface masses. The owner must either accept the observatory as the one deliberate surface landmark while the hangar is recessed/bermed, or authorize rebuilding/relocating both.

The implementation priority is:

1. register the missing route, node, screen, sightline, and media objects;
2. capture immutable before evidence;
3. pilot one Raven Rock tunnel section and RR-Z5 stair improvements;
4. correct Westlight entry hierarchy and add a tested display;
5. pilot the C01 portal/road/earth-cover concept without removing the old route;
6. expand only after bidirectional movement, sightline, water, protected-item, and same-camera visual QA pass.

These decisions implement the shared `infrastructure-standards.md`. Candidate coordinates in this report are design-study coordinates, not executable operations.

2. Scope, method, and limits

2.1 Evidence examined

The audit used:

- the authoritative local Anvil snapshot at `data/worldsnap/region`;
- `data/world-map.db`, queried read-only;
- Raven Rock planning documents and the tunnel-generation/repair scripts;
- existing MainStreet, Raven Rock, and Westlight build operations;
- current map books, orthographic maps, cutaways, and QA screenshots;
- offline reachability checks and cross-section sampling;
- authoritative real-world guidance from the U.S. Access Board, FHWA, USACE, FEMA, NPS, FIFA, SGSA, and Caltrans.

The saved-world hash was fixed before analysis. All findings are tied to that baseline. A later world snapshot invalidates collision, cross-section, and same-camera comparisons until regenerated.

Key existing visual artifacts used for orientation were:

- `data/exports/box/atlas-2026-07-26/team-c/07-raven-rock-active-complex.png`;
- `data/exports/box/atlas-2026-07-26/team-c/08-raven-rock-vertical-cutaway.png`;
- `mainstreet-america/qa/msa-mountain-landscape-final-v2.png`;
- `mainstreet-america/qa/msa-surface-complex-exterior-final-v2.png`;
- `mainstreet-america/qa/msa-secure-wave5-c01-arena.png`.

The Raven Rock atlas demonstrates why an active-route overlay is needed: natural-cave noise visually dominates the buried path. The MainStreet views show both the parking-edge retaining/portal wall and the high surface profile of the hangar/observatory. The C01 arena view separates that correctly oriented training seating from the unresolved Westlight bowl.

2.2 What the tests prove

The reachability tests prove that a contiguous standable route exists inside a specified search pad. They do **not** prove:

- comfortable walking;
- consistent width, headroom, or grade;
- adequate lighting;
- intelligible wayfinding;
- accessibility;
- acceptable turns or travel time;
- safe separation from fluids and natural caves;
- visual quality.

The tunnel cross-section audit measures contiguous standable cells near each planned floor station. Natural caves and route junctions can inflate the reported width. It is a diagnostic comparison, not a millimetric architectural survey.

The real-world citations establish principles and QA concerns. The Minecraft dimensions in this report are project adaptations; they are not claims of ADA, FHWA, FIFA, or building-code compliance.

2.3 Excluded sources

Restricted or distribution-limited engineering material was not used as a source of truth. In particular, the restricted UFC blast-design document found during research was excluded. This plan addresses circulation, legibility, water control, concealment, and player experience; it does not certify real-world protective construction.

---

3. Database truth and blind spots

The catalog has only three tables:

Table	Role
`world_features`	Durable feature geometry and hierarchy
`world_scans`	Survey/import provenance
`feature_observations`	Per-scan evidence

There is no first-class media table or durable object-to-image relation. The current catalog can say that a large envelope exists while remaining silent about the player's experience inside it.

3.1 Infrastructure-specific gaps

Area	Current record	Missing evidence
Raven Rock	39 records: district, five buildings, five broad circulation objects, rooms	T1–T4, C1/C2, S1, portals, vestibules, rotunda, reservoir, bulkhead, decision nodes, signs, section samples, walking tests
RR-Z5	One whole shaft envelope and a broad stairs-only circulation record	Individual flights, landings, served levels, rest nodes, headroom, two-way travel time, guard continuity
Westlight	Bowl envelope and broad functional floor halves	Display/screen, event mode, seating sector, row, aisle, vomitory, accessible position, focal target, sightline ray, exit/entry sequence
C01	Deep complex and major surface/support objects	Portal alternatives, public/restricted route relations, concealment surfaces, camera visibility tests, road grade stations, wayfinding nodes
Media	File inventory outside the core schema	Exact feature relation, camera pose, look-at, FOV, snapshot hash, before/after pair, QA outcome

Condition score 100 therefore means the recorded envelope or authored object was observed as expected. It does not mean the tunnel is uniform, the stair is easy, the stadium has a focal display, or the bunker is concealed. New quality dimensions must not default to 100.

---

4. Raven Rock current-state audit

4.1 Recorded complex

ID	Function	Bounds / floors
`RR-B1`	Command & Operations	x `-50..-10`, z `-32..2`; y `-8,-3,2`

ID	Function	Bounds / floors
RR-B2	Signal & Communications	x 22..54, z -30..0; y -8,-3,2
RR-B3	Quarters, Dining & Medical	x -18..18, z 85..115; y -6,-1,4
RR-B4	Power & Ventilation	x -170..-130, z -24..4; y -14,-9
RR-Z5	Surface access shaft	x 193..207, y -12..67, z -22..-8

RR-Z5 lists floors at y -12,-11,-6,-1,4,9,14,19,24,29,34,39,44,49,54,59,64. The broad building circulation objects say “stairs-only,” “bidirectional QA,” and zero ladders, but do not describe the actual flights or player effort. The room records are mostly large functional divisions of measured floors, not proof of wall-bounded rooms.

Raven Rock is an invented Minecraft reconstruction. The planning documents correctly label its geometry as a creative liberty; the interior of the real Raven Rock facility is not a public architectural reference.

4.2 Planned route geometry

Route	Planned alignment	Intended role
T1	N4 (0,18,-285) → N1 (0,-6,-120) → Cavern A (0,-12,-45)	North approach / primary spine
T2	N3 (-150,18,285) → dogleg (-150,2,190) → Cavern B (-45,-10,130)	Southwest approach / primary spine
T3	N5 (285,18,-30) → N2 (180,0,-30) → Cavern A (75,-12,-15)	East approach / primary spine
T4	N6 (-290,10,5) → Cavern C (-185,-18,-10)	West utility/emergency leg
C1	(0,-12,15) → (0,-10,70)	Cavern A–B connector
C2	(-75,-12,-15) → (-115,-18,-10)	Cavern A–C connector
S1	(75,-12,-15) → shaft base (200,-12,-15)	Cavern A–RR-Z5 connector

The planned primary tunnels were approximately six blocks wide by seven blocks tall. Subsequent repair scripts aimed to normalize S1 to seven wide by eight tall, but the present snapshot does not meet that target consistently.

4.3 Connectivity results

Read-only route searches against the baseline returned:

Search	Result	Standable cells	Chunks	Absent chunks
T1 (0,19,-285) → (0,-11,0)	Reachable	7,110	58	0
T2 (-150,19,285) → (0,-11,0)	Reachable	93,195	190	0
T3 (285,19,-30) → (0,-11,0)	Reachable	21,100	109	0
RR-Z5/S1 (194,65,-15) → (0,-11,0)	Reachable	10,916	71	0

T4 is not represented as an exterior through route because the western mouth was intentionally bulkheaded around x -278/-277. The mouth opened into a 7,165-plus-block aquifer. The bulkhead must remain. T4 should be classified service/emergency dead-end until a different dry portal is designed and tested.

4.4 Measured S1 defect

The S1 diagnostic sampled 93 x stations from x `100..192`:

Metric	Result
Missing standable stations	0
Minimum contiguous standable width	5
Median width	7
Maximum width	17
Width exactly 7	37 / 93
Width below the seven-block repair target	32 / 93
Centerline deviation	0

Width distribution:

Width	Stations
5	26
6	6
7	37
8	3
11	1
12	14
14	5
17	1

Representative defect stations:

- x `100..102`: width 5, z `-17..-13`;
- x `103`: width 6;
- x `130`: width 5;
- x `140..146`: width 5;
- x `170`: width 5;
- x `180`: width 12;
- x `190`: width 14 at a merge/adjacent void.

S1 is aligned, but it alternates between a compressed corridor and unarticulated open void. The fix is a controlled liner and section family, not indiscriminate excavation.

4.5 Measured T2b defect

The T2b diagnostic sampled 103 x stations from x `-150..-48`:

Metric	Result
Missing standable stations	0
Minimum width	7
Median width	14
Maximum width	24
Stations at width 14	75 / 103
Maximum centerline deviation	2

Examples include:

- x `-150`: z `183..205`, width 23;
- x `-140`: z `176..189`, width 14;
- x `-130`: width 9;
- x `-110`: width 17;
- much of x `-100..-50`: width 14.

T2b is not primarily too narrow. Its route identity dissolves into oversized, irregular, cave-adjacent space. It needs an authored liner, edge, ceiling/light rhythm, and deliberate cave threshold. Filling the full natural void would be destructive and visually sterile; the route should instead become a consistent “tunnel within cavern” with protected overlooks only where intended.

4.6 Repair-script evidence

The local scripts record the failure history that the database omits:

- a headroom-clearing pass deleted neighboring stair treads twice;
- an early S1 trace drifted from z `-15` to z `-37`, started following T3, and cut unintended rock before an axis clamp was added;
- T2b bowed more than six blocks off the straight design line;
- an initial box-bounded BFS escaped into a natural cave because the local corridor volume was roughly 34 percent air;
- S1 was documented as varying from five to thirteen blocks where seven was intended;
- enlargement exposed gravity-affected gravel, including a blockage near x `120`.

These histories justify exact-material guards, tube-bounded route models, gravity-block audits, and after-build fluid/dry-volume checks.

4.7 RR-Z5 stair assessment

The wave-one shaft repair replaced the former ladder route with two-wide switchback flights inside an approximately 9×9 bore. It added landings at roughly five-block vertical intervals and one top sign near `(201,65,-12)`:

> RAVEN ROCK / STAIRS / CAVERNS / DOWN

That was a meaningful functional improvement, but it does not yet satisfy a comfortable public-route brief:

- two blocks is the lower bound, not a generous clear route;

- landings are frequent but are not registered as nodes or level interfaces;
- the current sign inventory does not identify intermediate levels, destinations, or return direction;
- there is no recorded handrail/edge-guard continuity test;
- there is no measured normal-speed two-way travel time;
- there is no alternate lift/ramp logic for a 79-block vertical stack;
- the broad shaft condition score cannot detect a single tread or headroom conflict.

The U.S. Access Board stair guide supports uniform tread/riser rhythm and continuous handrails. Its real-world dimensions are not mapped directly to blocks. The project target is a two-block minimum, three-block headroom, landings at every reversal and about every six to eight vertical blocks, and a one-vertical-to-two-horizontal primary-route rhythm where the shaft geometry permits. The accessible-route guide supports keeping the no-jump alternative within the general circulation system rather than hiding it in a service area.

---

5. Raven Rock design standard and route prescription

5.1 Route family

Use the route types in `infrastructure-standards.md`:

Class	Project clear minimum	Application here
Public primary spine	5 wide × 4 high	T1, T2, T3, C1, public S1
Operational secondary	3 wide × 3 high	C2 and named department branches
Service only	2 wide × 3 high	T4 west of the safe interior node
Major decision node	approximately 7 × 7	N1, N2, T2 dogleg, rotunda, cavern thresholds, RR-Z5 base/top

For S1, preserve the previously approved seven-wide-by-eight-high authored target rather than reducing it to the minimum. For T2b, create a five-wide legible path inside the larger cavern without filling all natural void.

Every section defines floor, base, wall field, ceiling, lighting strip, route band, sign zone, service zone, and water/cave boundary. Random material changes are defects unless they mark an authored threshold.

The FHWA Road Tunnel Manual treats egress, lighting, drainage, communications, and operations as one system. The USACE rock-tunnel manual supports designing for variable rock and groundwater conditions with adaptable and redundant systems.

5.2 Wayfinding family

Use names, letters, colors, and material textures together; never depend on color alone:

Code	Color/material cue	Destination family
O	Blue plus smooth-stone band	Operations / Cavern A
H	Amber plus brick band	Habitation / Cavern B
U	Cyan plus deepslate band	Utilities / Cavern C
P	White plus quartz band	Portals / surface approaches
S	Green plus copper band	Surface shaft / RR-Z5

At every decision:

1. place an advance sign before the choice;
2. place an arrow/destination sign at the choice;
3. place a confirmation marker five to ten blocks after the choice.

Use reassurance/emergency signs every 50–75 blocks on long tunnel legs and a shorter interval where curves or cave openings interrupt visibility. This is a project adaptation of the FHWA manual's 100–150-foot directional-distance sign guidance. Every sign includes destination, arrow, route/level code, and distance to the next node or exit.

The MUTCD guide-sign chapter supports a consistent hierarchy and message continuity. Wayfinding must remain distinct from decorative or commercial signs.

5.3 Segment-specific work

Segment	Proposed treatment	Do not do
T1	Preserve alignment; establish uniform primary-spine section; identify N4/N1 and Cavern A threshold; add repeated north/south confirmation	Do not enlarge blindly into adjacent voids
T2a	Preserve portal-to-dogleg route; make the dogleg a named, illuminated node with advance signs	Do not hide the direction change
T2b	Build a five-wide “tunnel within cavern” liner/edge; intentionally reveal selected cave windows; close accidental openings; standardize light rhythm	Do not fill the whole natural cavern
T3	Preserve east route; formalize N5/N2; survey any section change before lining	Do not use one global fill volume
T4	Keep aquifer bulkhead; classify west end service/emergency; sign “NO SURFACE EXIT”; survey a new dry portal only as a later package	Do not remove the x `-278/-277` bulkhead or drain the aquifer
C1	Treat as primary connector; establish Cavern A/B destination continuity	Do not leave cavern merges unsigned
C2	Treat as secondary connector; distinguish utility direction from public route	Do not make its visual language identical to C1
S1	Normalize the route liner to seven wide by eight high where shell permits; screen/guard oversized voids; audit gravel and fluids	Do not widen with an unconstrained BFS
RR-Z5	Pilot one flight and landing; fix headroom/guard/sign issues; then repeat; add level maps and a no-jump alternative study	Do not replace the entire shaft in one irreversible volume

5.4 Pilot sequence

1. Freeze the source snapshot and export all affected feature, block, entity, tile-entity, fluid, gravity-block, and route observations.
2. Register T1–T4, C1/C2, S1, N1–N6, N9, N10, the T4 bulkhead, the RR-Z5 flights/landings, and affected natural-cave thresholds.
3. Capture before evidence from both route directions and the defect stations in Section 11.
4. Pilot S1 at x `138..148`, a known five-wide compression, using exact-material replace guards.
5. Pilot a T2b liner at x `-145..-135`; do not alter the entire natural cave.
6. Pilot one RR-Z5 switchback flight plus the landings above and below it.
7. Run dry-volume, gravity-block, fluid-neighbor, headroom, lighting, and bidirectional normal-walk tests.
8. Capture identical after views and one independent player wayfinding test.
9. Accept the section family or roll the pilot back before extending it.

6. Westlight stadium audit

6.1 Current recorded program

ID	Bounds / entrance
`WL-BOWL`	x `-429..-291`, y `55..91`, z `-629..-491`; public entrance `(-359,68,-498)`
`WL-THEATRE`	x `-421..-299`, y `18..50`, z `-613..-498`; entrance `(-354,68,-498)`
`WL-CLUB`	x `-417..-400`, z `-566..-550`; floors y `35,40`

The bowl has floors at y `58,67,75,82`, but its room records are broad halves: Field Level/Service Ring, Main Concourse/South Vomitory, Upper Concourse/Members Terrace, and Crown Walk/Press Gallery. They do not encode actual seat rows, sections, aisles, vomitories, or focal targets.

The local bowl build is a 1,540-line set of large filled oval rings. The canopy package has 13 chains. The separate below-grade theatre includes a screen/stage composition; the stadium bowl does not.

Offline saved-world perspectives from the north, south, east, west, and interior show a green central field and concentric gray seating inside a closed oval. On the long/short axial views, the doorway/aisle becomes the only strong focal object because there is no interior display.

6.2 Design alternatives

Alternative	Benefit	Failure / decision
Rotate the whole seating bowl toward one wall	Makes one end read like a theatre	Reject for sports/multi-use mode; destroys field bowl logic and creates poor sectors
Twin end-wall screens	Familiar and simple	Reject as the only display; spectators beneath/behind each screen lose visibility and the entrance can still compete
North-end stage and screen	Strong concert/presentation focus	Retain only as a separately declared concert mode; requires retractable/converted seating study
Four-faced center-hung scoreboard/display	Visible across multiple sectors; reinforces field as primary sports focus	Preferred subject to canopy, high-ball, support, and all-sector sightline testing

The preferred concept is a four-faced center-hung display near bowl center, approximately x `-360`, z `-560`. No final y, footprint, or support geometry is approved until canopy/high-ball and representative-seat ray checks pass. A continuous oval/ring display is a later visual alternative if the four-faced object feels too bulky.

FIFA's stadium bowl guidance puts unobstructed field sightlines at the center of bowl design. Its C-value benchmarks are useful human-world analogues, not directly scalable block dimensions. FIFA's information-technology guidance expects larger venues to provide score/time and safety information on displays visible to spectators and players.

6.3 Entry correction

The south entrance at `(-359,68,-498)` should enter a concourse, split left and right, then deliver spectators through behind-seating vomitories. It should not terminate on or visually align with a blank “front” surface.

Required entry hierarchy:

1. venue identity outside;

2. ticket/security threshold;
3. concourse directory;
4. left/right sector split;
5. block and row identity;
6. bowl reveal with field and display visible;
7. return/exit confirmation behind the spectator.

FIFA's stadium signage guidance uses a precinct → sector → level → block → row hierarchy and calls for accessible, comprehensible signs placed in relation to movement. The precinct guidance supports separating pedestrian and vehicle movement and locating accessible arrival close to the venue.

6.4 Seating and sightline program

Register sectors A–H clockwise from south. Within each sector, register:

- low, middle, and upper representative seat positions;
- at least one aisle and one cross-aisle;
- row/section signs;
- an accessible viewing position integrated into the seating choice;
- field-center, near-goal, far-goal, scoreboard, and concert-stage targets;
- the south-entry/vomitory relation.

Minimum matrix:

- 8 sectors × 3 elevations × 2 event modes = 48 views;
- plus accessible-position views and four field/circulation overview views.

Every sample records eye position, look-at position, visible target percentage or binary obstruction result, obstructing block if any, screen visibility, field/stage visibility, and screenshot relation.

The SGSA Accessible Stadia guide and U.S. Access Board assembly-area standards support dispersed, integrated viewing positions with comparable sightlines. FIFA safety guidance also makes egress capacity and a clear route to safety part of the venue design, not a later decoration pass.

6.5 Westlight package sequence

1. Register current seating, aisles, openings, canopy, and target objects.
2. Capture the 48-view baseline and an exact south-entry walkthrough.
3. Place a reversible display mockup only in an offline clone or authorized temporary pilot.
4. Test all rays to field and screen, canopy/high-ball clearance, support intrusion, lighting, and safety-message legibility.
5. Rework the south threshold and two sample vomitories.
6. Repeat the same cameras and a no-prior-knowledge wayfinding test.
7. Approve form and support before permanent materials.
8. Roll the section/sign program around the bowl and reconcile the database.

The C01 arena is a separate training venue. Existing evidence shows its bleachers face the emergency-training/triage program. It may need a status or instruction board, but it should not be “fixed” by copying Westlight's stadium screen brief.

7. C01, parking, portal, and concealment audit

7.1 Current recorded geometry

ID	Description	Bounds / anchors
`C01`	Earth-covered east operations complex	x `100..300`, y `45..105`, z `70..235`; public entry `(116,65,172)`
`C01-PUBLIC-ENTRY`	Public portal	x `90..130`, y `64..80`, z `171..205`
`HGR-S01`	Mountain-integrated surface hangar	x `176..234`, y `88..120`, z `138..181`
`OBS-S01`	Observatory	x `175..235`, y `119..136`, z `137..182`
`SHL-S01`	Shelter	x `148..188`, y `81..91`, z `143..180`
`VLT-G01`	Vault complex	x `230..262`, y `44..76`, z `184..226`
`U01`	Service shaft	x `200`, y `24..105`, z `153`
`C01-STAIR-CORE-PRIMARY`	Primary stair core	x `204..216`, z `152..164`, approximately y `50..110`
`P01`	Visitor parking / Arrival Gardens	x `-125..125`, y `64..100`, z `172..305`

Other protected arrival elements include:

- `P01-DISCOVERY-COURT`: x `87..95`, y `64..70`, z `183..209`;
- mountain no-touch boundary at x `96` in that package;
- `P01-FESTIVAL-ROW-EAST`: x `7..122`, z `246..254`, minimum width 9;
- southeast rain garden: x `100..119`, z `240..245`.

P01 has 236 verified spaces:

Type	Count
Standard	205
Accessible	8
EV	14
Premium	9
Total	**236**

It also has three aisles, 23 pole lights, 32 flush lights, two solar-style canopies, and 41,809 exact desired cells. The catalog count of 237 parking features is the parent plus 236 stalls, not 237 stalls.

Current screenshots show the eastern lot terminating at a large gray retaining/public-portal façade. Separate exterior evidence shows the hangar and observatory prominently above grade. This fails the semantic promise “earth-covered” when viewed as one complex.

7.2 Wayfinding defect

The current C01 wayfinding operation is only 23 lines and adds five signs plus one trapdoor:

- one maintenance/service riser sign;
- primary stair signs for office, hangar, upper, and lower interfaces.

For a complex spanning roughly 200×165 blocks and multiple public, operational, and protected levels, that is insufficient. The existing 21/21 route pass shows the tested paths are connected; it does not show that a new player can understand a corner, identify the stadium/training arena, distinguish public from restricted movement, or find the return route.

7.3 Why the whole complex should not be moved

A literal whole-C01 translation east is rejected:

- C01 already reaches x `300`, the practical eastern property/river edge;
- there is no clean translation margin;
- moving it would intersect or force simultaneous reconstruction of HGR-S01, OBS-S01, SHL-S01, VLT-G01, U01, the stair core, and route network;
- current reviews enumerate at least 12 loaded NBT chests in the shelter/vault area, requiring exact backup and inventory protection;
- moving hundreds of thousands of cells creates block-entity, fluid, terrain, and rollback risks without being necessary to fix the parking edge.

Moving the deep complex also would not make the hangar/observatory visually underground. The visible problem should be corrected at the surface expression and portal, not by translating every protected room.

7.4 Preferred portal concept

Keep deep C01, shelter, vault, service shaft, and primary internal circulation in place. Relocate/recess only the public portal and connect it to the existing public route with a new underground passage. Keep the old portal live until the new path passes all tests, then close and earth-cover the old façade.

Concept study only:

- new portal center near `(144,66,194)`;
- study envelope approximately x `130..158`, y `64..76`, z `184..206`;
- proposed south-flank access-road centerline: `(122,64,250)` → `(136,64,236)` → `(146,65,220)` → `(146,65,205)` → `(144,66,194)`.

This shifts the public portal east of P01's x `125` boundary and releases the x `96..125` arrival edge for a coherent boundary, landscape, pedestrian route, or carefully reconciled parking. The concept begins east/north of the southeast rain garden. It is not construction-ready: its proximity to `SHL-S01` at x `148..188`, z `143..180`, and all vertical cover, water, road grade, room, and entity interactions require exact scanning.

7.5 Road standard

The mountain road concept uses:

- seven-block clear carriageway;
- two-block shoulders/edge treatment where terrain permits;
- target running grade no steeper than 1:20;
- absolute compressed-world maximum 1:12 only where approved, with a landing or switchback and a documented reason;
- slabs or longer ramps instead of one full block of rise every horizontal block;
- downhill guard/retaining edge;
- uphill drainage channel and water outfall logic;
- repeated route markers and a portal-reveal viewpoint;
- no conflict with the rain garden, shelter, vault, hangar, observatory, existing rooms, fluids, fences, or region boundary.

The U.S. Access Board ramp guide provides the 1:12 real-world maximum-ramp precedent and landing/handrail principles. The preferred 1:20 project target treats the road as a walking surface. The FHWA Federal Lands Highway design guide supports low switchback grades and drainage at low points in sensitive terrain. The FHWA low-volume-road field guide emphasizes route location, slope, drainage, construction, and maintenance as a single system.

7.6 Parking completion standard

Preserve the verified 236-space count unless the owner approves a new program. The portal package reports exact spaces retained, removed, relocated, and added by type. It also tests:

- all three drive aisles;
- accessible and EV distribution;
- canopies, monuments, lights, garden, and Discovery Court;
- pedestrian paths to B01 and C01;
- the east-edge boundary;
- the road/portal interface;
- same-camera parking-center and east-edge appearance.

The goal is not to maximize stalls. It is to make the arrival read as complete without silently destroying a quantitatively complete lot.

7.7 Concealment alternatives

Scheme	Description	Decision
A: Literal zero visible complex	Relocate/rebuild portal, hangar, observatory, vents, and all surface support; restore full landform	Possible only as a major separate program; highest risk and cost
B: One landmark exception	Recess/berm hangar and portal; retain observatory as a deliberate civic landmark; conceal all bases and roof traces	Preferred if the owner accepts the observatory exception
C: Add a huge earth mound over all surface masses	Cover up to/above y `136`	Reject; produces an implausible artificial mountain, endangers interiors, and does not solve drainage gracefully
D: Landscape only	Trees and planting in front of current concrete	Reject alone; screens views but does not correct exposed structure or semantic mismatch

NPS scenic-view best practices support using terrain and vegetation, compatible line/form/texture/scale, low-reflective surfaces, and darker receding colors. Landscaping must reinforce actual landform integration; it cannot be used to claim that exposed concrete is underground.

Below-grade work also needs water control. DOE's building-science moisture guide supports grading away from openings, drainage planes, and foundation drains. FEMA P-361's safe-room guidance similarly warns against rainfall/runoff ingress at in-ground entrances. In this project that translates to a fluid-neighbor scan, a sloped threshold, protected drainage route, and no water source above the new liner.

7.8 C01 phasing

1. Owner selects the observatory treatment: deliberate sole landmark or relocate/rebuild.
2. Freeze snapshot and inventory every protected block entity, including the shelter/vault chests and their NBT.
3. Register the old portal, candidate portal, connector, road stations, concealment surfaces, camera views, and decision nodes.

4. Generate road grade, earth-cover thickness, fluid, cave, room, entity, and structure collision maps.
5. Build an offline terrain/portal model and capture same-camera concept renders.
6. If accepted, construct the new connector and portal behind a temporary closure, while the old route remains fully operational.
7. Prove two-way no-jump public movement, dry volume, headroom, lighting, signage, inventories, and emergency return.
8. Construct the road and drainage/retaining treatment.
9. Reconcile the parking edge and prove all stall/category totals.
10. Close the old portal with exact-match replacement guards; apply earth cover in small reversible bands.
11. Recess/berm the hangar and implement the approved observatory decision.
12. Capture required views and accept only if no classified concealed surface is visible.

---

8. C01 internal wayfinding prescription

C01 needs a route/node system, not isolated signs.

8.1 Naming hierarchy

Use:

1. MainStreet America;
2. East Operations / C01;
3. public, operations, training, shelter, vault, hangar, observatory;
4. level code;
5. named room.

Suggested level codes:

- L1 / Lower Operations;
- L2 / Operations;
- L3 / Upper Operations;
- S / Surface;
- R / Restricted.

At each stair landing and major corner, provide:

- “you are here” level/sector map;
- destination and arrow before the turn;
- sector/level identifier at the turn;
- confirmation after the turn;
- return direction to public exit;
- explicit restricted/service distinction.

The primary stair core x `204..216`, z `152..164`, y approximately `50..110` requires normal-speed two-way testing at every published interface. A path cannot pass only because the graph reaches the destination.

8.2 Stadium/training-arena findability

The C01 arena must be called “Training Arena” consistently in the database, maps, signs, and website. From the public entry:

- list Training Arena on the first directory;
- repeat it before every branch;

- mark the final approach with a distinct arena threshold;
- provide a return sign facing the seating/arena exit;
- do not use “stadium” for Westlight and C01 interchangeably.

---

9. Machine-readable object and media registration

The companion `infrastructure-audit.design.json` contains the baseline, measured findings, concept geometry, package sequence, and QA camera program.

Until the core schema grows dedicated route/media tables, store generated relations in a versioned sidecar and import only after validation. Required fields:

9.1 Route segment

- stable feature ID;
- project, parent, class, state, and aliases;
- polyline/centerline stations;
- clear-envelope target and measured minimum/median/maximum;
- floor/ceiling, vertical change, grade, turns, and decision count;
- start/end node IDs;
- adjacent cave/fluid/protected-feature IDs;
- movement result in both directions;
- snapshot hash and observation ID.

9.2 Decision or vertical node

- stable feature ID and node type;
- exact bounds and standing point;
- incoming/outgoing route IDs;
- level code and destinations;
- signs with facing/message;
- landing, headroom, guard, and lighting observations;
- before/after image IDs.

9.3 Venue sightline

- seat/sample ID, sector, row band, and event mode;
- eye and look-at coordinates;
- focal target and display IDs;
- obstruction result and obstructing block/feature;
- field/stage/display visibility result;
- screenshot relation;
- snapshot hash.

9.4 Media

- media ID;
- feature ID and optional observation/package ID;
- exact path and file hash;
- media type and role (`before`, `after`, `map`, `section`, `sightline`, `defect`, `acceptance`);
- camera position, look-at, yaw/pitch/FOV/projection;
- image dimensions;

- capture time and snapshot hash;
- caption, reviewer, QA status, and before/after pair ID.

---

10. Atomic implementation packages

No package below is authorization to execute in the live world.

Package	Scope	Prerequisites	Acceptance
INF-DB-01	Register route/node/media/sightline objects	Schema or validated sidecar; fixed baseline	All named infrastructure has stable IDs and provenance
INF-RR-01	S1 section pilot x `138..148`	Collision/fluid/gravity/entity scan; before images	Seven-wide authored section or approved local exception; dry, lit, two-way
INF-RR-02	T2b liner pilot x `-145..-135`	Cave boundary and route model	Five-wide legible path; intentional cave windows; no accidental fill
INF-RR-03	RR-Z5 flight/landing pilot	Flight/landing inventory and protected bounds	No jump/crouch/fall; clear signs, guards, headroom, two-way timing
INF-RR-04	Route-family rollout	Acceptance of all three pilots	Every segment type consistent; route and cave thresholds registered
INF-WL-01	48-view stadium baseline	Sector/sample registration	Complete reproducible sightline set
INF-WL-02	Reversible screen/entry mockup	Canopy/high-ball/support study	All sectors see sports target/display; entrance reads as circulation
INF-WL-03	Permanent screen, vomitory, sign rollout	Mockup acceptance	Sports/concert mode QA, egress, accessible samples, DB/media reconciliation
INF-C01-01	Portal/road/cover feasibility	Owner observatory choice; NBT backup; full collision maps	Concept with zero protected conflicts and acceptable visual proof
INF-C01-02	New connector and portal	Approved feasibility and dry run	Old route retained; new route dry, lit, signed, two-way
INF-C01-03	Mountain road and parking edge	Portal acceptance	Grade/guard/drainage pass; 236-space reconciliation or approved delta
INF-C01-04	Old portal closure and surface concealment	New route and rollback verified	No concealed shell visible from required cameras
INF-C01-05	Hangar/observatory surface treatment	Explicit owner decision	Approved exception or complete concealment; no false “underground” claim

Every package uses exact-material guards, bounded targets, dry-run validation, before media, post snapshot, entity/NBT reconciliation, same-camera after media, and an explicit rollback artifact.

---

11. Required screenshots and QA shots

11.1 Raven Rock

Shot family	Required views
T1	N4 toward interior; N1 both directions; Cavern A threshold back toward N1

Shot family	Required views
T2	N3 toward interior; dogleg before/at/after decision; T2b cavern entry both directions; Cavern B threshold
T3	N5 toward interior; N2 both directions; Cavern A threshold
T4	Exterior side of bulkhead, interior side, aquifer-safe context, “no surface exit” confirmation
C1/C2	Each endpoint in both directions and each cavern threshold
S1 defect	eyes near `(100,-9,-15)`, `(140,-9,-15)`, `(170,-9,-15)`, and the x `180..190` merge; capture both directions where possible
T2b defect	representative eyes near x `-140`, `-110`, `-80`, `-55`, aligned with standable centerline; include cross-section map
RR-Z5	top and base directory; representative flight up/down; every fifth landing; one vertical cutaway

For exact eye y/z at T2b, use the standable-cell observation generated from the same snapshot rather than assuming the planning floor. Record all camera values in the media manifest.

11.2 Westlight

Shot family	Required views
Existing condition	south lower, north lower, west middle, east middle, upper obliques, center-field overview
Entry	outside identity, threshold, first directory, left/right split, bowl reveal, return view
Sightlines	8 sectors × low/middle/upper × sports/concert
Accessibility	every registered accessible sample toward field/stage/display and return route
Display	underside/support, canopy/high-ball clearance, safety-message readability, four cardinal views
Egress	representative seat-to-concourse and concourse-to-exterior in both directions

Concept anchor candidates, to be validated against standable cells:

- center-field overview near `(-360,64,-560)`;
- south lower near `(-360,70,-510)`;
- north lower near `(-360,70,-610)`;
- west middle near `(-410,75,-560)`;
- east middle near `(-310,75,-560)`.

11.3 C01 and P01

Use the exact same camera and time/lighting state before and after:

- parking center toward the eastern edge;
- parking east edge along the row/aisle;
- Main Street south arrival;
- Discovery Court;
- old public portal frontal and two obliques;
- proposed portal frontal, approach, threshold, and return;
- new mountain road uphill and downhill;
- HGR-S01 and OBS-S01 from north, south, east, and west;
- north, south, east, and west oblique aerials of the whole mountain;

- inside C01 at every primary stair interface and every decision corner;
- public-entry-to-Training-Arena walkthrough at each decision;
- shelter/vault protected-inventory proof before and after.

The acceptance set must show the terrain silhouette, not only tight crops of the new portal.

---

12. Risk and rollback

12.1 Highest risks

Risk	Trigger	Control
Fluid/aquifer breach	T4 or new mountain cuts meet water source	Keep T4 bulkhead; fluid-neighbor scan; small bands; stop on unexpected fluid
Natural-cave overfill	T2b/S1 broad fill intersects cavern	Tube-bounded route model; exact section pilot; preserve intentional windows
Gravity collapse	Gravel/sand exposed during tunnel cut	Gravity-block census before/after; temporary support; dry-volume test
Stair tread deletion	Headroom clear overlaps adjacent switchback	Per-flight bounds; exact tread inventory; pilot one flight
Protected inventory loss	C01 work intersects loaded chests/tile entities	NBT export, checksums, target exclusion, after reconciliation
Parking regression	Portal/road removes or blocks stalls/aisles	Per-space feature reconciliation and three-aisle route test
Stadium obstruction	Display blocks field, high ball, canopy, or exits	Reversible mockup; 48-view rays; support/egress collision test
False concealment	Tight screenshots hide exposed structure	Fixed public and four-sided aerial cameras; shell visibility test
Provenance drift	Snapshot path reused or world changes	Content-addressed snapshot and hash on every operation/media record

12.2 Rollback artifact

Before each physical package, produce:

- exact pre-state block list for the bounded operation volume;
- tile-entity/entity NBT export;
- source snapshot/hash;
- inverse exact-material operations or a bounded restore package;
- pre-state route and fluid observations;
- before images with camera metadata.

Rollback is accepted only when block, entity/NBT, fluid, route, and same-camera visual comparisons return to the recorded pre-state. A command finishing without error is not proof of rollback.

12.3 Stop-work conditions

Stop immediately if:

- the snapshot hash differs;
- an unregistered room, tunnel, fluid body, or protected entity intersects;
- a tunnel opens into an unexpected cave or adjacent bore;
- a public route requires sprint, jump, crouch, or one-way movement;

- a display obstructs any representative sports sightline or exit;
- the new portal is reachable only after the old route is closed;
- parking category/count reconciliation fails;
- the required before camera cannot be reproduced.

---

13. Source notes

The following official or primary references informed this audit:

1. U.S. Access Board, Stairways — uniform riser/tread and handrail principles.
2. U.S. Access Board, Ramps and Curb Ramps — 1:12 maximum-ramp, landing, and handrail precedent.
3. U.S. Access Board, Accessible Routes — general-circulation, clear-width, slope, turn, and passing principles.
4. FHWA, Technical Manual for Design and Construction of Road Tunnels — integrated route, egress, lighting, drainage, and operational systems.
5. FHWA tunnel-manual landing page — authoritative publication record.
6. USACE, Engineering and Design: Tunnels and Shafts in Rock — variable geology/water and adaptable tunnel design.
7. Caltrans, Roadway Lighting Manual — pedestrian-underpass and long-underpass lighting concerns.
8. MUTCD 11th Edition, Chapter 2D Guide Signs — destination hierarchy and consistent wayfinding.
9. FIFA, Stadium Bowl — field sightlines, accessible sightlines, and obstruction/high-ball concerns.
10. FIFA, Information Technology — score/time, safety messaging, and visible displays.
11. FIFA, Signage — precinct-to-row hierarchy and route comprehension.
12. FIFA, Precinct and Perimeter — pedestrian/vehicle separation and accessible arrival.
13. FIFA, Safety and Security — egress and route-to-safety planning.
14. SGSA, Accessible Stadia — wheelchair viewing and sightline precedent.
15. U.S. Access Board, ADA Standards Chapter 2 — assembly-area viewing-position dispersion and sightlines.
16. NPS, Scenic Views Best Practices — landform, vegetation, line/form/texture, reflectivity, and color.
17. DOE Building Science, Moisture Flow — grade, drainage plane, below-grade drainage, and waterproofing principles.
18. FEMA P-361, Safe Rooms — runoff control at in-ground entrances.
19. FHWA Federal Lands Highway Design, Chapter 9 — switchback grade and drainage considerations.
20. FHWA, Low-Volume Roads Engineering Best Management Practices Field Guide — sensitive route location, slope, drainage, construction, and maintenance.

---

14. Authorization statement

No live-world edits, RCON operations, service restarts, database writes, or physical build operations were performed for this audit.

SOURCE FILE · WESTLIGHT-SCREEN-RELEASE.MD

Westlight Infinity Screen Release

Date: 2026-07-27
Package: `VEN-WL-01`
Venue feature: `WL-BOWL`
Current status: **PREFLIGHT PASSED — AWAITING COORDINATED LIVE RELEASE**

---

1. Outcome

The Westlight stadium currently has an all-around bowl, field, concourses, vomitories, radial aisles, and floating canopy, but no screen or scoreboard. `VEN-WL-01` supplies a four-sided center-hung display so seating on every side has a focal object.

This is not the C01 lower arena. The defect belongs to `WL-BOWL` in project `westlight-venue`.

The package is generated, tested, exact-state preflighted against the immutable program baseline, and accepted by the RCON parser in dry-run mode. It has not yet been written to the live world.

---

2. Controlled files

Purpose	File
Generator	`scripts/generate_westlight_infinity_screen.mjs`
Generator test	`test/build/generateWestlightInfinityScreen.test.ts`
Forward operations	`data/buildops/westlight-infinity-screen-2026-07-27.txt`
Exact rollback operations	`data/buildops/westlight-infinity-screen-2026-07-27.rollback.txt`
Design/report	`data/buildops/westlight-infinity-screen-2026-07-27.report.json`
Exact-state preflight	`data/buildops/westlight-infinity-screen-2026-07-27.preflight.json`
Before views	`data/exports/redevelopment-qa-2026-07-27/westlight/before/`

Forward operation SHA-256:

`fa0c4a086f7bdcd92640d63bd57086ad5d2ebd2230f937ad0fc72b93095011fa`

---

3. Baseline control

Field	Value
Frozen region directory	`data/worldsnap-redevelopment-c9e2bf0a-20260727/region`
Region files	26
Snapshot SHA-256	`c9e2bf0a2c8d3072d356b8db5c765622a9d367577bc4e09d077bbc58c4310654`

Field	Value
Target chunks present	6 of 6
Source material required	`minecraft:air`
Preflight guards	524 of 524 passed
Failed guards	0
RCON dry-run operations	524
RCON leftovers	0

Any difference between the live pre-release snapshot and this hash invalidates the preflight. The package must then be regenerated or re-preflighted against a new immutable snapshot.

---

4. Geometry

The display is centered at x=-360, z=-560.

Component	Bounds
Display body	x=-369..-351, y=74..80, z=-568..-552
Suspension chains	corner coordinates, y=81..92
Verified canopy anchors	same four corners at y=93
Existing field	y=58
Open canopy band	y=84..87

The lowest display block is 16 blocks above the field. Only four one-block chains pass through the venue's open-light band. The display does not overwrite the field, seating, aisles, concourses, canopy roof, or the three existing downward-facing LED rods at y=87, z=-560.

---

5. Operation inventory

Tag	Exact one-cell operations
Horizontal frame	136
North/south displays	190
East/west displays	150
Suspension chains	48
Total	**524**

Every operation has:

- a single unique target cell;

- exact expected material `minecraft:air`;
- one deterministic replacement;
- no broad `SET`;
- no percentage pattern;
- no WorldEdit-only remainder.

Duplicate target cells: 0.

---

6. Material and visual system

The display uses:

- polished blackstone for the structural frame;
- black concrete for screen fields;
- lime concrete for high-contrast focal chevrons;
- sea lanterns for pixels and frame-center beacons;
- iron chains for the four suspension points.

The motif is intentionally block-scale. It provides a clear stadium focal point without claiming to reproduce a high-resolution real-world video board.

---

7. Design basis

The all-around stadium seating makes a single end screen inappropriate. A four-sided center-hung display gives every bowl sector a face and avoids reorienting the existing 23 terraces.

The research basis and its limits are recorded in:

- `docs/redevelopment/2026-07-27/infrastructure-audit.md`;
- `docs/redevelopment/2026-07-27/infrastructure-standards.md`;
- `docs/redevelopment/2026-07-27/research-bibliography.md`.

The real-world sources support sightline review and center-hung display precedent. The Minecraft coordinates and dimensions are project-specific adaptations.

---

8. Before evidence

The following four reproducible, snapshot-rendered views prove the current condition has no focal screen:

View	Eye	Look
South lower bowl	-360,68,-530	-360,77,-560
North lower bowl	-360,68,-590	-360,77,-560
East lower bowl	-330,68,-560	-360,77,-560
West lower bowl	-390,68,-560	-360,77,-560

Each image is 1280×720 with a 68-degree field of view and shadows enabled. Their command geometry must be reused after release.

9. Automated validation performed

9.1 Generator tests

Command:

```
npx vitest run test/build/generateWestlightInfinityScreen.test.ts
```

Result:

- 1 test file passed;
- 2 tests passed;
- output contains more than 300 operations;
- all operations are guarded;
- all target cells are unique;
- all four display faces are present;
- the 48-view acceptance matrix is encoded;
- field, existing LED rods, and canopy anchors are excluded.

9.2 Frozen-snapshot exact-state preflight

Command:

```
node scripts/preflight_guarded_ops.mjs \
  data/buildops/westlight-infinity-screen-2026-07-27.txt \
  --regions data/worldsnap-redevelopment-c9e2bf0a-20260727/region \
  --report data/buildops/westlight-infinity-screen-2026-07-27.preflight.json
```

Result: 524/524 guards passed; 0 failed.

9.3 RCON parser dry run

Command:

```
python3 scripts/rcon_runner.py \
  data/buildops/westlight-infinity-screen-2026-07-27.txt \
  --dry-run
```

Result: 524 source operations became 524 `/fill` commands; 0 operations were left for WorldEdit.

10. Coordinated release procedure

The release controller must:

1. Confirm both services are active and no second backend exists.
2. Confirm bots/build coordinators are paused and no overlapping mission runs.
3. Run `save-all flush`.
4. Capture a fresh immutable pre-release snapshot.
5. Reproduce the expected snapshot hash or repeat exact-state preflight.

6. Execute the forward file with `scripts/rcon_runner.py`.
7. Require zero failed commands and zero leftovers.
8. Run `save-all flush`.
9. Capture a new content-addressed post-release snapshot.
10. Census every expected target cell.
11. Render the same four before cameras plus the full 48-view matrix.
12. Register `WL-INFINITY-SCREEN` beneath `WL-BOWL`.
13. Link after media to that exact feature and post-release snapshot.
14. Refresh the catalog, PDF, and owner-only Sites release.

This package may execute in the same coordinated release window as disjoint MainStreet, C01, and Raven Rock packages. Their operations must remain spatially disjoint and each package retains its own failure/rollback decision.

---

11. Post-release block acceptance

The expected post census must show:

- 524 intended target cells changed;
- the exact material count distribution recorded by the machine report;
- no remaining air within intended display/frame/chain target cells;
- no modified block outside the 524-cell target set;
- all four verified y=93 canopy anchor cells unchanged;
- all three existing y=87, z=-560 end rods unchanged;
- no change to field, seats, aisles, concourses, or roof;
- zero fluids and zero block entities introduced.

---

12. Sightline acceptance

The matrix is:

- eight bowl sectors;
- lower, middle, and upper seating bands;
- sports and concert modes;
- 48 required views.

Each view receives:

- screen-face visible: yes/no;
- field focal area visible: yes/no;
- north stage visible in concert mode: yes/no;
- screen obstructs critical action area: yes/no;
- canopy collision: yes/no;
- aisle obstruction: yes/no;
- screenshot filename and SHA-256.

Release acceptance requires:

- a display face visible in every applicable sector;
- no field or stage critical-view obstruction;
- no aisle or vomitory obstruction;

- no player head collision on public routes;
- consistent focal reading from the four principal cardinal cameras.

---

13. Database and media acceptance

Create feature:

Field	Value
Project	`westlight-venue`
External ID	`WL-INFINITY-SCREEN`
Parent	`WL-BOWL`
Kind	`landmark`
Status	`complete` only after post QA
Geometry	exact display and chain bounds
Source	`rcon`
Source ref	forward operation file

Attributes must include:

- frozen pre-release snapshot reference;
- post-release snapshot reference;
- operation SHA-256;
- preflight report;
- execution report;
- post census;
- 48-view sightline report;
- exact screenshot paths and hashes;
- separate functional, sightline, legibility, and media-coverage scores.

No score defaults to 100.

---

14. Rollback

Because every source target is verified air, rollback consists of exact replacement of the known new material states with air at the same 524 unique cells. The generator emits `data/buildops/westlight-infinity-screen-2026-07-27.rollback.txt`; it must be preflighted against the post-release snapshot before it is used.

Rollback is required if:

- any forward command fails;
- the post census differs from the expected target set;
- an existing canopy anchor or LED rod changes;
- a public route is obstructed;
- the 48-view matrix finds a critical field/stage obstruction that cannot be corrected by a smaller guarded adjustment.

Rollback does not restore unrelated live changes. The content-addressed pre-release snapshot remains the authoritative full-world recovery input.

---

15. Current release decision

The package has passed its offline design, test, exact-state, and command-parser gates. The user has already authorized implementation of the requested stadium screen. The remaining gate is operational: execute it inside the coordinated release window, then append the real execution, census, media, database, and deployment results below.

---

16. Execution append-only record

Pending coordinated live release.

GrandStreet America R4/R5 rear-alley engineering release

Date: 2026-07-27
Program-facing name: GrandStreet America
Repository/database identifier: `mainstreet-america`
Package: `mainstreet-america-redevelopment-r4-r5`
Engineering state: **implementation-ready**
Live state: **authorized; fresh-snapshot, entity, and supervised live-QA gates pending**
Live execution performed: **no**

---

1. Outcome

This package converts the R4 residential-frontage and R5 support-building plan into one atomic, exact-state-guarded operation set tied to the immutable snapshot:

`c9e2bf0a2c8d3072d356b8db5c765622a9d367577bc4e09d077bbc58c4310654`

The final offline result is:

- 18 of 18 houses have a usable garage relation;
- H01–H12 keep their Main Street front doors and front gardens;
- H01–H06 garages are rear/outward on the west side and use `ALLEY-W`;
- H07–H12 garages are rear/outward on the east side and use `ALLEY-E`;
- C02/C04/C06 retain R02 side-garage access;
- C03/C05/C07 retain R03 side-garage access;
- both shared rear alleys are three blocks wide and have a maximum adjacent grade step of one block;
- five planned alley/public-street connections are complete;
- B02 gains a culinary forecourt and identity pylons without moving;
- B03 gains a service approach, identity pylons, and landscape screening without moving;
- six decision-node road-marking groups are ready;
- no building is relocated;
- no protected building is intersected;
- no block entity is targeted;
- no operation is skipped;
- no operation target conflicts with another;
- 5,981 of 5,981 exact source guards pass against the frozen snapshot;
- the 5,981-operation rollback is an exact reverse-order inverse;
- ten immutable-baseline images are captured and bound to exact object IDs in the same-camera manifest.

The package is deliberately not a live completion claim. All quality records retain explicit live-use and post-release-media pending states.

2. Governing correction

An early engineering draft placed H01–H12 garage pavilions between the houses and R01. That contradicted the adopted master plan and GA-02. It was discarded even though its block guards passed.

The accepted design follows:

- `master-plan.md` §6.1–6.2;
- `infrastructure-standards.md` GA-01 through GA-04;
- the preferred M-B alternative: three public spines with rear alleys;
- the requirement that a garage face sit at least two blocks behind the principal façade;
- the requirement that the garage route remain subordinate to the public front walk and garden.

The generator now treats a front-garden H garage as a plan validation failure. Every H garage must reference `ALLEY-W` or `ALLEY-E`, and every H geometry must lie outward of the fixed house bounds.

3. Source and reproducibility contract

3.1 Frozen source

Item	Value
Snapshot	`data/worldsnap-redevelopment-c9e2bf0a-20260727/region`
Snapshot files	26 Anvil region files
Snapshot hash	`c9e2bf0a2c8d3072d356b8db5c765622a9d367577bc4e09d077bbc58c4310654`
Hash algorithm	SHA-256 of sorted `filename + NUL + bytes + NUL`
Plan	`mainstreet-america/planning/redevelopment-r4-r5.yaml`
Plan hash	`ab2647e746ea211082eb0eee0f2fa8c858878ab9e86a631d19bedf31950088a0`

The generator reads the snapshot only. It does not connect to the Minecraft server and does not write to the live world.

3.2 Principal artifacts

Artifact	SHA-256	Purpose
Forward operations	`c61649579ceccc6265305fd191d79d791d1b2859976d9ab8cf858cc0b0eb4514`	5,981 exact guarded changes
Rollback operations	`98427f36c43e2f0a76f394cfafb40669d5e0c4ff105272d1e949c6fe3e264efd`	5,981 exact reverse-order inverses
Engineering JSON	`aff9a31233c94c301d54aa3519200860615005aa5dc720f67a57b4d20e25dbb6`	Full garage, alley, grade, protection, diagnostic, and DB-feature record
Design JSON	`eb5665f0961d7959c16fe769ba7226dda62ff0d74c9b71e56ad309cabc9aac63`	Review-oriented design document
Guard preflight	`25c41e5f7cd69a731a7c5f6c505f06bdb0fb6d7fd6b2cb47a03e02906df54d96`	Independent 5,981/5,981 source-state proof

Artifact	SHA-256	Purpose
Forward dry-run JSON	`18fb7e442522fa703ed4c8068c5ad98de35606919df6af8451d23a592c33c665`	Strict parser evidence tied to the forward-operation hash
Rollback dry-run JSON	`80bb879f06dfc14d2982c851e6985c77f54993d740cae30da27113236ea34c60`	Strict parser evidence tied to the rollback-operation hash
Same-camera manifest	`f0387ec5b1f983b468633d59672b4ad00de7a500ebcd001e600d5c48e452f5c5`	Ten captured before images and ten exact after-image contracts

The release summary is `data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.release.json`.

---

4. House-by-house garage schedule

Bounds below are `minX..maxX / minZ..maxZ`. All modules are 7×7 externally, 5×5 internally, have a three-wide by three-high portal, and use a three-wide access route.

House	Public frontage	Garage access	Placement	Bounds	Floor Y	Door	Rear setback	Offline result
H01	R01	ALLEY-W	rear/outward	`-55..-49 / 51..57`	64	west	32	usable
H02	R01	ALLEY-W	rear/outward	`-55..-49 / 1..7`	64	west	28	usable
H03	R01	ALLEY-W	rear/outward	`-55..-49 / -51..-45`	64	west	32	usable
H04	R01	ALLEY-W	rear/outward	`-55..-49 / -101..-95`	64	west	30	usable
H05	R01	ALLEY-W	rear/outward	`-55..-49 / -152..-146`	64	west	33	usable
H06	R01	ALLEY-W	rear/outward	`-56..-50 / -202..-196`	64	west	34	usable
H07	R01	ALLEY-E	upper rear terrace	`53..59 / 53..59`	78	east	41	usable
H08	R01	ALLEY-E	upper rear terrace	`53..59 / 0..6`	71	east	39	usable
H09	R01	ALLEY-E	upper rear terrace	`53..59 / -55..-49`	77	east	41	usable
H10	R01	ALLEY-E	rear/outward	`48..54 / -104..-98`	64	east	36	usable
H11	R01	ALLEY-E	rear/outward	`48..54 / -151..-145`	64	east	28	usable
H12	R01	ALLEY-E	rear/outward	`47..53 / -194..-188`	64	east	32	usable
C02	R02	R02	side	`-79..-73 / 5..11`	68	west	n/a	usable
C03	R03	R03	side	`73..79 / 45..51`	78	east	n/a	usable
C04	R02	R02	side	`-79..-73 / -58..-52`	64	west	n/a	usable
C05	R03	R03	side	`73..79 / -57..-51`	79	east	n/a	usable

House	Public frontage	Garage access	Placement	Bounds	Floor Y	Door	Rear setback	Offline result
C06	R02	R02	side	`-79..-73 / -202..-196`	64	west	n/a	usable
C07	R03	R03	side	`73..79 / -152..-146`	64	east	n/a	usable

The H setbacks are measured from the registered R01 principal façade to the garage door face. The minimum is 28 blocks, well above the two-block standard. More importantly, each H garage lies entirely outward of the house bounds, so the result cannot occupy the R01 front-garden zone.

---

5. Shared rear alleys

Route	Width	Z range	Rows	Max cut/fill	Step	Elevation changes	Sign reversals	One-cell oscillations	Public connections
ALLEY-W	3	`-218..70`	289	3 / 3	1	22	3	0	R07, R06, R05
ALLEY-E	3	`-218..70`	289	1 / 2	1	32	2	0	R07, R05

Each route is a full three-dimensional centerline, not a flat two-dimensional diagram. The grade solver:

1. reads the exact surface and three-block headroom at every lane cell;
2. permits only named natural material, approved public paving, and approved ornamental driveway clearance;
3. rejects protected hard material, structures, fluids, and missing chunks;
4. solves an integer grade constrained to one block between adjacent rows, minimizing feasible sign reversals before terrain cost and vertical steps;
5. limits every cut and fill to the route-specific plan cap;
6. holds garage portals and public-road junctions to explicit grade anchors;
7. requires at least two level rows between opposite grade directions;
8. rejects adjacent opposing slopes and one-cell peaks/troughs;
9. emits one exact replacement guard for every changed block.

The corrected profiles replace the rejected sawtooth draft. ALLEY-W fell from 48 elevation changes and 26 sign reversals to 22 and 3. ALLEY-E fell from 46 and 13 to 32 and 2. Both now report zero adjacent opposing step pairs, zero one-cell peaks/troughs, and a minimum two-row plateau at each reversal.

5.1 Protected-terrain shifts

The alleys are centered near x=-59 and x=58, but a perfectly straight line would cut mature trunks, a crafting station, gate structures, and severe retaining edges. The approved path therefore shifts laterally by no more than one block per row.

Notable controlled shifts include:

- ALLEY-W moves around the acacia trunk near z=-154;
- ALLEY-W avoids the crafting table near x=-59, z=-53;
- ALLEY-W crosses the west terrace transition with a bounded one-step profile;

- ALLEY-E connects R07 at x=50 to preserve the mature tree group near the nominal x=58 line, then returns to x=58;
- ALLEY-E shifts around the protected hard points near z=-86 and z=-29;
- ALLEY-E shifts to x=63 to serve the H09, H08, and H07 upper rear terraces;
- both alleys terminate in defined turn pads after serving H01/H07.

No tree trunk is removed by this package.

5.2 R04 disposition

R04 is not an alley connection in this release. On the immutable snapshot, the east interstitial terrace drops roughly 15 blocks at z=79→80. Forcing a three-wide vehicle route into R04 would require an excessive cut, unsupported fill, or major retaining structure beyond the lower-risk R4/R5 scope.

Instead, both rear alleys connect R07 to R05, the west alley additionally connects R06, and both continue past R05 to turn pads serving H01/H07. A future R04 connection requires a separate retaining/ramp package and its own terrain, drainage, sightline, and rollback review.

---

6. Public frontage and support buildings

6.1 Frontage assignments

The 20 unique assignments are:

- R01: H01–H12;
- R02: C02, C04, C06, B02;
- R03: C03, C05, C07;
- SERVICE: B03.

Public address and service access are deliberately separate. The rear alleys do not become the front address of an H house.

6.2 B02 culinary threshold

B02 remains at its registered bounds. The package adds:

- a 7×7 R02 forecourt at x=-87..-81, z=-98..-92, finished at y=64;
- an orange identity band;
- two illuminated identity pylons;
- the orange R01/R06 and R02 gate markings.

The intervention improves the perceived relationship between the cooking school and the street without moving the building or entering its interior.

6.3 B03 service identity

B03 remains at its registered bounds. The package adds:

- a seven-wide service approach between z=-231 and z=-219;
- a blue center identity stripe;
- two service pylons;
- four landscape-screen segments on the service/rear edges;
- blue R01/R07 and R02/R07 markings.

The generator’s broad B03 review envelope contains existing barrels and a blast furnace, but none is targeted. The targeted block-entity count is zero.

7. Operation census

Role	Exact operations
Shared alley surface	1,734
Alley turn pads	12
Garage floor	882
Garage walls/lintels	1,566
Garage roof	882
Garage driveway surface	132
Bounded grade cut	126
Bounded grade fill	28
Approved driveway/fence clearance	42
Soft headroom clearance	278
Wayfinding inlay	30
Culinary forecourt	46
Identity pylons	12
Pylon lights	4
B03 service lane	91
B03 landscape screen	116
Total	**5,981**

Every operation is a one-cell exact-state `REPL`. This is intentionally verbose: it prevents a generic fill from overwriting a changed or unexpected source block.

8. Protection record

The generated package reports:

- 23 registered protected building/compound bounds;
- zero garage/building intersections;
- zero alley/building intersections;
- zero targeted block entities;
- zero unresolved collisions;
- zero skipped garages or operations;
- zero duplicate/conflicting target cells;
- zero live writes.

The operation bounds are x=-87..85, y=61..84, z=-282..70.

Approved removals are limited to exact-matched natural grading material, replaceable plants, and specifically named ornamental/public-route clearance. The generator fails closed on other hard material.

---

9. Database feature contract

The engineering report contains 31 unique `databaseFeatures` definitions:

Kind	Count	Content
custom	18	One exact 3D garage record parented to each H/C building external ID
road	3	ALLEY-W, ALLEY-E, and the B03 service lane
landscape	2	B02 forecourt and B03 service screen
landmark	8	B02/B03 pylons plus six junction marking groups

All 21 referenced parents exist in the read-only database: H01–H12, C02–C07, B02, B03, and SITE. There are no missing parent references and no duplicate feature external IDs.

Each feature separates:

- functional status;
- legibility status;
- media status.

No feature receives a default score of 100. All remain planned with completion ratio zero until live execution and post-release QA succeed.

The 18 garage records include exact bounds from floor through roof, public frontage, access route, placement type, portal dimensions, driveway width, rear setback, snapshot hash, and source references. These definitions are ready for the standard post-release importer only after post-release QA passes.

---

10. Verification evidence

10.1 Generator acceptance

All acceptance checks pass, including the user’s live-mutation authorization:

- snapshot hash matches;
- plan valid;
- requested garages present;
- every garage usable;
- no garage skipped;
- shared alleys complete;
- all five alley connections complete;
- alley grades walkable;
- alley grades deliberate, with zero sawtooth defects;
- no front-garden garages;
- minimum rear setback met;

- frontage assignment count correct;
- no building relocation;
- no protected-building intersection;
- no targeted block entity;
- no unresolved collision;
- no operation conflict;
- all operations exact guarded;
- rollback exactly invertible;
- live mutation authorized, subject to the release gates below.

10.2 Independent source preflight

Command:

```
node scripts/preflight_guarded_ops.mjs \
  data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.txt \
  --regions data/worldsnap-redevelopment-c9e2bf0a-20260727/region \
  --report data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.preflight.json
```

Result: **5,981 passed, 0 failed, 0 partial masks** across 76 census chunks.

10.3 Strict parser dry-runs

Forward:

```
python3 scripts/rcon_runner.py \
  data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.txt \
  --dry-run --strict-noop \
  --report data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.forward-dry-run.json
```

Result: 5,981 operations → 5,981 `/fill` commands, zero WorldEdit fallbacks. The raw JSON embeds the exact forward SHA-256 and reports zero failures.

Rollback:

```
python3 scripts/rcon_runner.py \
  data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.rollback.txt \
  --dry-run --strict-noop \
  --report data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.rollback-dry-run.json
```

Result: 5,981 operations → 5,981 `/fill` commands, zero WorldEdit fallbacks. The raw JSON embeds the exact rollback SHA-256 and reports zero failures.

10.4 Focused test suite

```
npx vitest run test/build/generateMainstreetRedevelopmentR4R5.test.ts
```

Result: **1 test file passed; 6 tests passed; 0 failed**.

The suite checks plan placement, alley continuity, grade solving, the generated 18/18 result, unique exact targets, rollback bijection, database parents, feature geometry, and non-inflated status records.

The repository backend build also passes with `npm run build`.

---

11. Atomicity and rollback

The forward file is one atomic package. Executing only the garages, only one alley, or only the public-realm work is not an accepted condition because the functional tests and database definitions describe the combined result.

The rollback file:

- contains exactly 5,981 operations;
- reverses forward operation order;
- swaps every expected and replacement state;
- is valid only after the exact forward package has completed;
- must be preflighted against a content-addressed post-release snapshot before use.

Do not use the rollback against the original baseline: its guards intentionally expect the forward replacement states.

---

12. Mandatory live-release sequence

The user authorized implementation. Execution remains gated by the following fresh-state and supervised-QA sequence:

1. stop or coordinate all overlapping MainStreet world-building work;
2. freeze a fresh saved-world snapshot;
3. compare the fresh snapshot hash to this package baseline;
4. regenerate if the hash differs;
5. run the standard live entity gate over the complete operation bounds;
6. review all reports, operations, protected entities, and terrain shifts;
7. execute the complete forward file atomically;
8. freeze a post-release snapshot immediately;
9. run bidirectional alley movement tests;
10. test all 18 garage portals and interior bays;
11. verify every R01 front walk and garden remains independently reachable;
12. capture object-matched screenshots;
13. run post-release database/media QA;
14. import the 31 database features only after QA passes.

---

13. Required post-release media

13.1 Captured immutable-baseline set

The package already contains ten before images under `data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5/before/` and the machine-readable contract at `data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5/same-camera-manifest.json`.

The set covers the district map and oblique, both rear alleys, representative west/east house-garage relationships, B02 culinary threshold, B03 service screen context, R07 connections, and the central R05/R06 context. Every record contains the immutable snapshot hash, image SHA-256, dimensions, nonblank metrics, exact feature targets, camera key, and required after filename. All ten images passed chunk-presence, ray-hit where applicable, color, luminance, and file-size checks. The ten after images remain pending implementation and must reuse the camera keys and lighting contract.

The minimum same-snapshot capture set is:

- one north-up proposed district map;
- one garage/frontage map with all 18 garage IDs and both alley centerlines;
- one service/road map showing R01/R02/R03, R05/R06/R07, and B02/B03;
- H01–H12: front façade, rear garage/alley relation, portal, and interior bay;
- C02–C07: public frontage, side garage relation, portal, and interior bay;
- ALLEY-W and ALLEY-E: both directions at each connection and turn pad;
- every protected-terrain shift noted in §5.1;
- B02 forecourt and both pylons from four directions;
- B03 public edge, service approach, screen, pylons, and loading relationship;
- all six wayfinding groups from eye level;
- matched before/after views using recorded camera coordinates.

Every capture must link to the relevant database feature external ID and the accepted post-release snapshot hash.

---

14. Current release decision

Offline engineering: **GO**
Live execution: **IMPLEMENTATION-READY — fresh snapshot, entity-clear confirmation, and supervised live QA pending**
Reason: the user authorized implementation and the package is complete against the pinned baseline. The fresh-state gates prevent stale exact guards, entity overlap, or an unreproducible before/after record.

---

15. Independent R4/R5 QA addendum

An independent checker treated the generator report as an untrusted claim and reconstructed the release from the immutable Anvil snapshot, read-only SQLite records, raw operation files, rollback, parser reports, and media files. Its machine-readable result is:

`data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.independent-qa.json`

Independent decision: **PASS_IMPLEMENTATION_READY_LIVE_QA_PENDING**. All **24 of 24** assertions passed. No live RCON command was sent.

15.1 Independent evidence

Gate	Independently verified result
Exact source state	5,981 of 5,981 forward guards match the frozen snapshot
Atomic rollback	5,981 of 5,981 cells form an exact reverse-order bijection

Gate	Independently verified result
Unsafe/generic writes	0 `SET` operations; 0 invalid or multi-cell guards
Target integrity	0 duplicate targets; 0 cross-feature target conflicts
Garages	18 of 18 rear/outward or side placements usable; portal, bay, roof, driveway, headroom, and road connection checked cell by cell
Alleys	2 of 2 continuous; all 1,734 surface cells and their headroom checked; all five public-road connections resolve
Protected buildings	23 registered bounds checked; 0 target intersections
Block entities	276 chunks read; 326 block entities censused; 0 targeted
Parking	237 parking-related feature records, including 236 stall records, checked; 0 target intersections
Database contract	31 feature definitions checked; 0 duplicate IDs; 0 missing parents; garage and alley geometry matches the operation package
Parser/preflight	Forward and rollback each parse to 5,981 strict commands; preflight is 5,981 pass / 0 fail
Matched media	10 immutable-baseline captures verified by file hash, camera key, dimensions, and nonblank thresholds

15.2 Grade-defect disposition

The first candidate was rejected as release-blocking because its one-block terrain following produced an incoherent sawtooth profile. The corrected package was then recomputed independently:

Route	Rejected elevation changes / reversals	Final elevation changes / reversals	Adjacent opposing slopes	One-cell peaks/troughs	Minimum reversal plateau
ALLEY-W	48 / 26	22 / 3	0	0	2 rows
ALLEY-E	46 / 13	32 / 2	0	0	2 rows

Both final routes retain a maximum adjacent vertical step of one block. The corrected profiles are deliberate ramps and plateaus rather than repeated single-cell reversals.

15.3 Content-addressed release proof

Evidence	SHA-256
Forward operations	`c61649579ceccc6265305fd191d79d791d1b2859976d9ab8cf858cc0b0eb4514`
Rollback operations	`98427f36c43e2f0a76f394cfafb40669d5e0c4ff105272d1e949c6fe3e264efd`
Engineering report	`aff9a31233c94c301d54aa3519200860615005aa5dc720f67a57b4d20e25dbb6`
Design report	`eb5665f0961d7959c16fe769ba7226dda62ff0d74c9b71e56ad309cabc9aac63`
Guard preflight	`25c41e5f7cd69a731a7c5f6c505f06bdb0fb6d7fd6b2cb47a03e02906df54d96`
Forward dry-run	`18fb7e442522fa703ed4c8068c5ad98de35606919df6af8451d23a592c33c665`
Rollback dry-run	`80bb879f06dfc14d2982c851e6985c77f54993d740cae30da27113236ea34c60`
Same-camera manifest	`f0387ec5b1f983b468633d59672b4ad00de7a500ebcd001e600d5c48e452f5c5`

Evidence	SHA-256
Independent QA JSON	`6540664cb697c27fdee9389a56f3e0f106c3029332cc05c31eb60c276ea37832`

This addendum does not waive the mandatory live-release sequence in §12. A fresh snapshot/hash comparison, live-entity clearance, supervised atomic execution, movement/portal testing, post-release snapshot, and matched after captures remain required before any feature can be marked completed or scored.

---

16. Runtime-safe successor package

The 5,981-operation package documented above is retained unchanged as Attempt 1 evidence. Its live strict-noop failure and compensated rollback are documented in `release-attempt-1-incident.md`.

The distinct runtime-safe successor is documented in `mainstreet-runtime-safety-follow-up.md`. Its frozen forward hash is `c96958c9ce7c3a2e9d481d5063bc0cbd26d0879068967c1d66ca06943b9b2972`; it contains 5,561 source operations, 27 declared finite exact-state fence unions, zero tall-grass targets, and passed 27 of 27 independent assertions. Nothing in this section modifies or retracts the independent Attempt 1 record in §15.

C01 secure-complex surface release

Date: 2026-07-27
Owner: Secure-complex implementation team
World: `world`
Project: `mainstreet-america`
Live mutation: **not performed**

---

1. Outcome

This release prepares two guarded, additive packages for the MainStreet C01 secure complex:

1. **Phase 1 — surface concealment and east-edge seam**
   - wraps the exposed west, east, and southwest faces of `HGR-S01` in a graded natural landform;
   - keeps `OBS-S01` as the sole intentional civic-scale surface landmark;
   - preserves the controlled aircraft door/trail, heliport, observatory stair, shelter, vault, service shaft, interiors, and loaded inventories;
   - completes a level six-block-wide east-edge road from the existing public entry promenade to Festival Row;
   - authors the project-boundary opening and adds two-way route confirmation.
2. **Phase 2 — additive recessed public portal**
   - creates a south-facing, five-block-clear, four-block-high portal at x `141..145`, z `201`;
   - uses a lit stair-backed dogleg to enter the existing lobby through its east wall;
   - leaves the old public portal fully operational;
   - preserves the lobby's sand substrate, the lower theater's structural separator, the upper theater, and `SHL-S01`;
   - does **not** close, earth-cover, or retire the old route.

Phase 1 is implementation-ready with `PASS_OFFLINE_LIVE_GATES_PENDING`. Phase 2 is also implementation-ready, with a bounded live entity sweep, normal-speed bidirectional walk, and owner acceptance retained as release-safety gates.

Neither package was sent through live RCON. The current world was not mutated.

---

2. Source of truth

Both generators are pinned to the immutable region snapshot:

- snapshot: `data/worldsnap-redevelopment-c9e2bf0a-20260727/region`
- SHA-256: `c9e2bf0a2c8d3072d356b8db5c765622a9d367577bc4e09d077bbc58c4310654`
- region files: `26`
- algorithm: SHA-256 over sorted `filename + NUL + file bytes + NUL`

The design follows:

- `docs/redevelopment/2026-07-27/master-plan.md`, section 7;

- `docs/redevelopment/2026-07-27/infrastructure-standards.md`;
- `docs/redevelopment/2026-07-27/infrastructure-audit.md`, sections 7.4–7.6;
- `docs/redevelopment/2026-07-27/infrastructure-audit.design.json`;
- the recorded `C01`, `C01-LOBBY`, `HGR-S01`, `OBS-S01`, `SHL-S01`, `P01`, circulation, room, and inventory features in `data/world-map.db`.

The preferred strategy remains “re-portal and restore the surface,” not translation of the deep complex. Moving the protected stack would add risk without solving the visible shell, parking seam, or route-legibility problem.

---

3. Phase 1 release

3.1 Artifacts

Artifact	Path	SHA-256 / result
Generator	`scripts/generate_bunker_surface_phase1.mjs`	offline only
Forward ops	`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.txt`	`22b7fffddca9820fb02cb285d49345558a1b9ced227ff54a8fe05d7927a40d4e`
Rollback	`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.rollback.txt`	`54bc504b26260d02c52d66b88a6fdb288a8cf3c40d6057aa7038d7a5e6721479`
Generator report	`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.report.json`	28,729 cells / 766 guards
Independent QA	`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.independent-qa.json`	31/31 assertions
Frozen preflight	`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.preflight.root.json`	766/766 guards
Strict dry-run	`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.dry-run.root.json`	769 commands / 0 leftovers
Camera contract	`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.before-cameras.json`	eight unique views

All 766 `REPL` boxes use exact-source guards. The source and rollback retain full sorted block properties, including the east/west-connected birch fence and bottom quartz-slab states. Desired grass is explicit `grass_block[snowy=false]`. All three sign NBT merges are gated by `execute if block` against the exact desired wall-sign state. There are no `SET` operations.

3.2 Scope and measurable effect

Component	Exact bounds	Offline result
West landform	x `145..175`, y `93..118`, z `139..180`	exposed manufactured facade reduced 93.7%
East landform	x `235..260`, y `95..118`, z `139..171`	exposed manufactured facade reduced 100%
Southwest landform	x `176..207`, y `93..118`, z `182..205`	exposed manufactured facade reduced 82%
East-edge road	x `120..125`, y `64`, z `206..245`	six wide, level, 40 long, full geometric connectivity
Authored gate	x `120..125`, y `65..67`, z `231`	six-wide clear transition

The road intersects none of the 236 recorded parking stalls, the southeast rain garden, or Festival Row. Every one of its 40 stations has six standable cells and three-block headroom. The route connects north to the existing public-entry promenade and south to Festival Row.

The landform result is intentionally a Phase 1 improvement, not a false claim of total invisibility. The north face, controlled aircraft door/trail, and roof cornice remain visible. `OBS-S01` remains visible by design. Same-camera review must decide whether later grading is needed.

3.3 Protected exclusions

No Phase 1 target intersects:

- the public observatory stair;
- `HGR-S01`, `OBS-S01`, or the penthouse shell;
- the aircraft door/trail or heliport;
- the service shaft;
- the current public-entry interior;
- `SHL-S01`;
- the shelter/vault connector;
- the grand vault;
- the southeast rain garden;
- any of the 12 loaded chest coordinates.

The independent QA reread 28,729 exact source states, found zero target block entities, checked 38,536 unique fluid-halo cells, and found zero direct or neighbor fluid hazards.

3.4 Phase 1 media

The eight before views are already captured under:

`data/exports/redevelopment-qa-2026-07-27/bunker/before/`

They cover:

1. parking center and east seam;
2. southwest hangar/podium oblique;
3. east hangar/podium oblique;
4. controlled hangar door and trail;
5. north face and retained observatory;
6. road northbound;
7. road southbound;
8. C01 surface map.

After images must reuse the exact camera, image dimensions, field of view, and lighting contract in the camera JSON. Tight crops are not acceptance evidence.

---

4. Phase 2 additive portal

4.1 Why the alignment changed

The first provisional dogleg correctly failed its safety gate because its one-cell halo touched the existing lobby's y `63` sand substrate. That alignment was discarded.

The accepted offline alignment enters through the lobby's east wall at x `139`, y `65..68`, z `164..168`. It never targets or approaches the sand substrate within one cell. The new corridor occupies x `140..147`, y `62..69`, z `163..201`.

The database reports two apparent plan-view conflicts that are vertically separated:

- `C01-LOWER-THEATER` ends at y `60`; the portal begins at y `62` and preserves y `61` as a structural separator;
- `ROUTE:C01-LOWER-OPERATIONS` is centered near y `51`, well below the new portal.

`SHL-S01` begins at x `148` and y `81`; the portal liner ends at x `147` and y `69`. No target overlap exists.

4.2 Artifacts

Artifact	Path	Result
Generator	`scripts/generate_bunker_recessed_portal_phase2.mjs`	offline only
Forward ops	`data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.txt`	1,632 cells / 79 guards / one guarded sign merge
Rollback	`data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.rollback.txt`	exact inverse, post-state preflight required
Generator report	`data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.report.json`	no target/halo hazards
Frozen preflight	`data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.preflight.json`	79/79 guards
Strict dry-run	`data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.dry-run.json`	80 commands / 0 leftovers
Camera contract	`data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.before-cameras.json`	five required views

The Phase 2 package has:

- zero block entities in its frozen safety box;
- zero fluid, waterlogged, or gravity hazards in targets;
- zero such hazards in the one-cell target halo;
- minimum computed overhead cover of 11 blocks after the authored lobby junction and before the portal reveal;
- five clear walking blocks and four clear vertical blocks;
- two shallow, stair-backed descent/rise transitions;
- no broad `SET` operation;
- an exact-state-guarded sign NBT merge;
- no old-portal closure.

Its runtime-order audit also proves that the rollback removes the attached wall sign before restoring its support. All 20 authored `polished_deepslate_stairs` remain `shape=straight`; there are zero perpendicular adjacent stair pairs capable of normalizing that desired shape. The remaining structural phases unwind in reverse order.

Frozen region data cannot prove the absence of transient players, mobs, armor stands, item frames, or other free entities. A bounded live entity-empty sweep is therefore a mandatory pre-release gate.

4.3 Phase 2 release status

Dimension	Current status	Remaining acceptance
Concealment	11-block minimum overhead cover; recessed south mouth	same-camera exterior review after construction
Functional	five-wide/four-high dry geometry, exact stair profile	normal-speed two-way no-jump player walk
Legibility	copper center band and guarded lobby/parking/return directory	player-facing read at approach, turn, lobby, and return
Media	five-camera before/after contract generated	capture before lighting state and all after counterparts

The final seven-wide terrain-following mountain road from the audit is **not** part of this package. Phase 1 completes the six-wide parking-edge seam; a separate graded road release is still needed if the owner wants full vehicular language up the mountain.

---

5. Database feature handoff

The reports contain machine-readable `databaseFeatures` arrays. Each record has an exact geometry, parent, `sourceRef`, planned status, and separate concealment, functional, legibility, and media status.

5.1 Phase 1 features

External ID	Parent	Geometry
`C01-PHASE1-LANDFORM-WEST`	`DIV-C01-SURFACE`	bounds x `145..175`, y `93..118`, z `139..180`
`C01-PHASE1-LANDFORM-EAST`	`DIV-C01-SURFACE`	bounds x `235..260`, y `95..118`, z `139..171`
`C01-PHASE1-LANDFORM-SOUTHWEST`	`DIV-C01-SURFACE`	bounds x `176..207`, y `93..118`, z `182..205`
`C01-EAST-EDGE-ROAD-PHASE1`	`DIV-C01-SURFACE`	bounds x `120..125`, y `64..67`, z `206..245`
`GATE-C01-EAST-EDGE-ROAD`	`FENCE:DIV-C01-SURFACE`	bounds x `120..125`, y `64..67`, z `231`
`C01-EAST-ROAD-DIRECTORY-NORTH`	`C01-EAST-EDGE-ROAD-PHASE1`	bounds x `119`, y `65..67`, z `207..208`
`C01-EAST-ROAD-DIRECTORY-GATE`	`C01-EAST-EDGE-ROAD-PHASE1`	bounds x `119`, y `65..67`, z `230..232`
`C01-PUBLIC-PORTAL-APPROACH-PHASE1`	`C01-PUBLIC-ENTRY`	six-wide path z `231 → 206 → 204`

5.2 Phase 2 features

External ID	Parent	Geometry
`C01-PUBLIC-PORTAL-RECESSED-PHASE2`	`C01`	bounds x `139..147`, y `62..69`, z `163..201`
`C01-PUBLIC-CONNECTOR-DOGLEG-PHASE2`	`C01-PUBLIC-PORTAL-RECESSED-PHASE2`	five-wide path from `(143,64,201)` to `(139,64,166)`
`C01-PUBLIC-PORTAL-DIRECTORY-PHASE2`	`C01-PUBLIC-PORTAL-RECESSED-PHASE2`	bounds x `146..147`, y `63..66`, z `187`

These planned rows must not be imported as complete observations before the corresponding live release, saved-world census, walk test, and media reconciliation pass.

6. Release gates and sequence

Do not execute either package from this document automatically. A release operator must:

1. coordinate a quiet C01/P01 maintenance window;
2. capture and hash a fresh saved-world snapshot;
3. prove the snapshot equals the package baseline, or regenerate and repeat review;
4. confirm zero active builders and perform a bounded live free-entity sweep over every target volume;
5. preserve the eight Phase 1 before images and capture the five Phase 2 before views if Phase 2 is in scope;
6. rerun exact frozen preflight;
7. run the forward file with strict no-op handling and require zero failures, zero no-ops, and zero WorldEdit leftovers;
8. save and hash a post-release snapshot;
9. census every target cell against the desired state;
10. reconcile the 12 protected chest NBT records and all protected route/room exclusions;
11. perform normal-speed bidirectional walks;
12. capture all same-camera after views;
13. import database/media observations only after QA disposition.

Suggested offline revalidation:

```
node scripts/generate_bunker_surface_phase1.mjs \
  --regions data/worldsnap-redevelopment-c9e2bf0a-20260727/region
node scripts/preflight_guarded_ops.mjs \
  data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.txt \
  --regions data/worldsnap-redevelopment-c9e2bf0a-20260727/region
python3 scripts/rcon_runner.py \
  data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.txt \
  --dry-run --strict-noop

node scripts/generate_bunker_recessed_portal_phase2.mjs \
  --regions data/worldsnap-redevelopment-c9e2bf0a-20260727/region
node scripts/preflight_guarded_ops.mjs \
  data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.txt \
  --regions data/worldsnap-redevelopment-c9e2bf0a-20260727/region
python3 scripts/rcon_runner.py \
  data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.txt \
  --dry-run --strict-noop
```

Run focused regression tests with:

```
npx vitest run \
  test/build/generateBunkerSurfacePhase1.test.ts \
  test/build/generateBunkerRecessedPortalPhase2.test.ts
```

Current result: two test files, nine tests passed.

7. Rollback rule

The rollback files are exact post-state guards. Their failure against the original snapshot is expected and desirable: they must only match a world in which the corresponding forward targets were successfully installed.

Before rollback:

- obtain a content-addressed post-release snapshot;
- preflight the rollback against that snapshot;
- require 100% guard coverage;
- confirm the rollback does not overwrite later accepted work;
- repeat saved-world, route, inventory, and media QA afterward.

Never weaken a rollback guard to make it match a different world state.

---

8. Explicitly deferred

The following remain separate releases:

- full seven-wide terrain-following mountain access road;
- final north-face/cornice concealment;
- acceptance or redesign of the controlled aircraft-door exception;
- old public-portal closure and earth cover;
- any move of deep C01, shelter, vault, or inventories;
- database completion status and media observations;
- any live construction.

---

9. Independent Phase 1 QA addendum

This addendum records the independent release audit of Phase 1. It does not reuse the generator's summary as proof. The QA script reparses and expands the forward and rollback boxes, rereads every target from the frozen Anvil data, queries the feature database read-only, recomputes final-state geometry and exposure, and checks the generic preflight and strict dry-run reports.

The complete machine-readable evidence is:

`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.independent-qa.json`

Independent status: **PASS_OFFLINE_LIVE_GATES_PENDING — 31 of 31 assertions passed, zero failed**.

9.1 Release-blocking defects found and corrected

`BSP1-EXACT-STATE-LOSS`

The first reviewed package was not safe to release. The shared Anvil reader returned a palette block name but discarded its `Properties`. That produced state-less forward source masks and state-less rollback destinations for the authored gate:

- an east/west-connected birch fence was reduced to bare `minecraft:birch_fence`;
- a bottom smooth-quartz slab was reduced to bare `minecraft:smooth_quartz_slab`.

The generic guard preflight accepts a base block name when the mask has no bracketed state. It therefore could not detect this loss by itself. A live forward run might have passed, while rollback would have restored default states rather than the exact frozen source.

The correction adds a full-state read path to `AnvilSnapshot`. Properties are serialized in deterministic lexical order. Phase 1 uses that state-preserving path for every rollback destination and for every forward source except the five narrowly declared connected-fence removals described below. The corrected exact states include:

```
minecraft:birch_fence[east=true,north=false,south=false,waterlogged=false,west=true]
minecraft:smooth_quartz_slab[type=bottom,waterlogged=false]
minecraft:grass_block[snowy=false]
```

Independent verification reread and matched all 28,729 exact source states, then proved that every rollback cell restores the precise source string.

`BSP1-UNGUARDED-SIGN-NBT`

The first reviewed package also emitted three direct `data merge block` commands. The block replacements were guarded, but the NBT writes were not.

The corrected package wraps every sign write in:

```
execute if block <x> <y> <z> <complete desired wall-sign state>
run data merge block <x> <y> <z> <front-text NBT>
```

Independent verification matched all three command coordinates and guard states to their exact forward targets:

Sign point	Guarded state	Frozen source
`(119,66,208)`	`oak_wall_sign[facing=south,waterlogged=false]`	air
`(119,66,230)`	`oak_wall_sign[facing=north,waterlogged=false]`	air
`(119,66,232)`	`oak_wall_sign[facing=south,waterlogged=false]`	air

`BSP1-NEIGHBOR-PHYSICS-ORDER`

The controlled post-incident review found two additional runtime hazards:

- removing adjacent connected fence cells changes the directional state of later fence cells, so a single frozen full-state guard can strictly no-op;
- the old rollback order removed landform and pylon supports before 89 shrubs and three wall signs, allowing dependants to pop before their guarded removals.

The forward package now converts the surviving x `119` anchor before removing its x `120` neighbor. Exactly five removal-only cells at x `120,121,123,124,125`, y `65`, z `231` use a bare `minecraft:birch_fence` source guard. This is not a general relaxation. The generator and both QA consumers require all five declared points, desired air, the exact frozen source `birch_fence[east=true,north=false,south=false,waterlogged=false,west=true]`, no block-entity capability, `waterlogged=false`, and zero fluid neighbors. Rollback remains a complete exact-state restoration.

Rollback now removes the three signs first, then all 89 shrubs (47 azalea and 42 flowering azalea), and only then unwinds structural phases in reverse.

9.2 Independent assertion matrix

Assertion	Result	Independent evidence
Snapshot hash	PASS	26 region files; exact c9e2 digest
Forward syntax	PASS	zero parse errors
Rollback syntax	PASS	zero parse errors
Forward box count	PASS	766
Forward command count	PASS	3 guarded commands
Rollback box count	PASS	766
Rollback command exclusion	PASS	zero commands
Forward target uniqueness	PASS	28,729 cells; zero duplicates
Rollback target uniqueness	PASS	28,729 cells; zero duplicates
Reported cell count	PASS	report and expansion both 28,729
Exact frozen source match	PASS	28,729/28,729 reread; five declared removal guards match their frozen full state
Forward/rollback bijection	PASS	28,729/28,729 exact inverse pairs
Complete states where required	PASS	zero undeclared incomplete states; five declared dry birch-fence removal guards
Sign NBT command guards	PASS	3/3 target/state matches
Protected-box exclusion	PASS	11 boxes; zero intersections
Loaded-chest exclusion	PASS	12 coordinates; zero intersections
Block-entity exclusion	PASS	1,519 broad-census entities; zero targeted
Direct fluid exclusion	PASS	zero fluid/waterlogged targets
Landform fluid halo	PASS	38,536 unique neighbor cells; zero hazards
Parking reconciliation	PASS	236 stalls; zero intersections
Road profile	PASS	40/40 stations six wide and three high
North road connection	PASS	x `120..125`, six cells
South road connection	PASS	x `120..125`, six cells
Gate headroom	PASS	zero blocked cells
Bidirectional road geometry	PASS	252/252 corridor cells connected
Facade exposure recomputation	PASS	all three face results reproduced
Landform column continuity	PASS	2,642/2,642 changed columns continuous
Generic guard preflight	PASS	766/766; zero partial masks
Strict forward dry-run	PASS	769/769 commands; zero leftovers
Strict rollback dry-run	PASS	766/766 commands; zero leftovers
Artifact hash agreement	PASS	forward and rollback match report

Assertion	Result	Independent evidence
Camera contract	PASS	eight unique IDs and outputs
Runtime dependency order	PASS	signs then 89 shrubs before support rollback
Connected-fence exception	PASS	five declared cells; desired air only; rollback exact

9.3 Independent protected-volume evidence

The independent block-entity census covered 80 chunks with zero missing. It found 1,519 block entities in the broad C01 area. That is not a defect: protected interiors are intentionally inside the broad census. The acceptance condition is that none of those block entities occupies a target cell, and the targeted count is zero.

The exact no-target boxes were:

Protected asset	Bounds
Public-observatory stair	x `164..175`, y `98..123`, z `151..166`
Hangar shell	x `176..234`, y `98..120`, z `138..181`
Observatory/penthouse	x `175..235`, y `119..136`, z `137..182`
Hangar door/trail	x `208..238`, y `88..116`, z `180..191`
Heliport	x `238..257`, y `88..91`, z `172..191`
Service shaft	x `198..202`, y `24..106`, z `151..156`
Public entry	x `90..139`, y `64..80`, z `153..205`
Shelter shell/interior	x `148..188`, y `81..92`, z `143..180`
Vault connector	x `188..232`, y `66..86`, z `171..196`
Grand vault	x `230..262`, y `44..77`, z `184..226`
Southeast rain garden	x `100..119`, y `64..66`, z `240..245`

The 12 separately enumerated loaded chests were also compared cell-for-cell and had zero target intersections.

Frozen region files do not include a complete same-moment free-entity data set. The result proves block-entity exclusion only. A live bounded entity-empty query remains a mandatory release gate.

9.4 Independent parking and road evidence

The QA opened `data/world-map.db` read-only and found exactly 236 individual stall records. No forward target intersects any stall. Phase 1 therefore has the following parking delta:

Measure	Count
Stalls before	236
Removed	0
Relocated	0
Added	0

Measure	Count
Stalls projected after	236

The road's final-state simulation checked all six x positions at all 40 z stations. Each station has support at y `64` and clear player cells at y `65..67`. Six cells connect to the north interface and six connect to the south interface. A breadth-first traversal reached all 252 modeled standable corridor/interface cells from both directions.

This result proves geometric connectivity. It does not replace the normal-speed live walk required by QA-03. It also does not claim that the six-wide, level east seam is the final BK-04 mountain road.

9.5 Independent fluid and landform evidence

The target census found no direct water, lava, bubble column, or waterlogged state. The landform safety halo contained 38,536 unique adjacent cells and no fluid hazard.

Continuity was evaluated on the projected final columns, not merely on the list of changed operations. Existing solid source cells may legitimately occur between two changed cells. With source and desired states combined, all 2,642 changed landform columns have an unbroken solid profile from the original natural support to the intended top.

9.6 Independent exposure evidence

The QA recomputed manufactured-face exposure without trusting the summary values:

Face	Manufactured cells	Before	After	Newly screened	Reduction
West	870	411	26	385	93.7%
East	693	621	0	621	100.0%
Southwest	672	528	95	433	82.0%

The recomputed result matches the generator report exactly. It supports a measured Phase 1 improvement claim only. The north face, roof cornice, aircraft-door/trail exception, and observatory still prevent final zero-shell acceptance.

9.7 Independent release disposition

Phase 1 is implementation-ready and may execute in a coordinated release once the mandatory same-moment safety gates pass. Those gates protect live world state and evidence quality. Until execution and post-state verification finish, it is not safe to describe the package as constructed, accepted, or as-built.

The following remain unresolved by offline evidence:

- a same-moment free-entity sweep;
- confirmation that no other builder or bot changes the volume between preflight and execution;
- the eight before images pinned to the release snapshot;
- live command results with zero failures and no-ops;
- a post-release immutable snapshot;
- an exact 28,729-cell desired-state census;
- protected chest and block-entity reconciliation;
- normal-speed bidirectional road walking;
- same-camera after images;

- reviewed database and media imports.

No live RCON was used during this independent review.

Raven Rock Tunnel Repair Release — S1 Section Pilot

Date: 2026-07-27
Package: `INF-RR-01`
Feature: `RR-S1`
Status: **OFFLINE RELEASE CANDIDATE — ALL AUTOMATED GATES PASS; NOT YET EXECUTED LIVE**

---

1. Release decision

This release takes the most conservative material step toward a uniform Raven Rock tunnel system: it standardizes eleven stations of the known S1 compression at x `138..148`.

The selected pilot is:

- materially useful: seven of the eleven starting stations are only five standable blocks wide;
- bounded: the whole authored shell is 11 × 10 × 9 blocks and only 335 cells change;
- reversible: every changed cell has one exact inverse operation;
- isolated from the T4 aquifer: the nearest pilot x is at least 415 blocks east of the protected x `-278/-277` bulkhead;
- isolated from authored rooms in the current catalog: only the Raven Rock district parent overlaps the two-dimensional pilot footprint;
- free of fluid, gravity-block, and block-entity hazards in the one-block safety buffer;
- sufficient to test a complete section family before any route-wide rollout.

The RR-Z5 stair is deliberately not combined with this package. The existing stair is functional but uncomfortable, and its history includes adjacent-tread deletion during headroom work. A simultaneous stair rewrite would make this pilot harder to diagnose and roll back. RR-Z5 remains a required later pilot; this release does not claim that stair or shaft work is complete.

---

2. Source of truth

Item	Value
Frozen region directory	`data/worldsnap-redevelopment-c9e2bf0a-20260727/region`
Snapshot algorithm	SHA-256 of sorted `filename + NUL + bytes + NUL`
Snapshot SHA-256	`c9e2bf0a2c8d3072d356b8db5c765622a9d367577bc4e09d077bbc58c4310654`
Region files	26
Region bytes	122,736,507
Safety-buffer chunks	4 present, 0 absent
Standards	TU-01 through TU-06, WF-03, QA-01 through QA-04
Audit prescription	S1 controlled-section pilot at x `138..148`

The generator independently recomputes the complete snapshot digest and exits before writing operations if it differs. The independent QA computes the same digest again using separate code.

The package may not be applied to a different whole-world hash. If unrelated work changes the saved world first, refresh the snapshot, rebase this package, and repeat every automated gate.

---

3. Exact scope


3.1 Coordinate schedule

Element	Bounds / value
Longitudinal pilot	x `138..148` inclusive; 11 stations
Historic planned route centerline	z `-15`
Final clear envelope	z `-17..-11`, y `-11..-4`
Final clear dimensions	7 wide × 8 high
Floor	y `-12`, z `-17..-11`
North/T3 divider liner	z `-18`, y `-11..-4`
South cave-edge liner	z `-10`, y `-11..-4`
Ceiling	y `-3`, z `-17..-11`
Safety buffer	x `137..149`, y `-13..-2`, z `-19..-9`
QA camera seed	near `(140,-9,-15)`, facing east and west

The clear envelope is asymmetrically widened toward the south. The player centerline may remain at z `-15`, while the envelope's geometric center is z `-14`. That choice keeps the historic T3/S1 divider at z `-18` as a continuous structural liner instead of cutting through it.

3.2 Cross-section

Looking east, the accepted section is:



The longitudinal ends remain open at x `138` and x `148`, so the operating S1 route is never bulkheaded. A route-wide rollout or tapered transition is a later release after this exact section family passes visual and movement acceptance.

---

4. Measured before condition

The source snapshot contains a flat, reachable route, but the standable width is inconsistent because the southern cells are irregularly open above missing floor and the side/ceiling voids are not authored as a liner.

At walk y `-11`, using two clear player cells and a non-air floor:

x	Starting standable z range	Starting width	Center clear height	Final width	Final clear height
138	`-17..-11`	7	10	7	8
139	`-17..-11`	7	10	7	8
140	`-17..-13`	5	10	7	8
141	`-17..-13`	5	10	7	8
142	`-17..-13`	5	10	7	8
143	`-17..-13`	5	9	7	8
144	`-17..-13`	5	8	7	8
145	`-17..-13`	5	8	7	8
146	`-17..-13`	5	8	7	8
147	`-17..-11`	7	8	7	8
148	`-17..-11`	7	8	7	8

The pilot does not chase the largest apparent air void. It authors one exact tube inside the known route: complete walking floor, sealed side surfaces, repeatable ceiling, light rhythm, and a persistent route band.

---

5. Safety-buffer census

The complete 1,716-cell safety buffer was read offline with exact states.

Base block	Count
Deepslate	725
Air	945
Deepslate iron ore	11
Stone bricks	9
Deepslate lapis ore	5
Stone	20
Deepslate copper ore	1
Water, lava, bubble column, powder snow	0
Gravel, sand, suspicious gravity blocks	0
Waterlogged states	0
Block entities	0

All four touched chunks exist in the snapshot. The frozen artifact contains `region/*.mca` but not a frozen `entities/` directory. The package therefore proves that no block entity is present but does not pretend to prove that a free entity can never enter the volume. A same-moment live free-entity query is a mandatory execution gate.

The database has no first-class S1 record yet. A read-only footprint query found only the Raven Rock district envelope and no building/room feature overlapping x `137..149`, z `-19..-9`. The absence of a tunnel record is a catalog gap, not evidence that S1 does not exist; the geometry and block snapshot remain the physical source of truth for this release.

5.1 Proposed database feature

The machine report now carries one import-ready `databaseFeatures` record. It does not write `world-map.db`.

Field	Value
Project	`raven-rock`
External ID	`RR-S1-STANDARD-PILOT`
Name	Raven Rock S1 Standard Section Pilot
Kind / class	`custom` / `utility`
Parent	`raven-rock:DISTRICT` (`wft_5789677296f4b494`)
Status	`planned`

Field	Value
Exact 3D bounds	x `138..148`, y `-12..-3`, z `-18..-10`
Completion ratio	0; no live execution claimed
Condition score	`null`; no automatic 100
Source	`region_scan`, pinned to the package report and snapshot

Quality dimensions remain separate and evidence-backed:

Dimension	Status	Score	Why it is not 100
Functional	`offline-section-pass-live-route-test-pending`	75	11/11 simulated sections pass; live bidirectional movement is pending
Walkability	`flat-no-jump-geometry-live-walk-pending`	70	Proposed geometry is flat and wide; a normal-speed player test is pending
Legibility	`route-band-designed-sign-system-not-in-pilot`	35	The green/copper route cue exists, but route-wide signs are a later package
Media coverage	`camera-defined-before-after-not-captured`	0	Camera coordinates exist; live before/after images do not

The feature also retains the clear-envelope dimensions, station range/count, snapshot SHA, package/route IDs, and source references to the standards, audit, release document, operations, rollback, prestate, preflight, and QA reports. Import must occur only after the live package passes; at that time, status, completion, quality evidence, and media relations must be updated from the as-built snapshot rather than silently promoted to perfect scores.

---

6. Material schedule and operation accounting

The final family uses:

Role	Material
Floor	`minecraft:stone_bricks`
Main side liners	`minecraft:polished_deepslate`
Route identity band	`minecraft:oxidized_copper`
Ceiling	`minecraft:stone_bricks`
Ceiling lights	`minecraft:sea_lantern` at x `139,143,147`, z `-15`
Clear player volume	`minecraft:air`

The design evaluates 946 cells. Of those, 611 already equal their desired state and are intentionally omitted. The remaining 335 exact mutations are:

Role	Changed cells	Source detail
Floor	68	58 deepslate, 10 air

Role	Changed cells	Source detail
Side liners/bands	176	106 deepslate, 53 air, 17 stone
Ceiling/lights	77	50 deepslate, 27 air
Clear volume	14	9 iron ore, 5 lapis ore
Total	**335**	one target per operation

Desired-operation totals are:

Desired material	Operations
Stone bricks	142
Polished deepslate	154
Oxidized copper	22
Sea lantern	3
Air	14

Only 14 natural blocks are removed from the player-clear volume. Ninety air cells become controlled floor, wall, or ceiling. This is a liner and clearance pilot, not unconstrained excavation or full-cavern infill.

---

7. Guard and rollback model

Every forward line is:

```
REPL x y z x y z <exact-frozen-source-state> <one-desired-state>
```

There are:

- zero `SET` operations;
- zero broad boxes;
- zero multi-material masks;
- zero `CMD` operations;
- zero duplicate target cells;
- zero operations outside x `138..148`, y `-12..-3`, z `-18..-10`;
- zero targets at T4, RR-Z5, or T2b.

The rollback reverses forward order and swaps exact expected/desired state for all 335 changed cells. This matters in a partial run: a forward operation that never happened will not match the rollback's expected pilot material and is left alone, while an applied operation is restored exactly.

The rollback restores ore identities and the unusual source `minecraft:deepslate[axis=y]` states; it does not flatten all sources to generic stone. The complete 946-cell source/design relation is retained in the prestate JSON.

Vanilla RCON execution is sequential, not ACID-transactional. “Atomic” for this release means bounded, source-guarded, post-verified, and exactly recoverable. Acceptance is withheld until the entire post-state matches. A partial command run must be rolled back before another package enters the volume.

8. Automated evidence

8.1 Generic exact-state preflight

Command:

```
node scripts/preflight_guarded_ops.mjs \
  data/buildops/ravenrock-s1-section-pilot-2026-07-27.txt \
  --regions data/worldsnap-redevelopment-c9e2bf0a-20260727/region \
  --report data/buildops/ravenrock-s1-section-pilot-2026-07-27.preflight.json
```

Result:

- 335/335 forward source guards match;
- 0 failures;
- 4 census chunks;
- no partial-mask exceptions.

8.2 Independent QA

The independent checker does not import generator code. It re-runs the general block and block-entity censuses, compares every exact source guard, simulates the final section, reverses it, and compares restoration to the frozen source.

Result:

- 688/688 assertions pass;
- 11/11 stations pass the sealed 7-wide × 8-high section test;
- 335 unique forward targets;
- 335 exact inverse targets;
- 0 block entities;
- 0 fluid/gravity hazards;
- exact rollback restoration differences: 0;
- status: `PASS_OFFLINE_LIVE_GATE_PENDING`.

8.3 RCON parser dry run

Forward:

- 335 operations;
- 335 vanilla `/fill` commands;
- 0 WorldEdit leftovers.

Rollback:

- 335 operations;
- 335 vanilla `/fill` commands;
- 0 WorldEdit leftovers.

The dry runs parse commands only; they do not connect to or mutate Minecraft.

8.4 Focused tests

```
npx vitest run test/build/generateRavenRockS1Pilot.test.ts
```

Result: 1 test file, 3 tests, 3 passed.

The test suite independently checks exact target uniqueness, reverse rollback bijection, complete prestate coverage, immutable hash, generic preflight, and the simulated final section.

---

9. Artifact register

Artifact	Purpose
`scripts/generate_ravenrock_s1_pilot.mjs`	Immutable-snapshot generator and safety refusal logic
`scripts/qa_ravenrock_s1_pilot.mjs`	Independent source/final/rollback QA
`test/build/generateRavenRockS1Pilot.test.ts`	Focused regression tests
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.txt`	335 guarded forward operations
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.rollback.txt`	335 exact reverse operations
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.prestate.json`	All 946 source/design cells and safety census
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.report.json`	Machine design, proposed database feature, material, safety, and acceptance report
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.preflight.json`	Generic frozen guard result
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.qa.json`	Independent assertion and station results

---

10. Mandatory live execution gates

All of the following remain mandatory immediately before any live run:

1. Confirm no other world-building package targets the pilot or its safety buffer.
2. Run `save-all flush`, take a fresh snapshot, and reproduce the full expected snapshot SHA. If it differs, stop and regenerate.
3. Re-run the generic preflight against that fresh saved snapshot and require 335/335 guards.
4. Query the live safety buffer for free entities and require none:

   ```
   execute if entity @e[x=137,y=-13,z=-19,dx=12,dy=11,dz=10]
   ```

   A successful entity match is a stop-work result, not permission to continue.
5. Confirm no active player, bot builder, mission, or build job occupies the volume.

6. Capture the same-camera before set near `(140,-9,-15)` in both directions and a perpendicular cross-section/map view.
7. Keep the rollback beside the forward file and retain the frozen snapshot.
8. Execute the forward file once; require zero command failures.
9. Run `save-all flush`, take a post-build snapshot, and verify all 1,716 safety-buffer cells against the simulated final state:

```
node scripts/qa_ravenrock_s1_pilot.mjs \
  --observed-regions <post-build-snapshot>/region \
  --expect final \
  --out data/buildops/ravenrock-s1-section-pilot-2026-07-27.post.qa.json
```

10. Walk normally from west to east and east to west. Pass requires no jump, sprint, crouch, collision, fall, or hidden side opening.
11. Capture the identical after views and inspect light rhythm, route-band continuity, endpoint transition, side sealing, and perceived width.
12. Accept the pilot only after block, movement, and visual evidence all pass.

---

11. Rollback and stop-work

Run the exact rollback if:

- a command reports failure;
- the post-state differs at any target;
- a side opening, water, gravity fall, or protected object appears;
- either direction requires jump, sprint, or crouch;
- the x `138` or x `148` transition becomes confusing or collision-prone;
- the material family is visually rejected;
- same-camera evidence cannot be reproduced.

After rollback, take another saved snapshot and run:

```
node scripts/qa_ravenrock_s1_pilot.mjs \
  --observed-regions <rollback-snapshot>/region \
  --expect rollback \
  --out data/buildops/ravenrock-s1-section-pilot-2026-07-27.rollback.qa.json
```

Rollback acceptance requires every safety-buffer cell to equal the frozen baseline, zero fluids/gravity hazards, zero block entities, and the same-camera appearance to return.

---

12. Honest release status and exclusions

The package is honestly live-ready only in the operational sense that its offline design, exact guards, parser, independent simulation, and rollback all pass. It is not marked installed or accepted because no live RCON command was sent and no post-build movement or visual test exists yet.

The following are explicitly not solved by this pilot:

- the remaining S1 stations outside x `138..148`;
- the route-wide endpoint/taper and repeated sign program;
- T2b's tunnel-within-cavern liner;
- RR-Z5 stair comfort, landing identity, or no-jump alternative;
- T1, T2, T3, C1, C2, and T4 route-family rollout;
- missing first-class route/node/media database records;
- Westlight screen and entry work;
- C01 portal, mountain road, and concealment.

No live-world edits, RCON operations, database writes, service restarts, T4 bulkhead changes, cave merges, or bulk excavation were performed while preparing this release.

SOURCE FILE · EXECUTION-REGISTER.MD

Execution Register

Release model

The work is divided into independently reversible packages. A package may not borrow an acceptance result from another package or an older snapshot.

Package	Scope	Depends on	Protected concerns	Exit evidence
R0	Baseline snapshot, maps, database/media export	none	no live writes	snapshot hash, atlas manifests, database census
R1	First-class tunnel/route database objects	R0	stable external IDs	import report, feature counts, media crosswalk
R2	Raven Rock standard sections and easy-walk circulation	R1	nearby caves, merging legs, existing tread geometry	guarded preflight, water check, bidirectional routes, section census
R3	Westlight focal screen, seating/entry hierarchy, venue wayfinding	R0	bowl shell, existing passages, field	sightline views, screen feature, audience/entry routes
R4	MainStreet street hierarchy, frontage assignments, garages	R0, master plan	fences, gates, house shells, roads	plot map, guarded operations, every-house access matrix
R5	Support-building consolidation and road completion	R4	B02/B03 interiors and block entities	collision-free plot schedule, route checks, new database geometry
R6	C01 portal relocation and parking-edge completion	R0, terrain section	public portal, parking cells, surface hangar interfaces	parking boundary census, new entry route, hidden old façade
R7	C01 earth cover and mountainside road	R6	roof/heliport/observatory interpretation, terrain drainage	exterior exposure sweep, grade profile, road route
R8	Post-build atlas, screenshots, reports, database observations	R2–R7	consistent final snapshot	all images and observations share one snapshot hash
R9	Sites production release	R8	asset size and source provenance	saved Sites version, successful production deployment

Stop-work triggers

- A source guard differs from the pinned snapshot.
- A protected block entity falls inside a removal, clone, or terrain-fill volume.
- A tunnel trace escapes its explicit bounding box or connects to a neighboring bore/cave outside the designed node.
- A proposed road exceeds the accepted grade or intersects a building shell, vault, shelter, gate, or water body without an authored transition.
- A relocation target overlaps any first-class feature or reserved future plot.
- A post-run command reports an unrecognized result.
- A route passes only in one direction.
- The world changes after preflight and before execution.

Rollback discipline

- Preserve the pre-release saved-world snapshot and file hashes.
- Generate inverse operations from the actual forward package when exact inverse guards are possible.
- For structure movement, preserve source and target cuboids before removal.
- Never erase the old source until target placement, block-entity inventory, and walkability checks pass.
- Release force-loaded chunks added by tooling and restore the operator’s pre-existing force-load set.

Release Attempt 1 — Automatic Rollback Incident Record

Incident: `REDEV-2026-07-27-R1-A1`
Window: 2026-07-27T23:05:57Z to 2026-07-27T23:06:31Z
Disposition: **ROLLED BACK — NO PACKAGE ACCEPTED**

Executive record

The first coordinated live transaction intentionally failed closed during the MainStreet package and automatically compensated every block operation already attempted. The transaction system found Minecraft neighbor-update behavior that the offline exact-state model did not simulate: removing or replacing support blocks caused nearby short grass and stateful birch fence cells to update before their later guarded removal commands ran.

This was not accepted as a partial deployment. The controller:

1. stopped at the first strict no-op;
2. ran the MainStreet rollback over the partly applied target set;
3. rolled Raven Rock back in strict mode;
4. rolled Westlight back in strict mode;
5. restored the operator force-load set;
6. recorded zero rollback-package failures;
7. captured a new immutable rollback-state snapshot for the corrective rebase.

Frozen inputs

Item	Value
Transaction	`redevelopment-atomic-release-2026-07-27`
Pre-release snapshot	`data/worldsnap-prerelease-f4a268cd0c5b4241-20260727/region`
Pre-release SHA-256	`f4a268cd0c5b42419868a816d14e0a2b4810d6b0ae84e7707fd556ad4708b79c`
Region files	26
Snapshot bytes	122,736,507
Combined live entity gate	PASS, five packages, zero blockers
Existing force-loaded chunks	104
Human players	0
Fleet	5 service-managed bots, paused

Two unmarked pigs had been discovered by the fail-closed entity screen before this window. They were relocated intact to verified safe ground outside every package halo. No entity was deleted. A fresh combined gate then passed with 366 required chunks verified and exact force-load restoration.

Execution ledger

Order	Package	Forward result	Compensation result	Final state
1	Westlight screen	524/524 changed; 0 no-op	524/524 strict rollback	Rolled back
2	Raven Rock S1	335/335 changed; 0 no-op	335/335 strict rollback	Rolled back
3	MainStreet R4/R5	5,651 changed; 330 strict no-op	5,813 changed; 168 safe no-op	Rolled back
4	C01 surface Phase 1	Not started	Not required	Unchanged
5	C01 portal Phase 2	Not started	Not required	Unchanged

The failing package’s rollback was deliberately non-strict. A partial forward transaction means some rollback cells should change and untouched cells should no-op. Previously committed packages were rolled back strictly because every forward cell had changed.

Failure signature

The MainStreet execution report records:

- `sourceOperationCount = 5,981`;
- `successfulCommands = 5,651`;
- `noopCommands = 330`;
- `failedCommands = 330`;
- `strictNoop = true`;
- `status = failed`;
- forward operation SHA-256 `c61649579ceccc6265305fd191d79d791d1b2859976d9ab8cf858cc0b0eb4514`.

The retained failure examples begin at operation lines 417–453 and show guarded air replacement of `minecraft:birch_fence` and `minecraft:short_grass`. Earlier support/surface changes caused those cells to update or drop before their own commands. Strict mode correctly interpreted “No blocks were filled” as evidence that the modeled source state was no longer present.

Rollback verification

Item	Value
Rollback failures	0
Force-load set restored	Yes, exact 104-chunk operator set
Rollback-check snapshot	`data/worldsnap-rollbackcheck-64829086424cde6f-20260727/region`
Rollback-check SHA-256	`64829086424cde6f0bbf8db9166a152daf753ae2c3cf5652ba165dddc8229142`

Item	Value
Region files	26
Snapshot bytes	122,744,700

The rollback-check hash is intentionally different from the first pre-release hash. Minecraft saved neighbor-updated grass/fence states and the two safe pig relocations. This difference is recorded, not concealed. The second attempt is rebased on the rollback-check world and must never reuse a preflight bound to the first snapshot.

Corrective action

The MainStreet engineering package is being regenerated against the immutable rollback-check source. The corrective release must:

- remove already-desired cells from the operation set;
- execute dependency-sensitive clearance before support/surface mutation;
- preserve the accepted two-alley, 18-garage, two-street, and public-realm design;
- generate a bijective rollback to the rollback-check snapshot;
- pass strict offline preflight with zero failure;
- pass independent order-hazard QA;
- bind every camera manifest and database feature to the new operation hash;
- use a newly captured pre-release snapshot and newly run entity gate.

Retained evidence

Attempt 1 is preserved under:

`data/world-review/redevelopment-attempt1-2026-07-27/`

That directory contains the transaction ledger, three forward execution reports, three emergency rollback reports, three package-local entity-gate reports, and `SHA256SUMS`. These files remain immutable evidence even after the default report paths are reused by a later successful attempt.

SOURCE FILE · ATOMIC-RELEASE-REPORT.MD

Coordinated World Release Report

Date: 2026-07-27
Release: `REDEV-2026-07-27-R1`
Current status: **ACCEPTED — LIVE TRANSACTION COMMITTED; POST-QA PASS**

---

1. Release intent

This report is the append-only operational record for the first implementation wave of the world redevelopment master plan. It joins otherwise independent, spatially disjoint packages into one controlled maintenance window while retaining package-level rollback.

The authorized outcomes are:

- complete the missing Westlight stadium focal display;
- prove and install one Raven Rock tunnel standard-section pilot;
- install the MainStreet two-street/rear-alley/18-garage/public-realm package;
- materially conceal the C01 surface mass and complete its east parking/road seam;
- add a recessed C01 portal/connector package only if its separate guards, protection proof, and independent QA pass.

---

2. Release packages

Package	Area	Forward operations	Frozen guards	Rollback	Status
`VEN-WL-01`	Westlight stadium	524 groups / 524 cells	524/524	524	Committed; PASS
`INF-RR-01`	Raven Rock S1	335 groups / 335 cells	335/335	335	Committed; PASS
MainStreet R4/R5	MainStreet surface	5,561 groups / 5,561 cells	5,561/5,561	5,561	Committed; PASS
C01 surface Phase 1	C01/P01 east seam	769 groups / 28,729 cells	766/766	766 guarded boxes	Committed; PASS
C01 portal Phase 2	C01 recessed entry	80 groups / 1,632 cells	79/79	79 guarded boxes	Committed; PASS

The five packages contain 7,265 guarded replacement groups and four intentional command groups. They address 36,781 unique target cells with zero cross-package overlap.

---

3. Spatial independence

Pair	Relationship
Westlight / Raven Rock	Different projects and region coordinates
Westlight / MainStreet-C01	Different projects and region coordinates
Raven Rock / MainStreet-C01	Different projects and region coordinates

Pair	Relationship
MainStreet surface / C01	Same project but separated north/south extents
C01 Phase 1 / C01 Phase 2	Same discipline; execute Phase 1 then Phase 2 only if target sets are disjoint or Phase 2 is re-preflighted on the intermediate state

Target-cell intersection checks are required before release. Geographic separation alone is not accepted as proof for the two C01 packages.

---

4. Controls

The release controller requires:

- only the systemd-managed backend and frontend instances;
- fleet bots paused;
- no running or queued world-building mission;
- no human player online;
- existing force-loaded chunks inventoried and restored;
- `save-all flush`;
- fresh, immutable, content-addressed pre-release snapshot;
- exact-state preflight of every forward package against that same snapshot;
- zero generic-preflight failures;
- strict RCON mode in which “nothing changed” is a failure;
- machine execution report for every package;
- zero WorldEdit leftovers;
- `save-all flush` after writes;
- immutable post-release snapshot;
- exact preflight of every rollback artifact against the post snapshot;
- package-specific census, entity/fluid, route, media, and database QA.

---

5. Strict execution command form

Every forward command uses:

```
python3 scripts/rcon_runner.py \
  <forward-ops.txt> \
  --strict-noop \
  --report <execution-report.json>
```

Acceptance requires:

- `status = complete`;
- `strictNoop = true`;
- `failedGroups = 0`;
- `unexpectedNoopCommands = 0`;
- alternative no-ops are allowed only inside a declared finite-state union where exactly one source-state alternative changes the target;
- `failedCommands = 0`;

- `worldEditLeftoverCount = 0`;
- report SHA-256 equals the frozen operation SHA-256.

---

6. Pre-release system state

Observed during assembly:

- `mc-fleet-bot.service`: active;
- `mc-fleet-web.service`: active;
- bot API: healthy with five bots;
- online players: the five fleet bots only;
- active missions: zero;
- fleet state: idle before the formal pause gate;
- existing force-loaded chunks: 104, to be preserved by the runner.

These are observations, not the same-moment release gate. They must be repeated immediately before execution.

---

7. Independent defect ledger

C01 Phase 1 exact-state defect

The first generated Phase 1 artifact preserved block names but dropped block properties for six birch-fence cells and one quartz-slab cell. It also emitted three unconditional sign-NBT merges.

Disposition:

- the first artifact was rejected before live execution;
- no world mutation occurred;
- the shared Anvil reader was extended to return canonical full block states;
- fence connectivity and slab type/waterlogging are now present in forward and rollback operations;
- sign NBT merges are conditional on the expected installed sign state;
- forward artifacts were regenerated and re-preflighted.

This defect demonstrates that a generic preflight using a state-less expected mask is not evidence of exact reversibility.

---

8. Live execution

The fixed-order transaction began at 2026-07-27T23:51:47Z and completed at 2026-07-27T23:52:21Z. All packages committed.

Package	Forward SHA-256	Source groups	Failed groups	Unexpected no-ops	Decision
Westlight	`fa0c4a086f7bdcd92640d63bd57086ad5d2ebd2230f937ad0fc72b93095011fa`	524	0	0	Committed
Raven Rock	`2869cfea1243b08a81d878a9da9a51c23eda9d3c651fa6ca64ad23577877639e`	335	0	0	Committed

Package	Forward SHA-256	Source groups	Failed groups	Unexpected no-ops	Decision
MainStreet	`c96958c9ce7c3a2e9d481d5063bc0cbd26d0879068967c1d66ca06943b9b2972`	5,561	0	0	Committed
C01 Phase 1	`fa108cc0a18d9cad0980abd8fca0f483a45406688fd9e32e0bf6b2dcf0350233`	769	0	0	Committed
C01 Phase 2	`f50ce795daee455c81acb8f1456265f954e24661d99853de50a80d82b9f67e4f`	80	0	0	Committed

MainStreet expanded to 5,588 RCON commands because 27 logical groups encoded a finite exact-state union. Each group produced one required change plus expected alternative no-ops. The group-aware strict runner reported zero failed groups and zero unexpected group no-ops.

All temporary force loads were released and the pre-existing force-load set was restored. No WorldEdit leftovers were reported.

---

9. Post-release snapshot

Accepted immutable directory: `data/worldsnap-postrelease-f8edf99494c023dd-20260728/region`

Field	Value
Snapshot SHA-256	`f8edf99494c023dd4b7e412d146a9018bb4ac29636f19c27431083e6b0f6ec10`
Region files	26
Bytes	122,744,700
Hash algorithm	SHA-256 over sorted filename + NUL + bytes + NUL

The pre-release comparison point is `42545b02f60fa881cb3d7fb82f2b22b1145623fa16e8c674a179113b48c639cf`.

---

10. Post-release package QA

Final result: **PASS**.

- Westlight: 524-cell exact post-state and 48-view sightline/mode matrix.
- Raven Rock: 335-cell exact post-state, matched views, and two-way walk.
- MainStreet: 18/18 garages, two alleys, public realm, 28 post images, and 40/40 directional route runs.
- C01 Phase 1: landform, exposure, road, gate, inventory/fluid, rollback, and eight-camera evidence pass.
- C01 Phase 2: recessed portal/connector exact-state, five-camera, and bidirectional route proof pass.
- All packages: 7,265/7,265 rollback guards match; zero failure or partial match.
- Combined routes: 22/22 tests and 44/44 directional runs pass.
- Combined media: 91 accepted post screenshots.
- Atlas: 3,808/3,808 chunks loaded with zero missing.

11. Database and publication

The guarded importer accepted the final QA and snapshot binding, then created 44 features, three scans, and 44 observations with zero updates. The database now contains 824 features, 21 scans, and 1,830 observations.

The post catalog is `data/exports/world-catalog-post-2026-07-27`. It contains 69 buildings, 68 exact floor plans, 14 exact-building screenshots, 108 features with screenshots, and 37 features with exact-object screenshots. The one floor-plan gap is the newly cut recessed C01 portal and is reported rather than hidden.

The compiled dossier and owner-only Sites publication use the accepted post atlas, catalog, screenshot set, and snapshot hash. See `as-built-release-completion.md` for the complete handoff.

Post-deployment QA and as-built acceptance

Generated: 2026-07-28T00:37:20.690Z

Overall release status: **PASS**

This is the final machine-backed acceptance record for the atomic redevelopment release. It ties every exact-state operation to the immutable pre- and post-release snapshots, strict live execution reports, rollback preflights, same-moment entity gate, bidirectional route test, database features, and visual evidence.

Release identity

- Pre snapshot: `42545b02f60fa881cb3d7fb82f2b22b1145623fa16e8c674a179113b48c639cf` (26 regions; 122,744,700 bytes)
- Post snapshot: `f8edf99494c023dd4b7e412d146a9018bb4ac29636f19c27431083e6b0f6ec10` (26 regions; 122,744,700 bytes)
- Unique target cells: 36,781
- Guarded operations: 7,265
- Guarded block-data commands: 4
- Database features promoted: 44
- Post-release screenshots: 91

Atomic acceptance gates

Gate	Result
packages	PASS
atomicTransaction	PASS
crossPackageTargetSeparation	PASS
uniqueDatabaseFeatureIds	PASS
liveEntityGate	PASS
liveEntityGateTiming	PASS
routeQa	PASS
snapshotChanged	PASS
postSnapshotComplete	PASS

Package ledger

Package	Status	Operations	Target cells	After media	Forward SHA-256
westlight	PASS	524 + 0 CMD	524	48	fa0c4a086f7bdcd9…
ravenrock	PASS	335 + 0 CMD	335	2	2869cfea1243b08a…
mainstreet	PASS	5561 + 0 CMD	5,561	28	c96958c9ce7c3a2e…
bunker-phase1	PASS	766 + 3 CMD	28,729	8	fa108cc0a18d9cad…
bunker-phase2	PASS	79 + 1 CMD	1,632	5	f50ce795daee455c…

Verification method

Every forward and rollback file was parsed to exact target cells. A package passes only if it contains no unguarded SET operation, contains no duplicate target cell, has a complete per-cell forward/rollback bijection, passes the same-moment immutable-snapshot source preflight, executes through RCON with `--strict-noop` and zero failures or leftovers, and passes a rollback preflight against the accepted post snapshot. Single complete source states are mandatory except for the separately audited five-cell Phase 1 dry-fence removal contract and MainStreet-only declared finite unions of complete exact fence states; both exceptions require desired air and complete exact snapshot restoration on rollback. The combined release additionally requires zero cross-package target overlap, an empty exact-target entity safety halo, a successful bidirectional walk, non-identical pre/post snapshots, and the complete same-camera after-media inventory.

Evidence paths

- Machine QA: `data/world-review/redevelopment-post-deployment-qa-2026-07-27.json`
- Atomic transaction: `data/world-review/redevelopment-atomic-transaction-2026-07-27.json`
- Entity gate: `data/world-review/redevelopment-live-entity-gate-2026-07-27.json`
- Route QA: `data/world-review/redevelopment-route-qa-2026-07-27.json`
- Immutable pre snapshot: `data/worldsnap-prerelease2-42545b02f60fa881-20260727/region`
- Immutable post snapshot: `data/worldsnap-postrelease-f8edf99494c023dd-20260728/region`

Database and media disposition

The `featureQuality` and `featureMedia` objects in the machine QA are the authoritative release attachment consumed by `scripts/import_redevelopment_release.mjs`. The importer refuses promotion unless this report is `PASS` and the supplied post-snapshot hash matches.

Database and Media Report

> Baseline sections below preserve the pre-release census for comparison. The accepted post-release supplement is in the final section and supersedes baseline totals for current as-built reporting.

Executive finding

The project already has a serious spatial catalog, but its current quality scores describe whether recorded things exist—not whether they are pleasant to use, legible, properly oriented, concealed, or well photographed. Of 780 world features, 779 are marked `complete` and 776 carry a condition score of 100. The user's direct observations prove that those saturated scores cannot be treated as a design-quality verdict.

This report separates:

- physical catalog completeness;
- saved-world observation evidence;
- planning and experience quality;
- media coverage;
- provenance/freshness.

Machine-readable source:

- `data/exports/world-catalog-2026-07-27/database-report.json`
- `data/exports/world-catalog-2026-07-27/features.json`
- `data/exports/world-catalog-2026-07-27/object-media-index.json`
- `data/exports/world-catalog-2026-07-27/capture-manifest.json`

The standalone interactive report is `data/exports/world-catalog-2026-07-27/database-report.html`.

Baseline identity

Item	Value
Catalog generated	2026-07-27T21:37:35.137Z
World snapshot SHA-256	`c9e2bf0a2c8d3072d356b8db5c765622a9d367577bc4e09d077bbc58c4310654`
Frozen local snapshot	`data/worldsnap-redevelopment-c9e2bf0a-20260727/region`
Snapshot files	26 Anvil region files
Snapshot bytes	122,736,507
`world-map.db` SHA-256	`2eb3fcf5c8103392f89f9f00e013e5b2ff773b7092cfa47c4e72d0375fa3f8c7`
Catalog extent	x `-443…305`, z `-640…311.5`

The original capture manifest names `data/worldsnap/region`. That mutable directory was copied immediately to the frozen path above and its directory hash was independently verified unchanged. Future records should store both the hash and the frozen content-addressed path.

`world-map.db`

Tables and row counts

Table	Rows	Purpose
`world_features`	780	Durable project/as-built objects with hierarchy, geometry, source, state, and quality fields
`world_scans`	18	Survey/import runs, bounds, observer, snapshot reference, and run summary
`feature_observations`	1,786	Per-scan evidence tied to a feature

Feature counts by project

Project	Features	Share
MainStreet America	579	74.2%
Ravensreach	63	8.1%
Westlight District	59	7.6%
Raven Rock	39	5.0%
Westlight Venue	25	3.2%
Ravensgate	13	1.7%
Western Approach	2	0.3%

The project distribution is intentionally uneven. MainStreet includes every parking bay as a first-class object, while tunnel legs in Raven Rock are not yet first-class objects. Raw counts must therefore not be read as a comparison of project complexity or documentation quality.

Feature counts by kind

Kind	Count	Notes
`room`	259	Functional room/zones; not all correspond to wall-bounded rooms
`parking`	237	Includes MainStreet’s 236 modeled stalls plus parent parking program
`custom`	68	Circulation/program objects that do not fit another primitive kind
`building`	68	Primary building set used by the floor-plan and screenshot program
`lighting`	55	Lighting systems/groups
`district`	19	Project/district/block envelopes
`road`	19	Eighteen MainStreet roads/segments plus the Western Approach
`fence`	14	MainStreet project/division boundary systems

Kind	Count	Notes
`landmark`	12	Navigation or civic landmarks
`sidewalk`	12	Pedestrian circulation objects
`landscape`	8	Gardens, landform, pond, and ecology programs
`driveway`	6	Existing authored driveway objects; inadequate for 18-house garage requirement
`utility`	2	Utility systems
`property`	1	MainStreet protected property

Source methods

Source	Count
RCON/as-built measurement	560
Authored manifest	191
Region scan	28
Import	1

Sources are not interchangeable:

- `manifest` proves intended/declared scope;
- `rcon` proves a measured response at a time;
- `region_scan` proves saved-world geometry at a snapshot;
- a successful `import` proves data movement, not physical existence.

MainStreet America in the catalog

MainStreet’s 579 features comprise:

- 31 buildings;
- 126 rooms;
- 237 parking objects;
- 55 lighting objects;
- 44 custom systems/features;
- 18 roads;
- 14 fences;
- 13 districts/blocks/projects;
- 12 sidewalks;
- 12 landmarks;
- 8 landscape systems;
- 6 driveways;
- 2 utilities;
- 1 property.

Important gaps:

1. Six outer houses (`C02`–`C07`) have incomplete hierarchy/parentage compared with the planned block structure.
2. The current six driveway objects cannot represent garages and functional vehicle access for all 18 houses.
3. `C01` is named “Earth-covered east operations complex,” while current visual evidence shows exposed retaining/hangar/observatory structure from the parking and approach. Geometry exists; semantics fail.
4. MainStreet room counts in older reviews are stale. The current database has 126 MainStreet room features and 259 rooms worldwide.
5. A `complete` import/feature status cannot resolve current complaints about spacing, wayfinding, frontage, stair comfort, or arena focus.

Raven Rock and tunnel gap

Raven Rock contains 39 records:

- 5 buildings;
- 28 rooms;
- 5 custom features;
- 1 district.

The major named tunnel legs, connectors, portal transitions, rotunda, grades, decision nodes, signs, and typical sections are not modeled as first-class features. This is why a project can appear 100% complete while S1 width variation, T2b drift, cave adjacency, and difficult stairs remain invisible to the quality model.

Required additions:

- one durable feature per tunnel leg/segment;
- node features for portals, rotunda, intersections, landings, and vertical cores;
- explicit centerline and clear-envelope geometry;
- type (`public_spine`, `secondary`, `service`);
- width/headroom/grade/landing/lighting/wayfinding attributes;
- bidirectional route observations;
- before/after images and section maps.

Westlight stadium gap

Westlight Venue has 25 catalog objects: 3 buildings, 18 rooms, 3 custom objects, and one district. `WL-BOWL` has functional subdivisions, but no first-class screen, scoreboard, sightline sector, seat hierarchy, or event-mode object.

Required additions:

- screen/scoreboard object with exact bounds;
- field and stage focal objects;
- eight aisle/sector objects or an equivalent sampling grid;
- lower/middle/upper sample seats per sector;
- sports and concert mode;
- visible-target/sightline result for every sample;
- entry/vomitory relationship and signage.

Scan and provenance findings

The database contains 18 completed scans. They document early failure, repair/closure, parking, project-grid import, interior waves, and secure-complex work. Two issues require correction:

1. At least one supposedly immutable snapshot path was reused and now appears in scan records with different hashes. A path without a hash is not provenance.
2. The new worldwide integrated interior book was generated from a validated Wave4 census hash `4a754a73f5dcd0db512d67e90dcea08ff80d19b6d711c859a0a8d688a4091400`, while later secure-complex supplements use `8fbf6997638da3ef36f200ce73315e0becbea3746ffbc350817cb3d1b0de66ac`. They are both valid evidence, but they are not one current integrated snapshot.

New scan policy:

- snapshot directories are content-addressed and never reused;
- the directory hash algorithm is recorded;
- every region member has a hash;
- each scan records the exact snapshot SHA;
- generated media records the same SHA;
- integrated reports never imply all pages are current when supplements use a later snapshot;
- stale artifacts remain available but are labeled.

Media coverage

Current exact coverage

Measure	Coverage
Buildings with exact floor plan	68 / 68
Buildings with any existing screenshot link	14 / 68
Buildings with reviewed exact-object screenshot	12 / 68
Buildings still missing a dedicated exact-object screenshot	56 / 68
Features with at least one screenshot link	62 / 780
Inventoried screenshot/image files	58
Existing object/media links validated	1,130
Broken/mismatched link validations	0

Floor-plan coverage is excellent. Dedicated perspective coverage is still a large queue. A project/district image is useful context but must not be presented as proof of each child building or room.

New snapshot-pinned captures

Nine 1280×720 offline perspective images were generated from baseline `c9e2bf0a…`:

Capture	Primary relation	Purpose
B01 Guest & Design Center	exact object	visitor/arrival anchor

Capture	Primary relation	Purpose
B02 Retail & Cooking School	exact object	frontage and perceived-distance diagnosis
B03 Service Warehouse	exact object	terminus/service relationship
C01 Mountain Operations	exact + context	concealment and parking-edge baseline
MainStreet homes streetscape	district context	two-street and garage program context
Ravensreach core	district context	civic settlement context
Ravensgate	district context	landmark/route context
Westlight stadium/district	`WL-BOWL` exact + context	screen/sightline/arrival baseline
RR-Z5 surface access	exact object	Raven Rock portal and tunnel-program context

Exact commands, cameras, FOV, dimensions, image hashes, and relation targets are in `capture-manifest.json`.

Proposed normalized media relation

The current database does not have a media table. Add a versioned `feature_media` store (database table or immutable manifest promoted by API) with:

Field	Purpose
`asset_id`	Stable media identifier
`feature_id`	Exact primary world feature
`project_id`, `external_id`	Human/debug-friendly identity
`relation`	exact object, object context, district context, defect, before, after, map, section
`snapshot_sha256`	Saved-world provenance
`scan_id`	Observation run association
`path` / `url`	Asset location
`sha256` / `bytes` / `dimensions`	Artifact integrity
`captured_at`	Time
`eye`, `look`, `yaw`, `pitch`, `fov`	Reproducible camera
`visible_feature_ids`	Secondary objects shown
`phase`	existing, proposed, pre-build, post-build
`alt_text`	Accessible semantic description
`qa_status`, `qa_notes`	Visual evidence review

Acceptance:

- every published image has exactly one primary feature or an explicit district/project-context relation;
- no filename inference is needed;
- all image paths and hashes validate;

- snapshot mismatch is visible;
- orphan media and unpictured features appear in generated coverage reports.

New quality model

Keep `completion_ratio` and physical `condition_score`, but add evidence-backed:

- `functional_score`;
- `walkability_score`;
- `legibility_score`;
- `sightline_score`;
- `concealment_score`;
- `media_coverage_score`.

Each quality result needs method, sample set, evidence IDs, timestamp, and snapshot hash. None may default to 100. A missing measurement is `unknown`, not perfect.

Other persistent data

At baseline, `data/town.db` recorded:

- 1 town;
- 1 district;
- 12 town buildings;
- 5 residents;
- more than 5,000 events at catalog generation time;
- 166 chronicles;
- 3 style observations.

The report also inventories 87 persistent JSON files used for fleet, control, social, tasks, builds, QA, planning, settings, and usage. Runtime JSON stores are listed rather than copied into the public site so personal/operational material is not accidentally published.

Refresh and validation

```
python3 scripts/world_snapshot.py --near=0,0 --radius 800

node scripts/generate_surface_atlas.mjs \
  data/exports/box/redevelopment-atlas-YYYY-MM-DD/team-a

node scripts/generate_worldwide_interior_atlas.mjs \
  --out data/exports/world-catalog-YYYY-MM-DD/floorplans

node scripts/generate_world_catalog.mjs \
  --out data/exports/world-catalog-YYYY-MM-DD \
  --snapshot data/worldsnap/region \
  --surface-atlas data/exports/box/redevelopment-atlas-YYYY-MM-DD/team-a

node scripts/prepare_world_showcase.mjs
```

The last four generators are offline/read-only with respect to the Minecraft world and databases. `world_snapshot.py` flushes the server save and copies region files; it does not issue build operations.

Accepted post-release supplement

Generated 2026-07-28T00:40:27.805Z from immutable snapshot `f8edf99494c023dd4b7e412d146a9018bb4ac29636f19c27431083e6b0f6ec10`. The machine-readable report is `data/exports/world-catalog-post-2026-07-27/database-report.json`.

Database delta and final identity

Measure	Baseline	Accepted post-state	Change
`world_features`	780	824	+44
`world_scans`	18	21	+3
`feature_observations`	1,786	1,830	+44
Buildings	68	69	+1
Road features	19	23	+4
Custom features	68	90	+22
Landscape features	8	13	+5
Landmark features	12	24	+12

The database import created 44 features and updated zero. Its precondition was a `PASS` final QA report bound to the same immutable post snapshot. The complete import response, feature IDs, scan IDs, and observation counts are retained in `data/world-review/redevelopment-release-database-import-2026-07-27.json`.

Database artifact	Bytes	SHA-256
Pre-import backup `data/world-map.pre-redevelopment-20260728-0028.db`	1,847,296	`2eb3fcf5c8103392f89f9f00e013e5b2ff773b7092cfa47c4e72d0375fa3f8c7`
Final checkpointed `data/world-map.db`	2,256,896	`005a714f90e1fc12a42de825b84290d07a9a090d0580b7112b277158e942123d`

The 44 additions describe the installed Westlight screen, Raven Rock pilot, MainStreet garages/alleys/public realm/wayfinding, C01 road and landform, and the recessed C01 portal. They are not generic release notes: each feature has stable project/external identity, geometry, parentage, status, source, source reference, snapshot/QA attributes, and an observation in a completed scan.

Final media coverage

Measure	Accepted post catalog
Features	824
Features with any screenshot	108
Features with exact-object screenshot	37
Buildings	69
Buildings with exact floor plan	68
Buildings with any screenshot	15
Buildings with exact-object screenshot	14
Inventoried media files	195
Linked inventoried media files	132

The exact-object feature screenshot count increased from 13 at baseline to 37. The important implementation change is not only a higher count: `scripts/generate_world_catalog.mjs` now reads `primaryFeatureId` from release capture reports. A rendered garage, portal, screen, or tunnel image can therefore resolve to the exact database feature without filename guessing.

The accepted release added 91 post images:

- 48 Westlight sector/band/mode views;
- 2 Raven Rock section views;
- 28 MainStreet views, including 18 exact garage objects;
- 8 C01 surface/road/landform views;
- 5 recessed C01 portal views.

The one missing building floor plan belongs to the new recessed C01 portal. It has an exact post screenshot and database geometry but no standalone authored interior sheet. Reporting 68/69 preserves the distinction between physical existence, perspective evidence, and plan evidence.

The 68 existing floor-plan sheets were carried forward because their authored interiors did not change in this surface/circulation release. They retain their own earlier snapshot bindings: the integrated atlas is pinned to `4a754a73f5dcd0db512d67e90dcea08ff80d19b6d711c859a0a8d688a4091400` and the secure-complex supplement to `8fbf6997638da3ef36f200ce73315e0becbea3746ffbc350817cb3d1b0de66ac`. They were not misrepresented as new `f8edf994…` renders.

At post-catalog generation, `town.db` reported one town, one district, 12 buildings, five residents, 5,487 events, 176 chronicles, and three style observations. It remains an operational town database, distinct from `world-map.db`.

Post-release refresh commands

```
node scripts/generate_world_catalog.mjs \
  --snapshot data/worldsnap-postrelease-f8edf99494c023dd-20260728/region \
  --out data/exports/world-catalog-post-2026-07-27

node scripts/prepare_world_showcase.mjs \
  --source data/exports/world-catalog-post-2026-07-27 \
  --surface data/exports/box/redevelopment-atlas-post-2026-07-27/team-a
```

The accepted public/reporting source is the `post` catalog. The baseline catalog is deliberately retained for before-state comparison and should not be overwritten.

Visual Evidence Program

Purpose

The visual program is both a review gallery and a reproducible evidence system. Maps establish spatial context; matched cameras establish visible change; exact-object screenshots connect a database feature to what a reviewer sees. None of those replaces block-state or route QA.

Metadata contract

Every accepted release image records or inherits:

- media ID and file path;
- byte count and SHA-256;
- database `featureId`, `projectId`, and `externalId` when it has a primary object;
- relation: exact object, object context, district context, before, after, map, section, or defect;
- saved-world snapshot SHA-256;
- camera eye/look target, FOV, resolution, and renderer;
- visible neighboring objects;
- acceptance purpose.

The catalog generator consumes `primaryFeatureId` directly from capture reports. Filename inference is not required for release images.

Accepted post-state set

All accepted release media binds to immutable snapshot `f8edf99494c023dd4b7e412d146a9018bb4ac29636f19c27431083e6b0f6ec10`.

Package	Post images	Evidence purpose
Westlight display	48	Eight sectors × three height bands × sports/concert modes
Raven Rock S1	2	Matched section views and route context
MainStreet R4/R5	10	Same-camera streets, alleys, B02/B03 public realm, wayfinding
MainStreet garages	18	One exact-object image per house garage/access feature
C01 surface Phase 1	8	Landform, exposure, road, gate, and parking seam
C01 portal Phase 2	5	Portal mouth, approach, connector, and underground relationship
Total	**91**	Accepted post-release perspectives

Baseline images are retained beside the post set wherever a matched camera was defined. Rejected design-attempt media stays available for incident/history review but is not counted as accepted post evidence.

Post-release atlas

Directory: `data/exports/box/redevelopment-atlas-post-2026-07-27/team-a`

1. Whole active world, north-up, 1792×2176.
2. Ravensreach core and Old Town.
3. Ravensgate.
4. Western Approach road.
5. Westlight venue and district.
6. Western project corridor.
7. Raven Rock surface access.

The atlas decoded 3,808/3,808 requested chunks and reported zero missing. The manifest records extents, dimensions, scale, output hashes, and the same immutable post snapshot.

Database/media coverage

Measure	Result
Inventoried media files	195
Linked inventoried media files	132
Features with any screenshot	108 / 824
Features with exact-object screenshot	37 / 824
Buildings with any screenshot	15 / 69
Buildings with exact-object screenshot	14 / 69
Buildings with exact floor plan	68 / 69

Coverage distinguishes:

- `exact_object`: the image’s primary evidence target is that feature;
- `object_context`: the feature is central but shown with spatial neighbors;
- `district_context`: useful orientation, not proof for every child;
- `floorplan`: plan evidence, not a perspective;
- `before` and `after`: phase relation, meaningful only with snapshot identity.

Required recurring capture cycle

Every later redevelopment release repeats:

1. whole-world surface atlas;
2. affected district detail;
3. before cameras captured or validated before mutation;
4. exact-object post cameras for every new database feature where a perspective is meaningful;
5. matched route/junction views;
6. post snapshot hash and capture reports;
7. object-media index and orphan/unpictured coverage report;

8. Sites asset refresh.

Remaining capture queue

The current release materially improves exact-object coverage but does not pretend the world is fully photographed. Priorities are:

1. the remaining 55 buildings without exact-object perspectives;
2. the new C01 portal’s standalone floor-plan sheet;
3. each Raven Rock tunnel leg, junction, stair landing, and vertical core as it is rebuilt;
4. building entrances and street relationships in Ravensreach, Ravensgate, and Westlight District;
5. day/night pairs for lighting-dependent public spaces;
6. repeat captures after any future snapshot changes the associated feature.

Acceptance rules

- An image cannot prove a state from a different snapshot.
- A district image cannot be counted as exact evidence for every child object.
- Missing measurement is `unknown`, never an automatic score of 100.
- Broken path, hash mismatch, absent primary feature, or stale snapshot binding is a documentation defect.
- A beautiful screenshot does not override a failed exact-state or movement test.
- Published captions must say whether the view is measured evidence, before/after evidence, or a future-plan illustration.

SOURCE FILE · RISK-REGISTER.MD

Redevelopment Risk Register

Date: 2026-07-27
Owner: Program Control
Review cadence: before every design release, preflight, live operation, and final publication

Implementation state: **DESIGN ONLY**. Risks and controls are proposed program governance; this package records no live build or deployment result.

---

1. Scoring

Likelihood and impact use 1–5:

- 1: rare/minor;
- 2: unlikely/limited;
- 3: possible/material;
- 4: likely/major;
- 5: near-certain/critical.

Score is likelihood × impact. Treat 15–25 as critical, 8–14 as high, 4–7 as moderate, and 1–3 as low. A stop-work trigger applies regardless of score.

---

2. Governance and ownership

2.1 Roles

Role	Accountability
Program Control	Scope, requirements, baseline, area locks, decisions, dependencies, release gate
Planning/Research	Alternatives, regulating plan, standards, source interpretation
Survey/Catalog	Snapshot, DB, collision geometry, IDs, scans, observations, data quality
Atlas/Media	Maps, cameras, screenshots, manifests, object/media relation
MainStreet Surface	Roads, sidewalks, frontage, B01/B02/B03, landscape
Residential	H01–H12, C02–C07, garages, alleys, addresses
Secure Complex	C01 portal, mountain road, concealment, protected rooms
Tunnel/Vertical	Tunnel types, stairs, shafts, route performance
Venue	Westlight and C01 arena focal points, screen, seating, sightlines
QA/Release	Independent preflight, block/fluid/entity/route tests, acceptance, rollback
Documentation	Traceability, research paper, master-plan PDF, status reconciliation
Sites/Web	Versioned export, site build, saved version, production deployment

2.2 RACI-like workstream matrix

`A` = accountable; `R` = responsible; `C` = consulted; `I` = informed.

Workstream	Program	Plan	Survey	Atlas	Surface	Residential	Secure	Tunnel	Venue	QA	Docs	Web
Immutable baseline	A	I	R	C	I	I	I	I	I	C	I	I
Master/regulating plan	A	R	C	C	C	C	C	C	C	C	R	I
MainStreet streets/B02/B03	A	C	C	C	R	C	I	I	I	R	I	I
Houses/garages/alleys	A	C	C	C	C	R	I	I	I	R	I	I
C01 portal/concealment	A	C	C	C	I	I	R	C	I	R	I	I
Tunnels/stairs	A	C	C	C	I	I	C	R	I	R	I	I
Venue screen/sightlines	A	C	C	C	I	I	C	I	R	R	I	I
Final atlas/media	A	I	C	R	C	C	C	C	C	R	C	I
DB/media export	A	I	R	C	I	I	I	I	I	C	C	C
PDF	A	C	C	C	I	I	I	I	I	C	R	I
Sites release	A	I	C	C	I	I	I	I	I	C	C	R

Program Control is the single release authority. QA/Release remains independent of the team that authored the operations.

---

3. Active risk register

ID	Risk / cause	L	I	Score	Owner	Prevention / mitigation	Trigger and contingency
RSK-001	Snapshot path is reused or changes after scan	4	5	20	Survey	Content-addressed immutable directory; full SHA in every artifact	Any same path/different hash: stop, invalidate preflight/media, rebaseline
RSK-002	Concurrent agents or builders mutate overlapping world/files	4	5	20	Program	Area/file locks; one release window; shared register; exact package owner	Unexpected file/world diff: stop affected packages, compare hashes, re-preflight
RSK-003	A live second bot/server instance causes duplicate login/quarantine	2	5	10	Program	Follow systemd-only operations; never hand-start second instance	Duplicate process/login: stop unauthorized instance and use approved service recovery
RSK-004	“Complete/100” masks experience defects	5	4	20	QA	Separate functional, walkability, legibility, sightline, concealment scores	User/eye-level failure overrides score; reopen requirement
RSK-005	Stale planning prose disagrees with DB/snapshot	5	4	20	Docs	Generate counts/status appendix from DB; source hierarchy	Count/coordinate conflict: mark stale, use accepted scan and record decision
RSK-006	Same screenshot batch is treated as proof for many objects	4	4	16	Atlas	Exact primary media relation; semantic framing QA	Missing camera/object match: media cannot close feature

ID	Risk / cause	L	I	Score	Owner	Prevention / mitigation	Trigger and contingency
RSK-007	C02–C07 orphan parent IDs break hierarchy/site navigation	5	3	15	Survey	Assign approved parcel/block parents before construction/media release	Orphan check nonzero: block final export
RSK-008	Moving all C01 damages protected rooms/routes/inventories	3	5	15	Secure	Prefer re-portal/landform solution; protected-volume inventory	Any protected overlap: reject move alternative or preserve source until full target QA
RSK-009	C01 relocation pushes beyond project/WorldGuard edge	3	5	15	Secure	Compare target to SITE x=-300..300 and region definitions	Bounds breach: stop; select portal-only or revise region through separate approval
RSK-010	New portal/road collides with shelter, vault, hangar, observatory, heliport, routes	4	5	20	Secure	3D feature collision and terrain section before coordinates freeze	Any unmodeled collision: reject alignment and return to alternatives
RSK-011	Old portal removed before new route works	3	5	15	Secure	Build target first; retain old route; staged cutover	New route fails either direction: keep/restore old portal
RSK-012	Parking recovery corrupts 236-space program or categories	3	4	12	Secure	Exact P01 cell/feature census before/after; category totals	Any unexplained stall/category delta: rollback parking portion
RSK-013	User’s “entire complex underground” conflicts with intentional observatory	5	4	20	Program	Obtain explicit retain/relocate decision before concealment design freeze	No decision: hold HGR/OBS terrain package
RSK-014	Landform fill exposes/floods/blocks underground shell	3	5	15	Secure	Terrain thickness, fluid-neighbor, shell, headroom, and route scan	Fluid/shell/route failure: rollback fill and repair from baseline
RSK-015	Vegetation-only screen decays or reveals rectangular shell	3	3	9	Secure	Use continuous landform for concealment; planting as secondary layer	Public viewpoint sees shell: concealment gate fails
RSK-016	Mountain road grade or edge is uncomfortable/unsafe	4	4	16	Secure	Longitudinal profile, consistent width, edge guards, bidirectional test	Jump/sprint/crouch or fall risk: regrade before release
RSK-017	R02 widening hits fences, gates, homes, or terrain	3	4	12	Surface	Treat widening as study; use exact masks; preserve 3-wide where needed	Collision or poor grade: keep R02 at 3 and improve edges
RSK-018	Conceptual R08 near z=-120 collides with B02/houses/grade	4	3	12	Surface	Compare alternative centerlines and pedestrian-only option	No collision-free corridor: provide named pedestrian link or approved exception
RSK-019	x≈±55 alleys/garages do not fit 15–16-block bands	4	4	16	Residential	House-by-house section, turning/access test, reversible two-house pilot	Any shell/fence/room conflict: use side garage/short court for that lot
RSK-020	Garage additions erase authored house identity	3	4	12	Residential	Recess, frontage cap, matching palette, preserve principal entry	Front elevation becomes garage-dominant: reject design
RSK-021	B02 is moved unnecessarily and floorplan/source identity is lost	3	4	12	Surface	Test east-frontage intervention first	Frontage pilot passes: relocation is out of scope
RSK-022	B03 is moved into homes and causes freight conflict	3	4	12	Surface	Retain service terminus; screen R07 loading	Freight crosses residential front space: redesign
RSK-023	More open space worsens wayfinding by increasing blank gaps	4	3	12	Plan	Eye-level view corridors; active frontage; confirmation cues	Turn-corner test remains ambiguous: add identity/edge before further spreading

ID	Risk / cause	L	I	Score	Owner	Prevention / mitigation	Trigger and contingency
RSK-024	Westlight screen blocks field, stage, or canopy	4	5	20	Venue	3D obstruction model; 48-view minimum matrix; reversible mockup	Any representative view lacks field/stage and screen: resize/raise/relocate
RSK-025	Screen solves sports but fails concert mode	3	4	12	Venue	Test sports and north-stage concert modes; side-board alternative	Concert sectors fail: adopt hybrid or event-specific display
RSK-026	C01 arena complaint is incorrectly ignored because traceability maps it to Westlight	3	3	9	Venue	Separate C01 arena sightline/focal review using its screenshot	Dominant view is door/blank surface: add/rotate focal display/seating
RSK-027	Tunnel standardization opens adjacent cave/bore	4	5	20	Tunnel	Segment bounds, cave adjacency, shell thickness, exact REPL guards	Unexpected void/merge: stop segment, restore shell, redesign
RSK-028	Tunnel regrade breaches water or protected room	3	5	15	Tunnel	Fluid-neighbor and feature-volume scan; dry census	Water/room breach: rollback and isolate
RSK-029	Uniform material palette erases route identity	3	3	9	Tunnel	Standard section plus persistent family colors/names	Player confuses branches in blind test: strengthen route differentiation
RSK-030	Reachability test passes but stair remains hard to walk	5	4	20	QA	Normal-speed no-prior-knowledge experience test and timing	Jump/sprint/crouch/backtrack: fail route despite graph pass
RSK-031	Lift/ramp alternative is remote and invisible	3	4	12	Tunnel	Pair with general circulation; same-node signs	Blind tester cannot find it: re-site or improve route hierarchy
RSK-032	Wayfinding names differ across world, DB, map, PDF, and site	4	3	12	Docs	Canonical name/alias registry; generated exports	Name mismatch: block publication/deployment
RSK-033	“GrandStreet” alias replaces machine-facing MainStreet IDs	3	4	12	Docs	Alias only in display layer; preserve `mainstreet-america` keys	Script/DB/region target changes: stop and restore canonical ID
RSK-034	Final media mixes snapshots	4	5	20	Atlas	Hash and scan on every image/map; mismatch report	Mixed hash: image is illustrative only and cannot close QA
RSK-035	Large atlas/PDF/site assets are unusably slow	4	3	12	Atlas/Web	Tiled maps, responsive derivatives, lazy images, downloadable originals	Performance/accessibility test fails: optimize before production
RSK-036	Owner-only Sites release is accidentally given broader access	2	5	10	Program/Web	Complete maps/screenshots are approved for the owner-only initial release; verify deployment access control and do not broaden it implicitly	Access is broader than owner-only: stop handoff, correct access control, revalidate
RSK-037	Sites deploys stale data after world changes	4	4	16	Web	Versioned export pinned to final snapshot and DB hash	World/DB changes after export: label historical or rebuild before release
RSK-038	Research source is treated as literal Minecraft code	3	3	9	Plan	Label every block metric as adaptation; cite principle and limit	Unjustified dimensional claim: remove or mark project decision
RSK-039	Historic MainStreet source intent is overwritten by invented grid claim	3	3	9	Plan	Separate reconstructed/historic facts from creative plan	Publication implies unsupported history: correct narrative

ID	Risk / cause	L	I	Score	Owner	Prevention / mitigation	Trigger and contingency
RSK-040	Detailed maps clip unloaded chunks or incomplete regions	3	5	15	Atlas	Full requested-chunk completeness check and nonblank visual review	Missing chunk/pixel region: rerender after source repair
RSK-041	Build source and generated operations diverge	4	4	16	QA	Hash generator/source/ops; regenerate from committed source state	Hash drift: invalidate dry run
RSK-042	Rollback does not restore block entities/inventories	2	5	10	QA	Inventory snapshot; source/target cuboid preservation; test inverse	Entity mismatch: stop release, restore saved-world snapshot
RSK-043	Final counts repeat “237 parking spaces” instead of 236 stalls + parent	4	2	8	Docs	Generated definitions and data dictionary	Publication ambiguity: correct before PDF/site release
RSK-044	Final room count repeats obsolete 236 instead of current 259 rows	4	2	8	Docs	Generate current count from frozen DB	Count mismatch: correct and note source date
RSK-045	Many simultaneous teams create review bottleneck	4	3	12	Program	Package-level owners, bounded review windows, dependency board	Queue exceeds capacity: prioritize P0/P1 and hold lower phases

4. Critical decisions

Decision	Owner	Needed before	Default if delayed
Retain or relocate OBS-S01	Program/user	C01 concealment design freeze	Hold surface terrain package
Approve MainStreet M-B alternative	Program/user	Garage/street detailed design	Continue non-mutating analysis only
Approve R08 study	Program/user	New cross-connection preflight	Test pedestrian-link alternative
Westlight ring vs hybrid screen	Program/user	Venue generator	Model both; execute neither
Scope of no-jump routes	Program/user	Tunnel detailed design	Provide for principal public stacks
Complete-map/media publication classification	Program/user	Resolved	**Approved for owner-only initial Sites release**; a broader/public release remains a separate decision

5. Stop-work triggers

The following stop an affected release immediately:

1. Snapshot or source hash differs from preflight.
2. An unexpected protected block entity enters an operation volume.
3. A route intersects a cave, bore, room, water body, or neighboring feature not shown in the approved design.
4. The world changes after preflight.
5. A route passes in only one direction.
6. A new portal, road, garage, or screen fails any representative viewpoint.
7. An operation crosses a region or project boundary.

8. Post-run census cannot reconcile expected and observed changes.
9. Rollback artifact or saved-world backup is missing.
10. Final evidence has a different snapshot hash from the observed feature.

---

6. Issue escalation

1. Author reports issue with feature IDs, bounds, package, and snapshot hash.
2. Program Control marks the area/package locked.
3. Survey/QA reproduces against the immutable snapshot.
4. Planning provides alternatives if design intent is affected.
5. Program owner records accept, revise, defer, or reject.
6. Author regenerates the complete package; partial reuse requires hash proof.
7. Independent QA closes the issue.

No team resolves a scope conflict by silently moving into another team's area.

---

7. Residual-risk acceptance

Residual risks may be accepted only when:

- the requested outcome is still met;
- the exception is visible in the regulating/as-built plan;
- the owner, reason, affected feature IDs, and evidence are recorded;
- the website/PDF does not make a stronger claim than the evidence;
- a future corrective package can be defined.

There is no blanket acceptance for “looks fine,” “complete,” or “condition 100.”

SOURCE FILE · RESEARCH-BIBLIOGRAPHY.MD

Redevelopment Research Bibliography

Date researched: 2026-07-27
Scope: grid and neighborhood planning, street hierarchy, walkability, wayfinding, land-use compatibility, frontage and garages, tunnels, stairs and accessible circulation, stadium sightlines/screens, landscape screening, and implementation phasing.

Implementation state: **RESEARCH/DESIGN ONLY**. The audit used repository artifacts, read-only database queries, local image inspection, and web research. It performed no live-world mutation or Sites deployment.

---

1. Research method

The research team preferred:

1. regulations, standards, and manuals published by public agencies;
2. official guidance from recognized planning and venue organizations;
3. official project/technology case studies where a constructed precedent was necessary;
4. local project evidence and exact database geometry;
5. clearly labeled Minecraft adaptations.

The sources do not authorize real-world construction and do not make the Minecraft project legally compliant with building, access, street, tunnel, or stadium codes. They provide planning principles and evaluation methods. Exact block dimensions in `infrastructure-standards.md` are project choices.

---

2. Core master-planning sources

BIB-01 — U.S. Department of Defense / Whole Building Design Guide

Citation: Department of Defense. *UFC 2-100-01, Installation Master Planning*, Change 2, 19 March 2025.
URL: https://stg.wbdg.org/FFC/DOD/UFC/ufc_2_100_01_2020_c2.pdf
Authority: Official Unified Facilities Criteria distributed through the Whole Building Design Guide.
Standards informed: ST-01, ST-02, ST-05, ST-06, FR-02, FR-03, BK-01, master-plan alternatives, regulating plan, implementation plan.

Relevant concepts:

- compatible mixed uses and walkable integration of community support, schools, lodging, retail, and related functions;
- separation of industrial uses from housing;
- connected modified grids, multiple route options, small blocks, and differentiated street types;
- sidewalks buffered with street trees;
- form-based regulating plans;
- Building Envelope, Street Envelope, and Landscape standards;
- build-to lines, entry and parking locations, height, setbacks, uses, and ground elevation;
- constraints/opportunities, illustrative plan, capacity analysis, renderings, and implementation plan;

- sequencing relocation, demolition, roads, sidewalks, green networks, and utilities;
- landscape screening of undesirable views and transitions between dissimilar uses.

Project application: It is the source-of-truth planning framework. The MainStreet plan uses a connected street hierarchy and explicit frontage, entry, service, and landscape rules. B02 remains an integrated education/public use; B03 freight remains buffered. The C01 surface mass receives landform and landscape screening. The PDF structure follows its existing-conditions, alternatives, regulating, illustrative, and implementation sequence.

Limit: Military-installation scale and dimensional rules are not copied directly into Minecraft.

BIB-02 — U.S. Environmental Protection Agency

Citation: U.S. EPA. “About Smart Growth.”
URL: https://www.epa.gov/smartgrowth/about-smart-growth
Authority: Official federal environmental-planning guidance.
Standards informed: master-plan principles, FR-03, ST-01, compact development and infill-first decision.

Relevant concepts: mixed uses, compact design, walkable neighborhoods, distinctive place, open-space preservation, directing development to existing communities, choices, predictable decisions, and collaboration.

Project application: Repair weak frontage and network gaps before relocating large buildings. Consolidation means perceptual and network integration, not automatically reducing every physical distance.

BIB-03 — U.S. Environmental Protection Agency

Citation: U.S. EPA. “National Walkability Index User Guide and Methodology.”
URL: https://www.epa.gov/smartgrowth/national-walkability-index-user-guide-and-methodology
Authority: Official federal methodology.
Standards informed: QA-02, QA-03, walkability metrics.

Relevant concepts: density, diversity of destinations, and transport access as measurable walkability inputs.

Project application: There is no meaningful transit metric in this world, so the plan explicitly adapts the method. It records built/destination density, destination mix, public intersections, alternative-route count, dead ends, decision spacing, and key-trip time. It rejects “all expected blocks exist” as a complete walkability score.

Limit: The EPA index cannot be numerically transferred to Minecraft and is not represented as the EPA's score.

---

3. Street and intersection sources

BIB-04 — National Association of City Transportation Officials

Citation: NACTO. *Urban Street Design Guide*.
URL: https://nacto.org/publication/urban-street-design-guide/
Authority: Official NACTO design guide.
Standards informed: ST-01, ST-02, ST-04, ST-08.

Relevant concepts: streets as public places, context-sensitive street types, design controls, intersections, and interim/pilot treatments that can lead to permanent construction.

Project application: MainStreet receives named street types and reversible frontage/garage pilots before permanent relocation.

BIB-05 — NACTO neighborhood streets

Citation: NACTO. “Neighborhood Street.”
URL: https://nacto.org/publication/urban-street-design-guide/streets/neighborhood-street/
Authority: Official NACTO guide page.
Standards informed: residential/local street character, calm neighborhood edges, planting, and sidewalks.

Project application: R02 and R03 read as local residential streets rather than parallel service strips.

BIB-06 — NACTO intersection principles

Citation: NACTO. “Intersection Design Principles.”
URL: https://nacto.org/publication/urban-street-design-guide/intersections/intersection-design-principles/
Authority: Official NACTO guide page.
Standards informed: ST-04, WF-02.

Relevant concepts: compact, legible intersections and reduced conflict space.

Project application: MainStreet intersections use a compact route continuation, corner visibility, and advance destination information rather than unexplained paving.

BIB-07 — NACTO functional classification

Citation: NACTO. “Functional Classification.”
URL: https://nacto.org/publication/urban-street-design-guide/design-controls/functional-classification/
Authority: Official NACTO guide page.
Standards informed: ST-01.

Project application: Route type depends on place and function, not width alone. Main Street, West Lane, East Avenue, cross streets, alleys, and mountain road have different design jobs.

BIB-08 — NACTO commercial alleys

Citation: NACTO. “Commercial Alley.”
URL: https://nacto.org/publication/urban-street-design-guide/streets/commercial-alley/
Authority: Official NACTO guide page.
Standards informed: ST-05, B02/B03 and High Street service access.

Project application: Freight, refuse, and back-of-house circulation use rear/service routes and do not dominate the public front.

BIB-09 — NACTO residential shared streets

Citation: NACTO. “Residential Shared Street.”
URL: https://nacto.org/publication/urban-street-design-guide/streets/residential-shared-street/
Authority: Official NACTO guide page.
Standards informed: service-alley and low-speed residential-edge study.

Project application: The proposed $x \approx -55$ and $x \approx 55$ service lanes remain subordinate shared access, not fast through streets.

BIB-10 — NACTO key principles

Citation: NACTO. “Key Principles.”
URL: https://nacto.org/publication/urban-street-design-guide/streets/street-design-principles/key-principles/
Authority: Official NACTO guide page.

Standards informed: ST-08 and player-centered street evaluation.

Project application: Design is assessed by how the street functions as public space and by player behavior, not solely a centerline or material list.

---

4. Residential frontage and garage sources

BIB-11 — City of Houston

Citation: City of Houston Planning and Development Department. “Historic Districts: Heights — Setting.”
URL: https://www.houstontx.gov/planning/HistoricPres/HistoricPreservationManual/historic_districts/heights_setting.html
Authority: Official municipal preservation guidance.
Standards informed: FR-02, GA-02.

Relevant concepts: repeated setback rhythm and detached garages/carports behind the house in the rear part of a site.

Project application: Keep a consistent house line and place garages to the side/rear rather than making a garage door the principal civic image.

BIB-12 — City of Houston

Citation: City of Houston. *Old Sixth Ward Design Guidelines*.
URL: https://houstontx.gov/planning/HistoricPres/Sixth_Ward/OSW_DG_Guidelines.pdf
Authority: Official municipal design guidance.
Standards informed: GA-02, GA-03.

Relevant concepts: narrow driveways in the front portion of a lot and corner-lot garage access from a side street.

Project application: The project uses three-block drives and favors side-street/alley access for outer and corner homes.

BIB-13 — City of Portland

Citation: City of Portland. *Community Design Standards*.
URL: https://www.portland.gov/sites/default/files/code/218-comm-design-stds_0.pdf
Authority: Official municipal design standards.
Standards informed: GA-02.

Relevant concepts: limiting street-facing attached-garage width and keeping the garage no closer to the street than the house façade.

Project application: The project adopts a garage-face target of no more than 40 percent of the house frontage and at least a two-block recess. The two-block value is a Minecraft adaptation.

5. Wayfinding sources

BIB-14 — National Park Service

Citation: National Park Service, Harpers Ferry Center. *Wayside Exhibits: A Guide to Developing Outdoor Interpretive Exhibits*.
URL: https://www.nps.gov/subjects/hfc/upload/Wayside-Guide-First-Edition.pdf
Authority: Official National Park Service guide.
Standards informed: WF-01, WF-02, WF-03.

Relevant concepts: orientation waysides at pedestrian decision points and an integrated system of maps, signs, and other media that addresses orientation, safety, and site significance.

Project application: B01 and each major portal receive “you are here” orientation. Tunnel and surface choices receive advance destination signs and confirmation.

BIB-15 — Federal Highway Administration

Citation: FHWA. *Pedestrian Safety Guide for Transit Agencies*, Chapter 3, wayfinding action.
URL: https://highways.dot.gov/safety/pedestrian-bicyclist/pedestrian-safety-guide-transit-agencies/chapter-3-actions-increase
Authority: Official federal highway guidance.
Standards informed: WF-02 and surface destination maps.

Relevant concepts: signs and maps that identify nearby destinations and points of interest.

Project application: Regional arrival and district nodes show destinations before choices rather than relying on the player to know the map.

BIB-16 — Federal Highway Administration

Citation: FHWA. *Manual on Uniform Traffic Control Devices*, destination guidance continuity.
URL: https://mutcd.fhwa.dot.gov/htm/2009/mutcd2009cl_2.htm
Authority: Official federal traffic-control manual archive.
Standards informed: WF-02, WF-04.

Relevant concept: destination naming and guidance should remain continuous through successive signs.

Project application: One canonical destination name is used in database, map, sign, report, and website; route confirmation continues after a turn.

Limit: Minecraft signs do not claim MUTCD compliance, and traffic sign dimensions/colors are not copied.

6. Accessible routes and stairs

BIB-17 — U.S. Access Board

Citation: U.S. Access Board. “Chapter 4: Accessible Routes.”
URL: https://www.access-board.gov/ada/guides/chapter-4-accessible-routes/
Authority: Official federal accessibility guidance.
Standards informed: VC-01, VC-03.

Relevant concepts: accessible routes should coincide with or remain in the same general circulation area as the route used by everyone.

Project application: A no-jump ramp/lift route is paired with the principal public stair where feasible, not hidden as a remote service path.

BIB-18 — U.S. Access Board

Citation: U.S. Access Board. “Chapter 5: Stairways.”
URL: https://www.access-board.gov/ada/guides/chapter-5-stairways/
Authority: Official federal accessibility guidance.
Standards informed: VC-02.

Relevant concepts: uniform risers/treads, landings, and continuous handrails.

Project application: The Minecraft standard uses a consistent tread rhythm, frequent landings, sufficient headroom, and continuous guard/rail cue. It does not claim that a block or slab equals a real-world inch dimension.

BIB-19 — U.S. Access Board

Citation: U.S. Access Board. *2010 ADA Standards for Accessible Design*, Chapter 2.
URL: https://www.access-board.gov/ada/chapter/ch02/
Authority: Official federal accessibility standard.
Standards informed: VN-03.

Relevant concept: assembly areas should provide equivalent viewing angles and distribution.

Project application: Westlight sightline samples cover sectors and levels, including the routes/seating intended to represent accessible positions.

---

7. Tunnel sources

BIB-20 — Federal Highway Administration

Citation: FHWA. *Technical Manual for Design and Construction of Road Tunnels — Civil Elements*.
URL: https://www.fhwa.dot.gov/bridge/Tunnel/pubs/nhi09010/tunnel_manual.pdf
Authority: Official federal tunnel manual.
Standards informed: TU-02, TU-04, TU-05, TU-06.

Relevant concepts: tunnel geometry, drainage, lighting, communications, emergency systems, cross-passages, exits, and operations must be designed as an integrated system.

Project application: A tunnel is not accepted merely because its centerline connects. Each named segment has a section, lighting, wayfinding, water/cave interface, decision nodes, and route performance.

Limit: Road-tunnel design values, life-safety calculations, and vehicle dimensions are not transferred to Minecraft.

BIB-21 — Federal Highway Administration

Citation: FHWA. “New Tunnel Lighting System Saves Money and Improves Safety.”
URL: https://www.fhwa.dot.gov/publications/focus/10may/03.cfm
Authority: Official federal technical communication.

Standards informed: TU-04.

Project application: Lighting is treated as a continuous operational system, with special attention at thresholds and decision points, not as occasional decoration.

BIB-22 — Federal Highway Administration

Citation: FHWA. *Fixed Firefighting Systems in Road Tunnels: Technical Report*.
URL: https://www.fhwa.dot.gov/bridge/tunnel/pubs/nhi09010/fixed_firefighting.pdf
Authority: Official federal technical report.
Standards informed: TU-04 and WF-02.

Relevant concepts: marked egress, emergency lighting, exit signs, and communication are part of tunnel operational design.

Project application: Tunnel route families maintain a visible return/exit system even where decorative or security wayfinding is complex.

---

8. Stadium and display sources

BIB-23 — FIFA

Citation: FIFA. “Stadium Bowl,” *Football Stadiums Guidelines*.
URL: https://football-technology.fifa.com/innovation/stadium-guidelines/general-process-guidelines/design/stadium-bowl
Authority: Official FIFA stadium-guidance site.
Standards informed: VN-03, VN-04.

Relevant concepts: avoid restricted sightlines; account for scoreboard or screen obstruction; design viewing geometry across the bowl.

Project application: Every Westlight sector and level receives a recorded field/stage/screen view. A screen that blocks the primary event fails.

BIB-24 — Samsung Electronics America

Citation: Samsung Electronics America. “SoFi Stadium and Samsung Reveal the New Name of the Center-Hung Videoboard: The Infinity Screen by Samsung,” 2021.
URL: https://news.samsung.com/us/sofi-stadium-samsung-reveal-new-name-videoboard-the-infinity-screen-by-samsung
Authority: Official manufacturer/project case study.
Standards informed: VN-02.

Relevant concepts: a center-hung oval, dual-sided display serves both lower and upper seating in an all-around bowl.

Project application: This is the functional precedent for Westlight's preferred screen type. It is not a requirement to copy the screen's exact appearance, technology, name, or scale.

BIB-25 — Samsung Electronics

Citation: Samsung Electronics. “Samsung Kicks Off Game Day With the World’s Largest LED Videoboard Ever Built for Sports.”
URL: https://news.samsung.com/global/samsung-kicks-off-game-day-with-the-worlds-largest-led-videoboard-ever-built-for-sports
Authority: Official manufacturer/project case study.
Standards informed: VN-03.

Relevant concepts: architectural drawings and simulated viewing angles were used to develop the board for venue geometry.

Project application: Screen selection follows block-level 3D sightline simulation and recorded seating views, not plan-view placement alone.

---

9. Local evidence sources

Local evidence is listed here to distinguish observed conditions from external research:

- `data/world-map.db` — canonical spatial-feature catalog audited read-only.
- `data/worldsnap/region` — current immutable program baseline identified in `README.md`.
- `data/world-review/active-interior-register-2026-07-27.json` — current building/vertical-circulation review registry.
- `data/world-review/mainstreet-secure-complex-detail-wave5-design-2026-07-27.json` — secure-complex Wave5 program and routes.
- `data/world-review/mainstreet-secure-complex-detail-wave5-saved-world-qa-2026-07-27.json` — prior saved-world physical QA.
- `mainstreet-america/planning/project-grid.yaml` — roads, districts, plots, gates, and boundaries.
- `mainstreet-america/planning/coordinates.yaml` — historic coordinate registry; use cautiously where stale comments conflict with the DB.
- `mainstreet-america/planning/floorplans.yaml` — authored floorplan intent.
- `mainstreet-america/qa/msa-surface-complex-exterior-final-v2.png` — exposed C01 surface mass evidence.
- `mainstreet-america/qa/msa-mountain-approach-after.png` — parking/portal and mountain-approach evidence.
- `mainstreet-america/qa/msa-secure-wave5-c01-arena.png` — C01 arena eye-level evidence.
- `scripts/gen_westlight.py` — active Westlight bowl/theatre source; confirms no stadium screen operation.
- `builds/manifest.yaml` — confirms the retired screen package never ran and was superseded.

---

10. Research conclusions

1. The existing MainStreet parallel-road structure is an asset. Strengthening addresses, frontages, cross connections, alleys, and landscape is more defensible than wholesale relocation.
2. B02 is close enough to R02 for a frontage repair. B03 should remain a screened service terminus.
3. A complete planning package needs a regulating plan, building/street envelope standards, illustrative plan, implementation plan, and renderings.
4. Wayfinding is a system of maps, names, signs, landmarks, and confirmation, not a collection of isolated signs.
5. Reachability alone does not prove tunnel or stair quality.
6. Garages belong behind or beside the public house image and require a house-by-house access test.
7. A center-hung dual-sided screen best fits an all-around bowl, but only after full sightline and obstruction simulation.

8. The requested bunker outcome can be achieved more safely by changing the portal, access road, terrain, and surface hangar relationship than by moving the entire underground program.
9. Final media must be tied to exact database objects and an immutable snapshot; attractive but untraceable images are not project evidence.

---

11. Audit ledger

The planning/research audit directly inspected the following local sources. The list is intentionally exact so another reviewer can reproduce the conclusions:

Repository and operating guidance

- `CLAUDE.md`
- the repository `AGENTS.md` instructions supplied to this work session

MainStreet planning and source references

- `mainstreet-america/README.md`
- `mainstreet-america/planning/site-plan.md`
- `mainstreet-america/planning/project-grid.yaml`
- `mainstreet-america/planning/coordinates.yaml`
- `mainstreet-america/planning/buildings.yaml`
- `mainstreet-america/planning/floorplans.yaml`
- `mainstreet-america/planning/parking-arrival-gardens.md`
- `mainstreet-america/planning/open-questions.md`
- `mainstreet-america/references/README.md`
- `mainstreet-america/references/manifest.yaml`

MainStreet QA and review

- `mainstreet-america/qa/as-built-survey.md`
- `mainstreet-america/qa/audit-2026-07-26.md`
- `mainstreet-america/qa/defects.yaml`
- `mainstreet-america/qa/qa-report.md`
- `mainstreet-america/qa/msa-surface-complex-exterior-final-v2.png`
- `mainstreet-america/qa/msa-mountain-approach-after.png`
- `mainstreet-america/qa/msa-secure-wave5-c01-arena.png`

Worldwide and secure-complex reports

- `docs/MAINSTREET-SECURE-COMPLEX-WAVE5-2026-07-27.md`
- `docs/WORLDWIDE-INTERIOR-REVIEW-2026-07-27.md`
- `data/world-review/c01-bunker-detail-review-2026-07-27.md`
- `data/world-review/mainstreet-secure-complex-detail-wave5-design-2026-07-27.json`
- `data/world-review/mainstreet-secure-complex-detail-wave5-saved-world-qa-2026-07-27.json`
- `data/world-review/mainstreet-secure-complex-detail-wave5-preflight-2026-07-27.json`
- `data/world-review/active-interior-register-2026-07-27.json`
- `data/world-review/worldwide-interior-database-import-2026-07-27.json`
- `data/world-review/worldwide-interior-final-database-scan-2026-07-27.json`

Build and venue source

- `scripts/gen_westlight.py`
- `builds/manifest.yaml`

Catalog

- `data/world-map.db`, queried read-only through `better-sqlite3`
- `world_features`, `world_scans`, and `feature_observations` schemas
- complete project/kind/status/condition/completion counts
- complete 68-row building inventory and MainStreet road/building geometry
- selected C01, P01, stair, scan, and screenshot-evidence attributes

Atlas manifests and visual evidence

- `data/exports/box/atlas-2026-07-26/atlas-index.json`
- `data/exports/box/atlas-2026-07-26/team-b/manifest.json`
- the worldwide interior atlas manifest
- the secure Wave5 atlas manifest
- the maps manifest
- `data/exports/box/atlas-2026-07-26/team-a/00-overall-active-world-surface-atlas.png`
- `data/exports/box/atlas-2026-07-26/team-a/04-westlight-venue-and-district.png`
- `data/exports/box/atlas-2026-07-26/team-b/01b-campus-overview-annotated.png`
- `data/exports/box/worldwide-interior-atlas-2026-07-27/01-mainstreet-america-overview.png`
- `data/exports/box/worldwide-interior-atlas-2026-07-27/06-westlight-venue-overview.png`

Where an exact manifest filename is generated inside its atlas directory, the containing atlas manifest and index are the reproducible entry points. The final PDF should cite the immutable replacement atlas, not these older images, when it makes current-state claims.

SOURCE FILE · ARTIFACT-REGISTER.MD

Redevelopment Artifact Register

Release: `REDEV-2026-07-27-R1`
Mode: **FINAL**
Status: **FINAL_REGISTER**
Generated: 2026-07-28T21:14:41.145Z
Machine register: `data/world-review/redevelopment-artifact-manifest-2026-07-27.json`

Purpose and reading rule

This is the human review index for the release evidence set. The adjacent JSON is authoritative for file-level SHA-256 values, byte sizes, image dimensions, JSON status fields, package IDs, operation hashes, and snapshot bindings. Generated dossier outputs are intentionally excluded to avoid a self-referential hash cycle.

Inventory summary

Evidence class	Files	Bytes	Images	JSON
authored-master-plans	2	24,260	0	0
guarded-build-packages	83	41,533,260	0	71
machine-release-evidence	80	15,560,126	4	71
matched-release-media	145	22,132,126	130	15
planning-and-reports	22	357,583	0	1
release-automation	45	1,237,919	0	0
release-tests	10	80,935	0	0
showcase-source	414	75,184,380	356	19
world-atlas	10	3,841,716	7	2
world-catalog-and-post-media	95	17,934,714	85	6
Total	**906**	**177,887,019**	**582**	**185**

File-type census

Extension	Files
`.png`	582
`.json`	185
`.md`	40

Extension	Files
`.mjs`	31
`.ts`	16
`.txt`	14
`.py`	8
`.pyc`	7
`.tsx`	4
`.html`	3
`.pdf`	3
`.yaml`	2
`[no extension]`	2
`.css`	1
`.js`	1
`.jsonc`	1
`.map`	1
`.sqlite`	1
`.sqlite-shm`	1
`.sqlite-wal`	1
`.svg`	1
`.tsbuildinfo`	1

Category-level artifact ledger

authored-master-plans

Path	Bytes	SHA-256	Evidence binding
`mainstreet-america/planning/picket-fence.yaml`	10,716	`38432a4f018cbb65f3a0703cea80a3228db5be8723abdc918d7daabeee37c04f`	—
`mainstreet-america/planning/redevelopment-r4-r5.yaml`	13,544	`06154dbc1afcc43607c64a00ee66e07fd35cb9fced5dce76d32c81dc33d69025`	—

guarded-build-packages

Path	Bytes	SHA-256	Evidence binding
data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.before-cameras.json	2,361	8924fd241439759c443160ec78ac04b0dd1a0d1c45c1312daeaeebfaf5f779d7	status=before-camera-contract; package=mainstreet-bunker-recessed-portal-phase2-before-cameras
data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.dry-run.json	61,304	278ead09272b441f12dfb2c539f1c562f24b44e6d290737a65591f1586aeca43	status=dry_run; ops=f50ce795daee…
data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.execution.json	61,308	f9b1563f6ed5488ed108a319e19534d3263403b229722efabad496079524c3c9	status=complete; ops=f50ce795daee…
data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.post-preflight.json	405	90a1f43cd38bb31a74a691be0fae094f6e4597c6daa10206af056caa57c6ed2b	—
data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.pre-execution-entity-gate.json	7,102	13ae081c6334e4f9114c433b0cf336a5d3a8fe99b4c46c9748d6d43443903ebb	status=PASS; passed=true
data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.preflight.json	390	f9bc3fa8c8a4e33042022acd4f4064b7431d0ed6ae55b522e90a126bccb0e9dd	—
data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.prerelease-preflight.json	396	3c000fe310af33ade31398e6bd1f644ea195fa587a552f1eae9f388999be037c	—
data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.report.json	16,581	58761d712fe08b302868ae547373a9247bffc71e30e5abde91e39fdf0fd98734	status=implementation-ready-live-safety-gates-pending; package=mainstreet-bunker-recessed-portal-phase2-2026-07-27
data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.rollback-baseline-preflight.json	105,322	f46b9656eba3380788e031d00026790c03fcd3c9923cd833a1756a8554d163f9	—
data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.rollback.post-preflight.json	405	a9d0545e4623b1e79fccb82c8f94472c6cdabedb4bd62c378cff8956f23e9c54	—
data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.rollback.txt	6,195	7de8c45fdb418f1d6c7f1ca772dc5b7e616359c616ab2cacff3cd6cc1d5ca640	—
data/buildops/mainstreet-bunker-recessed-portal-phase2-2026-07-27.txt	6,475	f50ce795daee455c81acb8f1456265f954e24661d99853de50a80d82b9f67e4f	—

Path	Bytes	SHA-256	Evidence binding
`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.before-cameras.json`	3,166	`6cbcde9e854f268b71020a770a1c6830f6c0f3db768b26e7d48ead14b5a31f55`	status=before-camera-contract; package=mainstreet-bunker-surface-phase1-before-cameras
`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.dry-run.fixed.json`	538	`a9bc89a166027a2d4c174a3a0cda982e94b38284abb82470e5fd686d7fbd12e4`	status=dry_run; ops=22b7fffddca9…
`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.dry-run.root.json`	555,138	`6a3877d46031f03a6eb4ff3213c529780d48d78f113729f89e91c21ec45d6dbb`	status=dry_run; ops=fa108cc0a18d…
`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.execution.json`	555,144	`dacb16dfdb5b5df208b69360d1ff9988c59aefbf870427bef13043ef7eb73a9e`	status=complete; ops=fa108cc0a18d…
`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.independent-qa.json`	1,430,089	`86675a20f3f06463a036e992a70ad949e2fb7906a475d2b9284012680bd4426f`	status=PASS_OFFLINE_LIVE_GATES_PENDING; package=mainstreet-bunker-surface-phase1-independent-qa
`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.post-preflight.json`	401	`f231d78d3cf01ed387d15ba5b86cba0894d66af5d0425278de303f0aa88fe7bc`	—
`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.pre-execution-entity-gate.json`	71,053	`18286ead55173788716de9efeb74e2347af5d113bb7a5a14921fe73caa986ea4`	status=PASS; passed=true
`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.preflight.fixed.json`	386	`7719d4411fabeb849ad6e38fb91fbaede1621ff38b5b6778ab0e40a410ca47cf`	—
`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.preflight.root.json`	386	`b2ef13130aa2bde90108de5db22f2ebd0134926a28eb3389f332d6468aa3e966`	—
`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.prerelease-preflight.json`	392	`6eb4bc6b9f76b6c5311c44b69637d427c35d40d29660f6a12bc064f059d3a28d`	—
`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.report.json`	18,678	`02e50b796f9fe6b6e42e68ca8f1e56f6cd3392fa6fa1e969c9cd771ef182fad8`	status=implementation-ready-live-safety-gates-pending; package=mainstreet-bunker-surface-phase1-2026-07-27
`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.rollback.dry-run.root.json`	559,161	`aa90e24dad7c81bc40e40c51ce8eb2ec96758fb4c47e50254a6476a5a3b042a9`	status=dry_run; ops=698cb58c226a…
`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.rollback.post-preflight.json`	401	`f95628d9833a707ac3ab38c78eabeb47e2dee7f8bed9cbb34b8c8b8a908c7f0f`	—

Path	Bytes	SHA-256	Evidence binding
`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.rollback.txt`	47,782	`698cb58c226a90dfa946d8dbbec587fae39b3d48bebe0b334ecb37bbbf94bc3d`	—
`data/buildops/mainstreet-bunker-surface-phase1-2026-07-27.txt`	48,510	`fa108cc0a18d9cad0980abd8fca0f483a45406688fd9e32e0bf6b2dcf0350233`	—
`data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.dry-run.independent.json`	540	`b211b89a21a1c517101fa6a21eec618cda3070ae9045ed08757ebb13e954de44`	status=dry_run; ops=c61649579cec…
`data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.emergency-rollback.execution.json`	557	`6138e998ef7bc3922cddb0b7dffea86f33c677f465591638cf5600fd6e545f6b`	status=complete; ops=98427f36c43e…
`data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.execution.json`	1,491	`d2f90aece46fcf1fbabca6666dbd755125704c46ade3522fc364aedb9cbbf410`	status=failed; ops=c61649579cec…
`data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.forward-dry-run.json`	540	`18fb7e442522fa703ed4c8068c5ad98de35606919df6af8451d23a592c33c665`	status=dry_run; ops=c61649579cec…
`data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.independent-qa.json`	54,571	`6540664cb697c27fdee9389a56f3e0f106c3029332cc05c31eb60c276ea37832`	status=PASS_IMPLEMENTATION_READY_LIVE_QA_PENDING; package=mainstreet-america-redevelopment-r4-r5-independent-qa
`data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.pre-execution-entity-gate.json`	239,795	`6128b64ad99903cc57e11679bbd8c11d97a33083a6105ebf2c291559c872c899`	status=PASS; passed=true
`data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.preflight.independent.json`	384	`3a6736a2d5ef09861f3dfc127de8928080aa8210902bdedd9a8bf83a1af32622`	—
`data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.preflight.json`	384	`25c41e5f7cd69a731a7c5f6c505f06bdb0fb6d7fd6b2cb47a03e02906df54d96`	—
`data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.prerelease-preflight.json`	389	`f457c84569c51b6afd560d72a33b38b5996a88559ada9e74aaec3e6d1c35157e`	—
`data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.release.json`	5,686	`debc39e76a84c09d47a485d36eb0cf44745ec046043d91dd5b32232451a60e96`	package=mainstreet-america-redevelopment-r4-r5
`data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.report.json`	257,569	`aff9a31233c94c301d54aa3519200860615005aa5dc720f67a57b4d20e25dbb6`	package=mainstreet-america-redevelopment-r4-r5

Path	Bytes	SHA-256	Evidence binding
`data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.rollback-dry-run.json`	549	`80bb879f06dfc14d2982c851e6985c77f54993d740cae30da27113236ea34c60`	status=dry_run; ops=98427f36c43e…
`data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.rollback.dry-run.independent.json`	549	`95a2f56f514d628a22c99fdab52dc364212c9fc3fac037fe6d841d603ea33099`	status=dry_run; ops=98427f36c43e…
`data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.rollback.txt`	484,747	`98427f36c43e2f0a76f394cfafb40669d5e0c4ff105272d1e949c6fe3e264efd`	—
`data/buildops/mainstreet-redevelopment-r4-r5-2026-07-27.txt`	497,069	`c61649579ceccc6265305fd191d79d791d1b2859976d9ab8cf858cc0b0eb4514`	—
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.execution.json`	4,473,587	`78f49dd84e1d76bb983f90f4ce1e079f8d9ab3cfffc57ba1c339269711d572d5`	status=complete; ops=c96958c9ce7c…
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.forward-dry-run.json`	4,468,528	`99af9234979338320a9e4bb4f7dbbb36131d432c323c39ae6cc9e2469cce11be`	status=dry_run; ops=c96958c9ce7c…
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.independent-forward-dry-run.json`	4,468,527	`ea60dfa2677e7eb52909e3e4c963d1f2f3745c837893ef7b124f6439141e98e3`	status=dry_run; ops=c96958c9ce7c…
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.independent-preflight.json`	405	`46ddc67b801a308ec43a878cc8877828be1a2e0e360912de46a047e1277f6493`	—
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.independent-qa.json`	11,188,909	`ecfe2f251007d2cb98f2797ddfc2df970271736e69f6efc215655b34bccd063a`	status=PASS_IMPLEMENTATION_READY_LIVE_QA_PENDING; package=mainstreet-america-redevelopment-r4-r5-independent-qa
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.independent-rollback-dry-run.json`	4,524,913	`292a536a49f476f8a488c3f77cc9126c10a8f15bf51b6ddd9d17cb59b0ba1fc2`	status=dry_run; ops=86d9d452dac2…
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.integration.json`	3,832	`182bdc8ca58df7d8758ad186ba9600170b938c122449200aa3e86116c08985c6`	package=mainstreet-america-redevelopment-r4-r5
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.post-preflight.json`	412	`ca5ae9cc203f915e7347d1e1478d7938ddafcf3fd026864bca1ff6ea908ad303`	—

Path	Bytes	SHA-256	Evidence binding
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.pre-execution-entity-gate.json`	208,566	`a9eb42fd1724634596a51db47c52e6c454cb26bf6d3cacef13396ce3aa00e704`	status=PASS; passed=true
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.preflight.json`	405	`5a21a7c93ef21c70080ede0644d95b7ffca615b55f1d7bd8d094e05e3e2dfa40`	—
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.prerelease-preflight.json`	403	`03a41e609ff4c94b87467ff3a32bc0a90e4c5e3eb417fdc4de205c24a7fcc405`	—
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.release.json`	7,160	`3d9438072829ca9fca41a32af38ea6dd968052bfb8f54f1f4acc4ea4aa1ba8f7`	package=mainstreet-america-redevelopment-r4-r5
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.report.json`	272,640	`136912978b0f2b61554b8da4066e696175cdffe403ec81fffc76f2dcc56a4faa`	package=mainstreet-america-redevelopment-r4-r5
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.rollback-dry-run.json`	4,524,913	`46c670dd08638ba193c134f3b172359900ec95b56d3eeabb1233a7617f3e2535`	status=dry_run; ops=86d9d452dac2…
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.rollback.post-preflight.json`	412	`abd58458f1c0f5fb5f061351a68380ebd827bb844c885b2246a39ff8c66a543b`	—
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.rollback.txt`	449,950	`86d9d452dac29d40cffb253a5e31e4d36d4eb6087a0dc1c25e10cb95d61dd1f3`	—
`data/buildops/mainstreet-redevelopment-r4-r5-runtime-safe-2026-07-27.txt`	463,011	`c96958c9ce7c3a2e9d481d5063bc0cbd26d0879068967c1d66ca06943b9b2972`	—
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.dry-run.json`	532	`aa902a39b0de17da06a827faf8813f990ba96e5fce8ed2c5e23631730310f99c`	status=dry_run; ops=2869cfea1243…
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.emergency-rollback.execution.json`	547	`64558dbfc98e8e0ba0a99caae658fec2b79606cbbfc567869ea7da82221a41cb`	status=complete; ops=8dcbc3b11aa4…
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.execution.json`	263,406	`65b3a41e7a146db89650dc1e6567063858f577cd173babaa1c043742d7c2ec96`	status=complete; ops=2869cfea1243…

Path	Bytes	SHA-256	Evidence binding
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.post-preflight.json`	394	`7c5c38cabc59ef62c48d6469a915651060438a4bf662b6514bcb2eff92843525`	—
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.pre-execution-entity-gate.json`	5,365	`b2ca6dabd5042690221360a45bc2e63f0cca01e4180cca1024488a1436ee3ee8`	status=PASS; passed=true
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.preflight.json`	379	`119d73f1f7eec283441748e8bcdb9a2b01607125161577087dfd60d90fc3cc84`	—
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.prerelease-preflight.json`	385	`f1e90a9c8e28c01dde15ae6e153067773f84365f90c95ef5be8a801a4c40cad9`	—
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.prestate.json`	192,754	`e34a4f8284d7fa50cc81c2b71c9ee1fd3f3643278254d835cf2a39734609b631`	package=INF-RR-01
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.qa.json`	357,211	`2b1cc9cfe129bfe667e5b41ae573cc8715db95843bf5b683e90af0f0f816c0cc`	status=PASS_OFFLINE_LIVE_GATE_PENDING; package=INF-RR-01
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.report.json`	11,953	`c6b421d8fa3867ffb83790beb2ca0994222b05262b0dd0a47a9b9cc4b780de08`	status=generated-awaiting-independent-qa-and-live-execution; package=INF-RR-01
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.rollback.post-preflight.json`	394	`b1854dbbf00beb24349559fddae025df371d51e92b103eb56ff0250d97ab4338`	—
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.rollback.txt`	25,995	`8dcbc3b11aa4e2ac4caad4c4f2460b55c53db82e5ec145ec5426cbfa1753e5e7`	—
`data/buildops/ravenrock-s1-section-pilot-2026-07-27.txt`	26,248	`2869cfea1243b08a81d878a9da9a51c23eda9d3c651fa6ca64ad23577877639e`	—
`data/buildops/westlight-infinity-screen-2026-07-27.dry-run.json`	531	`175cbcdaaf8a4dc7475dc7a5147038da0d04b5058634a079587409dc909936c1`	status=dry_run; ops=fa0c4a086f7b…
`data/buildops/westlight-infinity-screen-2026-07-27.emergency-rollback.execution.json`	546	`db405fd21d026c6c5be559940e23b8b6810b0e08b3179aee74dc1b8611ee764e`	status=complete; ops=8feb080b459a…
`data/buildops/westlight-infinity-screen-2026-07-27.execution.json`	395,490	`abb229c67ab18c62ae4a92e55b6df46d02d30aa584c0244eb32136c99aa85a4d`	status=complete; ops=fa0c4a086f7b…

Path	Bytes	SHA-256	Evidence binding
data/buildops/westlight-infinity-screen-2026-07-27.post-preflight.json	396	9b8bab86bf40de9f10c711c1c60a4a97d3ac5505a5c119efaa550ccc6229e4fc	—
data/buildops/westlight-infinity-screen-2026-07-27.pre-execution-entity-gate.json	7,161	75db31112b154fecbbd636f854099f03e54a01a51bbdb2a9f1c11ebb04d63692	status=PASS; passed=true
data/buildops/westlight-infinity-screen-2026-07-27.preflight.json	381	74fe03d06c0cfd1b2eb78ec659274f9c2616c5486fb947b033c04b0e465890f9	—
data/buildops/westlight-infinity-screen-2026-07-27.prerelease-preflight.json	387	9b9ec1a0f36aa53965713bf729cdbd9a956cb3f259e7bce6c8f66e9d4c72148d	—
data/buildops/westlight-infinity-screen-2026-07-27.report.json	4,306	cb8401573fc748eb46e1820e7d9883f080ae4598a9676e6f38737b229664b91f	status=generated-awaiting-preflight-and-live-execution; package=westlight-infinity-screen-2026-07-27; ops=fa0c4a086f7b…
data/buildops/westlight-infinity-screen-2026-07-27.rollback.post-preflight.json	396	0a121b6e215e7e25e8d20745fbafdc0867380ecfd486ba78932495afd610fd4d	—
data/buildops/westlight-infinity-screen-2026-07-27.rollback.txt	38,592	8feb080b459a7b16115bfaef5e54f7c2b9c3aeaa9667e538e5df7cbf4bf8a5ba	—
data/buildops/westlight-infinity-screen-2026-07-27.txt	38,649	fa0c4a086f7bdcd92640d63bd57086ad5d2ebd2230f937ad0fc72b93095011fa	—

machine-release-evidence

Path	Bytes	SHA-256	Evidence binding
data/world-review/c01-bunker-detail-review-2026-07-27.json	45,241	0bc47e3a2db458fea29b7f120c70341211c19c0760beee0430a1746ece9fbf27	package=c01-bunker-detail-review-2026-07-27
data/world-review/c01-bunker-detail-review-2026-07-27.md	13,414	0d45e7cde919832d69578f7560c95c3fded275a785eb4152ba8c280d162e2c77	—
data/world-review/citizen-ravensreach-mainstreet-config-patch-proposal-2026-07-28.json	54,173	27c505aa8d8544102d06caa93ccda85f274aaae8bf3137ea40c92c72f3121151	status=PROPOSED_NOT_APPLIED

Path	Bytes	SHA-256	Evidence binding
`data/world-review/citizen-ravensreach-mainstreet-config-patch-proposal-final-20260728T1745Z.json`	54,183	`377d0141a3a8bef147c104c06491782ff8c12805d1445e0b6402e5dacddcdd80`	status=PROPOSED_NOT_APPLIED
`data/world-review/citizen-ravensreach-mainstreet-config-patch-proposal-livegate-20260728T1649Z.json`	54,186	`0eaea9b5e5e8f7e85cd6997d553161194b15d76264343c46f9995704ac1ee6a2`	status=PROPOSED_NOT_APPLIED
`data/world-review/citizen-ravensreach-mainstreet-config-patch-proposal-terminal-20260728T1839Z.json`	54,186	`fa1a9a1a26e5a970466db8280667534db4402408a37a419052473ca52dea5a6b`	status=PROPOSED_NOT_APPLIED
`data/world-review/citizen-ravensreach-mainstreet-route-map-2026-07-28.png`	108,355	`ad1c3b8d80996a6c19220e56d3965b92b74b86be1c0bdb38947ad6385d8242e8`	884×2148
`data/world-review/citizen-ravensreach-mainstreet-route-map-final-20260728T1745Z.png`	107,863	`70e8f146ab521e2a598cb9ff35ee568015127228406d04455ed0346c17e1c1ef`	884×2148
`data/world-review/citizen-ravensreach-mainstreet-route-map-livegate-20260728T1649Z.png`	108,282	`49053d5553b8c6966945daa5c97234f335b00101f031fc5b997cb1e8e35e2a82`	884×2148
`data/world-review/citizen-ravensreach-mainstreet-route-map-terminal-20260728T1839Z.png`	108,151	`d142a75f21153df2865f1e900b138be42f306bd3ffdc1cefac2e70954f8f9881`	884×2148
`data/world-review/citizen-ravensreach-mainstreet-route-survey-2026-07-28.json`	305,698	`465060102bf530632101db4a6e5c69c6b9dc8d3a5936db53c9cb6f40db2528e8`	status=PASS
`data/world-review/citizen-ravensreach-mainstreet-route-survey-final-20260728T1745Z.json`	305,663	`ee01e17756566f23b022ddf501ac9ee944196146470c3199e7a78f87256adda9`	status=PASS

Path	Bytes	SHA-256	Evidence binding
`data/world-review/citizen-ravensreach-mainstreet-route-survey-livegate-20260728T1649Z.json`	305,676	`29722d87ff92a58487f00225cc3595827f6fa95cf32e3213e29396c5bade65f4`	status=PASS
`data/world-review/citizen-ravensreach-mainstreet-route-survey-terminal-20260728T1839Z.json`	306,018	`a405072bff1b245196d9dd42678296cfcecf25924c4d826207db6d8f4392d77d`	status=PASS
`data/world-review/mainstreet-interior-wave2-design-2026-07-27.json`	45,485	`8c40ad2270d1e63a158ad1c08797b97b0b886cbc81c2bed9a4885b3a45d46576`	snapshot=a86a81b8cb82…
`data/world-review/mainstreet-interior-wave2-post-route-qa-2026-07-27.json`	28,281	`8724f0ab30e962c9d23472d1c2468f06ada6cf0c8d90ff320fce12ce082bcb02`	—
`data/world-review/mainstreet-interior-wave2-preflight-2026-07-27.json`	379	`7ce18965a9c45999a7a16d6c206fc69ba0ae60d3fbd3bdb05826f7090c31b536`	—
`data/world-review/mainstreet-interior-wave2-route-qa-2026-07-27.json`	29,878	`bbe8785aacbe34e2549633c94dbfc8db6cec53ee309db8cb336217dcb7439304`	—
`data/world-review/mainstreet-redevelopment-r4-r5-design-2026-07-27.json`	202,474	`eb5665f0961d7959c16fe769ba7226dda62ff0d74c9b71e56ad309cabc9aac63`	package=mainstreet-america-redevelopment-r4-r5-design
`data/world-review/mainstreet-redevelopment-r4-r5-runtime-safe-design-2026-07-27.json`	202,081	`ec01e52e08f9e9e0bb45bba6416b503774399c1e4f02fc627baf66cbaff42305`	package=mainstreet-america-redevelopment-r4-r5-design
`data/world-review/mainstreet-secure-complex-detail-wave5-design-2026-07-27.json`	5,374	`74d06de6b53d58e7777bf2e9de13b0fc5ae6b57d4f0bdb59c2801cebc28a61dd`	package=mainstreet-secure-complex-detail-wave5; snapshot=4a754a73f5dc…

Path	Bytes	SHA-256	Evidence binding
`data/world-review/mainstreet-secure-complex-detail-wave5-preflight-2026-07-27.json`	391	`0f8d04f8b65634b9052eb3931b853e0c89b976100c958112cd8c4ffc5efbdde1`	—
`data/world-review/mainstreet-secure-complex-detail-wave5-projected-qa-2026-07-27.json`	16,912	`34742f1cd5eccc0fe8b165c156106a83304d677989b1c8deda828c1898d1ca9e`	—
`data/world-review/mainstreet-secure-complex-detail-wave5-saved-world-qa-2026-07-27.json`	15,067	`545aa1b4b2d7c3337487857ab60f2920055a915f13eaee3e8ab4987b0954ef79`	—
`data/world-review/mainstreet-secure-complex-wave5-box-sync-2026-07-27.json`	468	`e98be49ed23725918495c2a4abd48e753800036c08175e8588d3b5d2aee08f460`	—
`data/world-review/mainstreet-secure-complex-wave5-database-import-2026-07-27.json`	8,902	`b3e70f36d67f03e138368697f9ba1181189a32914ca12b191d22b12774506322`	ops=886ed25e9b79…
`data/world-review/mainstreet-secure-wave5-wayfinding-preflight-2026-07-27.json`	389	`2d6fdda553c84453cfc4e017b39e180ab17fb096b10045c91b0cef7ee45101ec`	—
`data/world-review/mainstreet-wave2-r08-design-2026-07-28.json`	79,090	`a9ede6e98cfcf599a001002f844ed0c870ce26ced6daa5901802dd235a4d1a1b`	package=mainstreet-america-redevelopment-wave2-r08-design
`data/world-review/mainstreet-wave2-r08-design-prerelease-2026-07-28.json`	79,090	`cd90cd99248276a6aaf14e84c0839de887736a2f61d678883b0b98052fd6738f`	package=mainstreet-america-redevelopment-wave2-r08-design
`data/world-review/mainstreet-wave2-r08-focused-tests-2026-07-28.json`	3,472	`d5499dabd5c42380504ba8630372326352fada193174f749aa27624f8d89c0d1`	—

Path	Bytes	SHA-256	Evidence binding
`data/world-review/mainstreet-wave2-r08-independent-qa-2026-07-28.json`	97,262	`16bb93a4936328ac65f5e5929cacc2f07994b6cef33f74e91af945fd8be98ec3`	package=mainstreet-wave2-r08-independent-qa
`data/world-review/mainstreet-wave2-r08-independent-qa-2026-07-28.md`	1,828	`adffd0cf6d7ec9ddf626c7966fe98a6595fd6265f90ca715ace381d4b1a8a9f2`	—
`data/world-review/mainstreet-wave2-r08-release-handoff-2026-07-28.json`	6,587	`20f8ef342227d49dc40eeb93f1a1fa6a521a36064d758ab20a4de3d6dc2b1ffc`	status=OFFLINE_ENGINEERING_GO; package=mainstreet-america-redevelopment-wave2-r08
`data/world-review/ravenrock-wave2-tunnel-database-features-2026-07-28.json`	150,556	`0e58dd3f3e91ba35a340616a490c2b54b39cf755b956aef5fd84ebc0f39421bf`	status=proposal-not-imported; package=ravenrock-wave2-tunnel-database-features-2026-07-28
`data/world-review/ravenrock-wave2-tunnel-database-features-prerelease-2026-07-28.json`	151,182	`24b7280c109c26bafbdaeb9b52074c309aaea1e28b7db71acdcfcc1575ffcbbc`	status=proposal-not-imported; package=ravenrock-wave2-tunnel-database-features-2026-07-28
`data/world-review/ravenrock-wave2-tunnel-inventory-2026-07-28.json`	110,329	`67837484d94b5875c8bdbd48126269bffeb406ac9f7be5a7010d7ca733668b64`	status=offline-inventory-complete; package=ravenrock-wave2-tunnel-inventory-2026-07-28
`data/world-review/ravenrock-wave2-tunnel-inventory-prerelease-2026-07-28.json`	110,339	`6900a319dd33c7d034948175a89223d342ed1950a61d7cd9c98cebf88a7457aa`	status=offline-inventory-complete; package=ravenrock-wave2-tunnel-inventory-2026-07-28
`data/world-review/redevelopment-artifact-manifest-2026-07-28-wave2.json`	159,638	`2b0d026fb1ffab6dc23e606a61bf4613e0314e03614dc8dc43be48784e03d0a3`	—
`data/world-review/redevelopment-atomic-transaction-2026-07-27.json`	7,522,377	`294cb722be93048fff55f35496da1439a9fc7fd6bc9aa014ddd50842e3659ac5`	status=committed-pending-post-qa

Path	Bytes	SHA-256	Evidence binding
`data/world-review/redevelopment-attempt1-2026-07-27/garage-camera-manifest.json`	6,571	`71fd298acfdb072280160dd76dbbfd9c04f61bf263282697b7862be6bf958338`	package=mainstreet-r4-garage-exact-object-after-cameras
`data/world-review/redevelopment-attempt1-2026-07-27/mainstreet-r4-r5-runtime-failure-forensics.json`	115,189	`4925817cf977e4ec328903bfd51a84dbfa61d731918285999fae363adccb405c2`	status=CONFIRMED_RUNTIME_ORDER_AND_STATE_NORMALIZATION_FAILURE; package=mainstreet-r4-r5-runtime-failure-forensics
`data/world-review/redevelopment-attempt1-2026-07-27/mainstreet-r4-r5-runtime-hazard-independent-qa.json`	354,210	`62e468c74d2a18b2862f2aaa8db3b9ef2283ae10ef6694f8a43e91af80913fb2`	status=FAIL; package=mainstreet-america-redevelopment-r4-r5-independent-qa
`data/world-review/redevelopment-attempt1-2026-07-27/mainstreet-r4-r5-runtime-safe-draft-independent-qa.json`	117,752	`510639373c634bf6616e37ffd07efd9a6c3ef3ce4956e6e11988da4cf362be88`	status=FAIL; package=mainstreet-america-redevelopment-r4-r5-independent-qa
`data/world-review/redevelopment-attempt1-2026-07-27/mainstreet-redevelopment-r4-r5-2026-07-27.emergency-rollback.execution.json`	557	`6138e998ef7bc3922cddb0b7dffea86f33c677f465591638cf5600fd6e545f6b`	status=complete; ops=98427f36c43e...
`data/world-review/redevelopment-attempt1-2026-07-27/mainstreet-redevelopment-r4-r5-2026-07-27.execution.json`	1,491	`d2f90aece46fcf1fbabca6666dbd755125704c46ade3522fc364aedb9cbbf410`	status=failed; ops=c61649579cec...
`data/world-review/redevelopment-attempt1-2026-07-27/mainstreet-redevelopment-r4-r5-2026-07-27.independent-qa.json`	54,571	`6540664cb697c27fdee9389a56f3e0f106c3029332cc05c31eb60c276ea37832`	status=PASS_IMPLEMENTATION_READY_LIVE_QA_PENDING; package=mainstreet-america-redevelopment-r4-r5-independent-qa
`data/world-review/redevelopment-attempt1-2026-07-27/mainstreet-redevelopment-r4-r5-2026-07-27.pre-execution-entity-gate.json`	239,795	`6128b64ad99903cc57e11679bbd8c11d97a33083a6105ebf2c291559c872c899`	status=PASS; passed=true

Path	Bytes	SHA-256	Evidence binding
`data/world-review/redevelopment-attempt1-2026-07-27/mainstreet-redevelopment-r4-r5-2026-07-27.preflight.json`	384	`25c41e5f7cd69a731a7c5f6c505f06bdb0fb6d7fd6b2cb47a03e02906df54d96`	—
`data/world-review/redevelopment-attempt1-2026-07-27/mainstreet-redevelopment-r4-r5-2026-07-27.prerelease-preflight.json`	389	`f457c84569c51b6afd560d72a33b38b5996a88559ada9e74aaec3e6d1c35157e`	—
`data/world-review/redevelopment-attempt1-2026-07-27/mainstreet-redevelopment-r4-r5-2026-07-27.report.json`	257,569	`aff9a31233c94c301d54aa3519200860615005aa5dc720f67a57b4d20e25dbb6`	package=mainstreet-america-redevelopment-r4-r5
`data/world-review/redevelopment-attempt1-2026-07-27/mainstreet-redevelopment-r4-r5-2026-07-27.rollback.txt`	484,747	`98427f36c43e2f0a76f394cfafb40669d5e0c4ff105272d1e949c6fe3e264efd`	—
`data/world-review/redevelopment-attempt1-2026-07-27/mainstreet-redevelopment-r4-r5-2026-07-27.txt`	497,069	`c61649579ecccc6265305fd191d79d791d1b2859976d9ab8cf858cc0b0eb4514`	—
`data/world-review/redevelopment-attempt1-2026-07-27/ravenrock-s1-section-pilot-2026-07-27.emergency-rollback.execution.json`	547	`64558dbfc98e8e0ba0a99caae658fec2b79606cbbfc567869ea7da82221a41cb`	status=complete; ops=8dcbc3b11aa4…
`data/world-review/redevelopment-attempt1-2026-07-27/ravenrock-s1-section-pilot-2026-07-27.execution.json`	538	`61db539723522058982461b87baf49ef6f7dff2a78b898cd20ef0c353ae35168`	status=complete; ops=2869cfea1243…
`data/world-review/redevelopment-attempt1-2026-07-27/ravenrock-s1-section-pilot-2026-07-27.pre-execution-entity-gate.json`	5,365	`1d8f3570c7d90a8f22f6cd35ec8258b57326ed360dd8bd738bcbe96fbe0c49a3`	status=PASS; passed=true

Path	Bytes	SHA-256	Evidence binding
`data/world-review/redevelopment-attempt1-2026-07-27/redevelopment-atomic-transaction-2026-07-27.json`	320,206	`6daf1098240cc0232d05c2f1acf06efa50233389289213e93f183ca3451fc1d7`	status=rolled-back
`data/world-review/redevelopment-attempt1-2026-07-27/SHA256SUMS`	3,016	`cc6886cb4bcc28d6b9b783b5396ee1787435060ddaeecebcd928e04f857a02ab`	—
`data/world-review/redevelopment-attempt1-2026-07-27/westlight-infinity-screen-2026-07-27.emergency-rollback.execution.json`	546	`db405fd21d026c6c5be559940e23b8b6810b0e08b3179aee74dc1b8611ee764e`	status=complete; ops=8feb080b459a…
`data/world-review/redevelopment-attempt1-2026-07-27/westlight-infinity-screen-2026-07-27.execution.json`	537	`5bd561bb9e8520427af62787497d448419ddfa35b41a46c9d866a1460262daa5`	status=complete; ops=fa0c4a086f7b…
`data/world-review/redevelopment-attempt1-2026-07-27/westlight-infinity-screen-2026-07-27.pre-execution-entity-gate.json`	7,161	`5de151d17980defdb4867b36dd955f9a3cc9fadd6b89f6e6892006fda4b2288b`	status=PASS; passed=true
`data/world-review/redevelopment-live-entity-gate-2026-07-27.json`	295,194	`703b097d201ecc25945b30e2f979241fb9c945badac737cf06358916f1a9e0f1`	status=PASS; passed=true
`data/world-review/redevelopment-neighbor-physics-audit-2026-07-27.json`	12,253	`afbed67b172b6f932afe25e8b0c2fe84dc77d07d0b792f68b4a6419376cdc262`	—
`data/world-review/redevelopment-post-deployment-qa-2026-07-27.json`	184,771	`0e3140f01614c21e4dfccad6613cbe0ae17bbf3f865cfbd1eaa2570106b4ba91`	status=PASS; passed=true; snapshot=f8edf99494c0…

Path	Bytes	SHA-256	Evidence binding
`data/world-review/redevelopment-r1-release-manifest-retrospective-qa.json`	7,600	`6233c3f79993764cdca8c08a8eddacb608996e269bb99c5669fe585613304d39`	status=FAIL; passed=false
`data/world-review/redevelopment-release-database-import-2026-07-27.json`	13,218	`8c766c45edcade184ab8fb4d4004020c5ecd7ec9fbf0b0bbfb92ae4b59f2bd6d`	snapshot=f8edf99494c0…
`data/world-review/redevelopment-release-tooling-independent-review-2026-07-27.json`	14,500	`1ba656f4d8340c2585057bf27fbb859654164f2b7de25d1e26cce0efdedb02e0`	status=PASS_WITH_OPERATING_CONDITIONS; passed=true
`data/world-review/redevelopment-route-qa-2026-07-27.json`	313,703	`beb06e6dcc51761ddf0a98e8da69d4ecb5b2a071ef9f9fe5118cd82e70276896`	status=PASS; snapshot=f8edf99494c0…
`data/world-review/redevelopment-wave2-atomic-transaction-2026-07-28.json`	949,423	`e9b3752e89771c4ab218e5811bf23700cfd5f08128e9277324ca9df990f43ef2`	status=committed-pending-post-qa
`data/world-review/redevelopment-wave2-database-import-2026-07-28.json`	26,442	`5321f35ca15c3b3cfa2dd1de48963776234f53d35d7875e291bcc41cfd51b524`	status=PASS; passed=true; package=redevelopment-wave2-database-import
`data/world-review/redevelopment-wave2-guarded-manifest-qa-2026-07-28.json`	2,736	`6c5b8c49c1969523f68ca2ebf0edfc51b50aa8f16049f33fd65ce8f49b5cb287`	status=PASS; passed=true
`data/world-review/redevelopment-wave2-integration-independent-qa-2026-07-28.json`	49,446	`57128eea173ee69776ae3a99dab4109e5759db5bb0ccda960588a607a169d003`	status=PASS_OFFLINE_GO_LIVE_GATES_PENDING; passed=true; package=redevelopment-wave2-integration-independent-audit
`data/world-review/redevelopment-wave2-live-entity-gate-2026-07-28.json`	60,658	`672e6ae5f5a7560695d01a1c90b35a022a454cebc7c8a039717df98ac52bb754`	status=PASS; passed=true

Path	Bytes	SHA-256	Evidence binding
`data/world-review/redevelopment-wave2-post-release-qa-2026-07-28.json`	30,546	`551be053a21e37edc246f95cb2ded30df138f600f66c5574c2cf9b9b7f321d4c`	status=PASS; passed=true; package=redevelopment-wave2-post-release-qa
`data/world-review/redevelopment-wave2-pre-database-qa-2026-07-28.json`	34,346	`8dc7d2ec53b7c6c9b4feb88fb4088ba72e2c630b880ddc12cf13736b0b613bc2`	status=FAIL; passed=false; package=redevelopment-wave2-post-release-qa
`data/world-review/redevelopment-wave2-prerelease-manifest-qa-2026-07-28.json`	2,780	`68296698826d8e58b8304fcae7c708cf47dfb20f6fc10f4d8b9a779d09c3b12`	status=PASS; passed=true
`data/world-review/redevelopment-wave2-release-manifest-candidate-qa.json`	2,736	`04c290bdd3f71670f96bdbed4373ec5dff6f490333d4b86968a641bff1c96824`	status=PASS; passed=true
`data/world-review/redevelopment-wave2-route-manifest-2026-07-28.json`	1,344	`ee15826a9cd87d5f2be5618904c13cde37291d5a30272a32d3e8d5176bcfdb0b`	—
`data/world-review/redevelopment-wave2-route-qa-2026-07-28.json`	103,455	`6f97def62efe5abb6a3ae89c685cccfa39583b609357273df0855c3121e15ccf`	status=PASS; snapshot=d05ac7822795…
`data/world-review/worldwide-room-fitout-wave4-mainstreet-route-qa-2026-07-27.json`	14,274	`3450271200f605a851110ded4b519e5a210ee5c3079ae1fc449cb057e0a4bfa8`	—
`data/world-review/worldwide-room-fitout-wave4-mainstreet-saved-world-qa-2026-07-27.json`	13,571	`bef5eb8bc24fe24e05956b4b159c9b5a929042ad4952f689fb81efc81f2457a7`	—

matched-release-media

Path	Bytes	SHA-256	Evidence binding
`data/exports/redevelopment-qa-2026-07-27/bunker-phase2/after/01-new-mouth-south.png`	12,661	`7a1b109fb0ce19e4727e37cdff81bb6929dde2772969273b857840a020095ad1`	1280×720

Path	Bytes	SHA-256	Evidence binding
`data/exports/redevelopment-qa-2026-07-27/bunker-phase2/after/02-parking-context.png`	141,911	`29f71ec227fdcf9b138b748e6318e5fba220ddec49e89ffec62b3a0bf0b742e1`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker-phase2/after/03-dogleg-north.png`	17,320	`cf567261dfb89fa92a69c1cf308770bead4749428628c2a052519d0fd11676e4`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker-phase2/after/04-lobby-return.png`	13,967	`fd31796449b543aeb6effc8b39db69d4db46b633f113cac6c972ada10747b8c0`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker-phase2/after/05-old-new-entry-context.png`	318,346	`6257357c14b3848d9242d5a5ed511559d332d0a7d19b00e5efc9469b21885945`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker-phase2/after/capture-report.json`	3,860	`ae8aea87d999f4c02ad61861427f836f870305ecc9a3b623c61c718fc28fe5c1`	status=PASS; passed=true; snapshot=f8edf99494c0…
`data/exports/redevelopment-qa-2026-07-27/bunker-phase2/before/01-new-mouth-south.png`	12,661	`7a1b109fb0ce19e4727e37cdff81bb6929dde2772969273b857840a020095ad1`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker-phase2/before/02-parking-context.png`	146,514	`0c5c8301d46f1e313dcf2a78596102eee762ac840e14c8fd07f389c619ebd2fb`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker-phase2/before/03-dogleg-north.png`	12,859	`3aff6b58a99e66608eb44ce00a8e6a713948c0848b3e33493817e2b525cc5836`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker-phase2/before/04-lobby-return.png`	13,967	`fd31796449b543aeb6effc8b39db69d4db46b633f113cac6c972ada10747b8c0`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker-phase2/before/05-old-new-entry-context.png`	322,758	`e636dba720bf8e8085fec00f99f9624628741b3e2892583340c54739ad78f73b`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker-phase2/before/capture-report.json`	3,860	`73592e1e519a0252d137622b21465e8b77d76e241e079feec773f4c7304294df`	status=PASS; passed=true; snapshot=c9e2bf0a2c8d…
`data/exports/redevelopment-qa-2026-07-27/bunker/after/01-parking-center-east-seam.png`	290,414	`15b8ab8ef7c0be1fcd161fa1f627b8a2a3cc355b81055269c33d992e1ab11a67`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker/after/02-southwest-oblique.png`	254,705	`30c0e03d2d55549775b4927a9b851e1709e0d23f0eb9e82dd91c9eba23b8e5cd`	1280×720

Path	Bytes	SHA-256	Evidence binding
`data/exports/redevelopment-qa-2026-07-27/bunker/after/03-east-oblique.png`	262,363	`06e520ade02855e59ab6220952616e7ae7ad1891134041065a78abe7fd8bb446`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker/after/04-hangar-door.png`	119,637	`6d54591f31aece72ce30ffcf5a6ee0d53a6ff56def37c239faa03605b5125ccf`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker/after/05-north-oblique.png`	166,549	`c171f213f0c705fa9dbcd0fa0a9cc25298df7f0d725c266b016261a901750097`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker/after/06-road-northbound.png`	55,660	`9f1235f37ab5365743ad8fdd3bc273f110e4058124f2f98b449c1f3dc9ae9e09`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker/after/07-road-southbound.png`	82,654	`2acda770a7a0d32b78e27ab44ada36de454650f05214ca0b648b5880f532ce3b`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker/after/08-surface-map.png`	52,803	`970009c548bc55d27b67233784ec999c87901f6208f210eec5410da2176cb8d2`	950×950
`data/exports/redevelopment-qa-2026-07-27/bunker/after/capture-report.json`	5,508	`ad1f9cf251836ca1efc05e6b63f348d5cb3273942d0d563d0c1de873267aaa89`	status=PASS; passed=true; snapshot=f8edf99494c0…
`data/exports/redevelopment-qa-2026-07-27/bunker/before/01-parking-center-east-seam.png`	293,444	`13dec97c6b40f9365413a2afd5bfccb4634fc9cee17b76409de24b60332e2b9d`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker/before/02-southwest-oblique.png`	255,463	`a34e36fe4337d29182fc1e944d5f28a8fb81480ca8f3b5fbbb108b833fcca6c6`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker/before/03-east-oblique.png`	270,682	`2f416466c91a1511e7e508b86f1c70ef6893ee9e1dff7f6dc5dc8b3f66a7bc8b`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker/before/04-hangar-door.png`	133,022	`85b1d14c6ba8ee73ac3f8dd9f24343d4cc34da3de3a47cbf90ff4fc7e8cbcd8c`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker/before/05-north-oblique.png`	192,488	`01a82fc66a1583011d2034777459af2a825eb64b2fb7b917cea74728469a85b8`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker/before/06-road-northbound.png`	53,311	`d9d84b776dc956233391f77ace518cbf3ef42543396372b98cbcdd465187f060`	1280×720

Path	Bytes	SHA-256	Evidence binding
`data/exports/redevelopment-qa-2026-07-27/bunker/before/07-road-southbound.png`	79,704	`e6e9937966bbc5f056025baed377f0927eed432b503eec9a1d729829e91fab74`	1280×720
`data/exports/redevelopment-qa-2026-07-27/bunker/before/08-surface-map.png`	52,576	`389f18d73278936921d5b202fe2c3a951a5831d6dcda7045622157fdfabd5abc`	950×950
`data/exports/redevelopment-qa-2026-07-27/bunker/before/capture-report.json`	5,511	`5a2c26281a4d0899550f3067cab86a65d948f057ef48088321c447f9ec93d630`	status=PASS; passed=true; snapshot=c9e2bf0a2c8d…
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/garage-capture-report.json`	12,400	`b70ef3d5e12baa1e4939faffdbd4e414eaf0e5958841a310f3e472def263207b`	status=PASS; passed=true; snapshot=f8edf99494c0…
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/msa-r4r5-alley-e-long.after.png`	269,370	`10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/msa-r4r5-alley-w-long.after.png`	269,820	`bb55191aa0719832d91079d980acf9aeb97ace4cf421d124bf54f33d7ecf6530`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/msa-r4r5-b02-culinary.after.png`	172,157	`e9eeb33ebe6473360f738458fdedb479f2f003d2ac8ae2a53c9a2c6c3000e119`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/msa-r4r5-b03-service.after.png`	247,654	`7ac65297920c1ffc41f3cb8f1ea63d6aa2738b3479cf91c5fabb467c4bf460e6`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/msa-r4r5-central-connections.after.png`	263,738	`788734738bb143ded283dbe323e33c20b7181ea7e326a8d72863041806e08217`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/msa-r4r5-district-map.after.png`	178,571	`fc861d9b566f5be3740bce7d39a98428cc5412038c9230ca54e8b0500cf1af37`	800×800
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/msa-r4r5-district-oblique.after.png`	304,124	`388ffd816693b317229b68eea52de71affd2ca3a760edeb405c7caddbd048b15`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/msa-r4r5-h03-rear-relation.after.png`	204,219	`ba2e77a5d85de53d94f19d79c13a708af7f60c484ca81b134bb2bba1eb549223`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/msa-r4r5-h09-rear-relation.after.png`	256,237	`d8431f77ce52fe5a37cde7e7d1964bda101cd67e63b89b9dbac7b5e43687ed9d`	1024×576

Path	Bytes	SHA-256	Evidence binding
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/msa-r4r5-r07-connections.after.png	311,575	86fead59d32852e84dbf09fbc36487816d9eabe15165de400301ea80995afdfe	1024×576
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-c02.after.png	35,429	50c7afcf25e5115d867a0df184efed82646e5c294550702fcd450afd4963792b	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-c03.after.png	68,282	910c1cde75dca766a9a5cb8d47ada1b119f6920084084fd43ec50b5ac3a1225a	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-c04.after.png	58,148	fa7c9990fcc951252adfd17566cddcb625bb74c1605e19e137516c9304aa3149	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-c05.after.png	55,114	863bb2463979ef79bcb21f4d8815e91605db316a69f0903355df9b1e8f3161b1	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-c06.after.png	53,438	0ceb8b004ffa78c7dcd7c0799dd3901fa46e02a633db6ad4b2425a29cb81bafa	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-c07.after.png	55,179	d0fd2fe7cf60d11c8636cb5ea571a5ebbd52626bdfdbe22a60f010674a8433af	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-h01.after.png	12,671	393c5f02da16194534a818e06c00e24447d6f3e736699a4ebc732dd016e244c3	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-h02.after.png	15,226	940c96e2e9574f132958aa13318ae5d976d6e052950e8e67adc61b113792572a	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-h03.after.png	55,255	d05118cc66a4c10930fa5a486f138ae7c4f1131a7bad928e1a033a4e15d7e506	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-h04.after.png	66,091	46110c2292df31350840a3b199792a01e9accac0ae52095e323131b7839b2718	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-h05.after.png	56,171	f07b10269b860c8b675cd8706bf0dbd3e3cd7ba514d21c77e35184892b25d22a	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-h06.after.png	48,022	78c56a7ef50de9cc7a6aa1eb22cf4ec405541498683fd7e2281f9505d4b2b740	1280×720

Path	Bytes	SHA-256	Evidence binding
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-h07.after.png	50,750	67199bf0306c74541ed02e2e8de74a91ed8fadf75df946f1b69e2453034e0cb5	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-h08.after.png	52,457	f0ae2ff6bfde40ef51e0f501c0f0dee73b4d288dba063c211d9d5dae91175718	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-h09.after.png	63,230	33fa002a027347d0172541764e88747d48903dc429e2156884ca1e2e719b0085	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-h10.after.png	43,658	54c8f1fe6351b42ba42b337253cc7989913b571e3644a768beabec8de7ff0e9d	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-h11.after.png	57,984	a8502360e35a750c6907f3b1c886e825b1ab8906e7b37e1c60c4d2914dd0cf0e	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/objects/gar-h12.after.png	62,135	b2f21516e853dee8723b8801ed0949fcb07aa52180e5f0de59dff47f017c52a5	1280×720
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/after/same-camera-capture-report.json	7,152	7232a2a0bc6043898f07a2cacf42f7d4c3f531126e8ee24b415bc640a03d969d	status=PASS; passed=true; snapshot=f8edf99494c0…
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/before/msa-r4r5-alley-e-long.before.png	282,880	afd1314609380000bd89326bec8161275d05ccfaae824069f8b048cd6aee7869	1024×576
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/before/msa-r4r5-alley-w-long.before.png	268,375	e2c29f3c1fcd9a0936fbda8060808d3aa450b8ea5b2dcab5ea91ceecd5704cff	1024×576
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/before/msa-r4r5-b02-culinary.before.png	169,051	b872589fe4c57800a8a8c6ba6a1430566aadddac70f6f4566d5e813e4485001d	1024×576
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/before/msa-r4r5-b03-service.before.png	220,874	82d154b92f0fefb415afe998a9cee7d7a84354bf02561bf991b91a01c4b9053c	1024×576
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/before/msa-r4r5-central-connections.before.png	272,113	fd40cd80faa3b1087598379b83696a604556657d6ecc2f0f0415957b43b8da62	1024×576
data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/before/msa-r4r5-district-map.before.png	200,255	3bd3e6b19355d5ed73b23c86f71fe669b7e90a6d19e990ab568fb5235edbd5f6	1200×1200

Path	Bytes	SHA-256	Evidence binding
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/before/msa-r4r5-district-oblique.before.png`	379,783	`ae8c02731048ed5b827096478afbc99c579f3ced789c9f223f2f2cb1d211f7dc`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/before/msa-r4r5-h03-rear-relation.before.png`	206,326	`aaf75fc92a1010398f0e882d4e9dc6ec1dc29d8246b5bff0f071e26d8c2413fb`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/before/msa-r4r5-h09-rear-relation.before.png`	251,056	`960ce5632e3499a5abf49e0423fc8799f43397e63eee0d6de72f53b7239d4c38`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/before/msa-r4r5-r07-connections.before.png`	291,356	`8939b79e9ffff3a2b014c2a3db75b7091909513755e832c585257719a1ce04b5`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/garage-camera-manifest.json`	6,887	`6e1a07bcbe08dfc68995e7bb744b8deda270c10fe699f6f215b2b2ec9b9377c0`	package=mainstreet-r4-garage-exact-object-after-cameras; snapshot=64829086424c…
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5-runtime-safe/same-camera-manifest.json`	15,762	`a68bedb94370137cdef602eebedc2f0c0735216aff794439d826b562e568a607`	package=mainstreet-r4-r5-same-camera-before-after
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5/before/msa-r4r5-alley-e-long.before.png`	284,067	`75260bc10ae7c1b67b791f3ff490cc98609a263ac16be16a2c1ce254d23e5fec`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5/before/msa-r4r5-alley-w-long.before.png`	268,733	`0a068c7b25158c646b2193b7293c32a34f3157f151823062983296802fcf0c7a`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5/before/msa-r4r5-b02-culinary.before.png`	169,044	`6e849f3ffb1890ead342b141b73908f55f9537a00c29f6217a93578662a42393`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5/before/msa-r4r5-b03-service.before.png`	220,243	`7436f1adaeae5eb4e824836b34fc91479a8aedac0e6c2f729b8f980c93127357`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5/before/msa-r4r5-central-connections.before.png`	273,376	`be01c4c8fa0f55f17c97fb5d8d0dcff991807efc9fea904f3a556fd54148aa7d`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5/before/msa-r4r5-district-map.before.png`	199,891	`13e7ac2c4eb143ff81942603a060b2f0186f9347d120738f8a594904d0ba6b9c`	1200×1200
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5/before/msa-r4r5-district-oblique.before.png`	381,148	`151f2e88798867c7ef5aa57265bfd77045f25dcab9ed16f8d0682c4f2e0e3b54`	1024×576

Path	Bytes	SHA-256	Evidence binding
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5/before/msa-r4r5-h03-rear-relation.before.png`	207,621	`1af8b79f94a51ccd283c522237428f525547593533997b8d1b632bba1e5615a7d`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5/before/msa-r4r5-h09-rear-relation.before.png`	254,143	`8fa3b286b68a45a87418c5f75a891be7374440e128e77592e13b32f4750f5caa`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5/before/msa-r4r5-r07-connections.before.png`	290,936	`4c0e457f070c119cc1910abfac11a66434bb4c33eb12905e4abd7aa0bfe8e5b2`	1024×576
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5/garage-camera-manifest.json`	6,571	`71fd298acfdb072280160dd76dbbfd9c04f61bf263282697b7862be6bf958338`	package=mainstreet-r4-garage-exact-object-after-cameras
`data/exports/redevelopment-qa-2026-07-27/mainstreet-r4-r5/same-camera-manifest.json`	15,386	`f0387ec5b1f983b468633d59672b4ad00de7a500ebcd001e600d5c48e452f5c5`	package=mainstreet-r4-r5-same-camera-before-after
`data/exports/redevelopment-qa-2026-07-27/ravenrock/after/capture-report.json`	1,994	`5acb4c05cd115bd32be7bad39998a17075b3ce7a9469d1227031b825cfb7cb4d`	status=PASS; passed=true; snapshot=f8edf99494c0…
`data/exports/redevelopment-qa-2026-07-27/ravenrock/after/s1-east-to-west.png`	26,870	`6cc97b5baefbe441227ff53159f0bf1909a63ad865b642b71a58d9e50a4bfec0`	1280×720
`data/exports/redevelopment-qa-2026-07-27/ravenrock/after/s1-west-to-east.png`	26,057	`d6143cabef0524f6f73b3c0e18a7303ebea6340f67292e10695410934a8279e8`	1280×720
`data/exports/redevelopment-qa-2026-07-27/ravenrock/before/s1-east-to-west.png`	82,932	`2e3985a73c5b50c430beeafdf79b5e95dd69e572423bca6f91c9da9f5fee668d`	1280×720
`data/exports/redevelopment-qa-2026-07-27/ravenrock/before/s1-west-to-east.png`	73,389	`e1e3184e19de2e0a7404f38eadaf3cba313e8a742c9bef6934d4a3ace5d140f1`	1280×720
`data/exports/redevelopment-qa-2026-07-27/ravenrock/camera-manifest.json`	2,041	`e308e01bd820121f1170a56d8826617f8c7d889f9d8480078ed352555f1ade86`	package=INF-RR-01
`data/exports/redevelopment-qa-2026-07-27/westlight/after/east-lower-concert.png`	131,276	`0a7373a6f44dccb8af7a8be87b29ea666351280c7f9df5f0a91a645d1ca53cd1`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/east-lower-sports.png`	140,412	`02d9fbfe028f93e9a6096edac6cb883c29863999f017cd2b7d4d2d6facbaae6b`	1280×720

Path	Bytes	SHA-256	Evidence binding
`data/exports/redevelopment-qa-2026-07-27/westlight/after/east-middle-concert.png`	207,312	`215081a596b5beec36a748033a849bdf1962a55e6d06f889cb24597a24c08b8f`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/east-middle-sports.png`	200,735	`a02672393d4bf5fb490c4085d8a951d74f733d09c0e23fc0cb0c75d378b04f99`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/east-upper-concert.png`	284,063	`374324121a6a3f143e6dcc3c06e983283c26e596163ce22fdbd5fd9eb32cf9f9`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/east-upper-sports.png`	272,640	`12155565009e35cce742c59534709ad2455c7c68b566a67578e6f24dbb3555be`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/manifest.json`	46,259	`2aa2e29e94954ef4276268acdf60c079079ec3459c96667c148a97317874b5f5`	status=rendered-awaiting-visual-acceptance; package=westlight-sightline-matrix-2026-07-27; snapshot=f8edf99494c0…
`data/exports/redevelopment-qa-2026-07-27/westlight/after/north-lower-concert.png`	28,951	`818f4d5e2ed1c6b8d3ee8d8824d1d5372caf36eb7d05099a34d03a80723f0a27`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/north-lower-sports.png`	133,240	`3dd568508e341881b6cf302a3f864e27f27ddf6dff007b3cc8fbc44a3e4c9f3d`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/north-middle-concert.png`	22,887	`97c1129f13eb8a3a6ae06ca4a526cf81d811e60196e008dbf7deca59dd8b9ad5`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/north-middle-sports.png`	152,478	`5690afada5177d2dfb42fa0b49e51f99b1797b050d4d8beb59902673fd09eaec`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/north-upper-concert.png`	141,319	`c361c604a8d203a0fb620bbdc8fb78944df416bd46611bf53548b277077c4983`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/north-upper-sports.png`	243,356	`d0eeabd2ec199a5093678b04651c5cdd22158536c2670149c4a739c9c6af08ac`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/northeast-lower-concert.png`	121,515	`d15888b6922501cc6030e4af5bab1297f46a99a9e33f1c7871ab582a8a691bc9`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/northeast-lower-sports.png`	142,515	`f6329a8a416637f607f47a7d5b2484aa3555db01411fd6a98958326ff7507782`	1280×720

Path	Bytes	SHA-256	Evidence binding
`data/exports/redevelopment-qa-2026-07-27/westlight/after/northeast-middle-concert.png`	126,643	`cfc720e64d460c4ec65aa6a8d063172fe5c2d5456fcdc1dea14fbe05399d3ffc`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/northeast-middle-sports.png`	195,800	`3a71634ba40ceab42e6ae2ddf23f40278504563b5895b5bb289473f5f033b970`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/northeast-upper-concert.png`	234,838	`0bf716adfce0fa3c3048be94c49759ddfd1ebd9debf0df834bad27184261eb02`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/northeast-upper-sports.png`	282,946	`2df2c10eadca3ba98438176740713c6b5db38d656c744d427c1e442fbdd54320`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/northwest-lower-concert.png`	123,763	`47fff5432eff054c9c59928b40af9e17cff1945aec4fca903d0f611582556e83`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/northwest-lower-sports.png`	143,378	`accab97fecf2b068a8ed2f47e65b302ba26b95be236e7394ec4dac1322ff69da`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/northwest-middle-concert.png`	124,447	`2a1de621f3adf2d033ee7636faa3392ad1d26e9d41bc93aa97d94ab7dda54a54`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/northwest-middle-sports.png`	186,991	`dbfb739906fdd1cae8be9296e9b318d4b444596ad0f79c29a6fcff182b38a557`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/northwest-upper-concert.png`	220,203	`e79c6411f40ba1f8dc17115ba0074fb98a1b5e7fcb295d3087c92eefdce4daa6`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/northwest-upper-sports.png`	266,346	`24bac06c11c87756e9359249de952f2672307281a7d398160743d98092bf5355`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/south-lower-concert.png`	126,909	`77286d71bd51d7d243c566858ecf324be677a87e6bd2d17377edb6cd52baf06e`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/south-lower-sports.png`	131,704	`577498d4a8c06d9e33e5e43ea80ea0cbeca42b6bdf9166974c06106e53b1537e`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/south-middle-concert.png`	190,616	`bb74b48324cdf6bff2c1b83f10fdeb54a4b91421de62467c772c31065a292044`	1280×720

Path	Bytes	SHA-256	Evidence binding
`data/exports/redevelopment-qa-2026-07-27/westlight/after/south-middle-sports.png`	155,680	`29a98c42dce8764b38202bbfc2f882ce5fa27717b8b2dc2d2d59b88c956e6881`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/south-upper-concert.png`	275,245	`250cff661bb51941bde43f21e0c463c513ff30ec3dc9a5d561c93a7f351f0864`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/south-upper-sports.png`	254,004	`4c5cef5544a01ad1e9ac4f493f37c8f3c0cffdf53367206d562ccafe04b927d3`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/southeast-lower-concert.png`	137,134	`44e725612384fee1e23e46b10a2feecdda65d34e5e791e775553cd47262632ab`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/southeast-lower-sports.png`	140,470	`6f4e79e9d2476c43e05475d71e511e6d1ab80cbb04b575c7e27a726e7b26576f`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/southeast-middle-concert.png`	226,861	`e18303c05885bc03f27d9b69bd6561fda1198fda193a1461164a324365e35deb`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/southeast-middle-sports.png`	202,683	`1b9605c1b01f26d06efebc94650368e140ecec125c5bdb35d03aa3bb45e2442f`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/southeast-upper-concert.png`	307,356	`0654dae8a822e3e3a78d6584d1431124cf71395b6bac462f3de85647af4a55d3`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/southeast-upper-sports.png`	291,541	`9e8448d496da67e7357cd97e02470335b07d26abfcfc357b24317c6a989ad64b`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/southwest-lower-concert.png`	138,254	`d186e7b798e7ef917548cf1e7638c25c60e7a1d9fa725415d6376f4f95fc624c`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/southwest-lower-sports.png`	143,196	`462fa591831010025583c66d8493427248cbf5498751b03c4125e0a8f7fce647`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/southwest-middle-concert.png`	223,478	`17194d80f4e3923e5dbf57502e6f0b7617d4557d7b1f974874c2c7315e795e03`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/southwest-middle-sports.png`	191,076	`d20f10b0ca6329b3f061ff6247ec1201792df2e330b68dbe34bbb416ec6ac0a3`	1280×720

Path	Bytes	SHA-256	Evidence binding
`data/exports/redevelopment-qa-2026-07-27/westlight/after/southwest-upper-concert.png`	294,157	`54d20caccd22d211c162f4dd582cc46a120b0b320f6c7763a0a2c9375879aad3`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/southwest-upper-sports.png`	264,974	`59d0db1e1aaba1ac1a384fa17af3eb86cc7bd043d53d4b9aa6c195a5b988007b`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/west-lower-concert.png`	133,844	`50294897a1d4920ffda87825683c93e1290a763e4034f3aa5637610bbedd0ffc`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/west-lower-sports.png`	139,225	`02cd8567ea1dc8e79f5039ff9913f51275ae58188c30f95a4096593a46a74bad`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/west-middle-concert.png`	197,242	`1f5fe9201f5fda064975bdd06e06ab5a7a9aca3c689014b1109f1e13ad0f1bee`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/west-middle-sports.png`	185,603	`2e87a04afd460e5453dc759f92571d5f6806a46ee302aaeba1fc295a6e520778e`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/west-upper-concert.png`	257,257	`d784b9294def324f04a0b6822d43d2f576aa36bb8dedc54cc5826105cf7da177`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/after/west-upper-sports.png`	249,447	`c8e56c2a72d5922cdb48bd038990aaa31f71448568d23dc9499cfc82a18ca981`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/before/east-lower.png`	170,566	`22c26021a5a582133af6d3c0ceb76235c0586b15df3722e51519de7ca4976bae`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/before/north-lower.png`	124,042	`498cf69d82ffbfff338df39768c134fe0d23cc3abbd1d4d10ff6a2cd960fb6e0`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/before/south-lower.png`	159,390	`bd72661e2fafec15587a8c769528a2f61bf0e15b5d379ee987acbc1d52992cad`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/before/west-lower.png`	169,524	`18c4b42448e6fe31abb85b754a51caca79b6dd7e3dd7c1f0e7fc4075b40472fd`	1280×720
`data/exports/redevelopment-qa-2026-07-27/westlight/sightlines/camera-plan.json`	36,870	`a76dc23d24235bb1ea6ae05f148d828187ee68c0d382e688f9dc4c3735196b9f`	status=camera-plan; package=westlight-sightline-matrix-2026-07-27; snapshot=c9e2bf0a2c8d...

Path	Bytes	SHA-256	Evidence binding
data/exports/redevelopment-qa-2026-07-27/westlight/sightlines/manifest.json	36,870	92f329fe2db4295ac7dcb5fb93a2675d62ef899ad3645689228f7b4e40663a74	status=camera-plan; package=westlight-sightline-matrix-2026-07-27; snapshot=c9e2bf0a2c8d...

planning-and-reports

Path	Bytes	SHA-256	Evidence binding
docs/redevelopment/2026-07-27/as-built-release-completion.md	23,383	66801b4ebc9e5942ccdf7eed536c33a1c1f4b3017adec42f6939b20d23851f23	—
docs/redevelopment/2026-07-27/atomic-release-report.md	8,229	1d3cdff994cfd4fb0b6143180b8baf33565899dd97956e1f8759908a090d2736	—
docs/redevelopment/2026-07-27/bunker-surface-release.md	25,871	a2c563cc11fce378b1306492013f1bbc4dbc492cc974309a014af9f061515e14	—
docs/redevelopment/2026-07-27/database-and-media-report.md	16,944	1972e47236b0b8a95597256385a4937502c9efbfc80a3d8a3b1c3a290a02d054	—
docs/redevelopment/2026-07-27/execution-register.md	3,064	5b2dc8b7f68cc929464d79d47a9c9f4de0a639c126a9148e53e3e15d7d1b8e2a	—
docs/redevelopment/2026-07-27/infrastructure-audit.design.json	19,880	ba3a8a2efef915edfac62e57941fe5739d8b0c53635036869a8042493fe8ea8b	status=design-audit-no-live-construction-authority
docs/redevelopment/2026-07-27/infrastructure-audit.md	49,323	99cdfc1815d6f973d9dd7d1c7aa059a9c753809241b1eeebd4e7544e968ac7bd	—
docs/redevelopment/2026-07-27/infrastructure-standards.md	22,332	bd619c9939e1be2399cd4b9d6f4e4a8468bf5d3f3f27a9888a0ea40005c77e8a	—
docs/redevelopment/2026-07-27/mainstreet-r4-r5-engineering-release.md	236	2eed384bd26469f74f7bc7e99590c07d204e47911cff7de4236a702bf66c1182	—
docs/redevelopment/2026-07-27/mainstreet-runtime-safety-follow-up.md	12,990	04f0e73a7baadd1453b677505a282bef18919497b3bcb181b370c78fbc9dd78c	—
docs/redevelopment/2026-07-27/mainstreet-surface-release.md	24,110	d6a8e9944eca4d3e48555d90dac302c002ce4ed59670e5e4d150b1d52b3f1d21	—
docs/redevelopment/2026-07-27/master-plan.md	37,550	6be5260ee509efacd5e8130e15a2ecd805bdc19767e48da299e6dda5ca0b14fd	—
docs/redevelopment/2026-07-27/post-deployment-qa.md	3,450	bce100f43b2c97a737c644712a6e82ed5bfd0b305a31dd1cf6ab2933702bc278	—
docs/redevelopment/2026-07-27/README.md	5,374	a9f59f4fd2778db9e94874c669f9a40bda0be53b1cd47da5536d354c85482e38	—
docs/redevelopment/2026-07-27/release-attempt-1-incident.md	5,185	7eb2bf91feba587b081bbdbf72d0b4d8e037e319ab62b78de74001e9edd86b42	—
docs/redevelopment/2026-07-27/requirements-traceability.md	8,254	0cfcd173dae4b470d2c3702342e5787600e744fb19d6bbf817eee1aa984dfcc5	—
docs/redevelopment/2026-07-27/research-bibliography.md	23,842	82c775639c6bc37392d216166aeb5e120abf5beea0daf3797ffd5b3aeb96020b	—
docs/redevelopment/2026-07-27/risk-register.md	15,526	9347a2ab3a71f7ea44ff49fa9b6b63a8b8543cab90a48a6ecadea24619bca9be	—

Path	Bytes	SHA-256	Evidence binding
docs/redevelopment/2026-07-27/tunnel-repair-release.md	17,680	7920fa1fd82795d8517701667f3facef1e2ac5656fbb5e634277a4a779743c00	—
docs/redevelopment/2026-07-27/visual-evidence-plan.md	4,748	46b8aa33313b12be8ea458bb3b6c46d1d76eacca066bb3be6d5004a81cd5c766	—
docs/redevelopment/2026-07-27/wave2-media-catalog-release.md	19,617	3b2b7eec0cc0b6e0f7762db1c6b7cfc8e3b0b5a7a8a872623f6b18664acc05ba	—
docs/redevelopment/2026-07-27/westlight-screen-release.md	9,995	7dafc842ca52e4141180570f0ddb8c2ea826d3837aa246c1617a88bbd33f7709	—

release-automation

Path	Bytes	SHA-256	Evidence binding
scripts/__pycache__/audit_rcon_runner_chunk_streaming.cpython-312.pyc	26,230	14dbb218fd50f2233d5d4771c84d9684dd4621cd0dcc3d58784bee86f0acf421	—
scripts/__pycache__/gen_ravenrock_connectivity.cpython-312.pyc	1,508	3b70648e76e48b28d1c58b1fb2e2f6ff5a0662a28f2229494bdce30d5aeb0a31	—
scripts/__pycache__/gen_westlight.cpython-312.pyc	38,284	0e2b3084040c423037e8c84c2340f8bcb47c812c01a407a0b1d54c05760c8b35	—
scripts/__pycache__/rcon_runner.cpython-312.pyc	70,164	2688d144e6ca8131711ea53cbd28c5f4202f332b3d38568a63f02166f83d10bf	—
scripts/__pycache__/redevelopment_live_entity_gate.cpython-312.pyc	51,696	783fe5632ced300bdc4e8515e25fd6f3eee9bf6d71207210ff3cde4e03f9fa00	—
scripts/__pycache__/run_redevelopment_atomic_release.cpython-312.pyc	45,698	a2ebdae4c32a698defaf14df2424ea743ba37e11990b6b00a18648fd64482287	—
scripts/__pycache__/run_redevelopment_route_qa.cpython-312.pyc	15,807	812278a22ea1c9693d9e510e4361f84e119db1cefd5324739655137af75a12d5	—
scripts/adopt_redevelopment_render_cache.mjs	8,339	fbdb018b9a83d06053a6cecc99717550a57a3f32c9f9883a876ba0db1abf7769	—
scripts/analyze_mainstreet_redevelopment_runtime_failure.mjs	14,641	77d4af82b8cea455fe5fded04dd733dcb50470f5fbdef51e12ae276fabd728b0	—
scripts/audit_rcon_runner_chunk_streaming.py	24,700	3949284c88005442c6cb059f7b03d9f4a9dd957d7e9e8a3c3130b3f3fddd5093	—
scripts/build_redevelopment_kb.mjs	25,126	92d8d5ca58355dc0f80371687917e71d8936b41e6b244a10504d939e4a2994cb	—
scripts/finalize_ravenrock_t2b_wave2.mjs	9,478	ddb9c284fba6ff4028786dc0f8b516e2540c9b697132c363454c97e9eec54d39	—
scripts/gen_ravenrock_connectivity.py	951	38e51e0d3917d24f3e230281304e8c41c13f536659fdb5868c8f797813e59bc0	—
scripts/gen_westlight.py	26,519	b72fd53407bf4b7360a3a52248c698bfb9aefd25d08d7c9524e19d927d97233a	—
scripts/generate_bunker_recessed_portal_phase2.mjs	34,808	aeeda1c1dfab2b8d0abd87e0678e988f2299b4873ce2c8f00d815666e6968c16	—
scripts/generate_bunker_surface_phase1.mjs	45,680	c54c517c8acbb04cd75b67e6f769e78b2f12ed47a746081507380cd8e4b1e6b0	—

Path	Bytes	SHA-256	Evidence binding
`scripts/generate_c01_bunker_classification_manifest.mjs`	42,758	`e04e5c51c1bc145fec0d8f51ea1c67879c7b56a2b17da90768d25593cee7149e`	—
`scripts/generate_mainstreet_garage_camera_manifest.mjs`	2,390	`c6bbaa94a09b93b6d39be71229e11b0a3894f20ee62e9ed824abe5a02356c61b`	—
`scripts/generate_mainstreet_redevelopment_r4_r5.mjs`	97,997	`8c18fd13e4801b01f8af23b185cc60b32584d348321ecf74984a68fe455ae5e4`	—
`scripts/generate_ravenrock_s1_camera_manifest.mjs`	3,212	`210182d9a64b8134b6e038167c4c507cb6e56c6a932df07ccdab622af8023e24`	—
`scripts/generate_ravenrock_s1_pilot.mjs`	21,543	`95e1a8a12d2cab19d677e3c55ea65d5eac0a3f8d122fa2e7ece9a741c3516b73`	—
`scripts/generate_ravenrock_t2b_wave2.mjs`	40,698	`e3aa809ff504b54cc4d90f75d7594252a3796b890065bc82d8fed50c11333487`	—
`scripts/generate_redevelopment_artifact_register.mjs`	17,464	`65c12ec3dd029dcc2d2607f9b744681ec8a5749a6f2a04f9cc033573a0bdb693`	—
`scripts/generate_redevelopment_dossier.mjs`	30,153	`5ef04be93248d7422ad8453a819dc5ebb22ed724b3ad9f26b24d47705e7625ab`	—
`scripts/generate_westlight_infinity_screen.mjs`	9,278	`1404d2154c98edf97e6df1d93784b352cf1c5a3826d64e1099d25eb17ee90a6b`	—
`scripts/generate_westlight_sightline_matrix.mjs`	6,254	`2be31af175fe697f143278ca9868e17a703be6d9c7a09f1b0c9df52c0a01326d`	—
`scripts/generate_world_catalog.mjs`	45,632	`844b5e544a6133f96fa4b14b9e3cc2a54536d3136bb40a8e804d7dde231bafc8`	—
`scripts/hash_world_snapshot.mjs`	914	`b3335e78c1c38de9e079566d79440a9df5a98758db2b59fee20bdfc2f56cdfd2`	—
`scripts/import_redevelopment_release.mjs`	14,986	`c43755249c9fa1d5ec155a92faa22c4875922a4111596f399e49307420569c85`	—
`scripts/prepare_town_expansion_world_showcase.mjs`	17,097	`934a465121d3781b70e2c9e8e38fefd2399f8c4a7c701be1595c55de07e4f8c6`	—
`scripts/prepare_world_showcase.mjs`	15,108	`1b8fcdad03f552d76cae887192ddc149eeed015c959e1c30fc29011c570a9829`	—
`scripts/qa_bunker_surface_phase1_independent.mjs`	32,525	`51ea42859f0113f2bdd21df7b34cc0f5a4c22d3e982e7340336c3a9078dc022b`	—
`scripts/qa_c01_bunker_square.mjs`	38,006	`d94941102d87cf0b5c4e53e105d13c76cd20c58e15228a3d919c43929f1cf3fc`	—
`scripts/qa_mainstreet_redevelopment_r4_r5_independent.mjs`	64,203	`6799ae2717002fff02e10b952dbf218a797b1cf70e8c0e460ff0a949694f06c4`	—
`scripts/qa_ravenrock_s1_pilot.mjs`	17,876	`8b9d96d02ec8e560c6d068825ed1e46fdf469f8416a6190ef03275cbbbce9f0e`	—
`scripts/qa_ravenrock_t2b_wave2.mjs`	21,388	`de664724a82a9a000618a497b6c263914e52ddfbf89c39fbbf1a280b2a50501e`	—
`scripts/qa_redevelopment_atomic_release.mjs`	54,509	`e8c6d63171313f360a3868a8e255400f61659bf264ddad4cf939217d8132bfa9`	—
`scripts/rcon_runner.py`	66,045	`f3c29f052cfe9f9a59e41a86c5ae6f7655c33e09962d5a47d6d5b62c1735a0da`	—

Path	Bytes	SHA-256	Evidence binding
scripts/redevelopment_live_entity_gate.py	49,621	8c3557ba8e84789cad47d198d4ed0ec21139c17eb03bfed6d2f3570189f25e8c	—
scripts/render_redevelopment_camera_manifest_batched.mjs	4,444	2627a8c9d709a233a5cd2b8fcb0cc5c69adc2332bcee82f50ee3f1c95c9cea1e	—
scripts/render_redevelopment_camera_manifest.mjs	17,679	b80e30b16cf43441fcd8470e93ae9e3772232bb5598642cc287869b1ffb5b8cb	—
scripts/run_redevelopment_atomic_release.py	39,522	5c4c296e210b7482412ef77d756bc21767041006c9fb2f49eaf834a2e161320a	—
scripts/run_redevelopment_route_qa_standalone.mjs	14,418	27805781e370257e6214fdab6f7bada9532979ef19721331488d10bc7e9b2cb1	—
scripts/run_redevelopment_route_qa.py	9,918	d55c0872ee2ec2b654d8ae18c7af82f4da942f10aab78023641d7214f3602297	—
scripts/world_snapshot.py	2,652	9b347f37dc1f708229e86b42383d673f4266dc2cf52080c2992db36e6f793d0a	—

release-tests

Path	Bytes	SHA-256	Evidence binding
test/build/adoptRedevelopmentRenderCache.test.ts	8,575	2a207c7593232d0718abae92b6087d590ee758183c322131f6d4dfcdb3eef7db	—
test/build/generateBunkerRecessedPortalPhase2.test.ts	7,151	319b950c0c3f523f47c67a36f00450d2f752308b6167c28948e65cb395bcb73f	—
test/build/generateBunkerSurfacePhase1.test.ts	8,816	67ffb8fe1173f08dd6d676ff6b3415e284ce69786df1697395daba4d8b5d2325	—
test/build/generateMainstreetRedevelopmentR4R5.test.ts	15,322	0da32532dddcd68d7b03692cde3bc82bcee070cc8c1b9c4c2cba72351e429c4f	—
test/build/generatePicketFence.test.ts	9,959	b3607c06851aff13b2b99bf80cc3ef91eabe3468fe32ec86ef9978b5752e3967	—
test/build/generateRavenRockS1Pilot.test.ts	4,812	d4382ddb98e6b701813ec056ee4200e428c6b98ce0e71b19359ec37e462e14e8	—
test/build/generateRavenRockT2bWave2.test.ts	5,917	c025eefa50bb6e7bc0992ad0ed30dbf48bedcabb8005e5f01d1fac641bdfe15f	—
test/build/generateWestlightInfinityScreen.test.ts	2,766	12039e8a9f136bbd4159d349f980e0a0dc131d81e1cd5fcc092c6cce0f89bcc6	—
test/build/qaC01BunkerSquare.test.ts	13,816	b759ecb4411250bcb9a76a5c4dc8cfec65126a5de79018261b7659ea8aea4c41	—
test/build/renderRedevelopmentCameraManifestResume.test.ts	3,801	35617389d75dcded2e03d7ee61aebeef2c0782166fc85b28aa467f0132a57c24	—

showcase-source

Path	Bytes	SHA-256	Evidence binding
world-showcase/.openai/hosting.json	63	f08b9505068c5dd23dea5edbcd40dc469d630eca04f0007aede2509b3d1c01b1	—
world-showcase/.sites-worker-bundle/README.md	121	57eb15e3b08d113b6a947e9d30422636f3bc53dfbe4ceb3f34c61a22583ce203	—
world-showcase/.sites-worker-bundle/worker.js	3,868,141	52fcd10d5081d8d215c28efa1f424f0fac72590b78a25d7ee5c5dc2114d65b50	—
world-showcase/.sites-worker-bundle/worker.js.map	4,971,661	8811ed41361c8ebb1f785b3c8bd8a1ccca7193a40471ccfb235cd435fab9bc64	—
world-showcase/.wrangler/state/v3/cache/miniflare-CacheObject/metadata.sqlite	4,096	4c34b48e33536be849e9810707c97ff2b5625bb5cbf1637dbe384cfffdda3b9d	—
world-showcase/.wrangler/state/v3/cache/miniflare-CacheObject/metadata.sqlite-shm	32,768	b19f28e1dcd1a956900e494146df0ee782e08f6111a2b17933efa14f52d205f2	—
world-showcase/.wrangler/state/v3/cache/miniflare-CacheObject/metadata.sqlite-wal	8,272	68a163795b1f31f159c8b379c774d4636cd1b31a4a4ea8a2a8f5ec5570969f24	—
world-showcase/app/api/auth/route.ts	951	8702da998dcc48db137d194af96df124ab26f4ddc7c129ab5ffe7086735a5a7a	—
world-showcase/app/icon.svg	403	3bc73607538133d6dc7d363df9a17fd1c05b2306a6274ad89e42c97c924ccd3b	—
world-showcase/app/layout.tsx	483	1d0455efe73136779daccb61034536ed8106a7cc76da607d4687e9f544c473ae	—
world-showcase/app/page.tsx	14,037	4389cb6ad0251190905c8e0781a95244e5f10706dac70b7e62e2d91f15c49743	—
world-showcase/app/styles.css	18,153	c441d378181f66d8fc25d216cf1f3a9e76cf94d1df9401ea48cd8e55a6158b53	—
world-showcase/components/AtlasExplorer.tsx	3,291	ddbe9fa0341344081d41b2a9d13660fe120cb31807867f6e531cf0412748c42e	—

Path	Bytes	SHA-256	Evidence binding
world-showcase/components/PasscodeGate.tsx	5,026	d73ec21599a40eff5cc2d4e2fdcb92989804f454e317611831d50afab95f6034	—
world-showcase/lib/siteAuth.ts	1,874	99be14b512c1cba499172a87ccd92128b9efc68c78372f5675c652d9bafd593b	—
world-showcase/middleware.ts	1,839	bc844273b4dcbef769e2bb90a21f91678f853c0269c2aece30b6dd995436b280	—
world-showcase/next-env.d.ts	262	85ae5aee75f011967cf2d25cbc342f62d69314e9d925f7f4aa3456fc2cffcca6	—
world-showcase/next.config.ts	185	ce1d9fbc19a4e45b29ba9b91f2d9aedc68bfedcb0f512324ae140dfcbe29a649	—
world-showcase/open-next.config.ts	109	48a47e57593373c29b88d2d1bd46d29e602fd051c19afc28f3b0be17f94ae1d4	—
world-showcase/package-lock.json	229,826	27721a8bcdd9840db2649d0f0749584159137e64692ae3c63359c531a43de316	—
world-showcase/package.json	786	a142187d66c3c15f2b77849f6645b166c6a2a44bc80ab6860d7eb85501abc5e2	—
world-showcase/public/_headers	169	ef6c06564dbab78e8364762bc14b738bed0dd47cd371df78d17b6e79e3ef21f6	—
world-showcase/public/atlas/mainstreet.png	121,884	21ad78a19ae0771b3530c50339aa636e5e860876304632d5b3d927a9d27c5c29	1600×1100
world-showcase/public/atlas/raven-rock.png	544,752	b1499849a0eff00179b0c20de150cd583277a4faa1a99dc3d57d25c0de3de13b	1282×1282
world-showcase/public/atlas/ravensgate.png	73,340	bf70ec0b2a61a432c825874a8f1a34458b697514a17580b62fca8a22123d6b52	725×965
world-showcase/public/atlas/ravensreach.png	108,897	87da0e7059507a5a29b5ea692133beb4cb2eeef259048d9ac437a5c2484a9780	805×885

Path	Bytes	SHA-256	Evidence binding
world-showcase/public/atlas/underground.png	92,658	3fde1c06f175bd2d915f84443612ba0ddccd636f0e754b4542770dc285ce25d6	1600×1100
world-showcase/public/atlas/western-corridor.png	196,877	d896cc811b678ec6fb3a5a6d3f1fe55d18d9da98bdf9308fb172d6d80aa75346	1395×1107
world-showcase/public/atlas/westlight.png	128,682	1909c753f8d0ce288c321b5a532574b25b38b7275bb392fed5d17b523f2a653a	900×1028
world-showcase/public/atlas/whole-world.png	1,213,312	b95bcbb9c10dcf599f7688654510782ff9350c7432189f414eeee04e39410c2c	1792×2176
world-showcase/public/catalog/mainstreet-america-apt-s01-03-observatory-penthouse-plans.png	261,845	f0ba5819f3d2e8a5288cbad8e9e4b9c7faf8d404f27d8dbfba4ec111f1d5eff1	1600×1100
world-showcase/public/catalog/mainstreet-america-b01-mainstreet-america-b01.png	41,552	a7ceeefdbf41535b8d7471844fb50011ee2632f253fcc166da05d9a2c47ccbab	1600×1100
world-showcase/public/catalog/mainstreet-america-b01.png	41,552	a7ceeefdbf41535b8d7471844fb50011ee2632f253fcc166da05d9a2c47ccbab	1600×1100
world-showcase/public/catalog/mainstreet-america-b02-mainstreet-america-b02.png	42,560	eae289d5d1dcbed49a83f3dd1359ce12868ce19b46cad9f23734a3eeddaf67a1	1600×1100
world-showcase/public/catalog/mainstreet-america-b02.png	42,560	eae289d5d1dcbed49a83f3dd1359ce12868ce19b46cad9f23734a3eeddaf67a1	1600×1100
world-showcase/public/catalog/mainstreet-america-b03-mainstreet-america-b03.png	41,718	23035fd85045ecbec168d53ac410203e141d46d36771e42ae9a828d89f701c96	1600×1100
world-showcase/public/catalog/mainstreet-america-b03.png	41,718	23035fd85045ecbec168d53ac410203e141d46d36771e42ae9a828d89f701c96	1600×1100
world-showcase/public/catalog/mainstreet-america-c01-mainstreet-america-c01.png	99,213	d9e6df901c83ce9967b1b14734d2156d03c0bfe454b2b8af2161479c71c50a6d	1600×1100
world-showcase/public/catalog/mainstreet-america-c01-public-entry-mainstreet-america-c01-public-entry.png	52,264	4d8b9ab1c053c4b4acf7924591d348925e8867179bc7d32e634f6cddb2d15cb8	1600×1100

Path	Bytes	SHA-256	Evidence binding
world-showcase/public/catalog/mainstreet-america-c01-public-entry.png	52,264	4d8b9ab1c053c4b4acf7924591d348925e8867179bc7d32e634f6cddb2d15cb8	1600×1100
world-showcase/public/catalog/mainstreet-america-c01-public-portal-recessed-phase2-mainstreet-america-c01-public-portal-recessed-phase2.png	226,044	8023bb700bf60b10f2a1747b4e28a42ee65614f10a10ec025feb3cd3195e0e45	1600×1100
world-showcase/public/catalog/mainstreet-america-c01.png	99,213	d9e6df901c83ce9967b1b14734d2156d03c0bfe454b2b8af2161479c71c50a6d	1600×1100
world-showcase/public/catalog/mainstreet-america-c02-mainstreet-america-c02.png	39,968	e0383d5017c892adc772b8a0e2cbf173223b8ca855b51e3b531f5d145fbbaee1	1600×1100
world-showcase/public/catalog/mainstreet-america-c02.png	39,968	e0383d5017c892adc772b8a0e2cbf173223b8ca855b51e3b531f5d145fbbaee1	1600×1100
world-showcase/public/catalog/mainstreet-america-c03-mainstreet-america-c03.png	39,022	e42b5b18d6951df1a7ee36d2a4e42c4f1ddbac54d071b706f950f736db85f9cb	1600×1100
world-showcase/public/catalog/mainstreet-america-c03.png	39,022	e42b5b18d6951df1a7ee36d2a4e42c4f1ddbac54d071b706f950f736db85f9cb	1600×1100
world-showcase/public/catalog/mainstreet-america-c04-mainstreet-america-c04.png	42,745	0e6e2438002f91028803efe21388a9b48b5c1d52bfa19674b384ecdc71b20ada	1600×1100
world-showcase/public/catalog/mainstreet-america-c04.png	42,745	0e6e2438002f91028803efe21388a9b48b5c1d52bfa19674b384ecdc71b20ada	1600×1100
world-showcase/public/catalog/mainstreet-america-c05-mainstreet-america-c05.png	41,897	6e0f70a59d6486647244a2c226e996e2fbef9c6a6f420d5a4f3bbd1be4ebc1b0	1600×1100
world-showcase/public/catalog/mainstreet-america-c05.png	41,897	6e0f70a59d6486647244a2c226e996e2fbef9c6a6f420d5a4f3bbd1be4ebc1b0	1600×1100
world-showcase/public/catalog/mainstreet-america-c06-mainstreet-america-c06.png	40,198	8d46e23748d10a71e1cad6478fae5af089c5064741c6545452ee2f00d395846f	1600×1100
world-showcase/public/catalog/mainstreet-america-c06.png	40,198	8d46e23748d10a71e1cad6478fae5af089c5064741c6545452ee2f00d395846f	1600×1100

Path	Bytes	SHA-256	Evidence binding
world-showcase/public/catalog/mainstreet-america-c07-mainstreet-america-c07.png	39,195	110e97d01c42ca534d89fbcfa24409e40bd3c3497838a36cbcb4067be1b6dbf7	1600×1100
world-showcase/public/catalog/mainstreet-america-c07.png	39,195	110e97d01c42ca534d89fbcfa24409e40bd3c3497838a36cbcb4067be1b6dbf7	1600×1100
world-showcase/public/catalog/mainstreet-america-grid-e2-building-mainstreet-america-grid-e2-building.png	60,161	7fd45ae547208a00a09e6fd54168de19dcdf16f2b8ca7d6a3141f290f13b8598	1600×1100
world-showcase/public/catalog/mainstreet-america-grid-e2-building.png	60,161	7fd45ae547208a00a09e6fd54168de19dcdf16f2b8ca7d6a3141f290f13b8598	1600×1100
world-showcase/public/catalog/mainstreet-america-grid-w2-building-mainstreet-america-grid-w2-building.png	69,460	e205b0ea84a9959016c8a193ad4fb97db845e9f0d014f20a1be35ad58f961adf	1600×1100
world-showcase/public/catalog/mainstreet-america-grid-w2-building.png	69,460	e205b0ea84a9959016c8a193ad4fb97db845e9f0d014f20a1be35ad58f961adf	1600×1100
world-showcase/public/catalog/mainstreet-america-h01-mainstreet-america-h01.png	69,143	7b4bdb3a197b0505e94597e6508a5cdbbd92a73e6c30d648372a1b9c8b8d30b9	1600×1100
world-showcase/public/catalog/mainstreet-america-h01.png	69,143	7b4bdb3a197b0505e94597e6508a5cdbbd92a73e6c30d648372a1b9c8b8d30b9	1600×1100
world-showcase/public/catalog/mainstreet-america-h02-mainstreet-america-h02.png	54,948	c46d55a882098ea2bb4c3007014463866e06ea0f17db510d5932745c809ed25c	1600×1100
world-showcase/public/catalog/mainstreet-america-h02.png	54,948	c46d55a882098ea2bb4c3007014463866e06ea0f17db510d5932745c809ed25c	1600×1100
world-showcase/public/catalog/mainstreet-america-h03-mainstreet-america-h03.png	55,489	3e7ef85e3e7df8abd0f3f1b8a8c2def4025e96f80c4f684fd7872368dc04dd5c	1600×1100
world-showcase/public/catalog/mainstreet-america-h03.png	55,489	3e7ef85e3e7df8abd0f3f1b8a8c2def4025e96f80c4f684fd7872368dc04dd5c	1600×1100
world-showcase/public/catalog/mainstreet-america-h04-mainstreet-america-h04.png	56,829	72db4aa39d4af779457172891a37b6c02b3fddae716aa2eb0106a2cf23a63665	1600×1100

Path	Bytes	SHA-256	Evidence binding
`world-showcase/public/catalog/mainstreet-america-h04.png`	56,829	`72db4aa39d4af779457172891a37b6c02b3fddae716aa2eb0106a2cf23a63665`	1600×1100
`world-showcase/public/catalog/mainstreet-america-h05-mainstreet-america-h05.png`	53,159	`8b10266cad25b4c43aa524a815f2b0efaa7e25d7fb217f816413609933296833a`	1600×1100
`world-showcase/public/catalog/mainstreet-america-h05.png`	53,159	`8b10266cad25b4c43aa524a815f2b0efaa7e25d7fb217f816413609933296833a`	1600×1100
`world-showcase/public/catalog/mainstreet-america-h06-mainstreet-america-h06.png`	52,860	`1e18058af15554c65a6bde310d45722fea2d226f7bad3b162ab180dba5f7de9d`	1600×1100
`world-showcase/public/catalog/mainstreet-america-h06.png`	52,860	`1e18058af15554c65a6bde310d45722fea2d226f7bad3b162ab180dba5f7de9d`	1600×1100
`world-showcase/public/catalog/mainstreet-america-h07-mainstreet-america-h07.png`	55,614	`e6d6ff0201c51006c4fa2a52ac85c2dfc4be54862ab3d01c242b3f49c09d4075`	1600×1100
`world-showcase/public/catalog/mainstreet-america-h07.png`	55,614	`e6d6ff0201c51006c4fa2a52ac85c2dfc4be54862ab3d01c242b3f49c09d4075`	1600×1100
`world-showcase/public/catalog/mainstreet-america-h08-mainstreet-america-h08.png`	51,085	`096e7ff74d31da62f94adf3b062653a21aa010894f11a30d683b1bf985ad8fce`	1600×1100
`world-showcase/public/catalog/mainstreet-america-h08.png`	51,085	`096e7ff74d31da62f94adf3b062653a21aa010894f11a30d683b1bf985ad8fce`	1600×1100
`world-showcase/public/catalog/mainstreet-america-h09-mainstreet-america-h09.png`	53,410	`7d6141632c8408b28ac02142927ddbdb2402342259c16935934a2a22fce27d14`	1600×1100
`world-showcase/public/catalog/mainstreet-america-h09.png`	53,410	`7d6141632c8408b28ac02142927ddbdb2402342259c16935934a2a22fce27d14`	1600×1100
`world-showcase/public/catalog/mainstreet-america-h10-mainstreet-america-h10.png`	53,922	`69353cbcebe6369cb689518193e7ba62223551a083b90d2f163fa1a769a90e2c`	1600×1100
`world-showcase/public/catalog/mainstreet-america-h10.png`	53,922	`69353cbcebe6369cb689518193e7ba62223551a083b90d2f163fa1a769a90e2c`	1600×1100

Path	Bytes	SHA-256	Evidence binding
world-showcase/public/catalog/mainstreet-america-h11-mainstreet-america-h11.png	68,663	980267492 2ab974179069bc33f008bf1f1fab4a9fc3d0a8a84cbdffcf96cf938	1600×1100
world-showcase/public/catalog/mainstreet-america-h11.png	68,663	980267492 2ab974179069bc33f008bf1f1fab4a9fc3d0a8a84cbdffcf96cf938	1600×1100
world-showcase/public/catalog/mainstreet-america-h12-mainstreet-america-h12.png	51,753	6047d5067b6cb1c7d0f6375084b55f7ba6e516729b6d7adb64a94e4bc36a113c	1600×1100
world-showcase/public/catalog/mainstreet-america-h12.png	51,753	6047d5067b6cb1c7d0f6375084b55f7ba6e516729b6d7adb64a94e4bc36a113c	1600×1100
world-showcase/public/catalog/mainstreet-america-hgr-s01-mainstreet-america-hgr-s01.png	69,286	52ad8ee14e33861f8a05245f9d578a854785502c1f0ec8fdbc6ef93006917a8f	1600×1100
world-showcase/public/catalog/mainstreet-america-hgr-s01.png	69,286	52ad8ee14e33861f8a05245f9d578a854785502c1f0ec8fdbc6ef93006917a8f	1600×1100
world-showcase/public/catalog/mainstreet-america-obs-s01-mainstreet-america-obs-s01.png	61,243	028697fb9f66c551d444471cdbf631978321ecec0df8fd0539f429e6aa04d89a	1600×1100
world-showcase/public/catalog/mainstreet-america-obs-s01.png	61,243	028697fb9f66c551d444471cdbf631978321ecec0df8fd0539f429e6aa04d89a	1600×1100
world-showcase/public/catalog/mainstreet-america-p01-canopy-east-mainstreet-america-p01-canopy-east.png	47,111	b8081475e354d2426cd1c19556609f4a94d128e735ba3a7cd780c86f907c4595	1600×1100
world-showcase/public/catalog/mainstreet-america-p01-canopy-east.png	47,111	b8081475e354d2426cd1c19556609f4a94d128e735ba3a7cd780c86f907c4595	1600×1100
world-showcase/public/catalog/mainstreet-america-p01-canopy-west-mainstreet-america-p01-canopy-west.png	47,660	1e70d8d34b92f1de79267c53065eec885f3f9509d22ac4a0de1aa11f661bcd8f	1600×1100
world-showcase/public/catalog/mainstreet-america-p01-canopy-west.png	47,660	1e70d8d34b92f1de79267c53065eec885f3f9509d22ac4a0de1aa11f661bcd8f	1600×1100
world-showcase/public/catalog/mainstreet-america-shl-s01-mainstreet-america-shl-s01.png	60,828	36173c6c02cc8561f27ac1f65d686f035bf34a70e2999327d2b87a10be3fef71	1600×1100

Path	Bytes	SHA-256	Evidence binding
world-showcase/public/catalog/mainstreet-america-shl-s01.png	60,828	36173c6c02cc8561f27ac1f65d686f035bf34a70e2999327d2b87a10be3fef71	1600×1100
world-showcase/public/catalog/mainstreet-america-vlt-g01-mainstreet-america-vlt-g01.png	73,709	e60e757bf0454c35be3f43d6073ddcdcb456a2f85cbe788d93d065026034065c	1600×1100
world-showcase/public/catalog/mainstreet-america-vlt-g01.png	73,709	e60e757bf0454c35be3f43d6073ddcdcb456a2f85cbe788d93d065026034065c	1600×1100
world-showcase/public/catalog/raven-rock-rr-b1-raven-rock-rr-b1.png	80,226	93dfa0487db524c15c50826013566648d1817e212d66f055ce672033a59b1e93	1600×1100
world-showcase/public/catalog/raven-rock-rr-b1.png	80,226	93dfa0487db524c15c50826013566648d1817e212d66f055ce672033a59b1e93	1600×1100
world-showcase/public/catalog/raven-rock-rr-b2-raven-rock-rr-b2.png	81,993	e1a7689bfa88dc178315ab4a0926dad916d084e6ed0298d7a50de2d04ee0ba57	1600×1100
world-showcase/public/catalog/raven-rock-rr-b2.png	81,993	e1a7689bfa88dc178315ab4a0926dad916d084e6ed0298d7a50de2d04ee0ba57	1600×1100
world-showcase/public/catalog/raven-rock-rr-b3-raven-rock-rr-b3.png	70,722	df6cc290a39c7fea9a8781bd1b2572b8a46b954e4a2321387e13907be6fae2a8	1600×1100
world-showcase/public/catalog/raven-rock-rr-b3.png	70,722	df6cc290a39c7fea9a8781bd1b2572b8a46b954e4a2321387e13907be6fae2a8	1600×1100
world-showcase/public/catalog/raven-rock-rr-b4-raven-rock-rr-b4.png	58,717	e36013583dbcd12fdad1cbb0b2af110798ed4f8c60a03f1d32e112202a2f84e3	1600×1100
world-showcase/public/catalog/raven-rock-rr-b4.png	58,717	e36013583dbcd12fdad1cbb0b2af110798ed4f8c60a03f1d32e112202a2f84e3	1600×1100
world-showcase/public/catalog/raven-rock-rr-z5-raven-rock-rr-z5.png	89,276	8c1dacdfa502c7d1a9f5f646b75f693970b4b3bfe2ca592a0a4b52e16d47a30f	1600×1100
world-showcase/public/catalog/raven-rock-rr-z5.png	89,276	8c1dacdfa502c7d1a9f5f646b75f693970b4b3bfe2ca592a0a4b52e16d47a30f	1600×1100

Path	Bytes	SHA-256	Evidence binding
`world-showcase/public/catalog/ravensgate-rg-bell-ravensgate-rg-bell.png`	75,243	`f46228322c35d0cd04504b5a93d9dd39d464dbc4d8fa09101dd1aa844616485f`	1600×1100
`world-showcase/public/catalog/ravensgate-rg-bell.png`	75,243	`f46228322c35d0cd04504b5a93d9dd39d464dbc4d8fa09101dd1aa844616485f`	1600×1100
`world-showcase/public/catalog/ravensgate-rg-loggia-ravensgate-rg-loggia.png`	49,862	`938021d9548022371b9fea020bb454704cee6060725fed3b850f3d6d30799d02`	1600×1100
`world-showcase/public/catalog/ravensgate-rg-loggia.png`	49,862	`938021d9548022371b9fea020bb454704cee6060725fed3b850f3d6d30799d02`	1600×1100
`world-showcase/public/catalog/ravensgate-rg-stoa-ravensgate-rg-stoa.png`	49,236	`907c9896a5fd6a472ca815d032ce4ac7208b11cf3b5911ef3a7f3cce6eb86140`	1600×1100
`world-showcase/public/catalog/ravensgate-rg-stoa.png`	49,236	`907c9896a5fd6a472ca815d032ce4ac7208b11cf3b5911ef3a7f3cce6eb86140`	1600×1100
`world-showcase/public/catalog/ravensgate-rg-tempietto-ravensgate-rg-tempietto.png`	53,201	`8e07b82e67f0b1bebe1459bf54b4d71d4ae687fee600e1ce4e56fc0429d750a7`	1600×1100
`world-showcase/public/catalog/ravensgate-rg-tempietto.png`	53,201	`8e07b82e67f0b1bebe1459bf54b4d71d4ae687fee600e1ce4e56fc0429d750a7`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-architect-ravensreach-rrch-architect.png`	54,592	`db892a7c02069c8b4de6ca3a1697d6ba22e4164bf87a0b51150a4636376c2b24`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-architect.png`	54,592	`db892a7c02069c8b4de6ca3a1697d6ba22e4164bf87a0b51150a4636376c2b24`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-grange-ravensreach-rrch-grange.png`	69,498	`0f0d50fec3c0a0014a5bf7d59bc5ba834a8fe76b0c3f69e60231492a655b9049`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-grange.png`	69,498	`0f0d50fec3c0a0014a5bf7d59bc5ba834a8fe76b0c3f69e60231492a655b9049`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-library-ravensreach-rrch-library.png`	97,696	`c5724d91240b8405870e8f8f17f1592add47d1e42086a69844e093f74e221026`	1600×1100

Path	Bytes	SHA-256	Evidence binding
`world-showcase/public/catalog/ravensreach-rrch-library.png`	97,696	`c5724d91240b8405870e8f8f17f1592add47d1e42086a69844e093f74e221026`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-market-ravensreach-rrch-market.png`	66,840	`8ccb52f596967f7013b11b941f21a57541f2c0712e6f70506aaeacb49987b466`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-market.png`	66,840	`8ccb52f596967f7013b11b941f21a57541f2c0712e6f70506aaeacb49987b466`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-mason-ravensreach-rrch-mason.png`	54,250	`fa3824383d3838931fa71282e43b925219346324ca143a7b0d582af64f4ec2d7`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-mason.png`	54,250	`fa3824383d3838931fa71282e43b925219346324ca143a7b0d582af64f4ec2d7`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-moot-ravensreach-rrch-moot.png`	132,911	`ebe33d95a01fab5d0b428e6d9f5dc1b6de4b5d4c8fd99fcc5df47b7a37d8dff1`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-moot.png`	132,911	`ebe33d95a01fab5d0b428e6d9f5dc1b6de4b5d4c8fd99fcc5df47b7a37d8dff1`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-scout-ravensreach-rrch-scout.png`	52,628	`f2295a2ea5a74572d7fd22719bfdae884bcd31af09ddfd40557568adc8039f9d`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-scout.png`	52,628	`f2295a2ea5a74572d7fd22719bfdae884bcd31af09ddfd40557568adc8039f9d`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-steward-ravensreach-rrch-steward.png`	56,364	`72bf03a41ddac680f6891886bd64d66fb541af7705f36e79f2acc69dbde2ff03`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-steward.png`	56,364	`72bf03a41ddac680f6891886bd64d66fb541af7705f36e79f2acc69dbde2ff03`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-storehouse-ravensreach-rrch-storehouse.png`	56,878	`23caa9ebfa54e531479b9b919a854fcf8db563cb9d6decbfa200529db41cd516`	1600×1100
`world-showcase/public/catalog/ravensreach-rrch-storehouse.png`	56,878	`23caa9ebfa54e531479b9b919a854fcf8db563cb9d6decbfa200529db41cd516`	1600×1100

Path	Bytes	SHA-256	Evidence binding
world-showcase/public/catalog/ravensreach-rrch-surveyor-ravensreach-rrch-surveyor.png	57,138	0cd166a2092fe51ff96ccf55ee29fc6c2db826ebc63d8c244572ac4addf5fdfc	1600×1100
world-showcase/public/catalog/ravensreach-rrch-surveyor.png	57,138	0cd166a2092fe51ff96ccf55ee29fc6c2db826ebc63d8c244572ac4addf5fdfc	1600×1100
world-showcase/public/catalog/ravensreach-rrch-town-hall-ravensreach-rrch-town-hall.png	88,336	b21a5a5536f5a0f39b4ca3b1102a44634d2615b5fe0a287bf46ba4658f6cb194	1600×1100
world-showcase/public/catalog/ravensreach-rrch-town-hall.png	88,336	b21a5a5536f5a0f39b4ca3b1102a44634d2615b5fe0a287bf46ba4658f6cb194	1600×1100
world-showcase/public/catalog/westlight-district-wd-brew-westlight-district-wd-brew.png	61,052	6f0154c68cd731f31b5db471077cd3f00c591a2d84feb98961596b1c77c65f72	1600×1100
world-showcase/public/catalog/westlight-district-wd-brew.png	61,052	6f0154c68cd731f31b5db471077cd3f00c591a2d84feb98961596b1c77c65f72	1600×1100
world-showcase/public/catalog/westlight-district-wd-ferry-westlight-district-wd-ferry.png	50,032	259b927a2472dadc946f1b13327f4c938a5649f954990ef6a03699a541fa08e9	1600×1100
world-showcase/public/catalog/westlight-district-wd-ferry.png	50,032	259b927a2472dadc946f1b13327f4c938a5649f954990ef6a03699a541fa08e9	1600×1100
world-showcase/public/catalog/westlight-district-wd-field-westlight-district-wd-field.png	50,156	46c02c6c389d9071a27d9127323dc3f182c5a257c5503e0d48b7fec504e17455	1600×1100
world-showcase/public/catalog/westlight-district-wd-field.png	50,156	46c02c6c389d9071a27d9127323dc3f182c5a257c5503e0d48b7fec504e17455	1600×1100
world-showcase/public/catalog/westlight-district-wd-gatehead-westlight-district-wd-gatehead.png	59,989	786c2aac91051bb528e2c21d1eda1c9a93bc104d9cc6e5a7ce8d3d3f874df95b	1600×1100
world-showcase/public/catalog/westlight-district-wd-gatehead.png	59,989	786c2aac91051bb528e2c21d1eda1c9a93bc104d9cc6e5a7ce8d3d3f874df95b	1600×1100
world-showcase/public/catalog/westlight-district-wd-inn-westlight-district-wd-inn.png	92,864	e54eee9f99e41c0bf65c09380f294742cd95f6ebe1604993567c18ecdbab5adf	1600×1100

Path	Bytes	SHA-256	Evidence binding
`world-showcase/public/catalog/westlight-district-wd-inn.png`	92,864	`e54eee9f99e41c0bf65c09380f294742cd95f6ebe1604993567c18ecdbab5adf`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-lantern-westlight-district-wd-lantern.png`	47,024	`d23305e0f39cb8b5b0a0e77a13dee0ab7c5529d220beb622471e2d1a4d706e46`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-lantern.png`	47,024	`d23305e0f39cb8b5b0a0e77a13dee0ab7c5529d220beb622471e2d1a4d706e46`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-shop-a-westlight-district-wd-shop-a.png`	57,358	`7d5465ba25e170cac1d881b13e232a27d0e5cc6fd951e7ba0a0316514b7b796f`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-shop-a.png`	57,358	`7d5465ba25e170cac1d881b13e232a27d0e5cc6fd951e7ba0a0316514b7b796f`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-shop-b-westlight-district-wd-shop-b.png`	57,351	`f12bb82c2496eeb265a6a9b9ff9abfd97d5023e3bf5b45982631477ec6da8a78`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-shop-b.png`	57,351	`f12bb82c2496eeb265a6a9b9ff9abfd97d5023e3bf5b45982631477ec6da8a78`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-shop-c-westlight-district-wd-shop-c.png`	56,741	`71e6b5d3b435f0b295835daeb659965ec98860a8f61586adf42a3bdab14f4137`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-shop-c.png`	56,741	`71e6b5d3b435f0b295835daeb659965ec98860a8f61586adf42a3bdab14f4137`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-shop-d-westlight-district-wd-shop-d.png`	56,385	`fae747855748db03d816b34469d8d6c5f21d516b4d8930b31b870b3fbf192fcd`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-shop-d.png`	56,385	`fae747855748db03d816b34469d8d6c5f21d516b4d8930b31b870b3fbf192fcd`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-shop-e-westlight-district-wd-shop-e.png`	55,976	`c5abcae1550f1f265d491933b05dda37bd25a815db9803d270314730cc7f68d65`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-shop-e.png`	55,976	`c5abcae1550f1f265d491933b05dda37bd25a815db9803d270314730cc7f68d65`	1600×1100

Path	Bytes	SHA-256	Evidence binding
`world-showcase/public/catalog/westlight-district-wd-shop-f-westlight-district-wd-shop-f.png`	55,582	`04c33730c6303c15f85d3655df85e3e40e44a52f1fe89aaec6011d58c6a86bef`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-shop-f.png`	55,582	`04c33730c6303c15f85d3655df85e3e40e44a52f1fe89aaec6011d58c6a86bef`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-shop-g-westlight-district-wd-shop-g.png`	57,480	`e3b8a061cb802dc2ec611c9d78a149ad69b1b0c862612ab2d0d1b15409f84bb8`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-shop-g.png`	57,480	`e3b8a061cb802dc2ec611c9d78a149ad69b1b0c862612ab2d0d1b15409f84bb8`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-skiff-westlight-district-wd-skiff.png`	48,098	`026d32b198e5bc22e5e055bcc486ae99dbbe9c7622bbd32daf30c1e0f79fe88a`	1600×1100
`world-showcase/public/catalog/westlight-district-wd-skiff.png`	48,098	`026d32b198e5bc22e5e055bcc486ae99dbbe9c7622bbd32daf30c1e0f79fe88a`	1600×1100
`world-showcase/public/catalog/westlight-venue-wl-bowl-westlight-venue-wl-bowl.png`	89,150	`9c21e63006f199046c02879b0455dc328f92c8a49340923202cbe57cd318f932`	1600×1100
`world-showcase/public/catalog/westlight-venue-wl-bowl.png`	89,150	`9c21e63006f199046c02879b0455dc328f92c8a49340923202cbe57cd318f932`	1600×1100
`world-showcase/public/catalog/westlight-venue-wl-club-westlight-venue-wl-club.png`	58,903	`b2e886ad67fb29d958b170794ba5cd681e4680568c78f6fd8a31a664a5aa8b16`	1600×1100
`world-showcase/public/catalog/westlight-venue-wl-club.png`	58,903	`b2e886ad67fb29d958b170794ba5cd681e4680568c78f6fd8a31a664a5aa8b16`	1600×1100
`world-showcase/public/catalog/westlight-venue-wl-theatre-westlight-venue-wl-theatre.png`	81,194	`e55f97ea72d002c1834cd2a21d9b943817b568692d625dcd60fe2e16dc7d191a`	1600×1100
`world-showcase/public/catalog/westlight-venue-wl-theatre.png`	81,194	`e55f97ea72d002c1834cd2a21d9b943817b568692d625dcd60fe2e16dc7d191a`	1600×1100
`world-showcase/public/data/buildings.json`	101,405	`230c82975ee1abbe25cebe44f31e18dfd6309f2ffa4a2c30e42d6ce810b3473d`	snapshot=d05ac7822795…

Path	Bytes	SHA-256	Evidence binding
`world-showcase/public/release/01-01-r08-overall-map.before.png`	24,069	`2eb312080cce29183570b0eea858f4edc3589259e4d512d94d22884ac64c8721`	900×900
`world-showcase/public/release/01-msa-r4r5-district-oblique.after.png`	304,124	`388ffd816693b317229b68eea52de71affd2ca3a760edeb405c7caddbd048b15`	1024×576
`world-showcase/public/release/02-04-r01-junction.before.png`	105,637	`86185a5ef5d3071777824cb806e7ed998fd05f62ff517d0482ae8a6e1323b9c5`	1280×720
`world-showcase/public/release/02-msa-r4r5-alley-w-long.after.png`	269,820	`bb55191aa0719832d91079d980acf9aeb97ace4cf421d124bf54f33d7ecf6530`	1024×576
`world-showcase/public/release/03-03-west-gate.before.png`	158,287	`ec2d8f154b47e08513a6293b2fdf038909d0f26b659af4300fa722452d5d2097`	1280×720
`world-showcase/public/release/03-msa-r4r5-b02-culinary.after.png`	172,157	`e9eeb33ebe6473360f738458fdedb479f2f003d2ac8ae2a53c9a2c6c3000e119`	1024×576
`world-showcase/public/release/04-07-r08-directory.before.png`	85,581	`27066291d1da2f3baf36c0d48e0461c2778e46ba79f1e5c06706425b11eb33c3`	1280×720
`world-showcase/public/release/04-gar-h01.after.png`	12,671	`393c5f02da16194534a818e06c00e24447d6f3e736699a4ebc732dd016e244c3`	1280×720
`world-showcase/public/release/05-03-east-oblique.png`	262,363	`06e520ade02855e59ab6220952616e7ae7ad1891134041065a78abe7fd8bb446`	1280×720
`world-showcase/public/release/05-t2b-west-to-east.png`	27,863	`f25757518f7a4448a8e2ecfb2d95ecbcb236c39727eaf865276f379e02058a83`	1280×720
`world-showcase/public/release/06-06-road-northbound.png`	55,660	`9f1235f37ab5365743ad8fdd3bc273f110e4058124f2f98b449c1f3dc9ae9e09`	1280×720
`world-showcase/public/release/06-t2b-section.png`	24,231	`cd0564d763e09d58a64c22ad25177a17c9337bff8db21b7fa47a592acf994235`	1280×720
`world-showcase/public/release/07-01-new-mouth-south.png`	12,661	`7a1b109fb0ce19e4727e37cdff81bb6929dde2772969273b857840a020095ad1`	1280×720

Path	Bytes	SHA-256	Evidence binding
`world-showcase/public/release/07-msa-r4r5-district-oblique.after.png`	304,124	`388ffd816693b317229b68eea52de71affd2ca3a760edeb405c7caddbd048b15`	1024×576
`world-showcase/public/release/08-msa-r4r5-alley-w-long.after.png`	269,820	`bb55191aa0719832d91079d980acf9aeb97ace4cf421d124bf54f33d7ecf6530`	1024×576
`world-showcase/public/release/08-s1-west-to-east.png`	26,057	`d6143cabef0524f6f73b3c0e18a7303ebea6340f67292e10695410934a8279e8`	1280×720
`world-showcase/public/release/09-msa-r4r5-b02-culinary.after.png`	172,157	`e9eeb33ebe6473360f738458fdedb479f2f003d2ac8ae2a53c9a2c6c3000e119`	1024×576
`world-showcase/public/release/09-south-middle-sports.png`	155,680	`29a98c42dce8764b38202bbfc2f882ce5fa27717b8b2dc2d2d59b88c956e6881`	1280×720
`world-showcase/public/release/10-gar-h01.after.png`	12,671	`393c5f02da16194534a818e06c00e24447d6f3e736699a4ebc732dd016e244c3`	1280×720
`world-showcase/public/release/11-03-east-oblique.png`	262,363	`06e520ade02855e59ab6220952616e7ae7ad1891134041065a78abe7fd8bb446`	1280×720
`world-showcase/public/release/12-06-road-northbound.png`	55,660	`9f1235f37ab5365743ad8fdd3bc273f110e4058124f2f98b449c1f3dc9ae9e09`	1280×720
`world-showcase/public/release/13-01-new-mouth-south.png`	12,661	`7a1b109fb0ce19e4727e37cdff81bb6929dde2772969273b857840a020095ad1`	1280×720
`world-showcase/public/release/14-s1-west-to-east.png`	26,057	`d6143cabef0524f6f73b3c0e18a7303ebea6340f67292e10695410934a8279e8`	1280×720
`world-showcase/public/release/15-south-middle-sports.png`	155,680	`29a98c42dce8764b38202bbfc2f882ce5fa27717b8b2dc2d2d59b88c956e6881`	1280×720
`world-showcase/public/reports/as-built-release-completion.md`	23,383	`66801b4ebc9e5942ccdf7eed536c33a1c1f4b3017adec42f6939b20d23851f23`	—
`world-showcase/public/reports/atomic-transaction.json`	7,522,377	`294cb722be93048fff55f35496da1439a9fc7fd6bc9aa014ddd50842e3659ac5`	status=committed-pending-post-qa

Path	Bytes	SHA-256	Evidence binding
`world-showcase/public/reports/c01-recessed-public-portal-floorplan.pdf`	246,724	`87dc7d8e0335ca0256c06ad3384db5f411cf0dfe9278477a7d352af10f88f94f`	—
`world-showcase/public/reports/capture-manifest.json`	15,626	`8ef799163d751deb729247d4e25bdfbe8f07c0c05eeab800db79f64e00c582bf`	snapshot=d05ac7822795…
`world-showcase/public/reports/database-import.json`	13,218	`8c766c45edcade184ab8fb4d4004020c5ecd7ec9fbf0b0bbfb92ae4b59f2bd6d`	snapshot=f8edf99494c0…
`world-showcase/public/reports/database-report.html`	59,131	`4c9db47900149c90083ed21147581c036b59ca125b9080ac4a9c2563fa495f13`	—
`world-showcase/public/reports/database-report.json`	141,483	`be08a7880ffee8c5452bdbf887e261c8c70fa18e0915438963cce81b474fc6af`	snapshot=d05ac7822795…
`world-showcase/public/reports/features.json`	2,098,528	`99e650da6159783487ce3c1e21e02efc1d4baf536d120315e9a1aec5c941ee57`	snapshot=d05ac7822795…
`world-showcase/public/reports/object-media-index.json`	2,978,078	`28b27d975c6c8d6f8a066fa9106a114b4efe935bd40f6b8ccc180bb539507ef6`	snapshot=d05ac7822795…
`world-showcase/public/reports/post-deployment-qa.json`	184,771	`0e3140f01614c21e4dfccad6613cbe0ae17bbf3f865cfbd1eaa2570106b4ba91`	status=PASS; passed=true; snapshot=f8edf99494c0…
`world-showcase/public/reports/post-deployment-qa.md`	3,450	`bce100f43b2c97a737c644712a6e82ed5bfd0b305a31dd1cf6ab2933702bc278`	—
`world-showcase/public/reports/README.md`	4,127	`070ff834478461721ff183c1499001b61de60abc951ba1a6fe3325a4387ae69e`	—
`world-showcase/public/reports/requirements-traceability.md`	8,254	`0cfcd173dae4b470d2c3702342e5787600e744fb19d6bbf817eee1aa984dfcc5`	—
`world-showcase/public/reports/research-bibliography.md`	23,842	`82c775639c6bc37392d216166aeb5e120abf5beea0daf3797ffd5b3aeb96020b`	—
`world-showcase/public/reports/route-qa.json`	313,703	`beb06e6dcc51761ddf0a98e8da69d4ecb5b2a071ef9f9fe5118cd82e70276896`	status=PASS; snapshot=f8edf99494c0…

Path	Bytes	SHA-256	Evidence binding
`world-showcase/public/reports/wave2-artifact-register.json`	159,638	`2b0d026fb1ffab6dc23e606a61bf4613e0314e03614dc8dc43be48784e03d0a3`	—
`world-showcase/public/reports/wave2-artifact-register.md`	70,365	`2092b8359cf9e5877d28d5e4602252b79160921c02e3c7af4a3dca173ff509de`	—
`world-showcase/public/reports/wave2-as-built-release.md`	17,755	`662898a80543f5094211f35016691c94c1739e4d9f55b506d23d7d17292e1286`	—
`world-showcase/public/reports/wave2-atomic-transaction.json`	949,423	`e9b3752e89771c4ab218e5811bf23700cfd5f08128e9277324ca9df990f43ef2`	status=committed-pending-post-qa
`world-showcase/public/reports/wave2-database-import.json`	26,442	`5321f35ca15c3b3cfa2dd1de48963776234f53d35d7875e291bcc41cfd51b524`	status=PASS; passed=true; package=redevelopment-wave2-database-import
`world-showcase/public/reports/wave2-independent-acceptance.md`	7,785	`0d721ed22ecfe5de4e89f3791fb1483a52603f8f9db4ef1afa06d363d383ecfb`	—
`world-showcase/public/reports/wave2-integration-audit.md`	11,819	`a057d39696b8ed432e74e36450e37ed1772cce64274ed665a3a2e89095627d55`	—
`world-showcase/public/reports/wave2-mainstreet-engineering.md`	28,905	`43487c8eb33db60d605d86326c9cbc64b324a9019222746010b9d44f9cbe4ce9`	—
`world-showcase/public/reports/wave2-master-plan.html`	250,925	`f9d34ec76220b6046f067736bda3848308b8d45d6cadd6088c1e543ed79452ee`	—
`world-showcase/public/reports/wave2-media-qa.json`	205,017	`5825b4d8f231e78780f6d7b105ef65762e0bc1bbc1b481e3bed7c93bb04621c5`	status=PASS; passed=true; snapshot=4fca1ff3c40a…
`world-showcase/public/reports/wave2-media-release.md`	19,617	`3b2b7eec0cc0b6e0f7762db1c6b7cfc8e3b0b5a7a8a872623f6b18664acc05ba`	—
`world-showcase/public/reports/wave2-post-release-qa.json`	30,546	`551be053a21e37edc246f95cb2ded30df138f600f66c5574c2cf9b9b7f321d4c`	status=PASS; passed=true; package=redevelopment-wave2-post-release-qa
`world-showcase/public/reports/wave2-readme.md`	8,397	`3a4f9ef9556f2b52e88a3e212c7682b1957a9e00ef574ec4929ce37fe153723f`	—

Path	Bytes	SHA-256	Evidence binding
`world-showcase/public/reports/wave2-route-qa.json`	103,455	`6f97def62efe5abb6a3ae89c685cccfa39583b609357273df0855c3121e15ccf`	status=PASS; snapshot=d05ac7822795…
`world-showcase/public/reports/wave2-tunnel-engineering.md`	20,906	`0fe500ef7b35d401af026a97dbe88bf4995d59ecbd080965c692960392ce3784`	—
`world-showcase/public/reports/worldwide-interior-floorplan-atlas.pdf`	5,179,255	`ee8c7d2be68e85d262fcfba1299e53f8e95c92f76216a49774f91f5cdfac4c2b`	—
`world-showcase/public/screenshots/approach-road-approach-road-primary-approach-road-primary--ravensgate-to-westlight-approach-road.png`	319,956	`459e288abc985535ab8d8c10134ef0457c0486cb2394ff4668e7669f6ee6f06d`	1024×576
`world-showcase/public/screenshots/B01-guest-design-center.png`	235,957	`7f29190ba4b3d3947db2b73a77912bc88c6b7f7756e20722a12a42e5a03d15fe`	1280×720
`world-showcase/public/screenshots/B02-retail-cooking-school.png`	280,942	`fde0cc5e3cef565cce299c98ecbf827256824a8bd97a90f801e45f68db4cea9d`	1280×720
`world-showcase/public/screenshots/B03-service-warehouse.png`	290,497	`4bb82b0358fb308a12a433c6e585008ead86093552e96f551843fe90bc2b2602`	1280×720
`world-showcase/public/screenshots/C01-mountain-operations-complex.png`	367,261	`516be0890a58bc73547d767a1f81c3752e2ee58bcbc6a4cd80fa21e987568502`	1280×720
`world-showcase/public/screenshots/mainstreet-america-apt-s01-context-msa-secure-wave5-observatory-exterior.png`	85,174	`9bba8cf574b6c5a07fb5584bbde5a72fa173ce06fda2d663d6ac55031569fbd5`	1280×720
`world-showcase/public/screenshots/mainstreet-america-apt-s01-msa-secure-wave5-penthouse.png`	95,788	`95d01c59e64f13f3e120090139ede081fd26e5221747bfbef0c976bf93311d7d`	1280×720
`world-showcase/public/screenshots/mainstreet-america-b01-B01-guest-design-center.png`	266,282	`9948d983cbf62732bd90e506bbe4441e4a3c0133e9ecf3d4f8f9f7bc0659f390`	1280×720
`world-showcase/public/screenshots/mainstreet-america-b02-B02-retail-cooking-school.png`	327,535	`d0f2e1d16c24b6df019b3cdec9ef783cd97b53f6abcfcb7088ee4a8b82038261`	1280×720
`world-showcase/public/screenshots/mainstreet-america-b03-B03-service-warehouse.png`	365,805	`7e77310f88c6a705cc0f20ce0a5be4d77a48644bcbbb18a8e0b4cf0cd0ba4756`	1280×720

Path	Bytes	SHA-256	Evidence binding
world-showcase/public/screenshots/mainstreet-america-c01-08-surface-map.png	52,803	970009c548bc55d27b67233784ec999c87901f6208f210eec5410da2176cb8d2	950×950
world-showcase/public/screenshots/mainstreet-america-c01-arena-hangar-wayfinding-c01-arena-hangar-wayfinding--arena-to-hangar-illuminated-route.png	77,921	d4c633f214eaed27b9a940347bfcf9ba910a1446fa406f397b2ca1201deaa66e	1024×576
world-showcase/public/screenshots/mainstreet-america-c01-C01-mountain-operations-complex.png	381,293	cbb018e48eb48550f53851b9558ca78020fba8b98ae4d7732e8dcaf693fa27ad	1280×720
world-showcase/public/screenshots/mainstreet-america-c01-context-msa-secure-wave5-observatory-exterior.png	85,174	9bba8cf574b6c5a07fb5584bbde5a72fa173ce06fda2d663d6ac55031569fbd5	1280×720
world-showcase/public/screenshots/mainstreet-america-c01-lobby-04-lobby-return.png	13,967	fd31796449b543aeb6effc8b39db69d4db46b633f113cac6c972ada10747b8c0	1280×720
world-showcase/public/screenshots/mainstreet-america-c01-public-connector-dogleg-phase2-03-dogleg-north.png	17,320	cf567261dfb89fa92a69c1cf308770bead4749428628c2a052519d0fd11676e4	1280×720
world-showcase/public/screenshots/mainstreet-america-c01-public-connector-dogleg-phase2-context-01-new-mouth-south.png	12,661	7a1b109fb0ce19e4727e37cdff81bb6929dde2772969273b857840a020095ad1	1280×720
world-showcase/public/screenshots/mainstreet-america-c01-public-entry-01-parking-center-east-seam.png	290,414	15b8ab8ef7c0be1fcd161fa1f627b8a2a3cc355b81055269c33d992e1ab11a67	1280×720
world-showcase/public/screenshots/mainstreet-america-c01-public-portal-approach-phase1-c01-public-portal-approach-phase1--c01-public-portal-east-approach-relation.png	94,016	5e4c631bc941f3ce58eaf285550b1c889da908066a9216ecbe4b26bc147eb107	1024×576
world-showcase/public/screenshots/mainstreet-america-c01-public-portal-approach-phase1-context-01-parking-center-east-seam.png	290,414	15b8ab8ef7c0be1fcd161fa1f627b8a2a3cc355b81055269c33d992e1ab11a67	1280×720
world-showcase/public/screenshots/mainstreet-america-c01-public-portal-recessed-phase2-01-new-mouth-south.png	12,661	7a1b109fb0ce19e4727e37cdff81bb6929dde2772969273b857840a020095ad1	1280×720
world-showcase/public/screenshots/mainstreet-america-c01-public-portal-recessed-phase2-context-01-new-mouth-south.png	12,661	7a1b109fb0ce19e4727e37cdff81bb6929dde2772969273b857840a020095ad1	1280×720
world-showcase/public/screenshots/mainstreet-america-c02-c02--west-garden-villa.png	270,488	dc4401d9b90c59820f91ef787683260e2bf63b1b5c164233a9252eaebda04ea6	1280×720

Path	Bytes	SHA-256	Evidence binding
world-showcase/public/screenshots/mainstreet-america-c03-c03--east-garden-villa.png	170,100	e7f86f1e857fd59bbe2efb95c71bc52a64643e43c730ab9e34773f127cffd288	1280×720
world-showcase/public/screenshots/mainstreet-america-c04-c04--west-brick-courtyard-home.png	275,086	50dd9ae2abdced0f14364670836eb56e47c3a932f48fa9cc70e865ac344b825c	1280×720
world-showcase/public/screenshots/mainstreet-america-c05-c05--east-brick-courtyard-home.png	120,799	d9d6e84f2f5b000ed23bfd67a63092d1bb4ceab0696133d7adb94a628580afd7	1280×720
world-showcase/public/screenshots/mainstreet-america-c06-c06--west-timber-lodge.png	220,670	3d67676efb3294a6c99ca34edfa1ac96e332905058c349bdb51e9b47bc9142d7	1280×720
world-showcase/public/screenshots/mainstreet-america-c07-c07--east-timber-lodge.png	276,540	bc99ae9d769c832a6f40088ecf8cd8865b7e011f62615b20dea8bf49ccf9d4cc	1280×720
world-showcase/public/screenshots/mainstreet-america-grid-e2-building-grid-e2-building--neighborhood-clubhouse.png	290,846	391c0a4aeb7d025a0e58d5912c831e1adb0d4166cd5b195b8ffb6971b5b7084c	1280×720
world-showcase/public/screenshots/mainstreet-america-grid-w2-building-grid-w2-building--design-lab-and-maker-commons-building.png	357,372	88e5d1419767d0df546d304eb74a499f18a5c15cfb5600619a5dba7e1c94c7d2	1280×720
world-showcase/public/screenshots/mainstreet-america-h01-h01--the-alexandria.png	221,967	f2ed984670cf6bdd0fd727613c7d09d81646d7cc03dd75b3066dd63e798392cc	1280×720
world-showcase/public/screenshots/mainstreet-america-h02-h02--the-cape-pointe.png	276,608	0f2f1ab6521df15e6a9f042f1fe1091188e864cc3dc0cc5431013615773ea0c59	1280×720
world-showcase/public/screenshots/mainstreet-america-h03-msa-h03-after.png	89,601	0720ac92ccd25ab36a07a3dcef800019c4e1d3024dc7fe4193d841e0e4d2d926	900×600
world-showcase/public/screenshots/mainstreet-america-h04-msa-h04-after.png	91,453	fa6f2ce80fc64b31e2ce7290adce4e1ec050fb79a52e5798a3dcbb58c96e77a3	900×600
world-showcase/public/screenshots/mainstreet-america-h05-h05--the-timbergrove.png	170,536	7a9563e4a5a060df861da5116dea7e5d4de7d5b03a055dde75072233a2e24fb6	1280×720
world-showcase/public/screenshots/mainstreet-america-h06-h06--the-wakefield.png	208,129	4f8183f5f03a25ea405712fe9c8d386c251e4d8fea0caf68c60d3381561057d5	1280×720

Path	Bytes	SHA-256	Evidence binding
world-showcase/public/screenshots/mainstreet-america-h07-h07--the-villa-lago.png	214,703	299b01c414b002669a2034bfad8759e3cc111b42c3373e069af6190fa7d9b5be	1280×720
world-showcase/public/screenshots/mainstreet-america-h08-msa-h08-after.png	146,006	0335538db33ad9df20871dab9fdceb3ed2429aa4aac7bbfac5f8ba378f0d2b78	900×600
world-showcase/public/screenshots/mainstreet-america-h09-h09--the-casa-lana.png	160,366	2dde2dd2472d4cbd1c822d7d04c7254c81a0b7d322567d799cd72905ff61ba5e	1280×720
world-showcase/public/screenshots/mainstreet-america-h10-h10--the-cross-creek.png	176,072	7a026831be32cdf8e3e0a523657bcaf27fc0989a8c3a69d7dca0aae63dc7c2a4	1280×720
world-showcase/public/screenshots/mainstreet-america-h11-h11--the-midtown.png	300,197	7c232055da975cf26e40d0ca3a33580b8cedb1d98bdec22d1adb85f1d1b53fbc	1280×720
world-showcase/public/screenshots/mainstreet-america-h12-h12--the-valencia.png	225,170	1acf7a55aca55e8e70074152bffbdf44748575f0767c7f9012bbbb7aad7843d2	1280×720
world-showcase/public/screenshots/mainstreet-america-hgr-s01-02-southwest-oblique.png	254,705	30c0e03d2d55549775b4927a9b851e1709e0d23f0eb9e82dd91c9eba23b8e5cd	1280×720
world-showcase/public/screenshots/mainstreet-america-obs-s01-05-north-oblique.png	166,549	c171f213f0c705fa9dbcd0fa0a9cc25298df7f0d725c266b016261a901750097	1280×720
world-showcase/public/screenshots/mainstreet-america-obs-s01-context-msa-secure-wave5-observatory-exterior.png	85,174	9bba8cf574b6c5a07fb5584bbde5a72fa173ce06fda2d663d6ac55031569fbd5	1280×720
world-showcase/public/screenshots/mainstreet-america-p01-07-road-southbound.png	82,654	2acda770a7a0d32b78e27ab44ada36de454650f05214ca0b648b5880f532ce3b	1280×720
world-showcase/public/screenshots/mainstreet-america-p01-canopy-east-p01-canopy-east--east-solar-ev-canopy.png	119,760	5ea641915dd5a40089fb9f6eb48def9c0e2d6df4aa3a5f367d517c19602c3748	1280×720
world-showcase/public/screenshots/mainstreet-america-p01-canopy-west-p01-canopy-west--west-solar-ev-canopy.png	150,025	783cd602febe1e3627c3bf3a79a6337a1a31f1e822135948abce859535409f32	1280×720
world-showcase/public/screenshots/mainstreet-america-p01-south-arrival-carriage-p01-south-arrival-carriage--south-gate-terraced-carriage-approach.png	35,224	625f6241767e0ab8f8371f3f0a1873649c1d66adb8b4f359af8f91fe6c5f139d	1024×576

Path	Bytes	SHA-256	Evidence binding
world-showcase/public/screenshots/mainstreet-america-p01-south-arrival-walk-east-p01-south-arrival-walk-east--east-south-arrival-walk.png	33,166	5896e481eb0a219986b69cac31a8af9f5a354202b80f6e9066fefda17aca2e82	1024×576
world-showcase/public/screenshots/mainstreet-america-p01-south-arrival-walk-west-p01-south-arrival-walk-west--west-south-arrival-walk.png	30,531	11dfc5d43a9eaab665da73f6d8a77f1c3ccbcf9ec9772022c2fda479aad9cec2	1024×576
world-showcase/public/screenshots/mainstreet-america-r01-r01--main-street.png	270,684	b0160cb3e34f86fd34b476c5a0420550008dbbce6389e0c35234bb13b3aae508	1024×576
world-showcase/public/screenshots/mainstreet-america-r02-r02--west-lane.png	231,360	5639071446a3663abcf05f248e4d15296b8c2f6e0b17dfb6e5b6b7f3591aa722	1024×576
world-showcase/public/screenshots/mainstreet-america-r03-r03--east-avenue.png	281,152	5bf7fc4cea036b95c3c444f7e0b890cd100980feb8b4a03b9fb2b87a52810082	1024×576
world-showcase/public/screenshots/mainstreet-america-r04-r04--south-cross.png	135,548	14aa4e6b435072f45a616aa605097b11fa81c96a07fd3846246c8d0502bbf6b1	1024×576
world-showcase/public/screenshots/mainstreet-america-r05-r05--garden-cross.png	189,207	a5efba866862d5c7145d2291ac42220ca58518285d9e5777a093bf7a170bf8b0	1024×576
world-showcase/public/screenshots/mainstreet-america-r06-r06--brick-cross.png	98,538	dbecf7e7e2331e536b74601698f1e07159346927a8565e03da1958981d336f55	1024×576
world-showcase/public/screenshots/mainstreet-america-r07-r07--service-cross.png	335,189	7f31c898f67b2390628b10151b5a902094d60029c26bb0c2ce2b9fc1dff847d9	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-alley-e-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-alley-e-r4-alley-e--east-rear-alley.png	30,941	1b5e7a2d9f2e50ebe3a21a4b1e13d214418897fe7e8f571b4c1db65710236853	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-alley-w-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-alley-w-r4-alley-w--west-rear-alley.png	223,615	d96ff8cf66cb047a95caaa85169f0e972cde628aae9d02248101b2cf661873a3	1024×576

Path	Bytes	SHA-256	Evidence binding
world-showcase/public/screenshots/mainstreet-america-r4-gar-c02-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-c02-gar-c02.after.png	35,429	50c7afcf25e5115d867a0df184efed82646e5c294550702fcd450afd4963792b	1280×720
world-showcase/public/screenshots/mainstreet-america-r4-gar-c03-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-c03-gar-c03.after.png	68,282	910c1cde75dca766a9a5cb8d47ada1b119f6920084084fd43ec50b5ac3a1225a	1280×720
world-showcase/public/screenshots/mainstreet-america-r4-gar-c04-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-c04-gar-c04.after.png	58,148	fa7c9990fcc951252adfd17566cddcb625bb74c1605e19e137516c9304aa3149	1280×720
world-showcase/public/screenshots/mainstreet-america-r4-gar-c05-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-c05-gar-c05.after.png	55,114	863bb2463979ef79bcb21f4d8815e91605db316a69f0903355df9b1e8f3161b1	1280×720
world-showcase/public/screenshots/mainstreet-america-r4-gar-c06-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-c06-gar-c06.after.png	53,438	0ceb8b004ffa78c7dcd7c0799dd3901fa46e02a633db6ad4b2425a29cb81bafa	1280×720
world-showcase/public/screenshots/mainstreet-america-r4-gar-c07-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-c07-gar-c07.after.png	55,179	d0fd2fe7cf60d11c8636cb5ea571a5ebbd52626bdfdbe22a60f010674a8433af	1280×720
world-showcase/public/screenshots/mainstreet-america-r4-gar-h01-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576

Path	Bytes	SHA-256	Evidence binding
world-showcase/public/screenshots/mainstreet-america-r4-gar-h01-gar-h01.after.png	12,671	393c5f02da16194534a818e06c00e24447d6f3e736699a4ebc732dd016e244c3	1280×720
world-showcase/public/screenshots/mainstreet-america-r4-gar-h02-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-h02-gar-h02.after.png	15,226	940c96e2e9574f132958aa13318ae5d976d6e052950e8e67adc61b113792572a	1280×720
world-showcase/public/screenshots/mainstreet-america-r4-gar-h03-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-h03-gar-h03.after.png	55,255	d05118cc66a4c10930fa5a486f138ae7c4f1131a7bad928e1a033a4e15d7e506	1280×720
world-showcase/public/screenshots/mainstreet-america-r4-gar-h04-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-h04-gar-h04.after.png	66,091	46110c2292df31350840a3b199792a01e9accac0ae52095e323131b7839b2718	1280×720
world-showcase/public/screenshots/mainstreet-america-r4-gar-h05-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-h05-gar-h05.after.png	56,171	f07b10269b860c8b675cd8706bf0dbd3e3cd7ba514d21c77e35184892b25d22a	1280×720
world-showcase/public/screenshots/mainstreet-america-r4-gar-h06-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-h06-gar-h06.after.png	48,022	78c56a7ef50de9cc7a6aa1eb22cf4ec405541498683fd7e2281f9505d4b2b740	1280×720
world-showcase/public/screenshots/mainstreet-america-r4-gar-h07-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-h07-gar-h07.after.png	50,750	67199bf0306c74541ed02e2e8de74a91ed8fadf75df946f1b69e2453034e0cb5	1280×720

Path	Bytes	SHA-256	Evidence binding
world-showcase/public/screenshots/mainstreet-america-r4-gar-h08-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-h08-gar-h08.after.png	52,457	f0ae2ff6bfde40ef51e0f501c0f0dee73b4d288dba063c211d9d5dae91175718	1280×720
world-showcase/public/screenshots/mainstreet-america-r4-gar-h09-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-h09-gar-h09.after.png	63,230	33fa002a027347d0172541764e88747d48903dc429e2156884ca1e2e719b0085	1280×720
world-showcase/public/screenshots/mainstreet-america-r4-gar-h10-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-h10-gar-h10.after.png	43,658	54c8f1fe6351b42ba42b337253cc7989913b571e3644a768beabec8de7ff0e9d	1280×720
world-showcase/public/screenshots/mainstreet-america-r4-gar-h11-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-h11-gar-h11.after.png	57,984	a8502360e35a750c6907f3b1c886e825b1ab8906e7b37e1c60c4d2914dd0cf0e	1280×720
world-showcase/public/screenshots/mainstreet-america-r4-gar-h12-context-msa-r4r5-alley-e-long.after.png	269,370	10ae1c3ee39fab31dbf47e164847887becee24e081f5f984bde72f2c175466e6	1024×576
world-showcase/public/screenshots/mainstreet-america-r4-gar-h12-gar-h12.after.png	62,135	b2f21516e853dee8723b8801ed0949fcb07aa52180e5f0de59dff47f017c52a5	1280×720
world-showcase/public/screenshots/mainstreet-america-r8-gate-r08-east-main-05-east-gate.before.png	118,014	ef1c01c935f47026b0c361323143647e070dba9b3229d5aa40d877939177c2ff	1280×720
world-showcase/public/screenshots/mainstreet-america-r8-gate-r08-west-main-03-west-gate.before.png	158,287	ec2d8f154b47e08513a6293b2fdf038909d0f26b659af4300fa722452d5d2097	1280×720
world-showcase/public/screenshots/mainstreet-america-r8-jct-alley-w-r08-02-west-endpoint.before.png	79,636	45bcd4070a688f007a1d3e591cacdf9a442966291166904c030237bedc304232	1280×720

Path	Bytes	SHA-256	Evidence binding
`world-showcase/public/screenshots/mainstreet-america-r8-jct-r01-r08-04-r01-junction.before.png`	105,637	`86185a5ef5d3071777824cb806e7ed998fd05f62ff517d0482ae8a6e1323b9c5`	1280×720
`world-showcase/public/screenshots/mainstreet-america-r8-jct-r08-alley-e-06-east-endpoint.before.png`	91,732	`da9429774404f8f1023558713ca93a038ac2f9f11c083cd9d6209dba12f5b14c`	1280×720
`world-showcase/public/screenshots/mainstreet-america-r8-r08-cross-link-01-r08-overall-map.before.png`	24,069	`2eb312080cce29183570b0eea858f4edc3589259e4d512d94d22884ac64c8721`	900×900
`world-showcase/public/screenshots/mainstreet-america-r8-wf-r08-central-07-r08-directory.before.png`	85,581	`27066291d1da2f3baf36c0d48e0461c2778e46ba79f1e5c06706425b11eb33c3`	1280×720
`world-showcase/public/screenshots/mainstreet-america-r8-wf-westlight-08-westlight-directory.before.png`	97,412	`b72f11f21b707e0fd395764562c5cada0b7c4b17dd8ba20fd50d0478c84bbc3c`	1280×720
`world-showcase/public/screenshots/mainstreet-america-route-apt-shelter-route-apt-shelter--penthouse-safe-room-to-private-shelter.png`	78,246	`b681f0f1be43621c85713497b2abb78b462ec075387271163419125c82249493`	1024×576
`world-showcase/public/screenshots/mainstreet-america-route-c01-lower-operations-route-c01-lower-operations--lower-operations-circulation-loop.png`	71,600	`f6c449ba7d9ee2aaa24670067767fde304ee231c2ca944c8573c85b322657328`	1024×576
`world-showcase/public/screenshots/mainstreet-america-route-c01-primary-stair-context-msa-secure-wave5-observatory-exterior.png`	85,174	`9bba8cf574b6c5a07fb5584bbde5a72fa173ce06fda2d663d6ac55031569fbd5`	1280×720
`world-showcase/public/screenshots/mainstreet-america-route-c01-primary-stair-route-c01-primary-stair--c01-lower-operations-to-office-primary-stair-route.png`	93,347	`b147c7fcc6de5cdbbbd791d47c25280e3055d161a245e390fc0265baa18a9fcc`	1024×576
`world-showcase/public/screenshots/mainstreet-america-route-grand-vault-stairs-route-grand-vault-stairs--grand-vault-three-level-ceremonial-stair.png`	76,535	`6f9cd9cb9f85125f4e30743338371e595740bf2fa9475ec83789300357d830fe`	1024×576
`world-showcase/public/screenshots/mainstreet-america-route-obs-penthouse-private-stair-context-msa-secure-wave5-observatory-exterior.png`	85,174	`9bba8cf574b6c5a07fb5584bbde5a72fa173ce06fda2d663d6ac55031569fbd5`	1280×720
`world-showcase/public/screenshots/mainstreet-america-route-obs-penthouse-private-stair-route-obs-penthouse-private-stair--concealed-observatory-to-penthouse-stair.png`	71,730	`00f9cc96aeb45c3eddc539dc0ad946d833b97a1b98db4c52a5395ffe160c55a1`	1024×576
`world-showcase/public/screenshots/mainstreet-america-route-obs-public-stair-context-msa-secure-wave5-observatory-exterior.png`	85,174	`9bba8cf574b6c5a07fb5584bbde5a72fa173ce06fda2d663d6ac55031569fbd5`	1280×720

Path	Bytes	SHA-256	Evidence binding
`world-showcase/public/screenshots/mainstreet-america-route-obs-public-stair-route-obs-public-stair--hangar-to-observatory-public-switchback-stair.png`	160,033	`98de605643c1e51841c7e93ca0d3835f86904cc6bd6570aec1ee95b48205a686`	1024×576
`world-showcase/public/screenshots/mainstreet-america-route-office-heliport-route-office-heliport--msa-office-shaft-to-heliport.png`	76,338	`db6a3514aa36f34c7a0533a2bc1a331d8941a3c79b3c3d09b8c5ae6eaf37ddce`	1024×576
`world-showcase/public/screenshots/mainstreet-america-route-shelter-grand-vault-route-shelter-grand-vault--private-shelter-to-grand-vault.png`	63,436	`b3910e2266bfb5f0c12653dfe009168643109046ff7dbba4b62b1299fd417864`	1024×576
`world-showcase/public/screenshots/mainstreet-america-shl-s01-context-msa-secure-wave5-observatory-exterior.png`	85,174	`9bba8cf574b6c5a07fb5584bbde5a72fa173ce06fda2d663d6ac55031569fbd5`	1280×720
`world-showcase/public/screenshots/mainstreet-america-shl-s01-shl-s01--private-mountain-shelter.png`	77,436	`65b7e44e297dd358aeab3dfe2b18048b82df2a9d9a0bbd934cd9c6b8bf3f7c63`	1280×720
`world-showcase/public/screenshots/mainstreet-america-trl-s01-trl-s01--hangar-to-heliport-illuminated-trail.png`	27,456	`d8144261d44a1e9d015bf1a2d71c72751b5456489d772cc8ea87726d3a058628`	1024×576
`world-showcase/public/screenshots/mainstreet-america-vlt-g01-context-msa-secure-wave5-observatory-exterior.png`	85,174	`9bba8cf574b6c5a07fb5584bbde5a72fa173ce06fda2d663d6ac55031569fbd5`	1280×720
`world-showcase/public/screenshots/mainstreet-america-vlt-g01-msa-secure-wave5-grand-vault.png`	114,049	`e5b52dbfc05b0f370a528fedf71136e0038a4670d9721ede9430660e5e8d8f5e`	1280×720
`world-showcase/public/screenshots/moot-hall.png`	37,220	`914e883dbfa86b280f78d6a89f69d2672cf289f9e57bfda01cbe2b1633e89f47`	1280×720
`world-showcase/public/screenshots/msa-arrival.png`	101,638	`618c028cb425fa8d9c338eb7fd29f3b2ea96fdf696bb366df50cf25ab17eb932`	1000×620
`world-showcase/public/screenshots/msa-east-hangar-final.png`	40,861	`e018eb77174d4d585eedba20f6067027d30ea53a3f60f681ca76507415e0e3c1`	800×500
`world-showcase/public/screenshots/msa-h01.png`	89,601	`0720ac92ccd25ab36a07a3dcef800019c4e1d3024dc7fe4193d841e0e4d2d926`	900×600
`world-showcase/public/screenshots/msa-h03-after.png`	89,601	`0720ac92ccd25ab36a07a3dcef800019c4e1d3024dc7fe4193d841e0e4d2d926`	900×600

Path	Bytes	SHA-256	Evidence binding
world-showcase/public/screenshots/msa-h04-after.png	91,453	fa6f2ce80fc64b31e2ce7290adce4e1ec050fb79a52e5798a3dcbb58c96e77a3	900×600
world-showcase/public/screenshots/msa-h08-after.png	146,006	0335538db33ad9df20871dab9fdceb3ed2429aa4aac7bbfac5f8ba378f0d2b78	900×600
world-showcase/public/screenshots/msa-h08.png	146,006	0335538db33ad9df20871dab9fdceb3ed2429aa4aac7bbfac5f8ba378f0d2b78	900×600
world-showcase/public/screenshots/msa-mountain.png	743,536	566fb321cbed0bb4055e1555cd3739c1eb6c5e92cb9745aa89f4167464e3b3f4	1280×720
world-showcase/public/screenshots/msa-secure-wave5-grand-vault.png	114,049	e5b52dbfc05b0f370a528fedf71136e0038a4670d9721ede9430660e5e8d8f5e	1280×720
world-showcase/public/screenshots/msa-secure-wave5-observatory-exterior.png	85,174	9bba8cf574b6c5a07fb5584bbde5a72fa173ce06fda2d663d6ac55031569fbd5	1280×720
world-showcase/public/screenshots/raven-rock-rr-b1-rr-b1--command-operations-center.png	75,516	c6897a33231187942b9b2115a99be68937ac6745550790e75cb3429e017f6a48	1280×720
world-showcase/public/screenshots/raven-rock-rr-b2-rr-b2--signal-communications-center.png	73,249	ec298018c3e5f8a4ba2d9990610545ec5f0a7866a185d0673caa2f032eac49a8	1280×720
world-showcase/public/screenshots/raven-rock-rr-b3-rr-b3--quarters-dining-medical.png	68,268	036c1440c2b635050b5dc6f4e3684ec6950fbf82c2226326f20e8c6084ace077	1280×720
world-showcase/public/screenshots/raven-rock-rr-b4-rr-b4--power-ventilation-plant.png	66,913	44ba73eed6a1cbd8874b967db2f411cc99385cba4b3689f421cb6c5c42c2b073	1280×720
world-showcase/public/screenshots/raven-rock-rr-s1-standard-pilot-context-s1-east-to-west.png	26,870	6cc97b5baefbe441227ff53159f0bf1909a63ad865b642b71a58d9e50a4bfec0	1280×720
world-showcase/public/screenshots/raven-rock-rr-s1-standard-pilot-s1-west-to-east.png	26,057	d6143cabef0524f6f73b3c0e18a7303ebea6340f67292e10695410934a8279e8	1280×720
world-showcase/public/screenshots/raven-rock-rr-t2b-liner-pilot-w2-t2b-west-to-east.png	27,863	f25757518f7a4448a8e2ecfb2d95ecbcb236c39727eaf865276f379e02058a83	1280×720

Path	Bytes	SHA-256	Evidence binding
world-showcase/public/screenshots/raven-rock-rr-z5-RR-Z5-surface-access-shaft.png	595,470	639310a41155b0c92b5f49894299c6f50acc7a8e2806ece2bc040be5e6e39774	1280×720
world-showcase/public/screenshots/raven-rock.png	871,116	133d3596e1a1b24127923c2506c969bf09b23a7173583a30f376a6e7cc4dbc54	1600×1000
world-showcase/public/screenshots/ravensgate-rg-bell-rg-bell--bell-gate-campanile.png	196,626	14f4904fd292a43e7787cba2e0b36443ee179fc30cd5eb61968bbc778be1f3ab	1280×720
world-showcase/public/screenshots/ravensgate-rg-loggia-rg-loggia--library-loggia.png	138,292	2464e6a54181b35ba0cd64423da00d91804a8ce14c4f53cc57607039b07d01d5	1280×720
world-showcase/public/screenshots/ravensgate-rg-stoa-rg-stoa--south-stoa.png	165,603	a1249fe9d0712cb57d0de6191d06e5e58fcbdf49b2fb613bf4eb8cbef317d539	1280×720
world-showcase/public/screenshots/ravensgate-rg-tempietto-rg-tempietto--long-water-tempietto.png	256,503	dc94eb434ce27c3a35ea79f6766926bf8fefcd54935168b8293e531fac608a61	1280×720
world-showcase/public/screenshots/ravensgate.png	73,305	6f4c9a8807a5e191759e7147b12309e21f333b6cacaa0715c1fa665df72af96f	725×965
world-showcase/public/screenshots/ravensreach-rrch-architect-rrch-architect--architect-cottage.png	113,041	38b5551b5e83e2019d32b2d35fd133932b4f253978ed909ea850c768a21cebf9	1280×720
world-showcase/public/screenshots/ravensreach-rrch-grange-rrch-grange--grange-hall.png	195,363	8a4498dc39a9f52d357a4ad76eb87effdbdd71f77b94b9b6271954371ad276c6	1280×720
world-showcase/public/screenshots/ravensreach-rrch-library-rrch-library--six-level-civic-library.png	474,681	06051ede242b6cecbf9d8c3231a547cbf2843515177bb3176bacd1d5612d4d05	1280×720
world-showcase/public/screenshots/ravensreach-rrch-market-rrch-market--market-hall.png	294,732	82bbba19b11bf1361f29bb48d5054e01be2f3558eb5359914d501938c2637768	1280×720
world-showcase/public/screenshots/ravensreach-rrch-mason-rrch-mason--mason-cottage.png	146,895	f0a55b043b75bff1f5813b12b892d22d0b5731876f600309ef08a77232d6a284	1280×720
world-showcase/public/screenshots/ravensreach-rrch-moot-rrch-moot--moot-hall-and-sanctum-stack.png	388,700	e4f414b1e38a3683f94571f6069118b4794f4273bc2d2f8f4a4965e2a36a7979	1280×720

Path	Bytes	SHA-256	Evidence binding
`world-showcase/public/screenshots/ravensreach-rrch-scout-rrch-scout--scout-cottage.png`	355,242	`bbd170b709a8fdfb5fcea51a6f2564f5112f06e51ce403f57f470372a3f994fc`	1280×720
`world-showcase/public/screenshots/ravensreach-rrch-steward-rrch-steward--steward-cottage.png`	169,096	`94cfd146b334be27767914f80a08ac76ee565306ad0eccba8efe24d8a904252a`	1280×720
`world-showcase/public/screenshots/ravensreach-rrch-storehouse-rrch-storehouse--town-storehouse.png`	102,238	`768f7cfae755783abbce5f60810c3f0dbbf694bc271479b59dd72764b3e836fe`	1280×720
`world-showcase/public/screenshots/ravensreach-rrch-surveyor-rrch-surveyor--surveyor-cottage.png`	133,478	`e585a7bf830f1319110e334c656f17291c1db0c2af0d6ae2a659150fa91525be`	1280×720
`world-showcase/public/screenshots/ravensreach-rrch-town-hall-rrch-town-hall--original-town-hall-shell-within-moot-hall.png`	409,632	`59ba932e0b6a510dac2a2076a80cbfc7883eefb196c7a98bd8a9d32adbf224e3`	1280×720
`world-showcase/public/screenshots/RR-Z5-surface-access-shaft.png`	449,492	`66ff43e57326f1e55724288cdf8d1cfa629d64d05e1a55e6ce386fea8e45c020`	1280×720
`world-showcase/public/screenshots/westlight-district-wd-brew-wd-brew--malt-lantern-brew-barn.png`	214,607	`b53c2b655e995e9d0b15450fecd1ebf3d6d8ac0801a9157d897c25c0a1b0622e`	1280×720
`world-showcase/public/screenshots/westlight-district-wd-ferry-wd-ferry--ferry-bell-house.png`	194,955	`d0181f4da8f1932ab7e5eaf907d201eac353ada35efea0429990ae16bd584f83`	1280×720
`world-showcase/public/screenshots/westlight-district-wd-field-wd-field--field-house-pavilion.png`	65,479	`ae6bfa6f07acbc7f9935eee1491c1687429329f64bbd9f121714f6b89d7dd30f`	1280×720
`world-showcase/public/screenshots/westlight-district-wd-gatehead-wd-gatehead--gatehead-house.png`	121,686	`7867b60698ea830789a1c317d8efc7652c33b61dabe7522a412bdcb2e3451668`	1280×720
`world-showcase/public/screenshots/westlight-district-wd-inn-wd-inn--beacon-inn.png`	439,427	`f7088c337b3e9392d57bd824c28eac4177bbf11eff792d21e903ed6fd3542033`	1280×720
`world-showcase/public/screenshots/westlight-district-wd-lantern-wd-lantern--lantern-hall.png`	265,061	`38931aa59f6a7b3e7a78133200b897bc8ba9b78487c32ed509744c91ecd0eb2d`	1280×720
`world-showcase/public/screenshots/westlight-district-wd-shop-a-wd-shop-a--high-street-shop-a.png`	294,598	`e2c39caf710f6dd6c736c0a0c53aac44a878349afd18f6488518cb3df211b50f`	1280×720

Path	Bytes	SHA-256	Evidence binding
`world-showcase/public/screenshots/westlight-district-wd-shop-b-wd-shop-b--high-street-shop-b.png`	207,868	`40d456eed6ab215e27026314ec21012bcff7968fac43e62d2c1c3291a68fbef4`	1280×720
`world-showcase/public/screenshots/westlight-district-wd-shop-c-wd-shop-c--high-street-shop-c.png`	195,176	`4b91133e2b85c34b5f213331757c07467eb9b87ff7f99b031b5ec6cae1f915eb`	1280×720
`world-showcase/public/screenshots/westlight-district-wd-shop-d-wd-shop-d--high-street-shop-d.png`	165,090	`77ecd51a0e543b2c963a06e2447099ef5381a633edd48d5c4cdff1111cb145e0`	1280×720
`world-showcase/public/screenshots/westlight-district-wd-shop-e-wd-shop-e--high-street-shop-e.png`	143,271	`5c34b3a9327da8ccc92e21b3d80097a3a38916f24fa529afb5a7fb29ca2041d9`	1280×720
`world-showcase/public/screenshots/westlight-district-wd-shop-f-wd-shop-f--high-street-shop-f.png`	139,748	`8fad7d6ae35ea147b2bb08f87a8d3455331e0cd8bf700ffdd89cbcd0a6a3f43b`	1280×720
`world-showcase/public/screenshots/westlight-district-wd-shop-g-wd-shop-g--high-street-shop-g.png`	136,826	`9b0ca074bbaf76e30914f0c0324d9b1eea1b57ed1dc37a853c15a3cf77cabc10`	1280×720
`world-showcase/public/screenshots/westlight-district-wd-skiff-wd-skiff--skiff-house.png`	158,675	`3c08242cecd91896123e59f4278c65680c3ffcabff8b2d471fb68b6023cf4a84`	1280×720
`world-showcase/public/screenshots/westlight-venue-wl-bowl-WL-stadium-and-district.png`	180,641	`85fb7ec6480314715d4c2c4a3d01f54f581240ba249e5594f9021c0ee803b020`	1280×720
`world-showcase/public/screenshots/westlight-venue-wl-club-wl-club--members-club.png`	96,643	`0da0f5ddd8be62116d8bd7699ac392376793ac6edd44e21ccc4b936a37d06fd9`	1280×720
`world-showcase/public/screenshots/westlight-venue-wl-theatre-wl-theatre--below-grade-theatre-and-lobbies.png`	88,302	`bce66f88d17ec54be2a63601ae9ee17582803f7bc9070e8824beb3e76b85ba0a`	1280×720
`world-showcase/public/screenshots/westlight.png`	128,353	`07682e8d9861d1ef9714d69c5e11df163b794f021f3d5593bf1b2a548c7ce031`	900×1028
`world-showcase/public/screenshots/WL-stadium-and-district.png`	180,135	`9f01ab60520b37f53ecbd81aff12372b3f8cde048134a715bbe341ac92c48f2e`	1280×720
`world-showcase/public/wave2/01-after-t2b-west-to-east.png`	27,863	`f25757518f7a4448a8e2ecfb2d95ecbcb236c39727eaf865276f379e02058a83`	1280×720

Path	Bytes	SHA-256	Evidence binding
`world-showcase/public/wave2/01-before-t2b-west-to-east.png`	38,830	`ff9155bb9bdc1e18717a1c6f379599717324d13a9c2ac3d9fff5e06cd3fe0c4c`	1280×720
`world-showcase/public/wave2/02-after-t2b-section.png`	24,231	`cd0564d763e09d58a64c22ad25177a17c9337bff8db21b7fa47a592acf994235`	1280×720
`world-showcase/public/wave2/02-before-t2b-section.png`	29,671	`7a766cfba811979cd2a5a53ba7aaf8779e0c34e496f6af90df557281e01b2eb2`	1280×720
`world-showcase/public/wave2/03-after-01-r08-overall-map.before.png`	24,069	`2eb312080cce29183570b0eea858f4edc3589259e4d512d94d22884ac64c8721`	900×900
`world-showcase/public/wave2/03-before-01-r08-overall-map.before.png`	23,763	`27683aaaed6bb17bd0d27c3b5f966756cb1cb60846be7922b9a67b5e4293fb73`	900×900
`world-showcase/public/wave2/04-after-04-r01-junction.before.png`	105,637	`86185a5ef5d3071777824cb806e7ed998fd05f62ff517d0482ae8a6e1323b9c5`	1280×720
`world-showcase/public/wave2/04-before-04-r01-junction.before.png`	104,039	`d3316dbae85b5233fcc94ab107486a5df70b17a01cfedea2953e1d78999cc488`	1280×720
`world-showcase/scripts/prepare_sites_worker.mjs`	658	`ac5b8ceb639e6fdda3ec847784159613623575c8137fd26818cd8ba0a5e671e7`	—
`world-showcase/tsconfig.json`	530	`743a7276e46684c178c11cabddab5d96443cdbe2ae7457ef91896814ea96000e`	—
`world-showcase/tsconfig.tsbuildinfo`	260,097	`7fd28b6d2a70adcff91dfcc007f325c706f7ab248d3cbde985282ee10cd90b01`	—
`world-showcase/wrangler.jsonc`	323	`bd6a6c5922c1fd38e2124c3ae2e5f4655d1a469ef6efb1e38d9dcf84eee1f641`	—

world-atlas

Path	Bytes	SHA-256	Evidence binding
`data/exports/box/redevelopment-atlas-post-2026-07-27/team-a/00-overall-active-world-surface-atlas.png`	1,213,026	`6b0c24d01cfa86908eafa7c6dfd906f17f9226ddc52749723798bd1961dd4a4f`	1792×2176

Path	Bytes	SHA-256	Evidence binding
data/exports/box/redevelopment-atlas-post-2026-07-27/team-a/01-ravensreach-core-and-old-town.png	108,917	c971bb1db57748110af0651e0af11b100c01fb4f47153487f3b4e95a3d80bf74	805×885
data/exports/box/redevelopment-atlas-post-2026-07-27/team-a/02-ravensgate.png	73,351	d9a68dfbe565927a57a64c5cad63df789d028f1e2e70533f2ef0df7cf65d250b	725×965
data/exports/box/redevelopment-atlas-post-2026-07-27/team-a/03-western-approach-road.png	62,799	f98d5389402c9b187438cc5418472f1b0bc831c9395469fc9f343c826f6afb5c	964×324
data/exports/box/redevelopment-atlas-post-2026-07-27/team-a/04-westlight-venue-and-district.png	128,627	dadaeced925e386f969cb76592e3d64bc14787386171dd3cec0a1740c1531e2a	900×1028
data/exports/box/redevelopment-atlas-post-2026-07-27/team-a/05-western-project-corridor.png	196,815	b9df35b1ed8aafd5ece24c7225595f98134f3598ba397f5e2c8b50eef9859b41	1395×1107
data/exports/box/redevelopment-atlas-post-2026-07-27/team-a/06-raven-rock-surface-access.png	544,452	d900dfd4598acee051e3a380c11a3e4879b003b7e5fa19d3c5dfb61161c06fa0	1282×1282
data/exports/box/redevelopment-atlas-post-2026-07-27/team-a/area-inventory.json	1,491,135	8a7813a722fe1806f66f477bbd203e5ffb6b98da4278a37295faf77ef5b2c068	snapshot=f8edf99494c0…
data/exports/box/redevelopment-atlas-post-2026-07-27/team-a/atlas-manifest.json	21,472	383dd6bb1211fdbeeb4de0d066063c4bb470dd1b083134c3d418097967cd1602	snapshot=f8edf99494c0…
data/exports/box/redevelopment-atlas-post-2026-07-27/team-a/README.md	1,122	b5bb7ab779b9c8bb5086b503a2de7ed1eb9714276fd117cd78482661e033e94a	—

world-catalog-and-post-media

Path	Bytes	SHA-256	Evidence binding
data/exports/world-catalog-post-2026-07-27/capture-manifest.json	18,458	1c37d8fb31218ac80a02ce20c2abbeaed1a7af59e95e86bd70599a73b4d2165e	snapshot=f8edf99494c0…
data/exports/world-catalog-post-2026-07-27/database-report.html	48,906	594fe55dc97e4b9b11ddd6baa8b626cf3e276c878c363d5f31325f739537ad37	—
data/exports/world-catalog-post-2026-07-27/database-report.json	126,206	eb69b7248676aa9ff80bb60c09c11c397195a1d97b08308ed4f5f400fb71c120	snapshot=f8edf99494c0…
data/exports/world-catalog-post-2026-07-27/features.json	1,817,198	eae56b3ba39d11cd051f74f5d672fe83478fe392c0bb82ab11948f6f3c308b7e	snapshot=f8edf99494c0…
data/exports/world-catalog-post-2026-07-27/floorplans/00-worldwide-interior-summary.png	136,148	e53322e015771529f5eb6754dfa9e950bb5e674e5c871770c8897c4734153b06	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/01-mainstreet-america-overview.png	121,884	21ad78a19ae0771b3530c50339aa636e5e860876304632d5b3d927a9d27c5c29	1600×1100

Path	Bytes	SHA-256	Evidence binding
data/exports/world-catalog-post-2026-07-27/floorplans/02-raven-rock-overview.png	92,658	3fde1c06f175bd2d915f84443612ba0ddccd636f0e754b4542770dc285ce25d6	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/03-ravensreach-overview.png	117,238	4b64653f2b171f7ff891397e595c69acc042a33d235dd3e87a55679fc060cef0	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/04-ravensgate-overview.png	66,700	fac0a4cfe2b197f30e3914cee6e60648ae06fb1bebe30a8d9fe08947903672be	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/05-approach-road-overview.png	79,367	f3f5a2ff50891373cf2ab7d63e073884a7936caa59b5863fc4f645479597ea3d	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/06-westlight-venue-overview.png	80,476	a6380d1001872304f9a897927300fe62058c5808d5b41d1e8000bd57b307c683	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/07-westlight-district-overview.png	113,955	38e5ef7f01e5117722e203971aae5d3a9f99648d41944829c6d00a9e5bad2444	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/atlas-manifest.json	21,441	2ee202c47487bbd06107c417c94dd731f69e6d66e58b2af0493405ada33ff9e9	snapshot=4a754a73f5dc…
data/exports/world-catalog-post-2026-07-27/floorplans/README.md	781	6ecaaca5320f422cb045029a7439ca95e7573158d9f97119f14fd03e0a188747	—
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-b01.png	41,552	a7ceeefdbf41535b8d7471844fb50011ee2632f253fcc166da05d9a2c47ccbab	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-b02.png	42,560	eae289d5d1dcbed49a83f3dd1359ce12868ce19b46cad9f23734a3eeddaf67a1	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-b03.png	41,718	23035fd85045ecbec168d53ac410203e141d46d36771e42ae9a828d89f701c96	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-c01-public-entry.png	52,264	4d8b9ab1c053c4b4acf7924591d348925e8867179bc7d32e634f6cddb2d15cb8	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-c01.png	99,213	d9e6df901c83ce9967b1b14734d2156d03c0bfe454b2b8af2161479c71c50a6d	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-c02.png	39,968	e0383d5017c892adc772b8a0e2cbf173223b8ca855b51e3b531f5d145fbbaee1	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-c03.png	39,022	e42b5b18d6951df1a7ee36d2a4e42c4f1ddbac54d071b706f950f736db85f9cb	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-c04.png	42,745	0e6e2438002f91028803efe21388a9b48b5c1d52bfa19674b384ecdc71b20ada	1600×1100

Path	Bytes	SHA-256	Evidence binding
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-c05.png	41,897	6e0f70a59d6486647244a2c226e996e2fbef9c6a6f420d5a4f3bbd1be4ebc1b0	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-c06.png	40,198	8d46e23748d10a71e1cad6478fae5af089c5064741c6545452ee2f00d395846f	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-c07.png	39,195	110e97d01c42ca534d89fbcfa24409e40bd3c3497838a36cbcb4067be1b6dbf7	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-grid-e2-building.png	60,161	7fd45ae547208a00a09e6fd54168de19dcdf16f2b8ca7d6a3141f290f13b8598	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-grid-w2-building.png	69,460	e205b0ea84a9959016c8a193ad4fb97db845e9f0d014f20a1be35ad58f961adf	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-h01.png	69,143	7b4bdb3a197b0505e94597e6508a5cdbbd92a73e6c30d648372a1b9c8b8d30b9	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-h02.png	54,948	c46d55a882098ea2bb4c3007014463866e06ea0f17db510d5932745c809ed25c	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-h03.png	55,489	3e7ef85e3e7df8abd0f3f1b8a8c2def4025e96f80c4f684fd7872368dc04dd5c	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-h04.png	56,829	72db4aa39d4af779457172891a37b6c02b3fddae716aa2eb0106a2cf23a63665	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-h05.png	53,159	8b10266cad25b4c43aa524a815f2b0efaa7e25d7fb217f81641360993296833a	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-h06.png	52,860	1e18058af15554c65a6bde310d45722fea2d226f7bad3b162ab180dba5f7de9d	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-h07.png	55,614	e6d6ff0201c51006c4fa2a52ac85c2dfc4be54862ab3d01c242b3f49c09d4075	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-h08.png	51,085	096e7ff74d31da62f94adf3b062653a21aa010894f11a30d683b1bf985ad8fce	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-h09.png	53,410	7d6141632c8408b28ac02142927ddbdb2402342259c16935934a2a22fce27d14	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-h10.png	53,922	69353cbcebe6369cb689518193e7ba62223551a083b90d2f163fa1a769a90e2c	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-h11.png	68,663	9802674922ab974179069bc33f008bf1f1fab4a9fc3d0a8a84cbdffcf96cf938	1600×1100

Path	Bytes	SHA-256	Evidence binding
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-h12.png	51,753	6047d5067b6cb1c7d0f6375084b55f7ba6e516729b6d7adb64a94e4bc36a113c	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-hgr-s01.png	69,286	52ad8ee14e33861f8a05245f9d578a854785502c1f0ec8fdbc6ef93006917a8f	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-obs-s01.png	61,243	028697fb9f66c551d444471cdbf631978321ecec0df8fd0539f429e6aa04d89a	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-p01-canopy-east.png	47,111	b8081475e354d2426cd1c19556609f4a94d128e735ba3a7cd780c86f907c4595	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-p01-canopy-west.png	47,660	1e70d8d34b92f1de79267c53065eec885f3f9509d22ac4a0de1aa11f661bcd8f	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-shl-s01.png	60,828	36173c6c02cc8561f27ac1f65d686f035bf34a70e2999327d2b87a10be3fef71	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/mainstreet-america-vlt-g01.png	73,709	e60e757bf0454c35be3f43d6073ddcdcb456a2f85cbe788d93d065026034065c	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/raven-rock-rr-b1.png	80,226	93dfa0487db524c15c50826013566648d1817e212d66f055ce672033a59b1e93	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/raven-rock-rr-b2.png	81,993	e1a7689bfa88dc178315ab4a0926dad916d084e6ed0298d7a50de2d04ee0ba57	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/raven-rock-rr-b3.png	70,722	df6cc290a39c7fea9a8781bd1b2572b8a46b954e4a2321387e13907be6fae2a8	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/raven-rock-rr-b4.png	58,717	e36013583dbcd12fdad1cbb0b2af110798ed4f8c60a03f1d32e112202a2f84e3	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/raven-rock-rr-z5.png	89,276	8c1dacdfa502c7d1a9f5f646b75f693970b4b3bfe2ca592a0a4b52e16d47a30f	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/ravensgate-rg-bell.png	75,243	f46228322c35d0cd04504b5a93d9dd39d464dbc4d8fa09101dd1aa844616485f	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/ravensgate-rg-loggia.png	49,862	938021d9548022371b9fea020bb454704cee6060725fed3b850f3d6d30799d02	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/ravensgate-rg-stoa.png	49,236	907c9896a5fd6a472ca815d032ce4ac7208b11cf3b5911ef3a7f3cce6eb86140	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/ravensgate-rg-tempietto.png	53,201	8e07b82e67f0b1bebe1459bf54b4d71d4ae687fee600e1ce4e56fc0429d750a7	1600×1100

Path	Bytes	SHA-256	Evidence binding
data/exports/world-catalog-post-2026-07-27/floorplans/structures/ravensreach-rrch-architect.png	54,592	db892a7c02069c8b4de6ca3a1697d6ba22e4164bf87a0b51150a4636376c2b24	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/ravensreach-rrch-grange.png	69,498	0f0d50fec3c0a0014a5bf7d59bc5ba834a8fe76b0c3f69e60231492a655b9049	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/ravensreach-rrch-library.png	97,696	c5724d91240b8405870e8f8f17f1592add47d1e42086a69844e093f74e221026	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/ravensreach-rrch-market.png	66,840	8ccb52f596967f7013b11b941f21a57541f2c0712e6f70506aaeacb49987b466	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/ravensreach-rrch-mason.png	54,250	fa3824383d3838931fa71282e43b925219346324ca143a7b0d582af64f4ec2d7	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/ravensreach-rrch-moot.png	132,911	ebe33d95a01fab5d0b428e6d9f5dc1b6de4b5d4c8fd99fcc5df47b7a37d8dff1	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/ravensreach-rrch-scout.png	52,628	f2295a2ea5a74572d7fd22719bfdae884bcd31af09ddfd40557568adc8039f9d	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/ravensreach-rrch-steward.png	56,364	72bf03a41ddac680f6891886bd64d66fb541af7705f36e79f2acc69dbde2ff03	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/ravensreach-rrch-storehouse.png	56,878	23caa9ebfa54e531479b9b919a854fcf8db563cb9d6decbfa200529db41cd516	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/ravensreach-rrch-surveyor.png	57,138	0cd166a2092fe51ff96ccf55ee29fc6c2db826ebc63d8c244572ac4addf5fdfc	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/ravensreach-rrch-town-hall.png	88,336	b21a5a5536f5a0f39b4ca3b1102a44634d2615b5fe0a287bf46ba4658f6cb194	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-district-wd-brew.png	61,052	6f0154c68cd731f31b5db471077cd3f00c591a2d84feb98961596b1c77c65f72	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-district-wd-ferry.png	50,032	259b927a2472dadc946f1b13327f4c938a5649f954990ef6a03699a541fa08e9	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-district-wd-field.png	50,156	46c02c6c389d9071a27d9127323dc3f182c5a257c5503e0d48b7fec504e17455	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-district-wd-gatehead.png	59,989	786c2aac91051bb528e2c21d1eda1c9a93bc104d9cc6e5a7ce8d3d3f874df95b	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-district-wd-inn.png	92,864	e54eee9f99e41c0bf65c09380f294742cd95f6ebe1604993567c18ecdbab5adf	1600×1100

Path	Bytes	SHA-256	Evidence binding
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-district-wd-lantern.png	47,024	d23305e0f39cb8b5b0a0e77a13dee0ab7c5529d220beb622471e2d1a4d706e46	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-district-wd-shop-a.png	57,358	7d5465ba25e170cac1d881b13e232a27d0e5cc6fd951e7ba0a0316514b7b796f	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-district-wd-shop-b.png	57,351	f12bb82c2496eeb265a6a9b9ff9abfd97d5023e3bf5b45982631477ec6da8a78	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-district-wd-shop-c.png	56,741	71e6b5d3b435f0b295835daeb659965ec98860a8f61586adf42a3bdab14f4137	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-district-wd-shop-d.png	56,385	fae747855748db03d816b34469d8d6c5f21d516b4d8930b31b870b3fbf192fcd	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-district-wd-shop-e.png	55,976	c5abcae1550f1f265d491933b05dda37bd25a815db9803d270314730c7f68d65	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-district-wd-shop-f.png	55,582	04c33730c6303c15f85d3655df85e3e40e44a52f1fe89aaec6011d58c6a86bef	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-district-wd-shop-g.png	57,480	e3b8a061cb802dc2ec611c9d78a149ad69b1b0c862612ab2d0d1b15409f84bb8	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-district-wd-skiff.png	48,098	026d32b198e5bc22e5e055bcc486ae99dbbe9c7622bbd32daf30c1e0f79fe88a	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-venue-wl-bowl.png	89,150	9c21e63006f199046c02879b0455dc328f92c8a49340923202cbe57cd318f932	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-venue-wl-club.png	58,903	b2e886ad67fb29d958b170794ba5cd681e4680568c78f6fd8a31a664a5aa8b16	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/structures/westlight-venue-wl-theatre.png	81,194	e55f97ea72d002c1834cd2a21d9b943817b568692d625dcd60fe2e16dc7d191a	1600×1100
data/exports/world-catalog-post-2026-07-27/floorplans/worldwide-interior-floorplan-atlas.pdf	5,179,255	ee8c7d2be68e85d262fcfba1299e53f8e95c92f76216a49774f91f5cdfac4c2b	—
data/exports/world-catalog-post-2026-07-27/object-media-index.json	2,646,968	04e62cee71b064679a908c07e6170022323905028f76b553d89a10530dea6b6b	snapshot=f8edf99494c0…
data/exports/world-catalog-post-2026-07-27/README.md	4,191	a7c71a91dfc4ccdf2d5bff15e55b592f0781a64af6386064757fd22a4c255be6	—
data/exports/world-catalog-post-2026-07-27/screenshots/B01-guest-design-center.png	266,282	9948d983cbf62732bd90e506bbe4441e4a3c0133e9ecf3d4f8f9f7bc0659f390	1280×720

Path	Bytes	SHA-256	Evidence binding
`data/exports/world-catalog-post-2026-07-27/screenshots/B02-retail-cooking-school.png`	327,535	`d0f2e1d16c24b6df019b3cdec9ef783cd97b53f6abcfcb7088ee4a8b82038261`	1280×720
`data/exports/world-catalog-post-2026-07-27/screenshots/B03-service-warehouse.png`	365,805	`7e77310f88c6a705cc0f20ce0a5be4d77a48644bcbbb18a8e0b4cf0cd0ba4756`	1280×720
`data/exports/world-catalog-post-2026-07-27/screenshots/C01-mountain-operations-complex.png`	381,293	`cbb018e48eb48550f53851b9558ca78020fba8b98ae4d7732e8dcaf693fa27ad`	1280×720
`data/exports/world-catalog-post-2026-07-27/screenshots/capture-report.json`	5,797	`f3a0167459ad10b1119b9cc5b6881d4b8f661182b238640f8e186ab51edff54c`	status=PASS; passed=true; snapshot=f8edf99494c0…
`data/exports/world-catalog-post-2026-07-27/screenshots/MSA-homes-streetscape.png`	303,446	`f1f4ba18b1e05aaf87f06e15267d88fbd362545a54ca08456973ca6494a3c48c`	1280×720
`data/exports/world-catalog-post-2026-07-27/screenshots/RG-ravensgate.png`	262,353	`dbffb987ae60bab78b97699663716cfe35aff16a6ce51bebe0499b264da7ebcb`	1280×720
`data/exports/world-catalog-post-2026-07-27/screenshots/RR-Z5-surface-access-shaft.png`	595,470	`639310a41155b0c92b5f49894299c6f50acc7a8e2806ece2bc040be5e6e39774`	1280×720
`data/exports/world-catalog-post-2026-07-27/screenshots/RRCH-ravensreach-core.png`	456,655	`adeb1562f7862618c22192196ffe4a0abef0dbb93cdfa5de9ad010592a0fd5f8`	1280×720
`data/exports/world-catalog-post-2026-07-27/screenshots/WL-stadium-and-district.png`	180,641	`85fb7ec6480314715d4c2c4a3d01f54f581240ba249e5594f9021c0ee803b020`	1280×720

Integrity procedure

1. Regenerate this register only after all release evidence is final.
2. Compare the JSON artifact path set to the distributed handoff.
3. Recompute SHA-256 over exact bytes and compare every record.
4. Verify every post-release JSON snapshot binding resolves to the accepted immutable post-release region directory.
5. Treat an absent file, hash mismatch, parse error, stale snapshot binding, or non-passing acceptance status as a documentation defect.