

General
Motors LLC

2017

This Vehicle Identification Numbering Standard is in
compliance with Federal Motor Vehicle Safety
Regulation 565

Vehicle Identification
Numbering
Standard

October 19, 2016



Table of Contents

Purpose	4
Maintenance & Operating Responsibilities	4
Organization and Description of VIN Positions	5
Check Digit	6
World Make/Manufacturer Identifier	8
Restraint System – All Vehicles	9
Passenger Car Vehicle Identification Numbering System	10
Passenger Car Body Style Descriptions	11
Passenger Car Engine Table	12
Passenger Car Plant Codes	13
Buick Cascada	14
Buick LaCrosse	15
Buick Regal	16
Buick Verano	17
Cadillac ATS	18
Cadillac CT6	19
Cadillac CTS	20
Cadillac ELR	21
Cadillac XTS	22
Chevrolet Aveo	23
Chevrolet Bolt EV	24
Chevrolet Camaro	25
Chevrolet Caprice Police Vehicle	26
Chevrolet Corvette	27
Chevrolet Cruze	28
Chevrolet Impala	29
Chevrolet Malibu	30
Chevrolet Sonic	31
Chevrolet Spark	32
Chevrolet SS	33
Chevrolet Volt	34
Opel Ampera-e EV	35



Table of Contents (Continued)

Light Duty Trucks, MPV & Incomplete Vehicle Identification Numbering System	36
Gross Vehicle Weight Rating (GVWR)/Brake System/Body Style	37
Light Duty Truck and MPV Body Style Description Table	38
Light Duty Truck/MPV Engine Table	39
Light Duty Truck/MPV Plant Codes	40
Buick Enclave	41
Buick Encore	42
Buick Envision	43
Cadillac Escalade	44
Cadillac XT5	45
Cadillac Stretch Limousine, Funeral Coach, Armored Vehicle	46
Chevrolet Captiva Sport	47
Chevrolet City Express	48
Chevrolet Colorado	49
Chevrolet Equinox	50
Chevrolet Express	51
Chevrolet Low Cab Forward	52
Chevrolet Silverado	53
Chevrolet Suburban	54
Chevrolet Tahoe	55
Chevrolet Traverse	56
Chevrolet Trax/Tracker	57
GMC Acadia	58
GMC Acadia Limited	59
GMC Canyon	60
GMC Savana	61
GMC Sierra	62
GMC Terrain	63
GMC Yukon	64



Purpose

The purpose of this standard is to define the uniform composition of Vehicle Identification Numbers (VIN) applied to GM vehicles marketed in the United States, U.S. Territories, Canada and vehicles manufactured in US, Canada, and Mexico. This GM Standard has been promulgated in compliance with U.S. Federal Motor Vehicle Safety Regulation Part 565 (FMVSR 565) administered by the National Highway Traffic Safety Administration (NHTSA) and with Canada Motor Vehicle Safety Standard 115 (CMVSS 115) administered by Transport Canada.

Certain vehicles manufactured by GM for titling and registration elsewhere in the world may have other requirements with which they must comply, thus precluding the use of this VIN Standard. However, the VIN described herein does comply with the vehicle identification numbering standard of the International Organization for Standardization (ISO), and should be acceptable in many countries around the world.

Maintenance & Operating Responsibilities

Responsibility for updating the code tables contained herein has been established, and is shown on each table. As information or revisions to existing tables become known, the updated tables of codes for the coming model years(s) should be submitted by the authorized activity to North American Product Engineering. Mail Code 480-210-2G1 30001 Van Dyke Ave, Warren MI 48090-9020. Product Engineering has responsibility for publication and dissemination of the updated hardcopy model year tables of VIN data throughout General Motors.

A copy of the updated materials is sent to Global Safety Center (GSC), which has responsibility for review and approval of the coding tables specified. The GSC has the responsibility for submitting these tables of VIN data, and any revisions thereto, to the National Highway Traffic Safety Administration (NHTSA).

Requests for any changes or refinements to the information content (not coding tables) of these Standards shall be directed to Engineering. The revision request must provide a comprehensive explanation for the requested change. VIN Engineering is responsible to review revision requests and make appropriate modifications before issuing revised pages to the Standards. Upon approval of proposed revisions by involved Divisions and Staffs, revisions to the Standards are incorporated into the text of revised pages and are distributed and posted to the Labels, Literature & VIN website.

The Engine RPO and corresponding VIN Codes for Passenger Cars, Light-Duty Trucks (LDT), and Multi-Passenger Vehicles (MPV) that are published in this standard are also updated in the Production Order Management Systems (POMS) and the Integrated Scheduling Project (ISP) by VIN Engineering.

VIN DREs of GM regions will be responsible for distribution of this Standard to persons or activities of their Unit or Region who are affected by or have a need for this information.

The code* definitions contained in the tables of interpretive data that follow provide for translation of the characters comprising any GM VIN, while at the same time they provide the information needed to compose the correct VIN for a GM vehicle. The tables of interpretive data are organized in Sections, and are described as follows:

*Only Arabic numerals and English alphabetic capital letters are permitted in GM VINs. However, I, O (oh), and Q, and special characters are not allowed as stated in FMVSR 565 and/or CMVSS 115 and/or ISO Standards.



Organization and Description of VIN Positions

VIN Positions 1~3

Positions 1~3 in the VIN are designated for the World Make/Manufacturer Identifiers (WMI). WMIs are assigned to General Motors by the Society of Automotive Engineers (SAE). This indicates the country of origin, the make/manufacturer, and type/brand of vehicle.

VIN Position 4 – Passenger Car

Position 4 designates the vehicle line. This is most commonly, but not always, the same as the book number. In the instance a book number has two characters, the second character is used to indicate the vehicle line.

VIN Position 4 – MPV, Light Duty Truck & Incomplete Vehicles

Position 4 designates the Gross Vehicle Weight Rating (GVWR), brake system and body style.

VIN Position 5 – Passenger Car

Position 5 designates the car series. This includes the various trim levels and badges for a vehicle line.

VIN Position 5 – MPV, Light Duty Truck & Incomplete Vehicles

Position 5 designates the chassis of the vehicle. If a vehicle is equipped with either two wheel drive or four wheel drive, the 5th position will reflect which drive train is installed on the vehicle. Some vehicles however will have a 5th position similar to that of a passenger car, where the book number is used. In the instance the book number has two characters, the second character is used to indicate the vehicle chassis.

VIN Position 6 – Passenger Car

Position 6 designates the body styles for each vehicle.

VIN Position 6 - MPV, Light Duty Truck & Incomplete Vehicles

Position 6 designates the series of the vehicle. Like position 5 for passenger car, this includes the various trim levels and badges for a vehicle line.

VIN Position 7

Position 7 is an alpha only character, which designates the restraint system used in the vehicle.

VIN Position 8

Position 8 is an alpha/numeric character which designates the engine used in the vehicle.

VIN Position 9

Position 9 designates the Check Digit. The Check Digit is an alpha/numeric character which is calculated by the composition of the VIN.

See the Check Digit section for an explanation on the calculation of the check digit, and an example.

VIN Position 10

Position 10 designates the model year of the vehicle.

VIN Position 11

Position 11 designates the plant code the vehicle was built.

VIN Positions 12~17

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Check Digit

A check digit shall be provided as part of each vehicle identification number. The check digit shall occupy the ninth position in the vehicle identification number and appear as part of the number on the vehicle and on any documents containing the vehicle identification number.

The check digit is determined by carrying out the mathematical computation as follows:

- (1) Assign to each number in the vehicle identification number its actual mathematical value, and assign to each letter the value specified in the table below.

Table 1: Alpha Numeric Conversion Factor

A=1	J=1	T=3
B=2	K=2	U=4
C=3	L=3	V=5
D=4	M=4	W=6
E=5	N=5	X=7
F=6	P=7	Y=8
G=7	R=9	Z=9
H=8	S=2	

- (2) Multiply the assigned value for each position in the vehicle identification number by the weight factor specified in the following table.

Table 2: Position and Weight Factor

1st	8	10th	9
2nd	7	11th	8
3rd	6	12th	7
4th	5	13th	6
5th	4	14th	5
6th	3	15th	4
7th	2	16th	3
8th	10	17th	2
9th	0		

- (3) Add the resulting products and divide the total by 11.
- (4) The remainder is the check digit, which will be inserted in the ninth position. If the remainder is 0 - 9, the check digit is that numeric value; if the remainder is 10, the check digit is X.



Check Digit (continued)

EXAMPLE:

VIN Position 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17

VIN Example 1 G 2 N G 1 2 E X 2 M 9 2 3 4 5 6

ASSIGNED

VALUE 1 7 2 5 7 1 2 5 X 2 4 9 2 3 4 5 6

MULTIPLY BY WEIGHT

 x x x x x x x x X x x x x x x x x

FACTOR

 8 7 6 5 4 3 2 10 X 9 8 7 6 5 4 3 2

ADD

PRODUCTS 8+49 + 12 + 25 + 28 + 3 + 4 + 50 X +18+32+63+12+15+16+15+12 = 362

DIVIDE

BY 11 362/11 = 32 + 10/11, remainder = 10

Therefore

CHECK DIGIT is: X (It will appear as the character in the 9th position of the VIN)

Table 3: Ninth Position Check Digit Values

Fractional Remainder	0	1/11	2/11	3/11	4/11	5/11	6/11	7/11	8/11	9/11	10/11
Decimal Equivalent Remainder	0	0.091	0.182	0.273	0.364	0.455	0.545	0.636	0.727	0.818	0.909
Check Digit	0	1	2	3	4	5	6	7	8	9	X

World Make/Manufacturer Identifier (WMI)

Table 4: World Make/Manufacturer Identifier tables

US	Canada	Mexico	Other	Make	Comments
Passenger Car					
1G1	2G1	3G1	KL8, 6G3	Chevrolet	KL8 - GM Korea Company, 6G3 - Holden,
1G4	2G4	--	W04	Buick	W04 - Adam Opel AG
1G6	2G6	--	LRE	Cadillac	LRE - SAIC GM
1G0	--	--	--	Opel	
Light Duty Truck (LDT)					
1GC	--	3GC	3N6	Chevrolet	3N6 - Mfg. By Nissan for General Motors
1GT	--	3GT	--	GMC	
--	--	--	--	Cadillac	
Multi Passenger Vehicle (MPV)					
5GA	--	--	KL4, LRB	Buick	KL4 - GM Korea, LRB - SAIC GM
1GY	--	--	--	Cadillac	
1GN	2GN	3GN	KL7	Chevrolet	KL7 - GM Korea
1GK	2GK	--	--	GMC	
Incomplete Vehicles					
1GB, 54D, 1HA	--	3GB	JAL	Chevrolet	54D - Spartan Motors Chassis Inc, JAL - Isuzu Motors Ltd.
1GD, 1HA	--	3GD	--	GMC	1HA - Navistar Inc,
--	2GE	--	--	Cadillac	
Bus					
1GA	--	--	--	Chevrolet	
1GJ	--	--	--	GMC	



Restraint System - All Vehicles


Table 5: Restraint System Chart

Code	Restraint System Description
A:	Active Manual Belts, Airbag Delete
B:	Active Manual Belts, Airbag-Driver only - Front
C:	Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
D:	Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)
E:	Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
F:	Active Manual Belts, Airbags-Driver & Passenger - Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)
G:	Active Manual Belts, Airbags - Driver & Passenger - Front (1st row), Front Seat Side (1st row) and Rear Seat Side (2nd row), Roof Side (all seating rows)
H:	Active Manual Belts, Airbag - Driver only - Front, Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)
K:	Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) , Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)
L:	Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row) Front Inboard Seat Side (1st row), Roof Side (all seating rows), Driver Knee
N:	Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row), Driver & Passenger Knee (1st row)
*N:	Active Manual Belts, Airbags - Driver & passenger Front, Seat Side, Roof Side
R:	Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Driver & Passenger knee (1st row)
S:	Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)
U:	Active Manual Belts, Airbags-Driver & Passenger - Front (1st row), Front Seat Side (1st row), Front Roof Side (1st row), Driver & Passenger knee (1st row)

*N - Chevrolet City Express Only



TYPICAL VIN	1	G	1	Y	A	2	D	6	X	H	5	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
	WMI											SEQUENCE NUMBER					
	VEHICLE LINE											PLANT LOCATION					
	SERIES											MODEL YEAR					
												CHECK DIGIT					
												ENGINE TYPE					
												RESTRAINT SYSTEM					





Passenger Car Body Style Descriptions

Table 6: Passenger Car Body Style Descriptions

VIN Code	Body Style Descriptions
1	37 - Coupe, 2 - Door, Notchback
	47 - Coupe, 2 - Door, Notchback Special
2	07 - Coupe, 2 - Door, Plain Back
3	67 - Coupe, 2 - Door, Convertible
5	19 - Sedan, 4 - Door, 6 Window, Notchback
	69 - Sedan, 4 - Door, 4 Window, Notchback
	79 - Sedan, 4 - Door, 4 Window, Notchback Extended
6	48 - Sedan, 4 - Door, 4 Window, H/Back
	68 - Sedan, 4 -Door, 6 Window, Plain Back, (H/Back)



Passenger Car Engine Table

Table 7: Passenger Car Engines for GMNA

	RPO	Book Code(s)	Description
A:	LCV	0G, A	ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM
A:	LV7	CD	ENGINE GAS, 4 CYL, L4, 1.4L, MFI, DOHC, VVT, ALUM, GEN 1 VAR1 <i>(Chevrolet Spark Only)</i>
B:	LUV	J	ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM, GME E85 MAX
C:	LDE	J	ENGINE GAS, 4 CYL, 1.6L, MFI, DOHC, VVT, VARIABLE CAMSHAF T PHASING, VARIABLE INTAKE MODULE (VIM)
D:	L3G	B	ENGINE GAS, 4 CYL, 1.5L, DI, L4, DOHC, VVT, GEN 1, GMNA
E:	LH7	B	ENGINE DIESEL, UREA, 4 CYL, 1.6L, L4, CRI, DOHC, VGT, ALUM
F:	LXT	RT	ENGINE GAS, 4 CYL, 1.6L, MFI, DOHC, 80KW
G:	LWE	J	ENGINE GAS, 4 CYL, 1.8L, MFI, DOHC, VVT, 103 KW, GME
H:	LUW	J	ENGINE GAS, 4 CYL, 1.8L, MFI, 103KW, DOHC, E85 MAX
J:			
K:	LEA	0G, P	ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, E85 MAX, ALUM, GM
L:			
M:	LE2	B	ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, TURBO, ALUM GEN 1, GMNA
N:	LFR	0G	ENGINE GAS, 6 CYL, 3.6L, V6, PFI, DOHC, VVT, ALUM, GEN 1
P:	LEX	B	ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, ALUM, TURBO GEN 1, VAR 1
R:			
S:	LGX	A, K, Z	ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN2
T:	LFV	Z	ENGINE GAS, 4 CYL, L4, 1.5L, DI, DOHC, VVT, TURBO, GEN 1 GMNA
U:	LKN	Z	LKN - ENGINE GAS, 4 CYL, 1.8L, SIDI, DOHC, VVT, HYBRID, FAM 1 GEN 4, GME
V:			
W:	LS3	8E	ENGINE GAS, 8 CYL, 6.2L, SFI, ALUM, HOENGINE GAS, 8 CYL, 6.2L, SFI, ALUM, HO, GM
X:	LTG	0G, A, K, Z	ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
Y:	LF4	A	ENGINE GAS, 6 CYL, 3.6, GEN1+, V6, SIDI, DOHC, VVT, ALUM, TWIN TURBO
Z:			
0:	EN0	F	ENGINE NONE
1:			
2:	L77	8E	ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI ALUM, AFM
3:	LFX	0G, 8E	ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM
4:	LUU	R	ENGINE FLEXIBLE FUEL, (GAS/ALC), 4 CYL, 1.4L, MFI, DOHC E-FLEX, FAM 0
5:	L3A	R	ENGINE GAS, 4 CYL, 1.5L, DI, DOHC, VVT, HYBRID, GEN 1
5:	LWC	0W	ENGINE GAS, 4 CYL, 1.6L, SIDI, TURBO, DOHC, VVT, HO, FAM 1, GEN 4, GME
6:	LGW	K	ENGINE GAS, 6 CYL, 3.0L, V6, DI, DOHC, VVT, ALUM, TWIN TURBO, GEN 2 <i>(CT6 only)</i>
6:	LT4	A, Y	ENGINE GAS, 8 CYL, 6.2L, DI, SC, AFM, VVT, ALUM, GMNA
7:	LT1	A, Y	ENGINE GAS, 8 CYL, 6.2L, DI, AFM, VVT, HO, ALUM, GMNA
8:	LF3	0G, A	ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, ALUM, TWIN TURBO, GM
9:			

*Engines listed as flexible fuel do not necessarily mean the vehicle is equipped for flexible fuel



Passenger Car Plant Codes

Table 8: Passenger Car Plant CodesWhen VIN position 1 is "1" (U.S.A.):

F:	Fairfax	KS	GMNA
U:	Detroit Hamtramck	MI	GMNA
O:	Lansing - Grand River	MI	GMNA
4:	Orion	MI	GMNA
5:	Bowling Green	KY	GMNA
7:	Lordstown	OH	GMNA
X:	Non Production/Non-Saleable Build		GMNA

When VIN position 1 is "2" (Canada):

9:	Oshawa #1 (OSH)	ON	GMNA
-----------	-----------------	----	------

When VIN position 1 is "3" (Mexico):

S:	Ramos Arizpe	Mexico	GMNA
L:	San Luis Potosi	Mexico	GMNA

When VIN position 1 is "6" (Australia):

L:	Elizabeth	SA	Holden
-----------	-----------	----	--------

When VIN position 1 is "K" (S. Korea):

C:	Changwon	S. Korea	GM Korea
-----------	----------	----------	----------

When VIN position 1 is "W" (Poland):


G:	Gliwice	Poland	Adam Opel AG
-----------	---------	--------	--------------

When VIN position 1 is "L" (China):

A:	Jinqiao East	China	SAIC GM
-----------	--------------	-------	---------



Buick Cascada



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: **Region of Build**
W: Europe
- 2: **Manufacturer**
0: Adam Opel AG
- 3: **Vehicle Brand/Type**
4: Buick Passenger Car

4~5: VEHICLE LINE/SERIES

Book 0W

- W G: Buick Cascada, Base
- W H: Buick Cascada, Premium Group
- W J: Buick Cascada, Sport Touring

6: BODY STYLE

- 3: 67 - Coupe, 2 - Door, Convertible

7: RESTRAINT SYSTEM

- N: AYL - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row), Driver & Passenger Knee (1st row)

8: ENGINE TYPE

- 5: LWC - ENGINE GAS, 4 CYL, 1.6L, SIDI, TURBO, DOHC, VVT, HO, FAM 1, GEN 4, GME

9: CHECK DIGIT

- 0~9, X - According to 49 CFR 565

10: MODEL YEAR

- H: 2017

11: PLANT LOCATION


- When VIN position 1 is "W" (Europe):
G: Gliwice

12~17: SEQUENCE NUMBER

- Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Buick LaCrosse



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

4: Buick Passenger Car

4~5: VEHICLE LINE/SERIES

Book Z

Z M: Buick LaCrosse
Z N: Buick LaCrosse, Preferred
Z P: Buick LaCrosse, Essence Group
Z R: Buick LaCrosse, Premium Group
Z S: Buick LaCrosse, Premium AWD Group
Z 8: Buick Lacrosse (Non-US, Non-Canada)

6: BODY STYLE

5: 79 - Sedan, 4 - Door, 4 Window, Notchback Extended

7: RESTRAINT SYSTEM

S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


U: Detroit Hamtramck

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Buick Regal



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
 - 2: Canada
- 2: Manufacturer**
 - G: General Motors
- 3: Vehicle Brand/Type**
 - 4: Buick Passenger Car

4~5: VEHICLE LINE/SERIES

Book 0G

- G K: Buick Regal, 1SV
- G L: Buick Regal, Sport Touring
- G M: Buick Regal, Leather Group AWD
- G N: Buick Regal, Premium I Group (Canada Only)
- G P: Buick Regal, Premium I Group, AWD (Canada Only)
- G R: Buick Regal, Premium II Group
- G S: Buick Regal, Premium II Group (AWD)
- G T: Buick Regal, GS
- G U: Buick Regal, GS (AWD)
- G V: Buick Regal, Fleet
- G 8: Buick Regal, (Non-US, Non-Canada)

6: BODY STYLE

- 5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

- E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- G: AW7 - Active Manual Belts, Airbags - Driver & Passenger - Front (1st row), Front Seat Side (1st row) and Rear Seat Side (2nd row), Roof Side (all seating rows)

8: ENGINE TYPE

- K: LEA - ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, E85 MAX, ALUM, GM
- X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, TURBO E85 MAX

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- H: 2017

11: PLANT LOCATION

When VIN position 1 is "2" (Canada):


- 9: Oshawa #1 (OSH)

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Buick Verano



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
4: Buick Passenger Car

4~5: VEHICLE LINE/SERIES

Book P

- P 1: Buick Verano, (1SV)
- P P: Buick Verano, (1SD) (Canada Only)
- P R: Buick Verano, Sport Touring (1SH)
- P S: Buick Verano, Leather Group (1SL)
- P 9: Buick Verano, (Non-US, Non-Canada)

6: BODY STYLE

- 5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

- S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

- K: LEA - ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, E85 MAX, ALUM, GM

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


- 4: Orion

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac ATS



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

6: Cadillac Passenger Car

4~5: VEHICLE LINE/SERIES

Book A

A	A:	Cadillac ATS, Standard RWD
A	B:	Cadillac ATS, Luxury Collection RWD
A	C:	Cadillac ATS, Performance Collection RWD
A	D:	Cadillac ATS, Performance Collection, RWD w/driver assist pkg.
A	E:	Cadillac ATS, Premium Collection RWD
A	F:	Cadillac ATS, Premium Collection RWD w/driver assist pkg.
A	G:	Cadillac ATS, Standard AWD
A	H:	Cadillac ATS, Luxury Collection AWD
A	J:	Cadillac ATS, Performance Collection AWD
A	K:	Cadillac ATS, Performance Collection AWD w/driver assist pkg.
A	L:	Cadillac ATS, Premium Collection AWD
A	M:	Cadillac ATS, Premium Collection AWD w/driver assist pkg.
A	N:	Cadillac ATS V Series
A	9:	Cadillac ATS, (Non-US, Non-Canada)

6: BODY STYLE

- 1: 47 - Coupe, 2 - Door, Notchback Special
5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

- R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Driver & Passenger knee (1st row)
S: AYG - Active Manual Belts, Airbags- Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

- A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM
S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN2
X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
Y: LF4 - ENGINE GAS, 6 CYL, 3.6L, GEN1+, V6, SIDI, DOHC, VVT, ALUM, TWIN TURBO

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


0: Lansing - Grand River

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac CT6



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build Valid Combinations

1:	United States	1G6
L:	China	LRE

2: Manufacturer

G:	General Motors
R:	SAIC GM

3: Vehicle Brand/Type

When VIN position 1 is "1" (USA):

6:	Cadillac Passenger Car
----	------------------------

When VIN position 1 is "L" (China):

E:	Cadillac Passenger Car
----	------------------------

8: ENGINE TYPE

S:	LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2
X:	LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
6:	LGW - ENGINE GAS, 6 CYL, 3.0L, V6, DI, DOHC, VVT, ALUM, TWIN TURBO, GEN 2

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

U: Detroit Hamtramck

When VIN position 1 is "L" (China):

A: Jinqiao East

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

4~5: VEHICLE LINE/SERIES

Book K

K	A:	Cadillac CT6, 2.0T
K	B:	Cadillac CT6, 3.6L, AWD
K	C:	Cadillac CT6, 2.0T Luxury
K	D:	Cadillac CT6, 3.6L Luxury, AWD
K	E:	Cadillac CT6, 3.0TT Luxury, AWD
K	F:	Cadillac CT6, 3.6L Premium Luxury, AWD
K	G:	Cadillac CT6, 3.6L Premium Luxury (CSAV), AWD
K	H:	Cadillac CT6, 3.0TT Premium Luxury, AWD
K	J:	Cadillac CT6, 3.0TT Premium Luxury (CSAV), AWD
K	K:	Cadillac CT6, 2.0T Premium Luxury (PHEV)
K	L:	Cadillac CT6, 3.6L Platinum, AWD
K	M:	Cadillac CT6, 3.6L Platinum (CSAV), AWD
K	N:	Cadillac CT6, 3.0TT Platinum, AWD
K	P:	Cadillac CT6, 3.0TT Platinum (CSAV), AWD
K	9:	Cadillac CT6 (Non-US, Non-Canada)

6: BODY STYLE


5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

R: AYY - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Driver & Passenger knee (1st row)



Cadillac CTS



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
6: Cadillac Passenger Car

4~5: VEHICLE LINE/SERIES

Book A

- A P: Cadillac CTS,
A R: Cadillac CTS, Luxury
A S: Cadillac CTS, Premium Luxury
A U: Cadillac CTS, V-sport
A V: Cadillac CTS, V-sport Premium Luxury
A W: Cadillac CTS, (AWD)
A X: Cadillac CTS, Luxury (AWD)
A Y: Cadillac CTS, Premium Luxury (AWD)
A 1: Cadillac CTS, V-Series
A 8: Cadillac CTS (Non-US, Non-Canada)

6: BODY STYLE

- 5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

- S: AYP - Active Manual Belts, Airbags- Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

- S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN2
X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
6: LT4 - ENGINE GAS, 8 CYL, 6.2L, DI, SC, AFM, VVT, ALUM, GMNA
8: LF3 - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, ALUM, TWIN TURBO, GM

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


- 0: Lansing - Grand River

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac ELR



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
6: Cadillac Passenger Car

4~5: VEHICLE LINE/SERIES

Book R

- R L: Cadillac ELR, Standard
- R M: Cadillac ELR, Sport Package
- R 7: Cadillac ELR, (Non-US, Non-Canada)

6: BODY STYLE

- 1: 47 - Coupe, 2 - Door, Notchback Special

7: RESTRAINT SYSTEM

- E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- 4: LUU - ENGINE FLEXIBLE FUEL, (GAS/ALC), 4 CYL, 1.4L, MFI, DOHC E-FLEX, FAM 0

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


- U: Detroit Hamtramck

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac XTS



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
 - 2: Canada
- 2: Manufacturer**
 - G: General Motors
- 3: Vehicle Brand/Type**
 - 6: Cadillac Passenger Car

4~5: VEHICLE LINE/SERIES

Book 0G

- 1 L: Cadillac XTS, FWD
- 1 M: Cadillac XTS, Luxury FWD
- 1 N: Cadillac XTS, Luxury AWD
- 1 P: Cadillac XTS, Premium Luxury FWD
- 1 R: Cadillac XTS, Premium Luxury AWD
- 1 S: Cadillac XTS, Platinum FWD
- 1 T: Cadillac XTS, Platinum AWD
- 1 U: Cadillac XTS, Livery FWD (W20)
- 1 V: Cadillac XTS, Premium Luxury V-sport AWD
- 1 W: Cadillac XTS, Platinum V-sport AWD
- 1 8: Cadillac XTS, (Non US, Non Canada)

6: BODY STYLE

- 5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

- S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

- 3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM
- 8: LF3 - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, ALUM, TWIN TURBO, GM

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- H: 2017

11: PLANT LOCATION

When VIN position 1 is "2" (Canada):


- 9: Oshawa #1 (OSH)

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Aveo



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
3: Mexico
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book RT

- T A: Chevrolet Aveo, Base (Non-US, Non-Canada)
T B: Chevrolet Aveo, Midlevel (Non-US, Non-Canada)
T C: Chevrolet Aveo, Uplevel (Non-US, Non-Canada)

6: BODY STYLE

- 5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

- A: AR1 - Active Manual Belts, Airbag Delete
C: AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)

8: ENGINE TYPE

- F: LXT - ENGINE GAS, 4 CYL, 1.6L, MFI, DOHC, 80KW

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- H: 2017

11: PLANT LOCATION

- When VIN position 1 is "3" (Mexico):
L: San Luis Potosi

12~17: SEQUENCE NUMBER

- Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



TYPICAL VIN	1	G	1	F	W	6	E	0	X	H	4	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
	↓			↓	↓	↓	↓	↓	↓	↓	↓	↓					
	WMI			↓		↓		↓		↓		SEQUENCE NUMBER					
	↓			VEHICLE LINE		↓		↓		↓		PLANT LOCATION					
	↓			↓		↓		↓		↓		MODEL YEAR					
	↓			↓		↓		↓		↓		CHECK DIGIT					
	↓			↓		↓		↓		↓		ENGINE TYPE					
	↓			↓		↓		↓		↓		RESTRAINT SYSTEM					

<p>1: Region of Build</p> <p>1: United States</p> <p>2: Manufacturer</p> <p>G: General Motors</p> <p>3: Vehicle Brand/Type</p> <p>1: Chevrolet Passenger Car</p>

Book F	
F	W: Chevrolet Bolt EV, LT
F	X: Chevrolet Bolt EV, Premier
F	7: Chevrolet Bolt EV, (Non-US, Non-Canada)

6: 48 - Sedan, 4 - Door, 4 Window, H/Back

E:	AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
S:	AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

0:	EN0 - ENGINE NONE
----	-------------------

0~9, X - Calculated by POMS

H: 2017


When VIN position 1 is "1" (USA):

4: Orion

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Camaro



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book A

- F A: Chevrolet Camaro, 1LS or 1LT (Manual)
F B: Chevrolet Camaro, 1LT (Automatic)
F C: Chevrolet Camaro, 2LT (Manual)
F D: Chevrolet Camaro, 2LT (Automatic)
F E: Chevrolet Camaro, 1SS (Manual)
F F: Chevrolet Camaro, 1SS (Automatic)
F G: Chevrolet Camaro, 2SS (Manual)
F H: Chevrolet Camaro, 2SS (Automatic)
F J: Chevrolet Camaro, ZL1 (Manual)
F K: Chevrolet Camaro, ZL1 (Automatic)
F 9: Chevrolet Camaro, (Non-US, Non-Canada)

6: BODY STYLE

- 1: 37 - Coupe, 2 - Door, Notchback
3: 67 - Coupe, 2 - Door, Convertible

7: RESTRAINT SYSTEM

- D: AJ9 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)
R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

- S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN2
X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
6: LT4 - ENGINE GAS, 8 CYL, 6.2L, DI, SC, AFM, VVT, ALUM, GMNA
7: LT1 - ENGINE GAS, 8 CYL, 6.2L, DI, AFM, VVT, HO, ALUM, GMNA

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


0: Lansing - Grand River

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Caprice Police Vehicle



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
6: Australia
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
3: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book 8E
N S: Chevrolet Caprice Police Vehicle

6: BODY STYLE

5: 19 - Sedan, 4 - Door, 6 Window, Notchback

7: RESTRAINT SYSTEM

U: AKC - Active Manual Belts, Airbags-Driver & Passenger - Front
(1st row), Front Seat Side (1st row), Front Roof Side
(1st row), Driver & Passenger knee (1st row)

8: ENGINE TYPE

- 2: L77 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L,
SFI ALUM, AFM, GM
- 3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX,
ALUM, GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION


When VIN position 1 is "6" (Australia):
L: Elizabeth

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Corvette



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

1: Chevrolet Passenger Car

6: BODY STYLE

2: 07 - Coupe, 2 - Door, Plain Back

3: 67 - Coupe, 2 - Door, Convertible

7: RESTRAINT SYSTEM

D: AJ7 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)

4~5: VEHICLE LINE/SERIES

Book Y

Y	A:	Chevrolet Corvette Stingray, Standard 1LT (Manual)
Y	B:	Chevrolet Corvette Stingray, Standard 1LT (Automatic)
Y	C:	Chevrolet Corvette Stingray, Preferred 2LT (Manual)
Y	D:	Chevrolet Corvette Stingray, Preferred 2LT (Automatic)
Y	E:	Chevrolet Corvette Stingray, Premium 3LT (Manual)
Y	F:	Chevrolet Corvette Stingray, Premium 3LT (Automatic)
Y	G:	Chevrolet Corvette Stingray, Standard 1LT (Manual) with Z51
Y	H:	Chevrolet Corvette Stingray, Standard 1LT (Automatic) with Z51
Y	J:	Chevrolet Corvette Stingray, Preferred 2LT (Manual) with Z51
Y	K:	Chevrolet Corvette Stingray, Preferred 2LT (Automatic) with Z51
Y	L:	Chevrolet Corvette Stingray, Premium 3LT (Manual) with Z51
Y	M:	Chevrolet Corvette Stingray, Premium 3LT (Automatic) with Z51
Y	N:	Chevrolet Corvette Z06, Standard 1LZ (Manual)
Y	P:	Chevrolet Corvette Z06, Standard 1LZ (Automatic)
Y	R:	Chevrolet Corvette Z06, Preferred 2LZ (Manual)
Y	S:	Chevrolet Corvette Z06, Preferred 2LZ (Automatic)
Y	T:	Chevrolet Corvette Z06, Premium 3LZ (Manual)
Y	U:	Chevrolet Corvette Z06, Premium 3LZ (Automatic)
Y	V:	Chevrolet Corvette Grand Sport, Standard 1LT (Manual)
Y	W:	Chevrolet Corvette Grand Sport, Standard 1LT (Automatic)
Y	X:	Chevrolet Corvette Grand Sport, Preferred 2LT (Manual)
Y	Y:	Chevrolet Corvette Grand Sport, Preferred 2LT (Automatic)
Y	Z:	Chevrolet Corvette Grand Sport, Premium 3LT (Manual)
Y	1:	Chevrolet Corvette Grand Sport, Premium 3LT (Automatic)
Y	9:	Chevrolet Corvette (Non-US, Non-Canada)

8: ENGINE TYPE

6: LT4 - ENGINE GAS, 8 CYL, 6.2L, DI, SC, AFM, VVT, ALUM, GMNA

7: LT1 - ENGINE GAS, 8 CYL, 6.2L, DI, AFM, VVT, HO, ALUM, GMNA

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


5: Bowling Green

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Cruze



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1G1
3: Mexico	3G1
2: Manufacturer	
G: General Motors	
3: Vehicle Brand/Type	
1: Chevrolet Passenger Car	

7: RESTRAINT SYSTEM

D: AJG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)
E: AYC - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

4~5: VEHICLE LINE/SERIES

Book B

B	A:	Chevrolet Cruze, L (Manual)
B	B:	Chevrolet Cruze, LS (Manual)
B	C:	Chevrolet Cruze, LS (Automatic)
B	D:	Chevrolet Cruze, LT (Manual)
B	E:	Chevrolet Cruze, LT (Automatic)
B	F:	Chevrolet Cruze, Premier (Automatic)
B	G:	Chevrolet Cruze, Diesel (Manual)
B	H:	Chevrolet Cruze, Diesel (Automatic)
B	8:	Chevrolet Cruze, (Non-US, Non-Canada)

8: ENGINE TYPE

D: L3G - ENGINE GAS, 4 CYL, 1.5L, DI, L4, DOHC, VVT, GEN 1, GMNA
E: LH7 - ENGINE DIESEL, UREA, 4 CYL, 1.6L, L4, CRI, DOHC, VGT, ALUM
M: LE2 - ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, TURBO, ALUM, GEN 1, GMNA
P: LEX - ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, ALUM, TURBO GEN 1, VAR 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (United States):

7: Lordstown

When VIN position 1 is "3" (Mexico):


S: Ramos Arizpe

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Impala



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build Valid Combinations

1:	United States	1G1
2:	Canada	2G1

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book 0G

1	X:	Chevrolet Impala, LS (1FL)
1	Y:	Chevrolet Impala, LS (2FL CNG)
1	Z:	Chevrolet Impala, LS (1LS)
1	0:	Chevrolet Impala, LT (1LT)
1	1:	Chevrolet Impala, LT (2LT)
1	2:	Chevrolet Impala, LT (3LT CNG)
1	3:	Chevrolet Impala, LTZ (1LZ)
1	4:	Chevrolet Impala, Premier (2LZ)
1	5:	Chevrolet Impala, (Non-US, Non-Canada)

6: BODY STYLE

5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM
N: LFR - ENGINE GAS, 6 CYL, 3.6L, V6, PFI, DOHC, VVT, ALUM, GEN 1
3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (United States):

U: Detroit Hamtramck

When VIN position 1 is "2" (Canada):


9: Oshawa #1 (OSH)

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Malibu



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book Z

Z	A:	Chevrolet Malibu, L (1VL)
Z	B:	Chevrolet Malibu, LS (1LS)
Z	C:	Chevrolet Malibu, LS (1FL)
Z	D:	Chevrolet Malibu, LT (2FL)
Z	E:	Chevrolet Malibu, LT (1LT)
Z	F:	Chevrolet Malibu, LT (2LT)
Z	G:	Chevrolet Malibu, Premier (1LZ)
Z	H:	Chevrolet Malibu, Premier (2LZ)
Z	J:	Chevrolet Malibu, Hybrid
Z	9:	Chevrolet Malibu, (Non-US, Non-Canada)

6: BODY STYLE

5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

S: AYP - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

T: LFV - ENGINE GAS, 4 CYL, L4, 1.5L, DI, DOHC, VVT, TURBO, GEN 1 GMNA

U: LKN - ENGINE GAS, 4 CYL, 1.8L, SIDI, DOHC, VVT, HYBRID, FAM 1 GEN 4, GME

X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (United States):


F: Fairfax

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Sonic



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build Valid Combinations

1: United States	1G1
3: Mexico	3G1

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book I

J	A:	Chevrolet Sonic, LS (Manual)
J	B:	Chevrolet Sonic, LS (Automatic)
J	C:	Chevrolet Sonic, LT (Manual)
J	D:	Chevrolet Sonic, LT (Automatic)
J	E:	Chevrolet Sonic, Premier (Manual)
J	F:	Chevrolet Sonic, Premier (Automatic)
J	G:	Chevrolet Sonic, FL (Automatic)
J	8:	Chevrolet Sonic (Non-US, Non Canada)

6: BODY STYLE

5:	69 - Sedan, 4 - Door, 4 Window, Notchback
6:	48 - Sedan, 4 - Door, 4 Window, Hatchback

7: RESTRAINT SYSTEM

A:	AR1 - Active Manual Belts, Airbag Delete
C:	ADL - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
D:	AJG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)
E:	AYC - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
S:	AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

B:	LUV - ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM, GME E85 MAX
C:	LDE - ENGINE GAS, 4 CYL, 1.6L, MFI, DOHC, VVT, VARIABLE CAMSHAFT PHASING, VARIABLE INTAKE MODULE (VIM)
G:	LWE - ENGINE GAS, 4 CYL, 1.8L, MFI, DOHC, VVT, 103 KW, GME
H:	LUW - ENGINE GAS, 4 CYL, 1.8L, MFI, 103KW, DOHC, E85 MAX

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

4: Orion

When VIN position 1 is "3" (Mexico):


S: Ramos Arizpe

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Spark



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

K: Korea

2: Manufacturer

L: GM Korea

3: Vehicle Brand/Type

8: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book CD

C A: Chevrolet Spark, LS (Manual) (LS)
C B: Chevrolet Spark, LS (Automatic) (LS)
C C: Chevrolet Spark, 1LT (Manual) (LT)
C D: Chevrolet Spark, 1LT (Automatic) (LT)
C E: Chevrolet Spark, 2LT (Manual) (LT)
C F: Chevrolet Spark, 2LT(Automatic) (LT)
C G: Chevrolet Spark, ACTIV (Manual) (ACTIV)
C H: Chevrolet Spark, ACTIV (Automatic) (ACTIV)
C 9: Chevrolet Spark (Non-US, Non-Canada)

6: BODY STYLE

6: 48 - Sedan, 4 - Door, 4 Window, Hatchback

7: RESTRAINT SYSTEM

S: AYP - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

A: LV7 - ENGINE GAS, 4 CYL, L4, 1.4L, MFI, DOHC, VVT, ALUM, GEN 1 VAR 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "K" (Korea):


C: Changwon

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet SS



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
6: Australia
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
3: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book 8E

- F 1: Chevrolet SS, (Automatic)
- F 2: Chevrolet SS, (Manual)

6: BODY STYLE

- 5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

- R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

- W: LS3 - ENGINE GAS, 8 CYL, 6.2L, SFI, ALUM, HO, GM

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- H: 2017

11: PLANT LOCATION


- When VIN position 1 is "6" (Australia):
L: Elizabeth

12~17: SEQUENCE NUMBER

- Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Volt



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book R

- R A: Chevrolet Volt, LT w/ Standard Emissions
- R B: Chevrolet Volt, Premier w/ Standard Emissions
- R C: Chevrolet Volt, LT w/Low Emissions Package
- R D: Chevrolet Volt, Premier w/Low Emissions Package
- R 9: Chevrolet Volt (Non-US, Non-Canada)

6: BODY STYLE

6: 68 - Sedan, 4 - Door, 6 Window, Plain Back, (H/Back)

7: RESTRAINT SYSTEM

S: AYP - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

5: L3A - ENGINE GAS, 4 CYL, 1.5L, DI, DOHC, VVT, HYBRID, GEN 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


U: Detroit Hamtramck

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Opel Ampera-e



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

0: Opel Passenger Car

4~5: VEHICLE LINE/SERIES

Book F

F 8: Opel Ampera-e EV, (Non-US, Non-Canada)

6: BODY STYLE

6: 48 - Sedan, 4 - Door, 4 Window, H/Back

7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

0: EN0 - ENGINE NONE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):



4: Orion

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Light Duty Trucks, MPV & Incomplete Vehicle Identification Numbering System



Gross Vehicle Weight Rating (GVWR)/Brake System/Body Style¹**Table 11: GVWR/Brake System/Body Style Chart**

GVW (Lbs)	Brake System	Body Style							
		26	05/06	03	43	53	60	69	76
Class A: 0-3,000	Hydraulic								
Class B: 3,001-4,000	Hydraulic								
Class C: 4,001-5,000	Hydraulic	A					N ²		C
Class D: 5,001-6,000	Hydraulic	F			G	H			
Class E: 6,001-7,000	Hydraulic	K	L	N	P	R		X	
Class F: 7,001-8,000	Hydraulic		S		U	V			
Class G: 8,001-9,000	Hydraulic		W	Y					
Class H: 9,001-10,000	Hydraulic		Z	0	1	2			
Class 3: 10,001-14,000	Hydraulic		8	3	4	5			
Class 4: 14,001-16,000	Hydraulic			6					
Class 5: 16,001-19,500	Hydraulic								
Class 6: 19,501-26,000	Hydraulic								

¹ - Does not include Chevrolet Low Cab Forward² - Chevrolet City Express Only

Light Duty Truck and MPV Body Style Description Table**Table 12: Body Style Description Table**

Body Style Code	Description
03	Commercial Special and RV Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis
05	Cargo Van
06	Four (4) Door Cab/Utility
26	Four (4) Door Cab/Utility
43	Four (4) Door Crew Cab/Utility
53	Extended Cab
60	<i>Cargo Van (City Express Only)</i>
69	Sedan, 4 - Door, 4 Window, Notchback
76	Four (4) Door Utility

Light Duty Truck/MPV Engine Table¹**Table 13: Light Duty Truck/ MPV Engine Table**

	RPO	Book Code(s)	Description
A:	LCV	52, N, X	ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM
B:	LUV	J	ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM, GME E85 MAX
B:	LC8	6, 8	ENGINE LPG/CNG, 8 CYL, V8, 6.0L, SFI, GEN 1, GMNA
C:	L83	6	ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM
D:	LLT	17, N	ENGINE GAS, 6 CYL, 3.6L, SIDI, V6, ALUM, 60 DEGREES, GM
E:	2H0	J	ENGINE GAS, 4 CYL, 1.8L, MFI, 103KW, DOHC
F:	L20	8	ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 4.8L, SFI IRON, GM
G:	L96	6, 8	ENGINE GAS, 8 CYL, 6.0L, SFI, E85 MAX, IRON, GM
H:	LV3	6	ENGINE GAS, 6 CYL, 4.3L, GEN 5, SIDI, V6, VVT, OHV, E85 MAX, ALUM
J:	L86	6	ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM
K:	LEA	7L	ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, E85 MAX, ALUM, GM
L:	LGH	8	ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX
M:	LE2	J	ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, TURBO, ALUM GEN I, GMNA
N:	LGZ	52	ENGINE GAS, 6CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, VAR2, GEN N 2
P:	LV1	6	ENGINE GAS, 6 CYL, 4.3L, SIDI, V6, VVT, E85 MAX, IRON
R:	L8B	6	ENGINE GAS, 8 CYL, 5.3L, V8, BAS 3, ALUM, GEN 5
S:	LGX	N	ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2
T:	LKW	N	ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, VVT, GMNA
U:			
V:			
W:			
X:	LTG	X	ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
Y:	L5P	6	ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX, GEN 5 VAR. 1
Z:	LEX	J	ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, ALUM, TURBO GEN 1, VAR 1
0:			
1:	LWN	52, 8	ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE
2:			
3:	LFX	0G, 7L	ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM
3:	L0A	N5	ENGINE GAS, 4 CYL, 2.0L (Chevrolet City Express Only)
4:			
5:	LFW	7L	ENGINE GAS, 6 CYL, 3.0L, SIDI, DOHC, VVT, E85 MAX, ALUM
6:			
7:			
8:			
9:			

¹ - Does not include Chevrolet Low Cab Forward**Note:** Engines listed as flexible fuel do not necessarily mean the vehicle is equipped for flexible fuel

Light Duty Truck/MPV Plant Codes**Table 14: Light Duty Truck/MPV Plant Codes**When VIN position 1 is "1" or "5" (U.S.A.):

F:	Flint	MI	GMNA	
J:	Lansing - Delta Township	MI	GMNA	
R:	Arlington	TX	GMNA	
Z:	Fort Wayne	IN	GMNA	
Z:	Springhill	TN	GMNA	
1:	Wentzville	MO	GMNA	
X:	Non Production/Non-Saleable Build		GMNA	
S:	Charlotte	MI	Spartan Motors Chassis Inc.	(Chevrolet Low Cab Forward Only)
N:	Springfield	OH	Navistar Inc,	

When VIN position 1 is "2" (Canada):

1:	Oshawa #2 (OST)	ON	GMNA	
6:	CAMI	ON	GMNA	
9:	Oshawa #1 (OSH)	ON	GMNA	

When VIN position 1 is "3" (Mexico):

G:	Silao	MEX	GMNA	
K:	Curenevaca	MEX	Nissan	(Chevrolet City Express Only)
L:	San Luis Potosi	MEX	GMNA	
S:	Ramos Arizpe	MEX	GMNA	

When VIN position 1 is "K" (S. Korea):

B:	Bupyeong	S. Korea	GM Korea	
-----------	----------	----------	----------	--

When VIN position 1 is "L" (China)


D:	Dong Yue	China	SAIC GM	
-----------	----------	-------	---------	--

When VIN position 1 is "J" (Japan):

7:	Fujisawa, Japan	Japan	Isuzu Motors Ltd.	(Chevrolet Low Cab Forward Only)
-----------	-----------------	-------	-------------------	----------------------------------



Buick Enclave



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
5: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
A: Buick MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26
Class E: 6,001-7,000	Hyd.	K

5~6: CHASSIS/SERIES

Book 17:

- R A: Buick Enclave, FWD Convenience Group
- R B: Buick Enclave, FWD Leather Group
- R C: Buick Enclave, FWD Premium Group
- R 7: Buick Enclave, FWD (Non-US, Non-Canada)
- V B: Buick Enclave, AWD Leather Group
- V C: Buick Enclave, AWD Premium Group
- V 7: Buick Enclave, AWD (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- D: LLT - ENGINE GAS, 6 CYL, 3.6L, SIDI, V6, ALUM, 60 DEGREES, GM

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- H: 2017

11: PLANT LOCATION

When VIN position 1 is "5" (USA):


- J: Lansing - Delta Township

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Buick Encore



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
K: South Korea
- 2: Manufacturer**
L: GM Korea
- 3: Vehicle Brand/Type**
4: Buick MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System	Body Style
	76
Class C: 4,001-5,000 Hyd.	C

5~6: CHASSIS/SERIES

Book I

- J A: Buick Encore Preferred FWD
- J B: Buick Encore Preferred II FWD
- J C: Buick Encore Essence FWD
- J D: Buick Encore Premium FWD
- J E: Buick Encore Preferred AWD
- J F: Buick Encore Preferred II AWD
- J G: Buick Encore Essence AWD
- J H: Buick Encore Premium AWD
- J 1: Buick Encore, Sport Touring FWD
- J 2: Buick Encore, Sport Touring AWD
- J 3: Buick Encore FWD

7: RESTRAINT SYSTEM

- E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

- B: LUV - ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM, GME E85 MAX
- M: LE2 - ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, TURBO, ALUM GEN 1, GMNA

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "K" (S. Korea):


B: Bupyeong

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Buick Envision



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
L: People's Republic of China
- 2: Manufacturer**
R: SAIC GM
- 3: Vehicle Brand/Type**
B: Buick MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System	Body Style
	26
Class D: 5,001-6,000 Hyd.	F

5~6: CHASSIS/SERIES

Book X

- X A: Buick Envision, Preferred, FWD
- X B: Buick Envision, Essence, FWD
- X C: Buick Envision, Preferred, AWD
- X D: Buick Envision, Essence, AWD
- X E: Buick Envision, Premium Package, AWD
- X F: Buick Envision, Premium II Package, AWD
- X G: Buick Envision, (Non-US, Non-Canada)
- X H: Buick Envision, FWD

7: RESTRAINT SYSTEM

- S: AUJ - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

- A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM
- X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, TURBO E85 MAX

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H 2017

11: PLANT LOCATION

When VIN position 1 is "L" (China):


D: Dong Yue

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac Escalade



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

Y: Cadillac MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		05/06
Class F: 7,001-8,000	Hyd.	S

5~6: CHASSIS/SERIES

Book 6

3	A:	4x2, Cadillac Escalade
3	B:	4x2, Cadillac Escalade, Luxury
3	C:	4x2, Cadillac Escalade, Premium Luxury
3	D:	4x2, Cadillac Escalade, Platinum
3	7:	4x2, Cadillac Escalade, (Non-US, Non-Canada)
3	G:	4x2, Cadillac Escalade ESV
3	H:	4x2, Cadillac Escalade ESV, Luxury
3	J:	4x2, Cadillac Escalade ESV, Premium Luxury
3	K:	4x2, Cadillac Escalade ESV, Platinum
3	8:	4x2, Cadillac Escalade ESV, (Non-US, Non-Canada)
4	A:	4x4, Cadillac Escalade
4	B:	4x4, Cadillac Escalade, Luxury
4	C:	4x4, Cadillac Escalade, Premium Luxury
4	D:	4x4, Cadillac Escalade, Platinum
4	7:	4x4, Cadillac Escalade, (Non-US, Non-Canada)
4	G:	4x4, Cadillac Escalade ESV
4	H:	4x4, Cadillac Escalade ESV, Luxury
4	J:	4x4, Cadillac Escalade ESV, Premium Luxury
4	K:	4x4, Cadillac Escalade ESV, Platinum
4	8:	4x4, Cadillac Escalade ESV, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

J: L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM, GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


R: Arlington

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac XT5



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

Y: Cadillac MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26
Class D: 5,001-6,000	Hyd.	F
Class E: 6001-7000	Hyd.	K

5~6: CHASSIS/SERIES

Book N

N	A:	Cadillac XT5, FWD
N	B:	Cadillac XT5, Luxury FWD
N	C:	Cadillac XT5, Premium Luxury FWD
N	D:	Cadillac XT5, Luxury AWD
N	E:	Cadillac XT5, Premium Luxury AWD
N	F:	Cadillac XT5, Platinum AWD
N	9:	Cadillac XT5, (Non US, Non Canada)

7: RESTRAINT SYSTEM

R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017


11: PLANT LOCATION

When VIN position 1 is "1" (USA):

Z: Springhill

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Cadillac Stretch Limousine, Funeral Coach, Armored Vehicle**1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

- 1: Region of Build**
2: Canada
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
E: Cadillac Incomplete

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		69
Class E: 6,001-7,000	Hyd.	X

5~6: CHASSIS/SERIES

- Book 0G**
- G: 6: Cadillac Stretch Limousine
- G: 7: Cadillac Funeral Coach
- G: 8: Cadillac Armored Vehicle

7: RESTRAINT SYSTEM

- U: ANH - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Front Roof Side (1st row), Knee (1st row)

8: ENGINE TYPE

- 3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- H: 2017

11: PLANT LOCATION


- When VIN position 1 is "2" (Canada):
- 9: Oshawa #1 (OSH)

12~17: SEQUENCE NUMBER

- Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Captiva Sport



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
3: Mexico
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
N: Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26
Class C: 4,001-5,000	Hyd.	A
Class D: 5,001-6,000	Hyd.	F

5~6: CHASSIS/SERIES

- Book 7L**
- L 7: Chevrolet Captiva Sport (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E: AY0 - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)

8: ENGINE TYPE

- K: LEA - ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, E85 MAX, ALUM, GM
- 5: LFW - ENGINE GAS, 6 CYL, 3.0L, SIDI, DOHC, VVT, E85 MAX, ALUM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "3" (Mexico):


S: Ramos Arizpe

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet City Express



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

3: Mexico

2: Manufacturer

N: Manufactured by Nissan for General Motors

3: Vehicle Brand/Type

6: Chevrolet Truck

4: Engine Type

3: L0A - ENGINE GAS, 4 CYL, 2.0L

5~6: Make/Line/Series

M 0: Chevrolet City Express

7: Series

Y: Chevrolet City Express LS

Z: Chevrolet City Express LT

8: GVWR/Body Style/Restraints

N: Class C: 4,001-5,000 '60', Active Manual Belts, Airbags - Driver & Passenger-Front, Front Seat Side, Roof Side

9: CHECK DIGIT

0~9, X - Calculated

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "3" (Mexico):


K: NME - Cuernavaca Mexico

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Colorado



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GB
2: Manufacturer	1GC
G: General Motors	
3: Vehicle Brand/Type	
B: Chevrolet Incomplete Truck	
C: Chevrolet Truck	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs) / Brake System	Body Style	
	43	53
Class D: 5,001-6,000	G	H
Class E: 6,001-7,000	P	R

5~6: CHASSIS/SERIES

Book 52

S	A:	Chevrolet Colorado, Base 2WD
S	B:	Chevrolet Colorado, Work Truck 2WD
S	C:	Chevrolet Colorado, LT 2WD
S	D:	Chevrolet Colorado, Z71 2WD
S	9:	Chevrolet Colorado, (Non-US, Non-Canada) 2WD
T	B:	Chevrolet Colorado, Work Truck 4WD
T	C:	Chevrolet Colorado, LT 4WD
T	D:	Chevrolet Colorado, Z71 4WD
T	9:	Chevrolet Colorado, (Non-US, Non-Canada) 4WD

7: RESTRAINT SYSTEM

E:	AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
----	--

8: ENGINE TYPE

A:	LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM
N:	LGZ - ENGINE GAS, 6CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, VAR2, GEN 2
1:	LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


1: Wentzville

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Equinox



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
 - 2: Canada
- 2: Manufacturer**
 - G: General Motors
- 3: Vehicle Brand/Type**
 - N: Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26
Class C: 4,001-5,000	Hyd.	A
Class D: 5,001-6,000	Hyd.	F

5~6: CHASSIS/SERIES

Book 7L

- L A: Chevrolet Equinox, L (FWD)
- L B: Chevrolet Equinox, LS (FWD)
- L C: Chevrolet Equinox, LT/FL (FWD)
- L D: Chevrolet Equinox, Premier (FWD)
- L E: Chevrolet Equinox, LS (AWD)
- L F: Chevrolet Equinox, LT/FL (AWD)
- L G: Chevrolet Equinox, Premier (AWD)
- L 9: Chevrolet Equinox, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- K: LEA - ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, E85 MAX, ALUM, GM
- 3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- H: 2017

11: PLANT LOCATION

When VIN position 1 is "2" (Canada):


- 1: Oshawa #2 (OST)
- 6: CAMI

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Express



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GA
2: Manufacturer	1GB
G: General Motors	1GC
H: Navistar Inc.	1GN
3: Vehicle Brand/Type	1HA
A: Chevrolet Bus (Non School Bus)	
B: Chevrolet Incomplete Truck	
C: Chevrolet Truck	
N: Chevrolet MPV	
A: Chevrolet Incomplete Truck	

7: RESTRAINT SYSTEM

B:	AJ3 - Active Manual Belts, Airbag - Driver only - Front
C:	AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
F:	(AK5&ASF) - Active Manual Belts, Airbags-Driver & Passenger - Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)
H:	(AJ3&ASF) -Active Manual Belts, Airbag - Driver only - Front, Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style	
		05/06	03
Class G: 8,001-9,000	Hyd.	W	Y
Class H: 9,001-10,000	Hyd.	Z	0
Class 3: 10,001-14,000	Hyd.		3
Class 4: 14,001-16,000	Hyd.		6

8: ENGINE TYPE

B:	LC8 - ENGINE FLEXIBLE FUEL, (LPG/CNG), 8 CYL, V8, 6.0L, SFI, GEN 1, GMNA
F:	* L20 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 4.8L, SFI IRON, GM
G:	L96 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI IRON, GM
1:	LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE

* Vehicles equipped with the L20 "FLEXIBLE FUEL" 4.8L engine are not calibrated to run on Ethanol.

5~6: CHASSIS/SERIES

Book 8	
G	A: Chevrolet Express, 2500 Cargo
G	B: Chevrolet Express, 2500 Cargo Ext
G	E: Chevrolet Express, 2500 Passenger LS
G	F: Chevrolet Express, 2500 Passenger LT
G	G: Chevrolet Express, 3500 Cargo
G	H: Chevrolet Express, 3500 Cargo Ext
G	L: Chevrolet Express, 3500 Passenger LS
G	M: Chevrolet Express, 3500 Passenger LT
G	N: Chevrolet Express, 3500 Passenger LS Ext
G	P: Chevrolet Express, 3500 Passenger LT Ext
G	R: Chevrolet Express, 3500 Cutaway 139" Wheelbase
G	S: Chevrolet Express, 3500 Cutaway 159" Wheelbase
G	T: Chevrolet Express, 3500 Cutaway 177" Wheelbase
G	U: Chevrolet Express, 4500 Cutaway 159" Wheelbase
G	V: Chevrolet Express, 4500 Cutaway 177" Wheelbase
G	9: Chevrolet Express, (Non-US, Non-Canada)

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION


When VIN position 1 is "1" (USA):	
1:	Wentzville
N:	Springfield

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Low Cab Forward



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
J: Japan	JAL
5: United States	54D

2: Manufacturer
A: Isuzu Motors Ltd.
4: Spartan Motors Chassis Inc.

3: Vehicle Brand/Type
L: Incomplete Vehicle - Medium & Heavy Duty
D: Incomplete Vehicle

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style	
		03	43
Class 3: 10,001-14,000	Hyd.	B	B
Class 4: 14,001-16,000	Hyd.	C	C
Class 5: 16,001 - 19,500	Hyd.	E	E

5: MAKE/SERIES

D: GM Chevrolet 3500 / 3500HD / 4500 / 4500HD / 4500XD
E: GM Chevrolet 5500HD/5500XD

6: LINE/CAB TYPE

J: Non-Tilt Cab, BBC = 110 Inches
W: Tilt Cab, BBC = 71 Inches

7: CHASSIS TYPE

1: 4x2, 2 Axles, 1 Driving

8: ENGINE TYPE

B: L96 - ENGINE GAS, 8 CYL, 6.0L, SFI, E85 MAX, IRON, GM
C: LC8 - ENGINE LPG/CNG, 8 CYL, V8, 6.0L, SFI, GEN 1, GMNA
6: I1B - ENGINE DIESEL, 4 CYL, 5.2L, 4HK1TC 215HP
7: IZ3 - ENGINE DIESEL, 4 CYL, 3.0L, 4JJ1-TC 150HP

9: CHECK DIGIT

0~9, X - Calculated by Manufacturer

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

S: Charlotte, Michigan
7: Fujisawa, Japan

12: MODEL COMBINATION


F: 3500HD/4JJ1 Diesel/13,00lbs
K: 4500XD/4HK1 Diesel/16,000lbs
0: 4500HD/4HK1 Diesel/14,500lbs
3: 5500XD/4HK1 Diesel/19,500lbs
8: 3500 & 4500/Gas
9: 5500HD/4HK1 Diesel/17,950lbs

13~17: SEQUENCE NUMBER

Positions 13 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Silverado



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations	
1: United States	1GB	3GB
3: Mexico	1GC	3GC
2: Manufacturer	G: General Motors	
3: Vehicle Brand/Type	B: Chevrolet Incomplete Truck	
	C: Chevrolet Truck	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style		
		03	43	53
Class E: 6,001-7,000	Hyd.	N	P	R
Class F: 7,001-8,000	Hyd.		U	V
Class H: 9,001-10,000	Hyd.	0	1	2
Class 3: 10,001-14,000	Hyd.	3	4	5

5~6: CHASSIS/SERIES

Book 6

C	N:	4x2, 1500 Chevrolet Silverado, Work Truck/LS/Fleet/Base
C	P:	4x2, 1500 Chevrolet Silverado, Custom
C	R:	4x2, 1500 Chevrolet Silverado, LT
C	S:	4x2, 1500 Chevrolet Silverado, LTZ
C	T:	4x2, 1500 Chevrolet Silverado, High Country
C	U:	4x2, 2500 Chevrolet Silverado, Work Truck/Fleet/Base
C	V:	4x2, 2500 Chevrolet Silverado, LT
C	W:	4x2, 2500 Chevrolet Silverado, LTZ
C	X:	4x2, 2500 Chevrolet Silverado, High Country
C	Y:	4x2, 3500 Chevrolet Silverado, Work Truck/Fleet/Base
C	Z:	4x2, 3500 Chevrolet Silverado, LT
C	0:	4x2, 3500 Chevrolet Silverado, LTZ
C	1:	4x2, 3500 Chevrolet Silverado, High Country
C	9:	4x2, Chevrolet Silverado, (Non-US, Non-Canada)
K	N:	4x4, 1500 Chevrolet Silverado, Work Truck/LS/Fleet/Base
K	P:	4x4, 1500 Chevrolet Silverado, Custom
K	R:	4x4, 1500 Chevrolet Silverado, LT
K	S:	4x4, 1500 Chevrolet Silverado, LTZ
K	T:	4x4, 1500 Chevrolet Silverado, High Country
K	U:	4x4, 2500 Chevrolet Silverado, Work Truck/Fleet/Base
K	V:	4x4, 2500 Chevrolet Silverado, LT
K	W:	4x4, 2500 Chevrolet Silverado, LTZ
K	X:	4x4, 2500 Chevrolet Silverado, High Country
K	Y:	4x4, 3500 Chevrolet Silverado, Work Truck/Fleet/Base
K	Z:	4x4, 3500 Chevrolet Silverado, LT

5~6: CHASSIS/SERIES (CONTINUED)

Book 6

K	0:	4x4, 3500 Chevrolet Silverado, LTZ
K	1:	4x4, 3500 Chevrolet Silverado, High Country
K	9:	4x4, Chevrolet Silverado, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

C:	AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
E:	AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

B:	LC8 - ENGINE LPG/CNG, 8 CYL, V8, 6.0L, SFI, GEN 1, GMNA
C:	L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM
G:	L96 - ENGINE GAS, 8 CYL, 6.0L, SFI, E85 MAX, IRON, GM
H:	LV3 - ENGINE GAS, 6 CYL, 4.3L, GEN 5, SIDI, V6, VVT, OHV, E85 MAX ALUM
J:	L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM, GM
P:	LV1 - ENGINE GAS, 6 CYL, 4.3L, SIDI, V6, VVT, E85 MAX, IRON
R:	L8B - ENGINE GAS, 8 CYL, 5.3L, V8, BAS 3, ALUM, GEN 5
Y:	L5P - ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX, GEN 5 VAR. 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

F:	Flint
Z:	Fort Wayne

When VIN position 1 is "3" (Mexico):


G:	Silao
----	-------

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Suburban



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

N: Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		05/06
Class F: 7,001-8,000	Hyd.	S
Class 3: 10,001 - 14,000	Hyd.	8

5~6: CHASSIS/SERIES

Book 6

C	G:	4x2, Chevrolet Suburban LS
C	H:	4x2, Chevrolet Suburban LT
C	J:	4x2, Chevrolet Suburban Premier
C	K:	4x2, Chevrolet Suburban FL
C	8:	4x2, Chevrolet Suburban, (Non-US, Non-Canada)
K	G:	4x4, Chevrolet Suburban LS
K	H:	4x4, Chevrolet Suburban LT
K	J:	4x4, Chevrolet Suburban Premier
K	K:	4x4, Chevrolet Suburban FL
K	L:	4x4, Chevrolet Suburban HD LS
K	M:	4x4, Chevrolet Suburban HD LT
K	8:	4x4, Chevrolet Suburban, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- C: L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM
- G: L96 - ENGINE GAS, 8 CYL, 6.0L, SFI, E85 MAX, IRON, GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


R: Arlington

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Tahoe



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

N: Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System	Body Style
	05/06
Class E: 6,001-7,000	L
Class F: 7,001-8,000	S

5~6: CHASSIS/SERIES

Book 6

C	A:	4x2, Chevrolet Tahoe, LS
C	B:	4x2, Chevrolet Tahoe, LT
C	C:	4x2, Chevrolet Tahoe, Premier
C	D:	4x2, Chevrolet Tahoe, Police Vehicle
C	E:	4x2, Chevrolet Tahoe, FL
C	7:	4x2, Chevrolet Tahoe, (Non-US, Non-Canada)
K	A:	4x4, Chevrolet Tahoe, LS
K	B:	4x4, Chevrolet Tahoe, LT
K	C:	4x4, Chevrolet Tahoe, Premier
K	D:	4x4, Chevrolet Tahoe, Police Vehicle
K	E:	4x4, Chevrolet Tahoe, FL
K	F:	4x4, Chevrolet Tahoe, Special Services Vehicle
K	7:	4x4, Chevrolet Tahoe, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- C: L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM
- J: L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM, GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


R: Arlington

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Traverse



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

N: Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26
Class E: 6,001-7,000	Hyd.	K

5~6: CHASSIS/SERIES

Book 17

R	E:	Chevrolet Traverse, LS Base FWD
R	F:	Chevrolet Traverse, LS FWD
R	G:	Chevrolet Traverse, 1LT FWD
R	H:	Chevrolet Traverse, 2LT FWD
R	J:	Chevrolet Traverse, Premier FWD
R	8:	Chevrolet Traverse, FWD (Non-US, Non-Canada)
V	F:	Chevrolet Traverse, LS AWD
V	G:	Chevrolet Traverse, 1LT AWD
V	H:	Chevrolet Traverse, 2LT AWD
V	J:	Chevrolet Traverse, Premier AWD
V	8:	Chevrolet Traverse, AWD (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

E:	AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
K:	AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

D:	LLT - ENGINE GAS, 6 CYL, 3.6L, SIDI, V6, ALUM, 60 DEGREES, GM
----	---

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


J: Lansing - Delta Township

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Trax/Tracker



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
3: Mexico	3GN
K: South Korea	KL7
2: Manufacturer	
G: General Motors	
L: GM Korea	
3: Vehicle Brand/Type	
N: Chevrolet MPV	
7: Chevrolet MPV (Korea)	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System	Body Style
	76
Class C: 4,001-5,000 Hyd.	C

5~6: CHASSIS/SERIES

Book I	
J K:	Chevrolet Trax, LS FWD
J L:	Chevrolet Trax, 1LT FWD
J M:	Chevrolet Trax, Premier FWD
J N:	Chevrolet Trax, LS/FL AWD
J P:	Chevrolet Trax, 1LT AWD
J R:	Chevrolet Trax, Premier AWD
J 7:	Chevrolet Trax, Mexico Only (Non-US, Non-Canada)
J 8:	Chevrolet Tracker, (Non-US, Non-Canada, Non-Mexico)

7: RESTRAINT SYSTEM

C:	ADL - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
E:	AYC - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
S:	AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

B:	LUV - ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM, GME E85 MAX
E:	2H0 - ENGINE GAS, 4 CYL, 1.8L, MFI, 103KW, DOHC
Z:	LEX - ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, ALUM, TURBO GEN 1, VAR 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "3" (Mexico):

L: San Luis Potosi

When VIN position 1 is "K" (S. Korea):


B: Bupyeong

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



GMC Acadia



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

K: GMC MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26
Class D: 5,001-6,000	Hyd.	F
Class E: 6001-7000	Hyd.	K

5~6: CHASSIS/SERIES

Book N

N	J:	GMC Acadia, SL (1SV) FWD
N	K:	GMC Acadia, SLE 1 FWD
N	L:	GMC Acadia, SLE 2 FWD
N	M:	GMC Acadia, SLT 1 FWD
N	N:	GMC Acadia, SLT 2 FWD
N	P:	GMC Acadia, Denali FWD
N	R:	GMC Acadia, SLE 1 AWD
N	S:	GMC Acadia, SLE 2 AWD
N	T:	GMC Acadia, All Terrain 1 AWD
N	U:	GMC Acadia, SLT 1 AWD
N	V:	GMC Acadia, All Terrain 2 AWD
N	W:	GMC Acadia, SLT 2 AWD
N	X:	GMC Acadia, Denali AWD
N	8:	GMC Acadia (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

L: AYY - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows), Driver Knee

8: ENGINE TYPE

A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


Z: Springhill

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



GMC Acadia Limited



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

K: GMC MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System	Body Style
	26
Class E: 6,001-7,000 Hyd.	K

5~6: CHASSIS/SERIES

Book 17

R S: GMC Acadia Limited, SLT 2 FWD

V S: GMC Acadia Limited, SLT 2 AWD

7: RESTRAINT SYSTEM

K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

D: LLT - ENGINE GAS, 6 CYL, 3.6L, SIDI, V6, ALUM, 60 DEGREES, GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


J: Lansing - Delta Township

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



GMC Canyon



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GD
2: Manufacturer	1GT
G: General Motors	
3: Vehicle Brand/Type	
D: GMC Incomplete Truck	
T: GMC Truck	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs) / Brake System	Body Style	
	43	53
Class D: 5,001-6,000	G	H
Class E: 6,001-7,000	P	R

5~6: CHASSIS/SERIES

Book 52

5	A:	GMC Canyon, Base 2WD
5	B:	GMC Canyon, Work Truck 2WD
5	C:	GMC Canyon, SLE 2WD
5	D:	GMC Canyon, SLT 2WD
5	E:	GMC Canyon, Denali 2WD
6	B:	GMC Canyon, Work Truck 4WD
6	C:	GMC Canyon, SLE 4WD
6	D:	GMC Canyon, SLT 4WD
6	E:	GMC Canyon, Denali 4WD

7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM
N: LGZ - ENGINE GAS, 6CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, VAR2, GEN 2
1: LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


1: Wentzville

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



GMC Savana



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GD
2: Manufacturer	1GJ
G: General Motors	1GK
H: Navistar Inc.	1GT
3: Vehicle Brand/Type	1HA
D: GMC Incomplete Truck	
J: GMC Bus (Non School Bus)	
K: GMC MPV	
T: GMC Truck	
A: GMC Incomplete Truck	

7: RESTRAINT SYSTEM

B:	AJ3 - Active Manual Belts, Airbag - Driver only - Front
C:	AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
F:	(AK5&ASF) - Active Manual Belts, Airbags-Driver & Passenger - Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)
H:	(AJ3&ASF) -Active Manual Belts, Airbag - Driver only - Front, Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style	
		05/06	03
Class G: 8,001-9,000	Hyd.	W	Y
Class H: 9,001-10,000	Hyd.	Z	0
Class 3: 10,001-14,000	Hyd.		3
Class 4: 14,001-16,000	Hyd.		6

8: ENGINE TYPE

B:	LC8 - ENGINE FLEXIBLE FUEL, (CNG/LPG), 8 CYL, V8, 6.0L, SFI
F:	*L20 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 4.8L, SFI IRON, GM
G:	L96 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI IRON
1:	LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE

* Vehicles equipped with the L20 or L96 "FLEXIBLE FUEL" engines are not calibrated to run on 100% Ethanol.

5~6: CHASSIS/SERIES

Book 8

7	A:	GMC Savana 2500 Cargo
7	B:	GMC Savana 2500 Cargo Ext
7	E:	GMC Savana 2500 Passenger LS
7	F:	GMC Savana 2500 Passenger LT
7	G:	GMC Savana 3500 Cargo
7	H:	GMC Savana 3500 Cargo Ext
7	L:	GMC Savana 3500 Passenger LS
7	M:	GMC Savana 3500 Passenger LT
7	N:	GMC Savana 3500 Passenger LS Ext
7	P:	GMC Savana 3500 Passenger LT Ext
7	R:	GMC Savana 3500 Cutaway 139" Wheelbase
7	S:	GMC Savana 3500 Cutaway 159" Wheelbase
7	T:	GMC Savana 3500 Cutaway 177" Wheelbase
7	U:	GMC Savana 4500 Cutaway 159" Wheelbase
7	V:	GMC Savana 4500 Cutaway 177" Wheelbase
7	9:	GMC Savana, (Non-US, Non-Canada)

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


1: Wentzville
N: Springfield

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



GMC Sierra



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations		
1: United States	1GT	3GT	
3: Mexico	1GD	3GD	
2: Manufacturer			
G: General Motors			
3: Vehicle Brand/Type			
T: GMC Truck			
D: GMC Incomplete			

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System	Body Style		
	03	43	53
Class E: 6,001-7,000 Hyd.	N	P	R
Class F: 7,001-8,000 Hyd.		U	V
Class H: 9,001-10,000 Hyd.	0	1	2
Class 3: 10,001-14,000 Hyd.	3	4	5

5~6: CHASSIS/SERIES

Book 6

1	L:	4x2, 1500 GMC Sierra Fleet/Base
1	M:	4x2, 1500 GMC Sierra SLE
1	N:	4x2, 1500 GMC Sierra SLT
1	P:	4x2, 1500 GMC Sierra Denali
1	R:	4x2, 2500 GMC Sierra Fleet/Base
1	S:	4x2, 2500 GMC Sierra SLE
1	T:	4x2, 2500 GMC Sierra SLT
1	U:	4x2, 2500 GMC Sierra Denali
1	V:	4x2, 3500 GMC Sierra Fleet/Base
1	W:	4x2, 3500 GMC Sierra SLE
1	X:	4x2, 3500 GMC Sierra SLT
1	Y:	4x2, 3500 GMC Sierra Denali
1	9:	4x2, GMC Sierra (Non-US, Non-Canada)
2	L:	4x4, 1500 GMC Sierra Fleet/Base
2	M:	4x4, 1500 GMC Sierra SLE
2	N:	4x4, 1500 GMC Sierra SLT
2	P:	4x4, 1500 GMC Sierra Denali
2	R:	4x4, 2500 GMC Sierra Fleet/Base
2	S:	4x4, 2500 GMC Sierra SLE
2	T:	4x4, 2500 GMC Sierra SLT
2	U:	4x4, 2500 GMC Sierra Denali
2	V:	4x4, 3500 GMC Sierra Fleet/Base
2	W:	4x4, 3500 GMC Sierra SLE
2	X:	4x4, 3500 GMC Sierra SLT
2	Y:	4x4, 3500 GMC Sierra Denali
2	9:	4x4, GMC Sierra (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

C:	AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
E:	AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

B:	LC8 - ENGINE LPG/CNG, 8 CYL, V8, 6.0L, SFI, GEN 1, GMNA
C:	L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM
G:	L96 - ENGINE GAS, 8 CYL, 6.0L, SFI, E85 MAX, IRON, GM
H:	LV3 - ENGINE GAS, 6 CYL, 4.3L, GEN 5, SIDI, V6, VVT, OHV, E85 MAX ALUM
J:	L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM, GM
P:	LV1 - ENGINE GAS, 6 CYL, 4.3L, SIDI, V6, VVT, E85 MAX, IRON
R:	L8B - ENGINE GAS, 8 CYL, 5.3L, V8, BAS 3, ALUM, GEN 5
Y:	L5P - ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX, GEN 5 VAR. 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

F: Flint
Z: Fort Wayne

When VIN position 1 is "3" (Mexico):


G: Silao

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



GMC Terrain



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
2: Canada
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
K: GMC MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26
Class C: 4,001-5,000	Hyd.	A
Class D: 5,001-6,000	Hyd.	F

5~6: CHASSIS/SERIES

Book 7L	
L	L: GMC Terrain, SL (FWD)
L	M: GMC Terrain, SLE 1 (FWD)
L	N: GMC Terrain, SLE 2 (FWD)
L	P: GMC Terrain, SLT (FWD)
L	R: GMC Terrain, Denali (FWD)
L	S: GMC Terrain, SLE 1 (AWD)
L	T: GMC Terrain, SLE 2 (AWD)
L	U: GMC Terrain, SLT (AWD)
L	V: GMC Terrain, Denali (AWD)
L	8: GMC Terrain, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- K: LEA - ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, E85 MAX, ALUM, GM
- 3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "2" (Canada):


6: CAMI

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



GMC Yukon



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
K: GMC MPV

7: RESTRAINT SYSTEM

- E:** AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- K:** AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs) / Brake System		Body Style
		05/06
Class F: 7,001-8,000	Hyd.	S

8: ENGINE TYPE

- C:** L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM
- J:** L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM

5~6: CHASSIS/SERIES

Book 6

- 1 A:** 4x2, GMC Yukon SLE
- 1 B:** 4x2, GMC Yukon SLT
- 1 C:** 4x2, GMC Yukon Denali
- 1 7:** 4x2, GMC Yukon, (Non-US, Non-Canada)
- 1 F:** 4x2, GMC Yukon XL SLE
- 1 G:** 4x2, GMC Yukon XL SLT
- 1 H:** 4x2, GMC Yukon XL Denali
- 1 8:** 4x2, GMC Yukon XL, (Non-US, Non-Canada)
- 2 A:** 4x4, GMC Yukon SLE
- 2 B:** 4x4, GMC Yukon SLT
- 2 C:** 4x4, GMC Yukon Denali
- 2 7:** 4x4, GMC Yukon, (Non-US, Non-Canada)
- 2 F:** 4x4, GMC Yukon XL SLE
- 2 G:** 4x4, GMC Yukon XL SLT
- 2 H:** 4x4, GMC Yukon XL Denali
- 2 8:** 4x4, GMC Yukon XL, (Non-US, Non-Canada)

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

H: 2017

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

R: Arlington

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.