DRH - Add-ons Audit | Professional User Manual

Document	User Manual
Product Version	1.0.0
Host Application Compatibility	Blender 4.2.0 or later
Author / Brand	Paco Salas | DRH
Support Page	GitHub Support Page
Revision Date	April 20, 2026

Document Information and Revision History

Field	Value
Document Title	DRH - Add-ons Audit User Manual
Product	DRH - Add-ons Audit
Version	1.0.0
Host Application Compatibility	Blender 4.2.0 or later
Author / Brand	Paco Salas | DRH
Support Page	GitHub Support Page
Document Language	English
Target Audience	Blender users, technical artists, reviewers, support staff, and administrators.
Document Type	Complete user manual

Revision	Date	Prepared By	Summary
1.0.0	April 20, 2026	Paco Salas | DRH	Initial public user manual edition for release 1.0.0.

Copyright and Disclaimer

> Important: Review licensing, warranty, support, and distribution terms together with the released add-on version.

Topic	Statement
License	GNU General Public License v3.0 or later.
Copyright Holder	Paco Salas | DRH.
Warranty	Unless separately stated in writing, the software is provided without warranty.
Commercial Distribution	Commercial distribution is permitted when recipients receive the GPL terms and the corresponding source code included with the package.
Manual Legal Status	This manual is intended for end-user guidance and product distribution documentation.

Table of Contents

Document Information and Revision History 1
Copyright and Disclaimer 1
Table of Contents 2
About This Manual 4
Audience and Intended Use 4
Product Overview 4
Key Features 5
System Requirements 5
Compatibility 6
Supported Scope and Non-Supported Scope 6
Included Components 6
Installation 7
- Prerequisites 7
- Standard Installation Method 7
- Alternative Installation or Extension Manager 8
- First Launch and Verification 8
- Update, Reinstall, and Uninstall 9
- Common Installation Problems 9

Quick Start 9
Product Preferences and Settings 10
- Host Application Preferences / Extension Manager 10
- Runtime Panel Settings 10

Default Rules and Status Logic 10
Interface Overview 11
Visual Interface Walkthrough 11
Main Panels, Menus, and Controls 12
- Primary Actions 12
- Primary Setup 12
- Filters, Lists, and Main Results Area 12
- Selected Item Review 13
- Secondary or Comparison Controls 14

Recommended Workflows 14
- Workflow 1: Basic Use 14
- Workflow 2: Review or Export the Current Result 14
- Workflow 3: Export or Process a Selected Subset 15
- Workflow 4: Compare Against a Previous Baseline 15

Step-by-Step Usage Instructions 16

1. Start or Refresh the Main View 16
2. Interpret Summary Metrics 16
3. Review Row States 16
4. Open Supporting Paths 17
Import, Export, Output, and Profiles 17
Supported Export Formats 17
Supported Comparison or Baseline Input Formats 17
Export Profiles 18
Output Naming Behavior 18
Privacy, Data Handling, and Local Processing 19
Understanding Outputs, Statuses, and Decision Logic 19
Common Use Cases 19
Advanced Tips and Best Practices 19
Update and Migration Guidance 20
Troubleshooting by Scenario 20
Known Constraints and Operational Notes 20
FAQ 21
Support, Contact, and Updates 21
Support Workflow 22
Pre-Support Checklist 22
Availability 22
Legal, Disclaimer, and Credits 22
Appendix A – Glossary 22
Appendix B – Reference Layer 23
Appendix C – Specialized Technical Sections 23

About This Manual

This manual explains installation, first use, configuration, reporting, snapshot comparison, troubleshooting, and support for DRH - Add-ons Audit. It is written for end users who need a reliable way to review Blender add-on environments, export findings, and compare current results against earlier baselines.

Conventions Used	Meaning
Bold UI labels	Interface labels such as Refresh, Export, Load Snapshot, and Open Last Report.
Numbered steps	Actions to perform in order when installing, scanning, exporting, or comparing results.
Note / Tip / Warning / Important	Callouts that highlight operational guidance, best practices, or caution points.
Important	A detail that affects safe interpretation of results or reliable use of the add-on.
Figure	A visual reference or interface example when actual product imagery is available.

> Note: This manual describes the released 1.0.0 feature set and uses the panel labels shown inside Blender.

Audience and Intended Use

This product is intended for Blender users, technical artists, pipeline staff, reviewers, and support teams who need to inspect installed add-ons, understand ecosystem health, identify conflicts or duplicates, and export structured findings for review or archiving.

Product Overview

DRH - Add-ons Audit is a Blender add-on for reviewing the add-on ecosystem in a Blender installation. It scans loaded add-ons and detected installation paths, evaluates metadata and package structure, highlights duplicate or shadowed copies, flags compatibility uncertainty, and exports results in multiple report formats.

The add-on centers on two working modes: Preview for live inspection of the current environment, and Snapshot for comparing the current audit against a previously exported baseline.

> Important: The auditor reports declared metadata and detected installation conditions; it does not automatically repair third-party add-ons or guarantee runtime behavior in every project.

Capability Area	What It Does
Environment review	Scans loaded add-ons and detected installation locations.
Duplicate detection	Highlights duplicate copies and shadow relationships between installations.

Capability Area	What It Does
Compatibility review	Interprets declared minimum Blender metadata and marks compatible, incompatible, or unknown states.
Metadata and structure checks	Flags missing versions, missing __init__.py files, missing documentation links, and related issues.
Selected-item review	Shows detailed fields for the currently active add-on row.
Snapshot comparison	Compares current results against a previous supported export and reports added, removed, or changed rows.
Multi-format export	Writes reports as HTML, JSON, CSV, TSV, XML, Markdown, or XLSX.
Privacy-aware sharing	Can sanitize exported installation paths before reports are shared outside the local environment.

Key Features

Feature	Details
Preview and Snapshot tabs	Separates live review from comparison-based workflows.
Summary metrics	Shows ecosystem health, manual review count, duplicates, conflicts, shadowed rows, and related totals.
Focused filters	Searches and filters by load state, review state, category, and sort order.
Selected profile export	Exports only selected visible rows when the Selected profile is used.
Snapshot baseline loading	Accepts prior exports in supported file types for change analysis.
Open-folder helpers	Opens the output folder, last generated report, or selected install folder directly from the panel.
Configurable defaults	Stores export, snapshot, filter, column, and risk-rule defaults in add-on preferences.

System Requirements

Requirement	Verified Information
Host application	Blender 4.2.0 or later.
Maximum tested version	No maximum tested Blender version is stated in the released package metadata.
Supported platforms	Windows, macOS, and Linux. The manifest lists windows-x64, macos-x64, macos-arm64, and linux-x64 platforms.
Dependencies	No external Python dependencies are required.
Bundled binaries	None.

Requirement	Verified Information
Filesystem access	Reads local add-on folders and manifests, then writes exports to the selected output folder.
Internet access	Not required for scanning, comparison, or export workflows.
Disk space / memory	Typical use is lightweight; allow enough disk space for generated reports and comparison files.

Compatibility

Area	Compatibility Notes
Host application	Blender 4.2.0 or later.
Windows	Supported. The package manifest explicitly lists Windows support.
macOS	Supported. The package manifest explicitly lists macOS x64 and Apple Silicon support.
Linux	Supported. The package manifest explicitly lists Linux x64 support.
File format or data compatibility	Exports HTML, JSON, CSV, TSV, XML, Markdown, and XLSX. Snapshot comparison accepts XLSX, JSON, CSV, TSV, XML, HTML, and Markdown baselines.
Installation or discovery logic	Detects the current Blender session and supported user or system installation paths; Loaded Now only reflects the current session.

Supported Scope and Non-Supported Scope

> Warning: A Compatible result reflects declared metadata and detected installation version information, not a full execution test of every add-on.

DRH - Add-ons Audit is designed to inspect add-on inventories, summarize operational signals, compare current results against a previous baseline, and export structured reports. It is not designed to install updates for third-party add-ons, fix broken packages automatically, validate every runtime path, or replace manual review for ambiguous or incomplete metadata.

Included Components

Component	Purpose
__init__.py	Registers the add-on and exposes Blender metadata through bl_info.
constants.py	Defines product identity, export formats, profile sets, column labels, and risk issue lists.
core.py	Implements scanning, comparison, export, path handling, and result logic.
ui.py	Draws the preview and snapshot list layouts.
properties.py	Defines runtime properties, counts, filters, and persisted UI state.

Component	Purpose
preferences.py	Provides add-on preference defaults, column controls, and risk-rule defaults.
operators.py	Implements refresh, export, open-path, compare, clear, and selection commands.
panels.py	Builds the main DRH - Add-ons Audit sidebar panel.
registration.py	Registers and unregisters classes and runtime properties with Blender.
blender_manifest.toml and legal notices	Declare package metadata, supported platforms, permissions, licensing, copyright, and distribution notices.

Installation

Prerequisites

1. Confirm that Blender 4.2.0 or later is installed on the target system.
2. Keep the add-on package available as a ZIP file or supported Blender extension package.
3. Use a Blender session with permission to install add-ons or extensions and write to the chosen output folder.
4. Restart Blender only if the add-on does not appear immediately after installation or enablement.

Standard Installation Method

1. Open Blender.
2. Open Edit > Preferences > Add-ons.
3. Choose Install from Disk... and select the add-on package.
4. Confirm the package imports successfully.
5. Enable DRH - Add-ons Audit.
6. Open 3D Viewport > Sidebar > DRH - Add-ons Audit.
7. Click Refresh to confirm that summary metrics and result rows appear.



> Note: On first use, keep the default profile and run a full Refresh before narrowing the view with filters.

Alternative Installation or Extension Manager

1. Install the package through the Blender Extensions workflow when your deployment uses extension-based distribution.
2. Confirm that DRH - Add-ons Audit is installed and enabled in Blender.
3. Verify that the DRH - Add-ons Audit tab appears in the 3D Viewport sidebar.

> Important: Extension-manager wording can vary by Blender release, but the verification step is the same: the add-on should appear in the DRH - Add-ons Audit sidebar tab.

First Launch and Verification

1. Open the DRH - Add-ons Audit panel.
2. Review the default export and output settings in Setup.
3. Click Refresh to build the first live inventory.
4. Confirm that summary metrics and at least one result row or an empty-state message are shown.

Update, Reinstall, and Uninstall

Task	Recommended Procedure
Update	Install the newer package or update through the Blender extension workflow, then reopen the panel and run Refresh.
Reinstall	Disable the add-on, reinstall the package, enable it again, and verify output defaults before exporting new reports.
Uninstall	Disable and remove the add-on from Blender Add-ons or the relevant Extensions workflow.
Preserve outputs	Previously exported reports remain on disk in their output folders. Recheck saved preferences after a reinstall or major update.

Common Installation Problems

Issue	Likely Cause	Resolution
The add-on is not listed in Preferences	The package was not installed successfully or Blender needs a refresh.	Repeat the installation and reopen Preferences or restart Blender if needed.
The panel is not visible after enablement	The add-on is enabled but the user is not looking in the 3D Viewport sidebar.	Open the 3D Viewport, show the sidebar, and select the DRH - Add-ons Audit tab.
Refresh returns little or no data	The current environment may have no visible add-ons in the chosen scope or filters are too restrictive.	Clear filters, confirm Blender has add-ons installed, and run Refresh again.
Exports do not appear where expected	The output folder is incorrect or the destination is not writable.	Verify Output Folder in Setup and confirm the operating system allows writing to that location.

Quick Start

Area	Verified Status
Activation	No activation is required.
License model	GPL-3.0-or-later distribution model.
Commercial support terms	Support guidance, issue tracking, and update notices are centered on the GitHub Support Page.
Initial setup tasks	Confirm export format, export profile, output folder, and report name before sharing the first report.

Open the panel, click Refresh, review the Summary and Results areas, then export an HTML or JSON report to create the first usable audit baseline. If needed, load that baseline later in Snapshot mode to compare future changes.

Product Preferences and Settings

DRH - Add-ons Audit stores defaults in Blender add-on preferences and exposes the current working settings in the panel. The preference layer controls what users see by default, while the runtime layer controls the current scan, export, and comparison session.

Host Application Preferences / Extension Manager

Preferences Section	Purpose
General	Stores default export format, profile, output folder, report name, and minimum list rows.
Snapshot	Stores default snapshot export format, profile, folder, and report name.
Live Filters	Stores default enabled-state filter, sort order, path sanitization, and related live-review defaults.
Preview Columns	Controls which Preview columns are visible and how much width each column receives.
Snapshot Columns	Controls visible columns and widths for the Snapshot comparison table.
Risk Rules	Stores default issue-to-risk mappings for HIGH, MEDIUM, and LOW bands.

Runtime Panel Settings

Setting	Description
Export Format	Chooses the file format for the main inventory export.
Export Profile	Chooses which inventory columns and emphasis level are written to the report.
Output Folder	Defines where the main report file will be written.
Report Name	Defines the report stem used in generated filenames.
Snapshot Format	Chooses the file format for snapshot-difference exports.
Snapshot Profile	Chooses which comparison columns are written to the snapshot report.
Snapshot Output Folder	Defines where snapshot comparison exports are written.
Snapshot Report Name	Defines the filename stem used for snapshot reports.
Advanced Options	Shows Only Enabled Add-ons, Sanitize Paths, and Open After Export controls for the current session.

Default Rules and Status Logic

Risk classification is rule-based. The add-on evaluates issue keys and then maps them to the highest enabled risk band in the current defaults, which makes the rule set easy to review and adjust in Blender preferences.

Default Risk Band	Issue Keys in the Default Rules
HIGH	warning, incompatible, custom_path
MEDIUM	missing_version, missing_init
LOW	missing_doc, missing_tracker

> Important: Default risk rules emphasize operational breakage and compatibility concerns before documentation gaps.

Interface Overview

The interface is organized around a two-tab workflow. Preview is the live audit workspace for scanning and reviewing the current environment. Snapshot is the comparison workspace for loading an earlier export, filtering differences, and exporting the resulting change list.

Area	What It Contains
Preview tab	Actions, setup fields, summary metrics, result filters, and the live results table.
Snapshot tab	Snapshot setup, baseline loading, diff summary, diff filters, and snapshot export controls.
Selected Add-on Review	A detail panel that shows the main fields for the currently active add-on row.
Panel Settings popup	A quick settings dialog for defaults, column visibility, widths, and risk rules.

Visual Interface Walkthrough

The main workflow begins in Preview, where the add-on scans available add-ons and fills the results area. Users can then narrow the visible set with search and filters, open details for the currently selected row, and export the current view. Snapshot mode reuses the same report discipline for comparisons: load a previous export, review Added, Removed, and Changed rows, then export the diff if needed.

Main Panels, Menus, and Controls



Primary Actions

Control	Function
Refresh	Scans installed add-ons and refreshes the live preview.
Export	Writes the current audit report or the selected rows, depending on the active export profile.
Open Output Folder	Opens the folder currently configured for report output.
Open Last Report	Opens the most recently generated report file.

Primary Setup

Field	Purpose
Export Format	Sets the file type for the next main report export.
Export Profile	Sets the column set and reporting emphasis for the next export.
Output Folder	Sets the destination folder for newly generated reports.
Report Name	Sets the stem inserted into generated filenames.
Advanced Options	Reveals Only Enabled Add-ons, Sanitize Paths, and Open After Export.

Filters, Lists, and Main Results Area

Control	Purpose
Search	Filters visible rows by text matches such as add-on name, module, or

Control	Purpose
	related fields.
State	Shows all rows, only loaded rows, or only not-loaded rows.
Review	Highlights focused review sets such as duplicates, conflicts, manual review, selected rows, or low health.
Sort	Orders visible rows by name, module, kind, compatibility, risk, update state, and other supported sort keys.
Category	Narrows visible rows to a specific Blender add-on category.
Results area	Displays the current visible inventory and supports Select All and Clear Selection for focused export workflows.

Selected Item Review

Displayed Value	Notes
Module	Internal module identifier for the selected row.
Version	Reported add-on version used for comparison and review.
Installation	The detected installation name or scope.
Compatibility	Compatible, Incompatible, or Unknown, based on declared metadata and installation version detection.
Maintenance / Structure	Shows maintenance signal, metadata status, and structure status for the selected row.
Action / Issues	Summarizes the suggested next action and the issue list associated with the row.



Secondary or Comparison Controls

Control	Function
Preview / Snapshot tab bar	Switches between live review and comparison workflows.
Load Snapshot	Opens a previous supported export for comparison against the current scan.
Snapshot Search	Filters diff rows by text.
Snapshot Filter	Shows all diff rows or only Added, Removed, or Changed rows.
Snapshot Sort	Orders diff rows by type, add-on, module, or details.
Export Snapshot Report / Clear	Exports the current diff view or clears the loaded snapshot state.

Recommended Workflows

Workflow 1: Basic Use

1. Open the Preview tab in the DRH - Add-ons Audit sidebar.
2. Click Refresh to scan the current environment.
3. Review the Summary section and the initial visible result set.
4. Adjust filters or sort order to focus on the rows that matter most.
5. Select one row to review its detailed status and suggested action.

Workflow 2: Review or Export the Current Result

1. Keep the Preview tab active after Refresh.
2. Choose the export profile that fits the audience, such as Audit, Summary, Full, or Selected.
3. Confirm the destination folder and report name in Setup.
4. Enable Sanitize Paths when the report will be shared outside your local environment.
5. Click Export.

6. Verify the generated file by opening the output folder or the last report.

> Tip: Keep an HTML or JSON export after major environment changes so the next comparison starts from a trustworthy baseline.

Workflow 3: Export or Process a Selected Subset

1. Narrow the view with Search, State, Review, Sort, and Category controls.
2. Use Select All or manually keep only the relevant visible rows selected.
3. Choose the Selected export profile.
4. Export the focused result set.

> Important: The Selected profile only exports the rows currently selected in the visible results set.

Workflow 4: Compare Against a Previous Baseline

1. Keep a previously exported supported file available as the baseline.
2. Open the Snapshot tab.
3. Click Load Snapshot and choose the baseline file.
4. Review the Added, Removed, and Changed summary.
5. Filter or sort the diff list if you need a narrower review.
6. Export the comparison result when a formal change record is required.



Step-by-Step Usage Instructions

1. Start or Refresh the Main View

Click Refresh whenever you need to rescan the current Blender environment. The add-on rebuilds summary counts, refreshes the results table, reapplies the active filters, and updates the snapshot diff view when a baseline is already loaded.

> Note: Refresh does not modify third-party add-ons; it recomputes the current view from the detected environment.

2. Interpret Summary Metrics

Metric	Meaning
Health	Average ecosystem health score for the current result set, expressed on a 0-100 scale.
Manual Review	Rows that need human review because structure is broken, metadata is partial or invalid, or compatibility is unknown.
Incompatible	Rows whose declared minimum Blender requirement is higher than the detected installation version.
Update Support	Rows where built-in update markers were detected.
Conflicts	Rows flagged with version conflict conditions.
Duplicates	Rows that represent duplicate copies of an add-on.
Shadowed	Rows that are present but not the active copy in the detected shadow relationship.
Loaded Now	Rows loaded in the current Blender session.
Installations	Distinct detected installation records represented in the current result set.
Total	Total visible rows after filters are applied.

3. Review Row States

State	Operational Meaning
Loaded Now	The add-on is loaded in the current Blender session.
Not Loaded	The add-on is present in discovered installations but is not loaded in the current session.
Duplicate	More than one copy of the same add-on identity was detected.
Version Conflict	Detected copies do not agree on the same version ranking or active state.
SHADOWED	The copy exists but is superseded by another detected copy.
CANDIDATE	The copy is part of a duplicate set and may become the active reference

State	Operational Meaning
	depending on context.
Compatible / Incompatible / Unknown	Compatibility is derived from declared minimum Blender metadata and detected installation version information.
Risk HIGH / MEDIUM / LOW	Risk is assigned from the active issue-to-band rule set in preferences.

4. Open Supporting Paths

1. Use Open Output Folder to open the configured report destination.
2. Use Open Last Report after a successful export to open the newest generated file.
3. Use Open Folder in Selected Add-on Review to open the install folder for the currently active row.

> Warning: Path opening relies on the operating system file manager. Verify that the selected destination still exists and that the current user can access it.

Import, Export, Output, and Profiles

Supported Export Formats

Format	Use Case
HTML (.html)	Readable audit report for review, archiving, and sharing.
JSON (.json)	Structured export suitable for machine reading and later comparison.
CSV (.csv)	Tabular export for spreadsheet workflows.
TSV (.tsv)	Delimited export for pipelines that prefer tab-separated text.
XML (.xml)	Structured export for XML-based processing.
Markdown (.md)	Portable text report for documentation or repository workflows.
XLSX (.xlsx)	Excel workbook for spreadsheet review and filtering.

Supported Comparison or Baseline Input Formats

Snapshot comparison accepts previous exports in the supported file types below. The comparison loader normalizes the incoming rows and then reports Added, Removed, and Changed differences against the current audit.

Accepted File Type	Notes
XLSX	Native workbook import with supported safety checks for workbook size and row count.
JSON	Reads structured rows from previous JSON exports.
CSV / TSV	Reads delimited inventory rows from prior text exports.
XML	Reads inventory rows from previous XML exports.

Accepted File Type	Notes
HTML	Parses the inventory table from an earlier HTML report.
Markdown	Parses the inventory table from a previous Markdown report.

Export Profiles

Profile	Description	Typical Use
Audit	Operational audit profile.	Balanced day-to-day review of health, compatibility, duplicates, and suggested action.
Basic	Compact audit set.	Fast review when only the main identity and state fields are needed.
Compatibility	Compatibility and metadata review.	Focused review of minimum Blender requirements, metadata, and update support.
Full	All available inventory columns.	Deep analysis, archival exports, and handoff to technical support.
Inventory	Inventory and installation profile.	Environment mapping with source roots and installation paths.
Operations	Conflict and audit profile.	Operational review of duplicates, conflicts, shadow states, and suggested action.
Security	Conflict and safety review profile.	Focused review of locations, conflicts, and related operational exposure.
Selected	Exports selected visible rows only.	Targeted support bundles and focused troubleshooting.
Summary	Executive audit summary.	High-level reporting for a quick overview.

Comparison Profiles

Comparison Profile	Columns Included
Basic	Type, Add-on
Standard	Type, Add-on, Module
Full	Type, Add-on, Module, Details

Output Naming Behavior

Generated filenames use the selected output folder, the configured report stem, an optional suffix when needed, a timestamp, and the file extension that matches the chosen export format. Main inventory exports use the DRH- prefix and snapshot exports use the configured snapshot stem with the same timestamp pattern.

> Note: Typical filenames follow patterns such as DRH-Add-ons-Audit_YYYY-MM-DD_HHMMSS.html

and DRH-Add-ons-Audit-Snapshot_YYYY-MM-DD_HHMMSS.json.

Privacy, Data Handling, and Local Processing

The add-on reads local add-on folders, manifests, metadata, and supported installation paths to build its inventory. It writes reports to the selected output folder and can load prior exported files for snapshot comparison. Processing is local, internet access is not required, and no bundled binaries or external Python dependencies are used. Before sharing reports, screenshots, or exports, review whether installation paths or environment details should be sanitized.

Understanding Outputs, Statuses, and Decision Logic

Main exports represent the currently visible inventory through the active export profile. Snapshot exports represent only the current difference set. Compatibility reflects declared minimum Blender metadata and detected installation version information. Suggested Action is guidance, not an automated remediation step. Health is a heuristic score that becomes more useful when read together with the issue list, duplicate state, compatibility state, and structure status.

Common Use Cases

Use Case	How the Product Helps
Pre-upgrade environment review	Shows duplicates, shadowed copies, incompatibilities, and manual-review rows before a Blender or pipeline change.
Support-ready export	Creates a compact Selected, Summary, or Full report that can be shared with reviewers or support staff.
Duplicate cleanup	Highlights duplicate and shadow relationships so extra copies can be reviewed deliberately.
Change tracking after updates	Compares the current environment against a previous baseline to show added, removed, and changed add-ons.
Inventory documentation	Produces repeatable reports for archiving, audits, or handoff between teams.

Typical goals include confirming whether a Blender environment is clean before an upgrade, producing a report for technical review, checking whether a newly installed package changed the add-on set, and maintaining a repeatable inventory record across project milestones.

Advanced Tips and Best Practices

Run a fresh Preview scan before exporting a report that will be shared or archived.

Use the Selected profile for focused troubleshooting exports instead of sending the full Blender environment every time.

- Turn on Sanitize Paths before exporting outside your organization if user-home paths should not be exposed.
- When investigating duplicates, compare Duplicate, Conflict, Shadow, and Newest Safe together rather than in isolation.
- Treat Compatibility = Unknown as a review item, not a pass result.

Capture and archive an HTML or JSON export before large Blender or pipeline changes so you have a comparison baseline later.

Update and Migration Guidance

After updating, reinstalling, or migrating, reopen the add-on and review saved defaults such as output folders, export profiles, visible columns, and risk rules. Run a fresh Refresh to rebuild the current inventory. Previously exported supported files remain usable as snapshot baselines, and release announcements or update notes should be tracked through the GitHub Support Page.

Troubleshooting by Scenario

Symptom or Message	Probable Cause	Recommended Action
The panel opens but no meaningful results are shown	The current environment is empty, the filters are too narrow, or the scan has not been refreshed.	Clear filters, confirm add-ons are installed, and run Refresh again.
A row shows Compatibility = Unknown	Minimum Blender metadata or installation version information could not be determined.	Review the package metadata manually and treat the result as a manual-review item.
A row is marked Duplicate or SHADOWED	More than one copy of the same add-on identity was detected.	Inspect the Selected Add-on Review fields and compare installation paths before removing any copy.
A snapshot file cannot be loaded	The selected file type is unsupported, empty, malformed, or too large.	Use a supported export format and confirm the file is valid and below the supported size limit.
The comparison contains fewer rows than expected	The imported baseline may not contain a valid inventory table or row set.	Re-export a clean baseline from the add-on and load that file instead.
Open Last Report does not open anything	No successful export has been generated in the current working history.	Run an export first, then use Open Last Report again.
Open Output Folder or Open Folder fails	The path no longer exists or the operating system cannot open it.	Verify the folder still exists and that the current user has permission to access it.
Export succeeds but paths should not be shared	Installation details were written exactly as detected.	Turn on Sanitize Paths before exporting the next shareable report.
A broken package appears in results	Metadata, structure, or source files are incomplete or malformed.	Use the suggested action, review the install folder, and repair or replace the add-on manually.

Known Constraints and Operational Notes

"Loaded Now" represents the current Blender session only; it cannot confirm whether filesystem-only copies are active at runtime.

Compatibility is based on declared metadata and installation version detection, not on executing every product path.

Unknown compatibility results occur when minimum Blender metadata or installation version information cannot be determined.

Snapshot comparison supports only the documented export file types and enforces input safety limits such as a 64 MiB file-size limit.

Large comparisons are also subject to row-count and workbook safety limits in the comparison loader.

FAQ

Question	Answer
Does the add-on update third-party add-ons automatically?	No. It audits, compares, and exports findings; it does not install updates for other add-ons.
What does Loaded Now mean?	It means the add-on is loaded in the current Blender session. It is not a filesystem-only inventory state.
Can I compare against an older report?	Yes. Snapshot mode accepts supported prior exports such as XLSX, JSON, CSV, TSV, XML, HTML, and Markdown.
Which export format is best for sharing?	HTML is convenient for human review, JSON is strong for structured reuse, and XLSX works well for spreadsheet workflows.
When should I use Sanitize Paths?	Use it whenever reports may leave your local environment and installation paths should not expose usernames or internal directory structure.
What should I do with Compatibility = Unknown?	Treat it as a review item and inspect the package metadata or installation version information manually.
Are internet access and external dependencies required?	No. The release package states local processing only, with no external Python dependencies and no bundled binaries.
Where should support requests go?	Use the GitHub Support Page as the central public hub for documentation, issue tracking, and update notices.

Support, Contact, and Updates

Item	Current Status
Support Page	GitHub Support Page
Support Scope	Installation guidance, usage questions, troubleshooting help, and reproducible issue reporting for released versions are handled through the GitHub Support Page.
Issue Reporting	Use the GitHub Support Page for public issue tracking and include the details needed to reproduce the problem.
Release Notes / Updates	Release announcements, documentation updates, and public issue tracking are published through the GitHub Support Page.

Item	Current Status
Marketplace Availability	Marketplace-agnostic. See the Availability section below.

Support Workflow

Use the GitHub Support Page as the central public support hub. A useful request should include the add-on version, Blender version, operating system, the exact workflow that triggered the issue, expected and actual behavior, and any safe-to-share screenshots or exports.

Pre-Support Checklist

Before requesting support, gather the add-on version, Blender version, operating system, installation method, exact steps to reproduce, the active export or snapshot profile, relevant screenshots, and any safe-to-share reports that illustrate the problem.

Availability

This product may be available through multiple marketplaces and storefronts.

For support, documentation, and issue tracking, please use this GitHub repository as the central public support hub.

Legal, Disclaimer, and Credits

Area	Text
Credits	Product and documentation: Paco Salas | DRH.
License Notice	This software is distributed under the GNU General Public License v3.0 or later.
Warranty Notice	Unless separately stated in writing, the software is provided without warranty.
Trademark Acknowledgement	Third-party product names are used only to identify compatibility or workflow context and remain the property of their respective owners.
Third-Party Dependencies	No external Python dependencies or bundled binaries are included in this release package.
Distribution Notice	Commercial distribution may be offered, but recipients must receive the GPL license terms and the corresponding source code included with the package.

Appendix A – Glossary

Term	Definition in This Manual
Audit profile	A named export column set used for the main inventory report.
Snapshot	A comparison workflow that measures the current audit against a previous supported export.

Term	Definition in This Manual
Loaded Now	An add-on that is currently loaded in the active Blender session.
Shadowed	A detected copy that is not the active copy in a duplicate relationship.
Version Conflict	A state showing disagreement between detected copies or version precedence.
Compatibility	A result derived from declared minimum Blender metadata and detected installation version information.
Risk Level	A HIGH, MEDIUM, or LOW band assigned from the active issue-rule mapping.
Sanitize Paths	An option that removes share-sensitive installation-path details from exported fields that support sanitization.

Appendix B – Reference Layer

Reference notes: main inventory exports can include fields such as add-on name, module, version, kind, installation, compatibility, update support, risk, suggested action, metadata status, structure status, and health score, depending on the chosen profile. Snapshot exports focus on change type, add-on, module, and details. Health is a heuristic indicator and should be interpreted together with the row issue list and status fields.

Appendix C – Specialized Technical Sections

This release does not expose a command-line interface, public API, or SDK. Advanced technical use centers on report formats, snapshot comparison behavior, installation discovery, and the risk-rule system available through the Blender interface.

Topic	Note
Snapshot comparison limits	Comparison input is limited to supported export file types and is blocked when the selected file exceeds 64 MiB. Large workbook inputs are also subject to row-count and decompression safety limits.
Default risk rules	The shipped defaults map warning, incompatible, and custom_path to HIGH; missing_version and missing_init to MEDIUM; and missing_doc and missing_tracker to LOW.
Installation discovery	The add-on inspects the current Blender session and supported user or system installation roots on Windows, macOS, and Linux to build the inventory view.