

Start Here Guide

Patient Education Handout

Functional Health & Longevity Program · KORB Health Group · For Patient Reference

This guide explains how to review the Functional Health & Longevity Program education materials KORB has given you. It does not replace your prescription label, pharmacy-specific instructions, your KORB provider's guidance, or your therapy-specific education materials.

Read Your Materials in This Order

1	This Start Here Guide	You're reading it — it explains what each document covers and what order to read them in.
2	Your Therapy-Specific Handout	Covers what your medication is, what it may support, side effects, and how to use it safely.
3	Injection, Storage & Safety Guide	All five current Longevity Program therapies are injectable, so this always applies. Read it before your first injection.
4	When to Contact KORB or Seek Emergency Care	Explains what questions to bring to KORB and what symptoms need urgent or emergency care.
5	Your Prescription Label & Pharmacy Instructions	Always the final word on your exact dose, timing, and administration.

What This Guide Covers

KORB organizes your care into structured programs, not an open menu of products. Your provider selects your program and therapy based on your goals, health history, safety considerations, and follow-up plan.

If anything in your materials seems unclear or doesn't match what you expected, contact KORB before making any changes.

Your Functional Health & Longevity Program

Your provider will have discussed which program you're in:

Foundation	A single agent, chosen based on your goals — Sermorelin, CJC-1295/Ipamorelin, or BPC-157. One agent at a time; nothing is stacked.
Gateway	A staggered combination: Sermorelin, then BPC-157 two weeks later, with GHK-Cu as an optional add-on two weeks after that.
Peak Performance	A staggered combination with two pathway options — Pathway A pairs CJC-1295/Ipamorelin with BPC-157; Pathway B pairs Tesamorelin with BPC-157. GHK-Cu is available as an optional add-on on either pathway.

Every program runs on a 16-week cycle — active weeks followed by a washout period — with labs and a renewal visit at the end of each cycle.

Follow Your Pharmacy Instructions

Your pharmacy may provide specific instructions about dose, timing, route, storage, administration, or beyond-use date. Follow your pharmacy-specific instructions unless your KORB provider gives you updated guidance — don't assume two therapies or two pharmacies use the same instructions.

Do Not Change Your Treatment Plan Without KORB Guidance

Unless specifically instructed by your KORB provider, do not change your:

- Dose, frequency, or timing
- Route, formulation, or treatment schedule
- Medication combination
- Do not double up after a missed dose unless instructed
- Do not combine therapies unless specifically directed by KORB
- Do not restart therapy after a long gap without checking with KORB if you're unsure



Lifestyle Foundations Still Matter

Longevity Program therapies are adjunctive — they support your broader plan, not replace it. Response varies, and therapies work best paired with the fundamentals:

Nutrition

- Adequate protein intake
- Fiber intake
- Nutrient-dense foods
- Hydration
- Alcohol moderation
- Long-term sustainability

Movement

- Resistance training
- Physical activity consistency
- Walking or low-intensity movement
- Mobility
- Lean mass preservation

Recovery

- Sleep optimization
- Stress reduction
- Recovery pacing
- Avoiding overtraining

What to Expect After Starting Therapy

Response varies from patient to patient. Some notice changes in recovery, appetite, energy, sleep, or wellness; others notice little change. Your provider will reassess at each renewal visit whether therapy is helping, whether side effects are present, and whether it should continue, stop, be held, or be adjusted.



When to Contact KORB and When to Seek Emergency Care

Contact KORB Operations	Patient Portal — Message Your Provider	Seek Emergency Care Immediately
• Questions about your education materials or medication instructions • Questions about timing, storage, or administration • Follow-up questions after your visit Email: info@korbhealth.com Phone: +1 (888) 959-7299 Hours: Mon–Fri, 9 AM–6 PM CT	• Mild side effects that are persistent or concerning • Injection-site questions • Questions about whether to continue therapy • Concerns that therapy isn't helping	• Trouble breathing or swelling of the face, lips, tongue, or throat • Severe rash or widespread hives • Chest pain or fainting • Confusion, severe weakness, or severe/rapidly worsening pain • New neurologic symptoms • Any symptom that feels urgent, severe, or unsafe

The Patient Portal is your only HIPAA-compliant way to message your provider directly — providers check portal messages once in the morning and once in the afternoon on their clinic days. For anything that doesn't need your provider's direct medical judgment, contact KORB Operations by phone or email instead.

Please include the therapy name, dose, when you started, what concern you're having, when it began, and whether it's improving, worsening, or staying the same in any Operations or Portal message.

■ Seek emergency care right away for: trouble breathing or swelling of the face, lips, tongue, or throat; severe rash or widespread hives; chest pain or fainting; confusion, severe weakness, or severe/rapidly worsening pain; new neurologic symptoms; severe abdominal pain or persistent vomiting; signs of severe dehydration or high fever; rapidly spreading redness or drainage from an injection site; severe glucose-related symptoms; or any symptom that feels urgent, severe, or unsafe.

Phone and email are not appropriate for emergencies. Call 911 or go to the nearest emergency room.

Key Reminders

Read your therapy-specific handout, then the Injection, Storage & Safety Guide, then the When to Contact KORB or Seek Emergency Care guide.

Follow your prescription label and pharmacy-specific instructions at all times.

Do not change your dose, timing, route, formulation, schedule, or medication combination unless directed by KORB.

Do not double up after a missed dose unless instructed — see your therapy handout for guidance.

Do not combine therapies unless specifically directed by KORB.

Use the Patient Portal for medical questions to your provider; contact KORB Operations for everything else. Seek emergency care for severe or unsafe symptoms.

Therapies are adjunctive tools — not replacements for lifestyle foundations or standard medical care.