

Daily Task on Text Formatting and List Elements, Tables

Task1:

HTML TEXT FORMATTING

Text Formatting in HTML is used to change the appearance of text on a web page. It helps make text bold, italic, highlighted, smaller, underlined, deleted, inserted, superscript, or subscript. HTML provides different formatting tags to improve the readability and presentation of content

1.<mark> Tag (Highlighted Text)

The <mark> tag highlights text. By default, browsers display highlighted text with a yellow background.

Syntax

```
<mark>Text</mark>
```

2.<small> Tag (Small Text)

The <small> tag displays text in a smaller font size than the surrounding text.

Syntax

```
<small>Text</small>
```

3. Tag (Deleted Text)

The tag represents deleted text. Browsers usually display it with a line through the text.

Syntax

```
<del>Text</del>
```

4. Tag (Bold Text)

The tag is used to display text in bold. It changes only the appearance of the text and does not add any special meaning.

Syntax:

```
<b>Text</b>
```

5. Tag

The tag is used to indicate that the text is important. Browsers usually display it in bold.

Syntax

```
<strong>Text</strong>
```

6.<i> Tag (Italic Text)

The <i> tag displays text in italic style. It is mainly used for names, foreign words, or technical terms.

Syntax

```
<i>Text</i>
```


7.<ins> Tag (Inserted Text)

The <ins> tag represents newly inserted text. Browsers usually underline the inserted text.

Syntax


```
<ins>Text</ins>
```

Code:



```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body style="background-color: whitesmoke; font-family: Arial, sans-serif; padding: 20px;">
9   <h2 style="text-align: center; color: royalblue;">FULLSTACK PYTHON</h2>
10
11   <h3 style="color: darkblue;">1.what is HTML?</h3>
12   <p style="color: dimgray;">HTML stands for Hyper Text Markup Language. It is the standard markup is
13
14   <h3 style="color: darkblue;">2.what is CSS?</h3>
15   <p style="color: dimgray;">CSS stands for Cascading Style Sheets. It is a style sheet language used
16
17   <h3 style="color: darkblue;">3.what is JavaScript?</h3>
18   <p style="color: dimgray;">JavaScript is a programming language that conforms to the ECMAScript spe
19
20   <h3 style="color: darkblue;">4.what is React?</h3>
21   <p style="color: dimgray;">React is a JavaScript library for building user interfaces. It allows de
22
23   <h3 style="color: darkblue;">5.what is Java?</h3>
24   <p style="color: dimgray;">Java is a high-level, class-based, object-oriented programming language
25
26   <h3 style="color: darkblue;">6.what is SpringBoot?</h3>
27   <p style="color: dimgray;">Spring Boot is an open-source Java-based framework used to create stand
28
29   <h3 style="color: darkblue;">7.what is SQL?</h3>
30   <p style="color: dimgray;">SQL stands for Structured Query Language. It is a domain-specific langua
31 </body>
32 </html>
```

Output:



Task 2:

Html Lists:

HTML Lists are used to display related items in a structured format on a web page. Lists make information easy to read and understand. HTML provides three types of lists:

1. Ordered List ()
2. Unordered List ()
3. Description List (<dl>)

Lists are commonly used for menus, instructions, product features, navigation bars, and displaying grouped information.

Types of HTML Lists

1. Ordered List ()

An Ordered List is used to display items in a specific sequence or order. Each list item is automatically numbered or lettered.

Syntax

```
<ol>
  <li>Item 1</li>
  <li>Item 2</li>
  <li>Item 3</li>
</ol>
```

2. Unordered List ()

An Unordered List displays items using bullets instead of numbers

Syntax

```
<ul>
  <li>Item 1</li>
  <li>Item 2</li>
  <li>Item 3</li>
</ul>
```

3. Description List (<dl>)

A Description List is used to display terms and their descriptions.

Tags Used

```
<dl> - Description List
<dt> - Description Term
<dd> - Description Details
```

Syntax

```
<dl>
  <dt>Term</dt>
  <dd>Description</dd>
</dl>
```

Nested List


A Nested List is a list inside another list. It is used to create sub-items

Example



```
<ul>
  <li>Fruits
```


```
</ul>
<li>Apple</li>
<li>Mango</li>
<li>Orange</li>
</ul>
</li>
<li>Vegetables
<ul>
<li>Carrot</li>
<li>Potato</li>
</ul>
</li>
</ul>
```

Code:





```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Elements</title>
7 </head>
8 <body>
9   <h1 style="text-align:center;color: rgb(255, 0, 123);">CITIES IN INDIA</h1>
10  <ol type="A" start="1">
11    <!-- ----- -->
12    <li style="color: rgb(63, 14, 141);"><strong>Andhra Pradesh</strong></li>
13    <ul type="disc">
14      <li><b>Visakhapatnam</b></li>
15      <dd>Visakhapatnam is a major port city and industrial hub in Andhra Pradesh, known for its beaches</dd>
16      <li><b>Vijayawada</b></li>
17      <dd>Vijayawada is a vibrant commercial and cultural hub in Andhra Pradesh, situated on the banks</dd>
18      <li><b>Guntur</b></li>
19      <dd>Guntur is famous for its chilli market and agriculture, and is one of the largest cities in</dd>
20      <li><b>Tirupati</b></li>
21      <dd>Tirupati is a holy city known for the Sri Venkateswara Temple, one of the most visited pilgr</dd>
22      <li><b>Rajahmundry</b></li>
23      <dd>Rajahmundry is the cultural capital of Andhra Pradesh, situated on the banks of the sacred G</dd>
24    </ul>
25
26    <li style="color: rgb(61, 14, 141);"><strong>Telangana</strong></li>
27    <ul type="disc">
28      <li><b>Hyderabad</b></li>
29      <dd>Hyderabad is the capital city, famous for Charminar, Biryani and IT industry.</dd>
30      <li><b>Warangal</b></li>
31      <dd>Warangal is known for its historical Kakatiya temples and rich cultural heritage.</dd>
32      <li><b>Nizamabad</b></li>
33      <dd>Nizamabad is an agricultural hub famous for turmeric and rice production.</dd>
34      <li><b>Karimnagar</b></li>
35      <dd>Karimnagar is known for its granite industry and scenic countryside.</dd>
36      <li><b>Khammam</b></li>
37      <dd>Khammam is famous for its temples and is located near the Godavari River.</dd>
```





Output:





Task 3:

HTML Tables

HTML Tables are used to display data in rows and columns on a web page. They help organize information in a structured format, making it easy to read and compare data.

A table consists of:

1. Rows (<tr>)
2. Columns
3. Header cells (<th>)
4. Data cells (<td>)

HTML tables are commonly used to display student records, employee details, product lists, timetables, marks, and other tabular data.

Structure of an HTML Table

The basic structure of an HTML table includes the following tags:

<table> – Creates a table.

<tr> – Creates a table row.

<th> – Creates a table header cell.

<td> – Creates a table data cell.

Syntax

<table>

<tr>

<th>Heading 1</th>

```

        <th>Heading 2</th>
    </tr>
</tr>
<td>Data 1</td>
    <td>Data 2</td>
</tr>
</table>

```

Rowspan Attribute

The rowspan attribute is used to merge multiple rows into one cell. Syntax `<td rowspan="2">`

Syntax

```
<td rowspan="2">
```

Colspan Attribute

The colspan attribute is used to merge multiple columns into one cell.

Syntax

```
<td colspan="2">
```

Cell Spacing & Cell Padding

Cell Spacing is the space between two table cells.

Cell Padding is the space between the cell border and the content.

Syntax



```
<table border="1" cellspacing="10" cellpadding="10">
```



Code:

```

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Tables of Data</title>
7      <style>
8          .table2{
9              margin-left: 300px;
10             text-align: center;
11         }
12         .table3{
13             margin-left: 800px;
14             text-align: center;
15         }
16         body { font-family: Arial; padding: 20px; }
17         table { border-collapse: collapse; margin-bottom: 30px; width: 100%; }
18         th, td { padding: 8px; text-align: center; }
19     </style>
20 </head>
21 <body>
22     <!-- Table 1 -->
23     <div class="table1">
24         <table border="1">
25             <tr><th colspan="8">Employee Information</th></tr>
26             <tr style="background-color: #91, 46, 22);">
27                 <th>Em ID</th><th>Em Name</th><th>Em Salary</th><th>Em Department</th>
28                 <th>Em Designation</th><th>Em Email</th><th>Em Experience</th><th>Em Age</th>
29             </tr>
30             <tr style="background-color: #187, 64, 158);">
31                 <td>112</td><td>John Doe</td><td>50000</td><td>IT</td>
32                 <td>Software Engineer</td><td>john.doe@company.com</td><td>5 years</td><td>30</td>
33             </tr>
34             <tr style="background-color: #245, 18, 143);">
35                 <td>113</td><td>Jane Smith</td><td>60000</td><td>IT</td>
36                 <td>HR Manager</td><td>jane.smith@company.com</td><td>4 years</td><td>28</td>

```



```
2 <html lang="en">
21 <body>
126 <div class="table">
127 <table border="1">
162 <tr>
163 <tr style="background-color: #f0f0f0;">
164 <td>308</td><td>FSAT</td><td>venkatesh</td><td>Mon, Fri 2:00-3:30 PM</td><td>15 weeks</td>
165 </tr>
166 <tr style="background-color: #f0f0f0;">
167 <td>309</td><td>DNFS</td><td>Somesh</td><td>Tue, Thu 10:00-11:30 AM</td><td>15 weeks</td>
168 </tr>
169 <tr style="background-color: #f0f0f0;">
170 <td>310</td><td>SQL</td><td>girish</td><td>Mon, Fri 1:00-15:30 AM</td><td>15 weeks</td>
171 </tr>
172 </table>
173 </div>
174 </body>
175 </html>
```

Output:

Employee Information							
Em ID	Em Name	Em Salary	Em Department	Em Designation	Em Email	Em Experience	Em Age
112	John Doe	50000	IT	Software Engineer	john.doe@company.com	5 years	30
113	Jane Smith	60000	IT	HR Manager	jane.smith@company.com	4 years	28
114	Mike Johnson	55000	IT	Finance Analyst	mike.johnson@company.com	6 years	32
115	Emily Davis	70000	Marketing	Marketing Manager	emily.davis@company.com	8 years	29
116	David Wilson	65000	Sales	Sales Associate	david.wilson@company.com	4 years	28
117	Sarah Brown	72000	Operations	Operations Manager	sarah.brown@company.com	8 years	35
118	Chris Lee	58000	IT	IT Specialist	chris.lee@company.com	3 years	27
119	Amy Taylor	52000	HR	HR Specialist	amy.taylor@company.com	4 years	29
120	Brian Anderson	54000	Finance	Finance Analyst	brian.anderson@company.com	3 years	28
121	Jessica Martinez	68000	Marketing	Marketing Specialist	jessica.martinez@company.com	5 years	28

Product Information							
PID	PName	Price	Category	Brand	Stock	Rating	Color
201	Book	100	Stationery	Camel	50	4.5	Red
202	Headphone	2000	Electronics	Sony	10	5	Vibe Violet
203	Smartwatch	8000	Wearable	Fitbit	30	4.4	Black
204	Laptop	50000	Windows	Dell	5	4.0	Black
205	Tablet	15000	Android	Samsung	20	4.2	Silver
206	Headphones	2000	Wireless	Rose	15	4.7	Black

