JLPT AI App, Progress Report No. 08, HP

Padauk Lab

Report	Period	Date	Prepared by
No. 08	Oct 20 to Oct 23, 2026	Oct 23, 2026	HP (Backend and Infrastructure)

You can share this file with your AI coding tool as project context, together with docs/api-contract.md and docs/database-design.md.

1. Summary

Session 1 is complete: 10 units, 200 words and 10 grammar patterns, all in the database. Session 2 has started (2 units). The backend now has the real dashboard, the Why? button with the AI, saved words, the quiz, and a strict CORS setting for the web app. The mock test and change password are built and in review. LMHP connected the app to the real backend (in review). **The biggest blocker now is content: there are no quiz questions yet, so every user stops after Unit 5 of Session 1.**

2. Completed by HP

No.	Task	Status
1	Saved words (contract #16 to #18): list with search, save, remove	Merged (#43)
2	Quiz endpoints (contract #19 to #22): start, answer, finish, review	Merged (#45)
3	CORS: a strict list of web pages allowed to call the API, with fixes from the ANK team's review	Merged (#49)
4	Real dashboard (contract #11) for the Home map, contract v0.6	Merged (#52)
5	Why? button (contract #28) with the AI: saved answers, at most about 45 seconds of waiting	Merged (#53)
6	Mock test (contract #23 to #26): server clock, automatic submit, resume, retakes	In review (#54)
7	Change password (contract #34), contract v0.7	In review (#57)
8	Loaded all 10 units of Session 1 into the database and checked them	Done
9	Reviewed team work: #46 to #48, #50, #51, #55, #56, #58	Done

Automated tests: 299 on main today, 336 when #54 and #57 are merged.

3. Security at a glance (new this time)

Protection	What it stops
CORS allow list from .env: no *, https only for real websites	Other websites using a logged-in browser to call our API
Why? only works after the user has seen the answer	Using the AI to get answers before answering
One AI answer per question and choice, saved and shared	Paying for the same AI answer again and again
The mock test clock is the server's. Late answers are refused	Cheating by changing the phone's clock
Change password needs the old one and shares the login guess limit	Guessing the password through Settings
Change password signs out every device	A thief who knew the old password staying logged in
Login tokens in the phone's secure storage, never in plain storage (also asked for web)	Other apps or scripts reading the user's login

4. Team highlights

Member	What they did	Status
LMHP	Home map, unit flip cards, grammar, quiz, setup and plan screens (#47). Quiz result and review screens, iPhone text fix (#48)	Merged
LMHP	Connected log in, setup, plan, Home, units and saved words to the real backend (#58). Two small fixes asked (tokens on web, logout on server errors)	In review
ANK	Session 2, Units 1 and 2 (#55, #56). Unit 2 is a strong law and courts theme. Careful review of the CORS pull request found 3 real issues	Merged
Deedeedar	Session 1, Units 6, 9 and 10 (#46, #50, #51). This completed Session 1	Merged
SWYH	Working on generate_examples() for More examples (issue #44)	In progress

5. Content status

Session 1 unit	1	2	3	4	5	6	7	8	9	10
Status	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done

- Session 2: Units 1 and 2 done.
- 12 of 200 units (6%), 240 words. New grammar: ～をおいて，～を禁じ得ない，～ならいざ知らず，～をもって，～に至っては
- **No quiz questions yet.** Units 6 to 10 stay locked until Quiz 1 exists, so every user stops after Unit 5. This is the most urgent content task.
- No mock test or proverb files yet. The formats and loaders are ready.

6. Decisions made

Area	Decision
Web app access	Only the addresses in CORS_ORIGINS (in .env) may call the API from a browser
Dashboard	Sessions not loaded yet are shown locked, with id: null (contract v0.6)
Why?	Answers are saved and shared by everyone. Skipped questions in a finished quiz also work
AI waiting time	At most about 45 seconds, then try again later (503)
Mock test	Submitted automatically at the end time. Only the first attempt in a round counts for the prediction. pass_prediction stays empty until the formula is decided
Change password	Every device is signed out, and this phone gets a fresh login (contract v0.7)
Login on web	Tokens kept in memory only, never in localStorage

7. Action needed (everyone)

Add these two lines to your own .env (not only .env.example):

```
CORS_ORIGINS=http://localhost:8081
LLM_MODEL=gemini-3.8-flash
```

Then update your database after pulling main:

```
docker compose run --rm --build backend alembic upgrade head
docker compose run --rm -v "$PWD/data":/data:ro backend python -m
app.content.load_units /data/units
```

8. Next tasks

No.	Task	Owner
1	Review the mock test (#54) and change password (#57) pull requests	LMHP, SWYH
2	**Quiz 1 and Quiz 2 questions for Session 1**, following docs/content-format.md (most urgent)	ANK, Deedeedar
3	Mock test for Session 1, following docs/mock-test-format.md	ANK, Deedeedar
4	Two fixes in #58, then connect the quiz, Why?, mock test and change password	LMHP
5	generate_examples() for More examples (issue #44)	SWYH
6	More examples endpoint (#27) with the daily limit, after task 5	HP
7	Safe setup for testing the app on a real phone	HP
8	Pass prediction formula	HP, ANK

9. Open decisions

1. Pass prediction formula (HP and ANK to propose)
2. Exact question split in the mock test (the format allows 45 questions plus 3 reading passages; ANK to confirm against the N1 format)
3. Daily limit for More examples, currently 50 (team to decide after testing)
4. Furigana in More examples: written by the AI or added by a code tool (SWYH, after testing)
5. If someone signs up with email, then later uses Google with the same email, join the accounts or refuse? (HP to propose)
6. Add a Japanese definition field (meaning_ja) to the contract? (team)
7. Keep frontend/.claude/settings.json (an AI tool setting) in the repo? (team)