Honesty and integrity are the foundations of good academic work. Whether you are working on a problem set, lab report, project, presentation, or paper, do not engage in plagiarism, unauthorized collaboration, cheating, or facilitating academic dishonesty. Our expectation is for our students to be successful while being trustworthy. The honor code is not intended to be punitive, but rather a guide for all students and faculty to follow. For these reasons, the Academies of Loudoun will uphold the following Honor Code:

On my honor, I have not accepted or provided any unauthorized aid on this test, quiz, or assignment.

As an Academies of I oudoun student, you agreed to uphold the Academies Honor Code. Please write the Honor Code Pledge below and sign this document.

1 Student Signature:

Class: Date:

Multiple Choice. Correct work must be shown for full credit. Choose the letter for the best answer.(3 pts each)

- 1. What is the slope of the line tangent to the polar curve $r=3\theta$ at the point where $\theta=\frac{\pi}{2}$?
 - A) $-\frac{\pi}{2}$ B) $-\frac{2}{\pi}$ C) 0 D) 3For a certain polar curve $r = f(\theta)$, it is known that $\frac{dx}{d\theta} = \cos\cos\theta \sin\sin\theta$ and $\frac{dy}{d\theta} = \sin\sin\theta + \cos\cos\theta$. What is the value of $\frac{d^2y}{dx^2}$ at $\theta = 4$?A) -1.420 B) 0.417 C) 1.346 D) 3.195
 - (a) A. A particle moves in a plane so that its position at any time $\theta, 0 \leq \theta \leq 8$, is given by the polar equation $r(\theta) = 5(1 + \cos \theta)$. When does the particle's distance from the origin change from decreasing to increasing? A) $\theta = 0$ only B) $\theta = \pi$ only C) $\theta = 2\pi$ only D) $\theta = 0$ and $\theta = \pi$ E) $\theta = \pi$ and $\theta = 2\pi$
 - B. The area of the region enclosed by the polar curve $r=\cos 2\theta$ for $0\leq \theta\leq \frac{\pi}{2}$ is A) $\frac{\pi}{2}$ B) π C) $\frac{\pi}{8}$ D) $\frac{\pi}{4}$ E) 1
 - C. The area of one leaf of the rose $r = \sin 3\theta$ is A) $\frac{\pi}{12}$ B) $\frac{\pi}{6}$ C) $\frac{\pi}{4}$ D) $\frac{\pi}{3}$ E) $\frac{\pi}{2}$
 - D. The area outside r = 1 and inside $r = 1 + \sin \theta$ is A) $2 + \pi$ B) $2 + \frac{\pi}{2}$ C) $2 + \frac{\pi}{4}$ D) $2 \frac{\pi}{4}$ E) $2 \frac{\pi}{2}$
 - E. The total area of the region enclosed by the polar graph of $r = \cos 3\theta$ is A) $\frac{\pi}{12}$ B) $\frac{\pi}{6}$ C) $\frac{\pi}{4}$ D) $\frac{\pi}{3}$ E) $\frac{\pi + \sqrt{3}}{2}$
 - F. Which of the following gives the area of the region enclosed by the graph of the polar curve $r=1+\cos\theta$? A) $\int_0^\pi \left(1+\cos^2\theta\right)d\theta \text{ F}) \int_0^\pi (1+\cos\theta)^2d\theta \text{ G}) \int_0^{2\pi} (1+\cos a)d\theta \text{ H}) \int_0^{2\pi} (1+\cos\theta)^2d\theta \text{ l}) \frac{1}{2} \int_0^{2\pi} \left(1+\cos^2\theta\right)d\theta$

- G. If the function $r = f(\theta)$ is continuous and nonnegative for $0 \le \alpha \le \theta \le \beta \le 2\pi$, then the area enclosed by the polar curve $r = f(\theta)$ and the lines $\theta = \alpha$ and $\theta = \beta$ is given by A) $\frac{1}{2} \int_{\alpha}^{\beta} f(\theta^2) d\theta$ B) $\frac{1}{2} \int_{\alpha}^{\beta} f(a) d\theta$ C) $\frac{1}{2} \int_{\alpha}^{\beta} \theta f(\theta^2)$ D) $\frac{1}{2} \int_{\alpha}^{\beta} \theta f(a) d\theta$ E) $\frac{1}{2} \int_{\alpha}^{\beta} (f(\theta))^2 d\theta$
- H. Which of the following integrals gives the total area of the region shared by both polar curves $r = 2\cos\theta$ and $r = 2\sin\theta$

N)
$$2\int_0^{\frac{\pi}{4}} \left(\cos^2\theta - \sin^2\theta\right) d\theta$$

Free Response Question. (NON CALCULATOR)

The graph of the polar curve $r=1-2\cos\theta$ for $0\leq\theta\leq\pi$ is shown above. Let S be the shaded region in the third quadrant bounded by the curve and the x-axis.

- (a) Write an integral expression for the area of S.
- (b) Write expressions for dx/dθ and dy/dθ in terms of θ.
 (c) Write an equation in terms of x and y for the line tangent to the graph of the polar curve at the point where $\theta = \frac{\pi}{2}$. Show the computations that lead to your answer. (a)
- (b)
- (c)