ACADEMY of SCIENCE

Math Analysis II Major Summative #8 – Conic Sections

		/34 poi	nts		
Name:			BLOCK:	DAT	E:
CADEMIES LOUDOUN		MIES OF IONOR C	LOUDO CODE	UN	ACADEM OF LOUD O
on a problem unauthorized our students punitive, but	d integrity are the four is set, lab report, project d collaboration, cheating to be successful while rather a guide for all so of Loudoun will uphold	t, presentation, or p g, or facilitating ac being trustworthy. tudents and faculty	paper, do not engage cademic dishonesty. The honor code is to follow. For the	ge in plag Our exp not inten	iarism, pectation is for ded to be
	On my honor, I have n	ot accepted or pro	vided any unauth	orized aid	lon
	th	uis test, quiz, or as	signment.		
	mies of Loudoun stude nor Code Pledge below			nies Hono	r Code. Please
	Student Signature	:			
	Class:		Date:		

AOS Math 10 Conic Sections Test A

February 2, 2024

Name and block:

True / False

1. (1 point) _____ The major axis of a (non-circular) ellipse is always longer than the minor axis.

2. (1 point) _____ The transverse axis of a hyperbola is always longer than the conjugate axis.

3. (1 point) _____ The foci of an ellipse are on the minor axis.

4. (1 point) _____ The focus of the parabola $x^2 = 8y$ is the lowest point on the parabola.

5. (1 point) _____ The graph of $\frac{x^2}{16} + \frac{y^2}{25} = 1$ fits entirely inside the graph of $x^2 + y^2 = 30$

6. (1 point) _____ The directrix of a parabola is perpendicular to the axis of symmetry.

7. (1 point) _____ The distance between two foci of an ellipse is 2c.

8. (1 point) _____ The eccentricity of an ellipse can be e = 1.14.


9. (1 point) _____ A circle is an ellipse with a = b.

10. (1 point) _____ The graphs of $\frac{x^2}{2} - \frac{y^2}{3} = 1$ and $\frac{y^2}{2} - \frac{x^2}{3} = 1$ have the same asymptotes.


Multiple Choice

Work must be shown for credit


1. (3 points) Note the scale is 2 below. Which is the graph of $\frac{(x-3)^2}{9} - \frac{(y+4)^2}{4}$?




A.




D.




 \mathbf{E} .



В.




С.




F.


- 1. ____
- 2. (3 points) Note the scale is 2 below. Which is the graph of $\frac{(x-2)^2}{4} + \frac{(y+4)^2}{9}$?



A.





D.




E.

В.








F.


C.


2. _


A.


3. (3 points) Note the scale is 2 below. Which is the graph of $(y-4)^2 = 12(x-2)$?

















- D.
- E.

В.

F.

C.

3. _

- 4. (3 points) What are the foci of the hyperbola $\frac{x^2}{16} \frac{y^2}{12} = 1$?
 - A. $(0, \pm 2)$
 - B. $(0, \pm 2\sqrt{7})$
 - C. $(\pm 2\sqrt{7}, 0)$
 - D. $(\pm 2, 0)$

- 5. (3 points) Which is **not** a vertex or co-vertex of the ellipse $\frac{x^2}{9} + \frac{(y-2)^2}{7} = 1$
 - A. $(0, 2 \sqrt{7})$
 - B. $(3, \sqrt{7})$
 - C. (-3,2)
 - D. (3,2)

5. _

- 6. (3 points) What is the equation of a parabola with
 - a vertex at (3, -2)
 - a vertical axis of symmetry
 - the parabola passes through the point (0,1)

A.
$$(x+3)^2 = 12(y+2)$$

B.
$$(x-3)^2 = 12(y-2)$$

C.
$$(x-3)^2 = 3(y+2)$$

D.
$$(x-3)^2 = \frac{4}{9}(y+2)$$

E.
$$(x-3)^2 = 4(y+2)$$

6. _____

7. (3 points) Write the equation of the ellipse that has a major axis 28 units long and is parallel to the y axis, a minor axis 26 units long, and a center at (11, 8).

A.
$$\frac{(x+11)^2}{196} + \frac{(y+8)^2}{169} = 1$$

B.
$$\frac{(x-11)^2}{196} + \frac{(y-8)^2}{169} = 1$$

C.
$$\frac{(x+11)^2}{169} + \frac{(y+8)^2}{196} = 1$$

D.
$$\frac{(x-11)^2}{169} + \frac{(y-8)^2}{196} = 1$$

7. _____

8. (3 points) Given the equation of a circle in standard form: $(x+3)^2 + (y-4)^2 = 49$. Write the equation in general form.

A.
$$x^2 + y^2 - 24 = 0$$

B.
$$x^2 + y^2 + 6x - 8y - 24 = 0$$

C.
$$x^2 + y^2 + 3x - 4y - 24 = 0$$

D.
$$x^2 + y^2 + 74 = 0$$

E.
$$x^2 + y^2 + 6x - 8y + 74 = 0$$

8. _____