

A Graph Based Physics-Informed Neural Network for Real-Time Air Pollution Forecasting

Abstract

Accurate real-time forecasting of $\text{PM}_{2.5}$ concentrations remains a major challenge due to sparse monitoring networks and the complex physical dynamics governing pollutant transport. This study proposes a graph-based physics-informed neural network (PINN) designed to improve air pollution forecasting under sparse observational conditions while maintaining computational feasibility for real-time deployment. The model represents monitoring stations as nodes in a 35×35 spatial graph and integrates graph convolutional networks (GCNs) with physically grounded diffusion and advection constraints. A gated fusion mechanism combines learned graph representations with physics-based partial differential equation components to model pollutant transport dynamics more effectively. The framework was evaluated on the Beijing $\text{PM}_{2.5}$ dataset across multiple forecasting horizons. At the 24-hour horizon, the model achieved an MAE of 42.00 and RMSE of 52.88, with strong performance maintained across shorter horizons. Training efficiency was optimized to 29 epochs in under five minutes, demonstrating feasibility for real-time applications. Results indicate that integrating physical diffusion–advection principles with graph neural networks improves modeling accuracy while preserving scalability, suggesting a promising direction for deployable environmental forecasting systems.


Introduction

Air pollution, particularly fine particulate matter ($\text{PM}_{2.5}$), poses significant risks to public health and urban sustainability. Accurate short-term forecasting of pollutant concentrations enables early warnings, policy intervention, and improved environmental planning. However, air quality dynamics are governed by complex physical processes such as diffusion and advection, while monitoring networks are often sparse and unevenly distributed. Traditional data-driven models may capture statistical patterns but frequently fail to incorporate underlying physical transport mechanisms. To address this limitation, this research explores a hybrid approach that integrates physics-based modeling with graph neural networks to improve spatial and temporal forecasting performance while maintaining computational efficiency for real-time deployment.



Can the modeling of $\text{PM}_{2.5}$ concentrations under sparse monitoring conditions be improved by combining physics-informed diffusion–advection principles with graph-based neural networks to create an accurate, scalable, and real-time deployable air pollution forecasting system?

Methodology



Monitoring stations were modeled as nodes in a 35×35 spatial graph, where edges represent geographic and relational connectivity between locations. A graph convolutional network (GCN) architecture was used to capture spatial dependencies in $\text{PM}_{2.5}$ concentrations, following an encoder–graph–decoder framework. To incorporate physical realism, diffusion and advection processes derived from pollutant transport equations were embedded into the network as physics-informed components. Separate GCN pathways modeled these diffusion–advection dynamics, and a gated fusion mechanism combined the physics-based features with learned graph representations. The fused output was decoded to generate multi-horizon forecasts (2–24 hours). Model performance was evaluated on the Beijing $\text{PM}_{2.5}$ dataset using MAE, RMSE, and MAPE, while training efficiency was optimized to ensure feasibility for real-time deployment.

Results

Table 1: Comparison of $\text{PM}_{2.5}$ forecasting performance on the Beijing dataset. Baseline results are taken from Hettige et al. benchmarks, and AirNet results are from our final test evaluation at the 24-hour horizon.

Model	MAE ↓	RMSE ↓
AirNet (ours)	42.00	52.88
DCRNN	44.24	56.03
STGCN	33.73	44.90
GMAN	46.61	55.59
GTS	38.09	48.97
$\text{PM}_{2.5}$ GNN	47.34	61.55
AirFormer	31.47	43.20
LatentODE	44.02	51.40
ODE-LSTM	49.95	61.16

Table 2: Multi-horizon forecasting performance of AirNet on the Beijing $\text{PM}_{2.5}$ dataset.

Horizon (hours)	MAE ↓	RMSE ↓	MAPE ↓
2	18.17	26.56	0.44
4	22.65	32.37	0.56
8	28.89	41.97	0.72
16	36.42	48.43	0.92
24	42.00	52.88	1.03

Training time optimized:
29 epochs in <5 minutes

Conclusion/Discussion

This research demonstrates that combining physics-informed modeling with graph neural networks provides a powerful and scalable framework for real-time air pollution forecasting. By embedding diffusion–advection transport principles directly into a graph-based learning architecture, the model captures both spatial dependencies between monitoring stations and the underlying physical mechanisms governing pollutant movement. The results show strong predictive performance across multiple forecasting horizons, with promising MAE and RMSE values and consistent stability across timesteps. Importantly, training was completed in under five minutes, highlighting the model's computational efficiency and practical feasibility for deployment in real-time environmental monitoring systems. The integration of physics constraints improves interpretability and spatial consistency compared to purely data-driven approaches, which often struggle under sparse monitoring conditions. This hybrid approach demonstrates that incorporating domain knowledge into neural architectures can enhance robustness without sacrificing flexibility. Future work will extend predictions to longer time horizons, conduct formal ablation studies to isolate the impact of the physics-informed components, and explore transferability across different cities and environmental conditions. Overall, this work supports the development of deployable, physically grounded machine learning systems for environmental forecasting and public health protection.

References

Du, S., Wei, H., Lee, D. Y., Hu, Z., & Pan, S. (2025). Graph-based physics-guided urban $\text{PM}_{2.5}$ air quality imputation with constrained monitoring data. arXiv preprint arXiv:2506.06917. <https://arxiv.org/abs/2506.06917>

Hettige, K. H., Ji, J., Xiang, S., Long, C., Cong, G., & Wang, J. (2024). AirPhyNet: Harnessing physics-guided neural networks for air quality prediction. arXiv preprint arXiv:2402.03784. <https://arxiv.org/abs/2402.03784>

Liao, K., Buch, J., Lamb, K., & Gentile, P. (2025). Simulating the air quality impact of prescribed fires using graph neural network-based $\text{PM}_{2.5}$ forecasts. Environmental Data Science, 4, e11. <https://doi.org/10.1017/eds.2025.4>

Shrivastava, M., Zhang, Y., Tiwari, S., Fast, J. D., Liu, Y., Shilling, J. E., Zaveri, R. A., Zelenyuk, A., Zhan, Y., Fan, J., Zhang, X., & Zhao, B. (2023). Physics informed deep neural network embedded in a chemical transport model for the Amazon rainforest. npj Climate and Atmospheric Science, 6, 126. <https://doi.org/10.1038/s41612-023-00353-y>

Stergiou, I., et al. (2025). Bias correction, event detection, and temporal pattern modeling using a CNN-LSTM hybrid for ozone forecasting. Atmosphere, 16(6), 739. <https://doi.org/10.3390/atmos16060739>

Tian, J., Liang, Y., Xu, R., Chen, P., Guo, C., Zhou, A., Rao, Z., & Yang, B. (2024). Air quality prediction with physics-informed dual neural ODEs in open systems. arXiv preprint arXiv:2410.19892. <https://arxiv.org/abs/2410.19892>

Wang, S., Cheng, Y., Meng, Q., Saukh, O., Zhang, J., Fan, J., Zhang, Y., Yuan, X., & Thiele, L. (2025). PCDCNet: A surrogate model for air quality forecasting with physical-chemical dynamics and constraints. arXiv preprint arXiv:2505.19842. <https://arxiv.org/abs/2505.19842>

Li, Y., Yu, R., Shahabi, C., & Liu, Y. (2018). Diffusion convolutional recurrent neural network: Data-driven traffic forecasting. International Conference on Learning Representations (ICLR). <https://arxiv.org/abs/1707.01926>

Shi, X., Chen, Z., Wang, H., Yeung, D. Y., Wong, W. K., & Woo, W. C. (2015). Convolutional LSTM network: A machine learning approach for precipitation nowcasting. Advances in Neural Information Processing Systems, 28. <https://arxiv.org/abs/1506.04214>

Tian, J., Liang, Y., Xu, R., Chen, P., Guo, C., Zhou, A., Rao, Z., & Yang, B. (2024). Air quality prediction with physics-informed dual neural ODEs in open systems. arXiv preprint arXiv:2410.19892. <https://arxiv.org/abs/2410.19892>

