2019 Tampa Bay Water Quality Assessments

A Tampa Bay Estuary Program Initiative to Maintain and Restore the Bay's Seagrass Resources



Historic results:									
	ОТВ	НВ	MTB	LTB					
1975	red	red	yellow	yellow					
1976	red	red	yellow	yellow					
1977	red	red	red	red					
1978	red	red	red	yellow					
1979	red	red	red	red					
1980	red	red	red	red					
1981	red	red	red	red					
1982	red	red	red	red					
1983	red	yellow	red	red					
1984	red	green	red	yellow					
1985	red	red	red	yellow					
1986	red	yellow	yellow	green					
1987	yellow	yellow	yellow	green					
1988	green	green	green	green					
1989	red	yellow	yellow	yellow					
1990	yellow	green	yellow	green					
1991	green	yellow	green	yellow					
1992	green	green	green	yellow					
1993	yellow	green	green	yellow					
1994	yellow	yellow	yellow	red					
1995	red	yellow	yellow	yellow					
1996	yellow	green	green	green					
1997	green	green	yellow	green					
1998	red	yellow	red	red					
1999	yellow	green	green	yellow					
2000	green	green	green	yellow					
2001	yellow	green	yellow	yellow					
2002	yellow	green	green	green					
2003	red	green	green	green					
2004	yellow	green	green	yellow					
2005	green	green	green	yellow					
2006	green	green	green	green					
2007	green	green	green	green					
2008	yellow	green	green	yellow					
2009	yellow	yellow	green	green					
2010	green	green	green	green					
2011	red	green	yellow	green					
2012	green	green	green	green					
2013	green	green	green	green					
2014	green	green	green	green					
2015	yellow	green	yellow	green					
2016	yellow	green	green	green					
2017	yellow	green	green	green					
2018	yellow	green	green	green					
2019	yellow	green	green	green					

Background

Light availability to seagrass is the guiding paradigm for TBEP's Nitrogen Management Strategy. Because excessive nitrogen loads to the bay generally lead to increased algae blooms (higher chlorophyll-a levels) (Figure 1) and reduce light penetration to seagrass, an evaluation method was developed to assess whether load reduction strategies are achieving desired water quality results (i.e. reduced chlorophylla concentrations and increased water clarity).



Decision Support Approach

Year to year algae abundance (measured as chlorophyll-a concentrations) and visible light penetration through the water column (depth of secchi disk visibility) have been identified as critical water quality indicators in Tampa Bay. Tracking the attainment of bay segment specific targets for these indicators provides the framework for developing and initiating bay management actions. TBEP management actions adopted in response to the annually-assessed decision support results are shown to the right.

Green	projects. Report data via annual progress reports and Baywide Environmental Monitoring Report.
Yellow	"Caution" Review monitoring data and nitrogen loading estimates. Begin/continue TAC and Management Board development of specific management recommendations.
Red	"On Alert" Finalize development and implement appropriate management

actions to get back on track.


"Stay the Course" Continue planned

2019 Decision Matrix Results


Water quality (chlorophyll-a and light penetration) remained supportive of seagrass in Hillsborough Bay (HB), Middle Tampa Bay (MTB), and Lower Tampa Bay (LTB)(Table 1, Figure 3). The nuisance alga, Pyrodinium bahamense, was again reported in Old Tampa Bay (OTB) during the Summer and Fall 2019, contributing to a large magnitude chlorophyll-a exceedance. In other bay segments, separate algal bloom events contributed to individual stations exceeding the bay segment chlorophyll-a targets (Figure 4). However, effective light penetration was supportive of seagrass in all bay segments (Table 1).

Table 1: Observed water quality indicators & recommended management outcomes for 2019.

Bay seg- ment	Chl-a (ug/L)		Light etrati	Effective Light Penetration (m ⁻¹)	
	2019	target	2019	target	outcome
ОТВ	10.09	8.5	0.74	0.83	yellow
HB	11.10	13.2	0.94	1.58	green
MTB	5.87	7.4	0.57	0.83	green
LTB	4.02	4.6	0.60	0.63	green



Historic chlorophyll-a annual averages for the four bay segments



Chlorophyll attainment outcomes by site

Figure 2: Decision matrix results for 1975 to 2019.