



T-GUARD Introduction to  
**WORKSHOP**

## List of packages available

### Package A1

Description: IMDA Basic



- 1) Micro SD card 64 Gb X 2 units in T868 v3.0
- 2) SIM Card 1Gb in T868 v3.0

### Package A2

Description: IMDA basic + 1 camera (AHD/IP)



- 1) SD card 64 Gb X 2 units in T868 v3.0
- 2) SIM Card 1Gb in T868 v3.0

### Package B1

Description: TNTS Basic



- 1) SD card 64 Gb X 2 units in T868 v3.0
- 2) SIM Card 1Gb in T868 v3.0

### Package B2

Description: TNTS Basic + 1 camera (AHD/IP)



- 1) SD card 64 Gb X 2 units in T868 v3.0
- 2) SIM Card 1Gb in T868 v3.0

# ENGINEERING

Types of equipment to be installed





## **DSM (Driver status Monitor) change to T-DA (Driver Alert)**


**Targeting risky driving behaviors such as fatigue, smoking, phone usage, distractions, and seat belt omission, the Driver Status Monitoring System provides real-time protection and assistance for drivers and sends out warnings immediately should any risky behaviors occur.**

- ✓ **Drivers normally aren't aware of fatigue driving before the actual accident happens. One of the most important functions of a driver fatigue alarm system is to let the drivers understand they actually have fatigue symptoms and increase their awareness to act accordingly.**





# CAMERA REFERENCE



# PHOTOS NEED TO BE TAKEN

VEHICLE ID

COMPANY NAME

VEHICLE MODEL

INSTALLATION DATE  Date

FRONT VIEW OF VEHICLE WITH NO PLATE AFTER INSTALLATION

T868 EQUIPMENT

LCD EQUIPMENT

REFERENCE IMAGES   
Drag and drop files here



Image of Safety Driving Campaign Marketing Sticker paste on the vehicle after installation

Please refer to the document attached in the link below for reference image

LINK:

<https://drive.google.com/file/d/1H5gtFzMIPGHutQ5Cctvk3cY62ktHBENh/view?usp=sharing>