

ENUMERATION

Task 1:


Command used : `nmap -sn testphp.vulnweb.com`

Purpose:

To discover whether the target host is active and reachable on the network before performing further enumeration.

Result:

The command displays whether the target system is alive (Host is up), confirming that it can be used for further scanning and analysis.




Task 2:

Command: `nmap -sV testphp.vulnweb.com`

Purpose: To conduct a preliminary scan of the network and detect open ports and running services on the target computer.

Result: The scan revealed that the target was alive; however, all ports scanned were found to be filtered, and there were no services running. This is an indication that the target is possibly protected by a firewall/security filter system.



Task 3:


Commands used: smbclient -L //testphp.vulnweb.com -N
enum4linux -a testphp.vulnweb.com

Purpose:

To list SMB services and collect information like shared directories, users, groups, and other environment information regarding Windows.

Result:

SMB service enumeration was unsuccessful due to lack of response from the target to the SMB request.



Task 4:

Command used: theHarvester -d testphp.vulnweb.com -b all

Purpose:

To look for emails or other details linked with the target company.

Result:


Emails or other user details were not found using theHarvester scanning technique on the target website, but some useful URLs including the home page URL and login page URL have been identified.

Information discovered:

<http://testphp.vulnweb.com/>

<http://testphp.vulnweb.com/login.php>

<https://testphp.vulnweb.com/>



Task 5:

In Browser from kali -> Open Tenable Nessus download >

Nessus-10.12.0-debian10_amd64.deb

Now execute these commands **one by one**:

cd ~/Downloads

Step 1: Install Nessus

```
sudo dpkg -i Nessus-10.12.0-debian10_amd64.deb
```

Wait until installation finishes.

Step 2: Start Nessus service

```
sudo systemctl start nessusd
```

Step 3: Check whether it started

```
sudo systemctl status nessusd
```


Expected output:

Active: active (running)

Step 4: Open Nessus

Open Firefox and enter:

<https://localhost:8834>




```
kali-linux-2025.4-vmware-vmtoolsd - VMware Workstation
File Edit View VM Tabs Help
Library
My Computer
Windows 7
Windows 11
kali-linux-2025.4-vmware-vmtoolsd
kali@kali:~/Downloads
$ sudo systemctl start nessusd
(kali@kali)~$ sudo systemctl status nessusd
● nessusd.service - The Nessus Vulnerability Scanner
   Loaded: loaded (/usr/lib/systemd/system/nessusd.service; disabled; preset: disabled)
   Active: active (running) since Fri 2026-05-22 03:03:07 EDT; 19s ago
 Invocation: 97e8f4a39daa4b55be4f0fbd2b2153d5
    Main PID: 28648 (nessus-service)
      Tasks: 14 (limit: 2073)
     Memory: 144.6M (peak: 151.8M)
        CPU: 17.406s
    CGroup: /system.slice/nessusd.service
            └─28648 /opt/nessus/sbin/nessus-service -q
              └─28650 nessusd -q

May 22 03:03:07 kali systemd[1]: Started nessusd.service - The Nessus Vulnerability Scanner.
May 22 03:03:07 kali nessus-service[28648]: nessus-service [28648][INFO] : Nessus 19.18.0 [build 20184] Started

(kali@kali)~$ nessuscli fetch --challenge
nessuscli: command not found

(kali@kali)~$ sudo nessuscli fetch --challenge
[sudo] password for kali:
sudo: nessuscli: command not found
```



There are no vulnerabilities in the selected target .This is the final output