

PADMAPRIYA V

ASSIGNMENT 3 – GEN AI -VL (02.06.2026)

1.Print ASCII code and bin code for “ KIMI ANTONELLI”

OUTPUT

```
[1]: # printing ascii value, binary code for 'KIMI ANTONELLI'
for i in 'KIMI ANTONELLI':
    print(i, '--->', ord(i), '--->', bin(ord(i)))

K ---> 75 ---> 0b1001011
I ---> 73 ---> 0b1001001
M ---> 77 ---> 0b1001101
I ---> 73 ---> 0b1001001
---> 32 ---> 0b1000000
A ---> 65 ---> 0b1000001
N ---> 78 ---> 0b1001110
T ---> 84 ---> 0b1010100
O ---> 79 ---> 0b1001111
N ---> 78 ---> 0b1001110
E ---> 69 ---> 0b1000101
L ---> 76 ---> 0b1001100
L ---> 76 ---> 0b1001100
I ---> 73 ---> 0b1001001
```

2.Print ASCII code and bin code for “ CARLOS SAINZ”

OUTPUT

```
[2]: # printing ascii value, binary code for 'CARLOS SAINZ'
for i in 'CARLOS SAINZ':
    print(i, '--->', ord(i), '--->', bin(ord(i)))

C ---> 67 ---> 0b1000011
A ---> 65 ---> 0b1000001
R ---> 82 ---> 0b1010010
L ---> 76 ---> 0b1001100
O ---> 79 ---> 0b1001111
S ---> 83 ---> 0b1010011
---> 32 ---> 0b1000000
S ---> 83 ---> 0b1010011
A ---> 65 ---> 0b1000001
I ---> 73 ---> 0b1001001
N ---> 78 ---> 0b1001110
Z ---> 90 ---> 0b1011010
```

3.Print ASCII code and bin code for “ CHARLES LECLARC”

OUTPUT

```
[3]: # printing ascii value, binary code for 'CHARLES LECLARC'
for i in 'CHARLES LECLARC':
    print(i,'--->',ord(i),'--->',bin(ord(i)))

C ---> 67 ---> 0b1000011
H ---> 72 ---> 0b1001000
A ---> 65 ---> 0b1000001
R ---> 82 ---> 0b1010010
L ---> 76 ---> 0b1001100
E ---> 69 ---> 0b1000101
S ---> 83 ---> 0b1010011
---> 32 ---> 0b100000
L ---> 76 ---> 0b1001100
E ---> 69 ---> 0b1000101
C ---> 67 ---> 0b1000011
L ---> 76 ---> 0b1001100
A ---> 65 ---> 0b1000001
R ---> 82 ---> 0b1010010
C ---> 67 ---> 0b1000011
```

4.Print ASCII code and bin code for “ ISAAC HADJAR”

OUTPUT

```
[4]: # printing ascii value, binary code for 'ISAAC HADJAR'
for i in 'ISAAC HADJAR':
    print(i,'--->',ord(i),'--->',bin(ord(i)))

I ---> 73 ---> 0b1001001
S ---> 83 ---> 0b1010011
A ---> 65 ---> 0b1000001
A ---> 65 ---> 0b1000001
C ---> 67 ---> 0b1000011
---> 32 ---> 0b100000
H ---> 72 ---> 0b1001000
A ---> 65 ---> 0b1000001
D ---> 68 ---> 0b1000100
J ---> 74 ---> 0b1001010
A ---> 65 ---> 0b1000001
R ---> 82 ---> 0b1010010
```

5. Print ASCII code and bin code for “ISAAC HADJAR”

OUTPUT

```
[5]: # printing ascii value, binary code for 'LINDBLAD'
for i in 'LINDBLAD':
    print(i, '--->', ord(i), '--->', bin(ord(i)))
```

```
L ---> 76 ---> 0b1001100
I ---> 73 ---> 0b1001001
N ---> 78 ---> 0b1001110
D ---> 68 ---> 0b1000100
B ---> 66 ---> 0b1000010
L ---> 76 ---> 0b1001100
A ---> 65 ---> 0b1000001
D ---> 68 ---> 0b1000100
```

6. IRAT – NUMBER – ROW

OUTPUT

```
[6]: print('number row print - IRAT')
for i in range(6,0,-1):
    for j in range(0,i):
        print(i, end=' ')
    print()
```

```
number row print - IRAT
6 6 6 6 6 6
5 5 5 5 5
4 4 4 4
3 3 3
2 2
1
```

7.IRAT – NUMBER – COLUMN

OUTPUT

```
[8]: print('number row print - IRAT')
      for i in range(6,0,-1):
          for j in range(0,i):
              print(j, end=' ')
          print()
```

```
number row print - IRAT
0 1 2 3 4 5
0 1 2 3 4
0 1 2 3
0 1 2
0 1
0 1
0
```

8.IRAT- UPPER-ROW

OUTPUT

```
[22]: print('upper alpha - row print - IRAT')

      for i in range(6,1,-1):
          for j in range(0,i):
              print(chr(i+64), end=' ')
          print()
```

```
upper alpha - row print - IRAT
F F F F F F
E E E E E
D D D D
C C C
B B
```

9.IRAT -UPPER – COLUMN

OUTPUT

```
[23]: print('upper alpha - column print - IRAT')
```

```
for i in range(6,1,-1):
    for j in range(0,i):
        print(chr(j+65), end=' ')
    print()
```

upper alpha - column print - IRAT

A B C D E F

A B C D E

A B C D

A B C

A B

10.IRAT – LOWER-ROW

OUTPUT

```
[19]: print('lower alpha - row print - IRAT')
```

```
for i in range(6,1,-1):
    for j in range(0,i):
        print(chr(i+64+32), end=' ')
    print()
```

lower alpha - row print - IRAT

f f f f f f

e e e e e

d d d d

c c c

b b

11.IRAT-LOWER-COLUMN

OUTPUT

```
[20]: print('lower alpha - Column print - IRAT')

for i in range(6,1,-1):
    for j in range(0,i):
        print(chr(j+65+32), end=' ')
    print()
```

```
lower alpha - Column print - IRAT
a b c d e f
a b c d e
a b c d
a b c
a b
```