

Patient Name: IRIS ELENA CORONEL, RIBEIRO
ID: 24278
DoB: 06/05/1969



Doctor: MARIO, CARVALHO
Practice(OD): ISO OLHOS UBERLANDIA

Doctor: MARIO, CARVALHO
Practice(OS): ISO OLHOS UBERLANDIA

OD	(! = uncertain value)	(Right Eye)	(Left Eye)	(! = uncertain value)	OS		
Pre-Op:		06/08/2024 17:48	Pre-Op:		06/08/2024 17:48		
K1:	45,73D @164°	(Argos)	K1:	46,48D @151°	(Argos)		
K2:	47,56D @74°		K2:	46,88D @61°			
R/K:	7,24mm / 46,63D	n: 1,3375	R/K:	7,23mm / 46,68D	n: 1,3375		
Cyl:	-1,83D @164°	CCT: 438um	Cyl:	-0,40D @151°	CCT: 450um		
PCA:	N/A	(Predicted)	PCA:	N/A	(Predicted)		
AL:	! 26,47mm	(Argos-Optical)	AL:	! 32,10mm	(Argos-Optical)		
ACD:	! 3,62mm	LT: ! 3,98mm	ACD:	! 3,59mm	LT: ! 4,09mm		
WTW:	11,61mm	P: 7,68mm Px: +0,11mm Py: +0,06mm	WTW:	11,75mm	P: 7,41mm Px: -0,18mm Py: +0,17mm		
Rx:	N/A N/A @ N/A 12,0mm		Rx:	N/A N/A @ N/A 12,0mm			
Post-Refractive:	No Post-Refractive		Post-Refractive:	No Post-Refractive			
Pre-Rx:	N/A		Pre-Rx:	N/A			
Ocular Disease:	None		Ocular Disease:	None			
Surgery Type:	Phakic (Cataract Removal)	PC Lens: in Bag	Surgery Type:	Phakic (Cataract Removal)	PC Lens: in Bag		
Surgery Date	N/A		Surgery Date	N/A			
Primary:	2,4mm @ 180°	Arc1: N/A Arc2: N/A	Primary:	2,4mm @ 0°	Arc1: N/A Arc2: N/A		
Sec1:	1,0mm @ 90°	Depth: N/A Diam: N/A	Sec1:	1,0mm @ 270°	Depth: N/A Diam: N/A		
Sec2:	N/A	Nomogram: Verion	Sec2:	N/A	Nomogram: Verion		
Barrett	Target RX SEQ: +0,00	SIA: 0,10D	Barrett	Target RX SEQ: +0,00	SIA: 0,10D		
SN6AT4 7,50D Cyl: 2,25D @72°			SN6AT2 6,00D Cyl: 1,00D @45°				
SN6ATx Mono Toric SRG LF(1,99)							
IOL(D)	Ref(D)	Lens	Res. Astigm.	IOL(D)	Ref(D)	Lens	Res. Astigm.
6,50	0,70	SN6AT2	-0,90D @162°	6,00	-8,27	SN6AT2	-0,27D @45°
7,00	0,40	SN6AT3	-0,60D @162°	6,50	-8,60	SN6AT3	-0,59D @45°
7,50	0,10	SN6AT4	-0,16D @162°	7,00	-8,93	SN6AT4	-1,08D @45°
8,00	-0,20	SN6AT5	-0,28D @72°	7,50	-9,27	SN6AT5	-1,57D @45°
8,50	-0,50	SN6AT6	-0,73D @72°			SN6AT6	-2,05D @45°
		SN6AT7	-1,17D @72°			SN6AT7	-2,54D @45°
ExpectedRX: +0,18D -0,16D @162°			ExpectedRX: -8,13D -0,27D @45°				

Patient Name: IRIS ELENA CORONEL, RIBEIRO
ID: 24278
DoB: 06/05/1969



Doctor: MARIO, CARVALHO
Practice(OD): ISO OLHOS UBERLANDIA

Doctor: MARIO, CARVALHO
Practice(OS): ISO OLHOS UBERLANDIA

OD	(! = uncertain value)	(Right Eye)	(Left Eye)	(! = uncertain value)	OS
Pre-Op:		06/08/2024 17:48	Pre-Op:		06/08/2024 17:48
K1: 45,73D @164°		(Argos)	K1: 46,48D @151°		(Argos)
K2: 47,56D @74°			K2: 46,88D @61°		
R/K: 7,24mm / 46,63D		n: 1,3375	R/K: 7,23mm / 46,68D		n: 1,3375
Cyl: -1,83D @164°		CCT: 438um	Cyl: -0,40D @151°		CCT: 450um
PCA: N/A		(Predicted)	PCA: N/A		(Predicted)
AL: ! 26,47mm		(Argos-Optical)	AL: ! 32,10mm		(Argos-Optical)
ACD: ! 3,62mm		LT: ! 3,98mm	ACD: ! 3,59mm		LT: ! 4,09mm
WTW: 11,61mm	P: 7,68mm Px: +0,11mm Py: +0,06mm		WTW: 11,75mm	P: 7,41mm Px: -0,18mm Py: +0,17mm	
Rx: N/A N/A @ N/A 12,0mm			Rx: N/A N/A @ N/A 12,0mm		
Post-Refractive: No Post-Refractive			Post-Refractive: No Post-Refractive		
Pre-Rx: N/A			Pre-Rx: N/A		
Ocular Disease: None			Ocular Disease: None		
Surgery Type: Phakic (Cataract Removal)		PC Lens: in Bag	Surgery Type: Phakic (Cataract Removal)		PC Lens: in Bag
TFNT00 7,50D Barrett	Panoptix SRG LF(1,94)	TFNTx 7,50D Barrett	Panoptix Toric SRG LF(1,94)	TFNT00 6,00D Barrett	TFNTx 6,00D Barrett
IOL(D)	Ref(D)	IOL(D)	Ref(D)	IOL(D)	Ref(D)
6,50	0,68	6,50	0,68	6,00	-8,28
7,00	0,38	7,00	0,38	6,50	-8,61
7,50	0,08	7,50	0,08	7,00	-8,95
8,00	-0,22	8,00	-0,22	7,50	-9,29
8,50	-0,53	8,50	-0,53		
DFT015 10,00D Barrett	Vivity SRG LF(1,99)	DFTx 10,00D Barrett	Vivity Toric SRG LF(1,99)	DFT015 10,00D Barrett	DFTx 10,00D Barrett
IOL(D)	Ref(D)	IOL(D)	Ref(D)	IOL(D)	Ref(D)
10,00	-1,44	10,00	-1,44	10,00	-11,03
10,50	-1,76	10,50	-1,76	10,50	-11,40
11,00	-2,09	11,00	-2,09	11,00	-11,77
11,50	-2,42	11,50	-2,42	11,50	-12,15
SN60WF 7,50D Barrett	IQ Monofocal SRG LF(1,88)	SA60AT 7,50D Barrett	Mono Esferica SRG LF(1,78)	SN60WF 6,00D Barrett	SA60AT 6,00D Barrett
IOL(D)	Ref(D)	IOL(D)	Ref(D)	IOL(D)	Ref(D)
6,50	0,66	6,50	0,62	6,00	-8,30
7,00	0,36	7,00	0,32	6,50	-8,64
7,50	0,06	7,50	0,01	7,00	-8,97
8,00	-0,25	8,00	-0,30	7,50	-9,31
8,50	-0,56	8,50	-0,61		

Patient Name: IRIS ELENA CORONEL, RIBEIRO
ID: 24278
DoB: 06/05/1969



Doctor: MARIO, CARVALHO
Practice(OD): ISO OLHOS UBERLANDIA

Doctor: MARIO, CARVALHO
Practice(OS): ISO OLHOS UBERLANDIA

OD	(! = uncertain value)	(Right Eye)	(Left Eye)	(! = uncertain value)	OS
Pre-Op:		06/08/2024 17:48	Pre-Op:		06/08/2024 17:48
K1:	45,73D @164°	(Argos)	K1:	46,48D @151°	(Argos)
K2:	47,56D @74°		K2:	46,88D @61°	
R/K:	7,24mm / 46,63D	n: 1,3375	R/K:	7,23mm / 46,68D	n: 1,3375
Cyl:	-1,83D @164°	CCT: 438um	Cyl:	-0,40D @151°	CCT: 450um
PCA:	N/A	(Predicted)	PCA:	N/A	(Predicted)
AL:	! 26,47mm	(Argos-Optical)	AL:	! 32,10mm	(Argos-Optical)
ACD:	! 3,62mm	LT: ! 3,98mm	ACD:	! 3,59mm	LT: ! 4,09mm
WTW:	11,61mm	P: 7,68mm Px: +0,11mm Py: +0,06mm	WTW:	11,75mm	P: 7,41mm Px: -0,18mm Py: +0,17mm
Rx:	N/A N/A @ N/A 12,0mm		Rx:	N/A N/A @ N/A 12,0mm	
Post-Refractive:	No Post-Refractive		Post-Refractive:	No Post-Refractive	
Pre-Rx:	N/A		Pre-Rx:	N/A	
Ocular Disease:	None		Ocular Disease:	None	
Surgery Type:	Phakic (Cataract Removal)	PC Lens: in Bag	Surgery Type:	Phakic (Cataract Removal)	PC Lens: in Bag
MA60AC 7,50D Barrett	Mono 3pecas SRG LF(1,99)	MA60MA 5,00D Barrett	Mono 3pecas POSITIVA MFG LF(2,01)	MA60AC 6,00D Barrett	MA60MA -5,00D Barrett
IOL(D)	Ref(D)	IOL(D)	Ref(D)	IOL(D)	Ref(D)
6,50	0,70	2,00	3,96	6,00	-8,27
7,00	0,40	3,00	3,46	6,50	-8,60
7,50	0,10	4,00	2,94	7,00	-8,93
8,00	-0,20	5,00	2,41	7,50	-9,27
8,50	-0,50				
MA60MA 5,00D Barrett	Mono 3pecas NEGATIVA MFG LF(2,01)	AR40E 7,50D Barrett	SENSAR 3pecas SRG LF(1,73)	MA60MA -5,00D Barrett	AR40E 2,00D Barrett
IOL(D)	Ref(D)	IOL(D)	Ref(D)	IOL(D)	Ref(D)
2,00	3,96	6,50	0,60	-5,00	0,15
3,00	3,46	7,00	0,30	-4,00	-0,64
4,00	2,94	7,50	-0,01	-3,00	-1,45
5,00	2,41	8,00	-0,32	-2,00	-2,29
		8,50	-0,63		
CNA0T0 7,50D Barrett	Clareon Monofocal SRG LF(1,94)	CNA0Tx 7,50D Barrett	Clareon Toric SRG LF(1,94)	CNA0T0 6,00D Barrett	CNA0Tx 6,00D Barrett
IOL(D)	Ref(D)	IOL(D)	Ref(D)	IOL(D)	Ref(D)
6,50	0,68	6,50	0,68	6,00	-8,28
7,00	0,38	7,00	0,38	6,50	-8,61
7,50	0,08	7,50	0,08	7,00	-8,95
8,00	-0,22	8,00	-0,22	7,50	-9,29
8,50	-0,53	8,50	-0,53		