



Patient Name: MARIA ANTONIETA DEL ARCO PIGNATTA, CUNHA
ID: 124545
DoB: 13/06/1942



Doctor: MARIO, CARVALHO
Practice(OD): ISO OLHOS UBERLANDIA

Doctor: MARIO, CARVALHO
Practice(OS): ISO OLHOS UBERLANDIA

OD	(Right Eye)	(Left Eye)	OS				
Pre-Op:	26/02/2025 16:07	Pre-Op:	26/02/2025 16:07				
K1: 40,04D @90° K2: 41,08D @0° R/K: 8,32mm / 40,56D Cyl: -1,04D @90° PCA: N/A AL: 25,23mm ACD: 3,27mm WTW: 12,36mm	(Argos) n: 1,3375 CCT: 554um (Predicted) (Argos-Optical) LT: 4,51mm P: 4,80mm Px: +0,02mm Py: -0,22mm	(Argos) R/K: 8,20mm / 41,17D Cyl: -1,31D @90° PCA: N/A AL: 25,23mm ACD: 3,33mm WTW: 12,34mm	n: 1,3375 CCT: 561um (Predicted) (Argos-Optical) LT: 4,55mm P: 5,32mm Px: -0,30mm Py: -0,84mm				
Rx: N/A N/A @ N/A 12,0mm Post-Refractive: No Post-Refractive Pre-Rx: N/A Ocular Disease: None Surgery Type: Phakic (Cataract Removal)	PC Lens: in Bag	Rx: N/A N/A @ N/A 12,0mm Post-Refractive: No Post-Refractive Pre-Rx: N/A Ocular Disease: None Surgery Type: Phakic (Cataract Removal)	PC Lens: in Bag				
Surgery Date	N/A	Surgery Date	N/A				
							
Primary: 2,4mm @ 180° Sec1: 1,0mm @ 90° Sec2: N/A	Arc1: N/A Depth: N/A Nomogram: Verion	Arc2: N/A Diam: N/A Nomogram: Verion	Primary: 2,4mm @ 0° Sec1: 1,0mm @ 270° Sec2: N/A	Arc1: N/A Depth: N/A Nomogram: Verion	Arc2: N/A Diam: N/A Nomogram: Verion		
Barrett	Target RX SEQ: +0,00	SIA: 0,10D	Barrett	Target RX SEQ: +0,00	SIA: 0,10D		
SN6AT3 20,00D Cyl: 1,50D @0°		SN6AT4 19,00D Cyl: 2,25D @0°		SN6ATx			
Mono Toric SRG LF(1,99)		Mono Toric SRG LF(1,99)					
IOL(D)	Ref(D)	Lens	Res. Astigm.	IOL(D)	Ref(D)	Lens	Res. Astigm.
19,00	0,53	SN6AT2	-0,60D @90°	18,00	0,70	SN6AT2	-0,87D @90°
19,50	0,18	SN6AT3	-0,26D @90°	18,50	0,36	SN6AT3	-0,53D @90°
20,00	-0,17	SN6AT4	-0,26D @0°	19,00	0,01	SN6AT4	-0,02D @90°
20,50	-0,53	SN6AT5	-0,78D @0°	19,50	-0,34	SN6AT5	-0,49D @0°
21,00	-0,90	SN6AT6	-1,30D @0°	20,00	-0,70	SN6AT6	-1,00D @0°
		SN6AT7	-1,82D @0°			SN6AT7	-1,51D @0°
ExpectedRX: -0,04D -0,26D @90°		ExpectedRX: +0,02D -0,02D @90°					

Patient Name: MARIA ANTONIETA DEL ARCO PIGNATTA, CUNHA
ID: 124545
DoB: 13/06/1942



Doctor: MARIO, CARVALHO
Practice(OD): ISO OLHOS UBERLANDIA

Doctor: MARIO, CARVALHO
Practice(OS): ISO OLHOS UBERLANDIA

OD	(Right Eye)	(Left Eye)	OS
Pre-Op:	26/02/2025 16:07	Pre-Op:	26/02/2025 16:07
K1: 40,04D @90° K2: 41,08D @0° R/K: 8,32mm / 40,56D Cyl: -1,04D @90° PCA: N/A AL: 25,23mm ACD: 3,27mm WTW: 12,36mm	(Argos) n: 1,3375 (Predicted) (Argos-Optical) LT: 4,51mm P: 4,80mm Px: +0,02mm Py: -0,22mm	K1: 40,52D @90° K2: 41,83D @0° R/K: 8,20mm / 41,17D Cyl: -1,31D @90° PCA: N/A AL: 25,23mm ACD: 3,33mm WTW: 12,34mm	(Argos) n: 1,3375 CCT: 561um (Predicted) (Argos-Optical) LT: 4,55mm P: 5,32mm Px: -0,30mm Py: -0,84mm
Rx: N/A N/A @ N/A 12,0mm Post-Refractive: No Post-Refractive Pre-Rx: N/A Ocular Disease: None Surgery Type: Phakic (Cataract Removal)	PC Lens: in Bag	Rx: N/A N/A @ N/A 12,0mm Post-Refractive: No Post-Refractive Pre-Rx: N/A Ocular Disease: None Surgery Type: Phakic (Cataract Removal)	PC Lens: in Bag
SN60WF 19,50D Barrett IQ Monofocal SRG LF(1,88)	DFT015 20,00D Barrett Vivity SRG LF(1,99)	SN60WF 19,00D Barrett IQ Monofocal SRG LF(1,88)	DFT015 19,00D Barrett Vivity SRG LF(1,99)
IOL(D) Ref(D) 18,50 0,76 19,00 0,41 19,50 0,05 20,00 -0,31 20,50 -0,67	IOL(D) Ref(D) 19,00 0,53 19,50 0,18 20,00 -0,17 20,50 -0,53 21,00 -0,90	IOL(D) Ref(D) 18,00 0,58 18,50 0,24 19,00 -0,12 19,50 -0,47 20,00 -0,84	IOL(D) Ref(D) 18,00 0,70 18,50 0,36 19,00 0,01 19,50 -0,34 20,00 -0,70
DFTx 20,00D Barrett Vivity Toric SRG LF(1,99)	TFNT00 19,50D Barrett Panoptix SRG LF(1,94)	DFTx 19,00D Barrett Vivity Toric SRG LF(1,99)	TFNT00 19,00D Barrett Panoptix SRG LF(1,94)
IOL(D) Ref(D) 19,00 0,53 19,50 0,18 20,00 -0,17 20,50 -0,53 21,00 -0,90	IOL(D) Ref(D) 18,50 0,83 19,00 0,48 19,50 0,12 20,00 -0,23 20,50 -0,59	IOL(D) Ref(D) 18,00 0,70 18,50 0,36 19,00 0,01 19,50 -0,34 20,00 -0,70	IOL(D) Ref(D) 18,00 0,65 18,50 0,30 19,00 -0,05 19,50 -0,40 20,00 -0,76
TFNTx 19,50D Barrett Panoptix Toric SRG LF(1,94)	MA60AC 20,00D Barrett Mono 3pecas SRG LF(1,99)	TFNTx 19,00D Barrett Panoptix Toric SRG LF(1,94)	MA60AC 19,00D Barrett Mono 3pecas SRG LF(1,99)
IOL(D) Ref(D) 18,50 0,83 19,00 0,48 19,50 0,12 20,00 -0,23 20,50 -0,59	IOL(D) Ref(D) 19,00 0,53 19,50 0,18 20,00 -0,17 20,50 -0,53 21,00 -0,90	IOL(D) Ref(D) 18,00 0,65 18,50 0,30 19,00 -0,05 19,50 -0,40 20,00 -0,76	IOL(D) Ref(D) 18,00 0,70 18,50 0,36 19,00 0,01 19,50 -0,34 20,00 -0,70

Patient Name: MARIA ANTONIETA DEL ARCO PIGNATTA, CUNHA
ID: 124545
DoB: 13/06/1942



Doctor: MARIO, CARVALHO
Practice(OD): ISO OLHOS UBERLANDIA

Doctor: MARIO, CARVALHO
Practice(OS): ISO OLHOS UBERLANDIA

OD	(Right Eye)	(Left Eye)	OS
Pre-Op:	26/02/2025 16:07	Pre-Op:	26/02/2025 16:07
K1: 40,04D @90° K2: 41,08D @0° R/K: 8,32mm / 40,56D Cyl: -1,04D @90° PCA: N/A AL: 25,23mm ACD: 3,27mm WTW: 12,36mm	(Argos) n: 1,3375 (Predicted) (Argos-Optical) LT: 4,51mm P: 4,80mm Px: +0,02mm Py: -0,22mm	K1: 40,52D @90° K2: 41,83D @0° R/K: 8,20mm / 41,17D Cyl: -1,31D @90° PCA: N/A AL: 25,23mm ACD: 3,33mm WTW: 12,34mm	(Argos) n: 1,3375 CCT: 561um (Predicted) (Argos-Optical) LT: 4,55mm P: 5,32mm Px: -0,30mm Py: -0,84mm
Rx: N/A N/A @ N/A 12,0mm Post-Refractive: No Post-Refractive Pre-Rx: N/A Ocular Disease: None Surgery Type: Phakic (Cataract Removal)	PC Lens: in Bag	Rx: N/A N/A @ N/A 12,0mm Post-Refractive: No Post-Refractive Pre-Rx: N/A Ocular Disease: None Surgery Type: Phakic (Cataract Removal)	PC Lens: in Bag
MA60MA 5,00D Barrett Mono 3pecas POSITIVA MFG LF(2,01)	MA60MA 5,00D Barrett Mono 3pecas NEGATIVA MFG LF(2,01)	MA60MA 5,00D Barrett Mono 3pecas POSITIVA MFG LF(2,01)	MA60MA 5,00D Barrett Mono 3pecas NEGATIVA MFG LF(2,01)
IOL(D) Ref(D)	IOL(D) Ref(D)	IOL(D) Ref(D)	IOL(D) Ref(D)
2,00 10,94 3,00 10,49 4,00 10,02 5,00 9,55	2,00 10,94 3,00 10,49 4,00 10,02 5,00 9,55	2,00 10,48 3,00 10,02 4,00 9,56 5,00 9,08	2,00 10,48 3,00 10,02 4,00 9,56 5,00 9,08
SA60AT 19,50D Barrett Mono Esferica SRG LF(1,78)	CNA0Tx 19,50D Barrett Clareon Toric SRG LF(1,94)	SA60AT 18,50D Barrett Mono Esferica SRG LF(1,78)	CNA0Tx 19,00D Barrett Clareon Toric SRG LF(1,94)
IOL(D) Ref(D)	IOL(D) Ref(D)	IOL(D) Ref(D)	IOL(D) Ref(D)
18,50 0,65 19,00 0,29 19,50 -0,06 20,00 -0,43 20,50 -0,80	18,50 0,83 19,00 0,48 19,50 0,12 20,00 -0,23 20,50 -0,59	17,50 0,82 18,00 0,48 18,50 0,12 19,00 -0,23 19,50 -0,59	18,00 0,65 18,50 0,30 19,00 -0,05 19,50 -0,40 20,00 -0,76
AR40E 19,50D Barrett SENSAR 3pecas SRG LF(1,73)	877 PAY 19,50D Barrett POB-MA SRG LF(1,83)	AR40E 18,50D Barrett SENSAR 3pecas SRG LF(1,73)	877 PAY 19,00D Barrett POB-MA SRG LF(1,83)
IOL(D) Ref(D)	IOL(D) Ref(D)	IOL(D) Ref(D)	IOL(D) Ref(D)
18,50 0,59 19,00 0,24 19,50 -0,12 20,00 -0,49 20,50 -0,86	18,50 0,70 19,00 0,35 19,50 -0,01 20,00 -0,37 20,50 -0,73	17,50 0,77 18,00 0,42 18,50 0,07 19,00 -0,29 19,50 -0,65	18,00 0,53 18,50 0,18 19,00 -0,17 19,50 -0,53 20,00 -0,90

Patient Name: MARIA ANTONIETA DEL ARCO PIGNATTA, CUNHA
ID: 124545
DoB: 13/06/1942



Doctor: MARIO, CARVALHO
Practice(OD): ISO OLHOS UBERLANDIA

Doctor: MARIO, CARVALHO
Practice(OS): ISO OLHOS UBERLANDIA

OD	(Right Eye)	(Left Eye)	OS
Pre-Op:	26/02/2025 16:07	Pre-Op:	26/02/2025 16:07
K1: 40,04D @90° K2: 41,08D @0° R/K: 8,32mm / 40,56D Cyl: -1,04D @90° PCA: N/A AL: 25,23mm ACD: 3,27mm WTW: 12,36mm	(Argos) n: 1,3375 (Predicted) (Argos-Optical) LT: 4,51mm P: 4,80mm Px: +0,02mm Py: -0,22mm	K1: 40,52D @90° K2: 41,83D @0° R/K: 8,20mm / 41,17D Cyl: -1,31D @90° PCA: N/A AL: 25,23mm ACD: 3,33mm WTW: 12,34mm	(Argos) n: 1,3375 CCT: 561um (Predicted) (Argos-Optical) LT: 4,55mm P: 5,32mm Px: -0,30mm Py: -0,84mm
Rx: N/A N/A @ N/A 12,0mm Post-Refractive: No Post-Refractive Pre-Rx: N/A Ocular Disease: None Surgery Type: Phakic (Cataract Removal)	PC Lens: in Bag	Rx: N/A N/A @ N/A 12,0mm Post-Refractive: No Post-Refractive Pre-Rx: N/A Ocular Disease: None Surgery Type: Phakic (Cataract Removal)	PC Lens: in Bag
677 PMY 19,50D Barrett LIBERTY SRG LF(1,83)	DEN00V 20,00D Barrett PureSee SRG LF(2,04)	677 PMY 19,00D Barrett LIBERTY SRG LF(1,83)	DEN00V 19,00D Barrett PureSee SRG LF(2,04)
IOL(D) Ref(D) 18,50 0,70 19,00 0,35 19,50 -0,01 20,00 -0,37 20,50 -0,73	IOL(D) Ref(D) 19,00 0,59 19,50 0,24 20,00 -0,11 20,50 -0,47 21,00 -0,83	IOL(D) Ref(D) 18,00 0,53 18,50 0,18 19,00 -0,17 19,50 -0,53 20,00 -0,90	IOL(D) Ref(D) 18,00 0,76 18,50 0,41 19,00 0,07 19,50 -0,28 20,00 -0,64
DETx 20,00D Barrett PureSee Torica SRG LF(2,04)	DIB00 20,00D Barrett EYHANCE SRG LF(2,04)	DETx 19,00D Barrett PureSee Torica SRG LF(2,04)	DIB00 19,00D Barrett EYHANCE SRG LF(2,04)
IOL(D) Ref(D) 19,00 0,59 19,50 0,24 20,00 -0,11 20,50 -0,47 21,00 -0,83	IOL(D) Ref(D) 19,00 0,59 19,50 0,24 20,00 -0,11 20,50 -0,47 21,00 -0,83	IOL(D) Ref(D) 18,00 0,76 18,50 0,41 19,00 0,07 19,50 -0,28 20,00 -0,64	IOL(D) Ref(D) 18,00 0,76 18,50 0,41 19,00 0,07 19,50 -0,28 20,00 -0,64
DIUx 20,00D Barrett EYHANCE TORICA SRG LF(2,04)		DIUx 19,00D Barrett EYHANCE TORICA SRG LF(2,04)	
IOL(D) Ref(D) 19,00 0,59 19,50 0,24 20,00 -0,11 20,50 -0,47 21,00 -0,83		IOL(D) Ref(D) 18,00 0,76 18,50 0,41 19,00 0,07 19,50 -0,28 20,00 -0,64	