

Patient Name: Pereira, Maria Cristina
ID: 61548
DoB: 19/08/1953



Doctor: RAFAEL, FURLANETTO
Practice(OD): ISO OLHOS UBERLANDIA

Doctor: RAFAEL, FURLANETTO
Practice(OS): ISO OLHOS UBERLANDIA

OD	(Right Eye)	(Left Eye)	OS				
Pre-Op:	13/08/2024 15:09	Pre-Op:	13/08/2024 15:09				
K1: 44,42D @90° K2: 45,03D @0° R/K: 7,55mm / 44,73D Cyl: -0,61D @90° PCA: N/A AL: 23,25mm ACD: 3,37mm WTW: 11,61mm	(Argos) n: 1,3375 CCT: 519um (Predicted) (Argos-Optical) LT: 4,47mm P: 4,52mm Px: +0,34mm Py: +0,07mm	(Argos) n: 1,3375 CCT: 521um (Predicted) (Argos-Optical) LT: 4,42mm P: 4,45mm Px: -0,17mm Py: +0,02mm					
Rx: N/A N/A @ N/A 12,0mm Post-Refractive: No Post-Refractive Pre-Rx: N/A Ocular Disease: None Surgery Type: Phakic (Cataract Removal)	PC Lens: in Bag	Rx: N/A N/A @ N/A 12,0mm Post-Refractive: No Post-Refractive Pre-Rx: N/A Ocular Disease: None Surgery Type: Phakic (Cataract Removal)	PC Lens: in Bag				
Surgery Date	N/A	Surgery Date	N/A				
Primary: 2,8mm @ 30° Sec1: 1,0mm @ 170° Sec2: N/A	Arc1: N/A Depth: N/A Nomogram: Alcon	Primary: 2,8mm @ 30° Sec1: 1,0mm @ 170° Sec2: N/A	Arc2: N/A Diam: N/A Nomogram: Alcon				
Barrett	Target RX SEQ: +0,00	SIA: 0,20D	Barrett	Target RX SEQ: +0,00	SIA: 0,20D		
SN6AT3 21,00D Cyl: 1,50D @175°		SN6AT2 21,00D Cyl: 1,00D @150°		SN6ATx			
Mono Toric SRG LF(1,99)		Mono Toric SRG LF(1,99)					
IOL(D)	Ref(D)	Lens	Res. Astigm.	IOL(D)	Ref(D)	Lens	Res. Astigm.
20,00	0,69	SN6AT2	-0,32D @85°	20,00	0,56	SN6AT2	-0,08D @60°
20,50	0,36	SN6AT3	-0,01D @175°	20,50	0,22	SN6AT3	-0,25D @150°
21,00	0,01	SN6AT4	-0,51D @175°	21,00	-0,12	SN6AT4	-0,75D @150°
21,50	-0,33	SN6AT5	-1,01D @175°	21,50	-0,47	SN6AT5	-1,25D @150°
22,00	-0,69	SN6AT6	-1,51D @175°	22,00	-0,82	SN6AT6	-1,75D @150°
SN6AT7		SN6AT7	-2,01D @175°	SN6AT7		SN6AT7	-2,25D @150°
ExpectedRX: +0,02D -0,01D @175°		ExpectedRX: -0,08D -0,08D @60°					

Patient Name: Pereira, Maria Cristina
ID: 61548
DoB: 19/08/1953



Doctor: RAFAEL, FURLANETTO
Practice(OD): ISO OLHOS UBERLANDIA

Doctor: RAFAEL, FURLANETTO
Practice(OS): ISO OLHOS UBERLANDIA

OD	(Right Eye)	(Left Eye)	OS
Pre-Op:	13/08/2024 15:09	Pre-Op:	13/08/2024 15:09
K1: 44,42D @90° K2: 45,03D @0° R/K: 7,55mm / 44,73D Cyl: -0,61D @90° PCA: N/A AL: 23,25mm ACD: 3,37mm WTW: 11,61mm	(Argos) n: 1,3375 CCT: 519um (Predicted) (Argos-Optical) LT: 4,47mm P: 4,52mm Px: +0,34mm Py: +0,07mm	(Argos) n: 1,3375 CCT: 521um (Predicted) (Argos-Optical) LT: 4,42mm P: 4,45mm Px: -0,17mm Py: +0,02mm	(Argos)
Rx: N/A N/A @ N/A 12,0mm Post-Refractive: No Post-Refractive Pre-Rx: N/A Ocular Disease: None Surgery Type: Phakic (Cataract Removal)	PC Lens: in Bag	Rx: N/A N/A @ N/A 12,0mm Post-Refractive: No Post-Refractive Pre-Rx: N/A Ocular Disease: None Surgery Type: Phakic (Cataract Removal)	PC Lens: in Bag
TFNT00 21,00D Barrett Panoptix SRG LF(1,94)	TFNTx 21,00D Barrett Panoptix Toric SRG LF(1,94)	TFNT00 20,50D Barrett Panoptix SRG LF(1,94)	TFNTx 20,50D Barrett Panoptix Toric SRG LF(1,94)
IOL(D) Ref(D)	IOL(D) Ref(D)	IOL(D) Ref(D)	IOL(D) Ref(D)
20,00 0,63 20,50 0,29 21,00 -0,06 21,50 -0,41 22,00 -0,76	20,00 0,63 20,50 0,29 21,00 -0,06 21,50 -0,41 22,00 -0,76	19,50 0,84 20,00 0,50 20,50 0,16 21,00 -0,19 21,50 -0,54	19,50 0,84 20,00 0,50 20,50 0,16 21,00 -0,19 21,50 -0,54
DFT015 21,00D Barrett Vivity SRG LF(1,99)	DFTx 21,00D Barrett Vivity Toric SRG LF(1,99)	DFT015 21,00D Barrett Vivity SRG LF(1,99)	DFTx 21,00D Barrett Vivity Toric SRG LF(1,99)
IOL(D) Ref(D)	IOL(D) Ref(D)	IOL(D) Ref(D)	IOL(D) Ref(D)
20,00 0,69 20,50 0,36 21,00 0,01 21,50 -0,33 22,00 -0,69	20,00 0,69 20,50 0,36 21,00 0,01 21,50 -0,33 22,00 -0,69	20,00 0,56 20,50 0,22 21,00 -0,12 21,50 -0,47 22,00 -0,82	20,00 0,56 20,50 0,22 21,00 -0,12 21,50 -0,47 22,00 -0,82
SN60WF 21,00D Barrett IQ Monofocal SRG LF(1,88)	SA60AT 20,50D Barrett Mono Esferica SRG LF(1,78)	SN60WF 20,50D Barrett IQ Monofocal SRG LF(1,88)	SA60AT 20,50D Barrett Mono Esferica SRG LF(1,78)
IOL(D) Ref(D)	IOL(D) Ref(D)	IOL(D) Ref(D)	IOL(D) Ref(D)
20,00 0,55 20,50 0,21 21,00 -0,14 21,50 -0,49 22,00 -0,85	19,50 0,77 20,00 0,42 20,50 0,08 21,00 -0,28 21,50 -0,63	19,50 0,76 20,00 0,42 20,50 0,08 21,00 -0,27 21,50 -0,62	19,50 0,64 20,00 0,29 20,50 -0,06 21,00 -0,41 21,50 -0,77

Patient Name: Pereira, Maria Cristina
ID: 61548
DoB: 19/08/1953



Doctor: RAFAEL, FURLANETTO
Practice(OD): ISO OLHOS UBERLANDIA

Doctor: RAFAEL, FURLANETTO
Practice(OS): ISO OLHOS UBERLANDIA

OD	(Right Eye)	(Left Eye)	OS
Pre-Op:	13/08/2024 15:09	Pre-Op:	13/08/2024 15:09
K1: 44,42D @90° K2: 45,03D @0° R/K: 7,55mm / 44,73D Cyl: -0,61D @90° PCA: N/A AL: 23,25mm ACD: 3,37mm WTW: 11,61mm	(Argos) n: 1,3375 CCT: 519um (Predicted) (Argos-Optical) LT: 4,47mm P: 4,52mm Px: +0,34mm Py: +0,07mm	K1: 44,29D @45° K2: 44,82D @135° R/K: 7,58mm / 44,55D Cyl: -0,53D @45° PCA: N/A AL: 23,38mm ACD: 3,45mm WTW: 11,75mm	(Argos) n: 1,3375 CCT: 521um (Predicted) (Argos-Optical) LT: 4,42mm P: 4,45mm Px: -0,17mm Py: +0,02mm
Rx: N/A N/A @ N/A 12,0mm Post-Refractive: No Post-Refractive Pre-Rx: N/A Ocular Disease: None Surgery Type: Phakic (Cataract Removal)	PC Lens: in Bag	Rx: N/A N/A @ N/A 12,0mm Post-Refractive: No Post-Refractive Pre-Rx: N/A Ocular Disease: None Surgery Type: Phakic (Cataract Removal)	PC Lens: in Bag
MA60AC 21,00D Barrett Mono 3pecas SRG LF(1,99)	MA60MA 5,00D Barrett Mono 3pecas POSITIVA MFG LF(2,01)	MA60AC 21,00D Barrett Mono 3pecas SRG LF(1,99)	MA60MA 5,00D Barrett Mono 3pecas POSITIVA MFG LF(2,01)
IOL(D) Ref(D) 20,00 0,69 20,50 0,36 21,00 0,01 21,50 -0,33 22,00 -0,69	IOL(D) Ref(D) 2,00 11,35 3,00 10,92 4,00 10,47 5,00 10,02	IOL(D) Ref(D) 20,00 0,56 20,50 0,22 21,00 -0,12 21,50 -0,47 22,00 -0,82	IOL(D) Ref(D) 2,00 11,24 3,00 10,80 4,00 10,36 5,00 9,91
MA60MA 5,00D Barrett Mono 3pecas NEGATIVA MFG LF(2,01)	AR40E 20,50D Barrett SENSAR 3pecas SRG LF(1,73)	MA60MA 5,00D Barrett Mono 3pecas NEGATIVA MFG LF(2,01)	AR40E 20,50D Barrett SENSAR 3pecas SRG LF(1,73)
IOL(D) Ref(D) 2,00 11,35 3,00 10,92 4,00 10,47 5,00 10,02	IOL(D) Ref(D) 19,50 0,70 20,00 0,36 20,50 0,01 21,00 -0,35 21,50 -0,70	IOL(D) Ref(D) 2,00 11,24 3,00 10,80 4,00 10,36 5,00 9,91	IOL(D) Ref(D) 19,50 0,57 20,00 0,23 20,50 -0,12 21,00 -0,48 21,50 -0,84
CNA0T0 21,00D Barrett Clareon Monofocal SRG LF(1,94)	CNA0Tx 21,00D Barrett Clareon Toric MFG LF(1,94)	CNA0T0 20,50D Barrett Clareon Monofocal SRG LF(1,94)	CNA0Tx 20,50D Barrett Clareon Toric MFG LF(1,94)
IOL(D) Ref(D) 20,00 0,63 20,50 0,29 21,00 -0,06 21,50 -0,41 22,00 -0,76	IOL(D) Ref(D) 20,00 0,62 20,50 0,28 21,00 -0,06 21,50 -0,41 22,00 -0,76	IOL(D) Ref(D) 19,50 0,84 20,00 0,50 20,50 0,16 21,00 -0,19 21,50 -0,54	IOL(D) Ref(D) 19,50 0,83 20,00 0,49 20,50 0,15 21,00 -0,19 21,50 -0,55