	Objective value
Total Energy cost	0.388
Total Waiting time [min]	167.0
Total Journey time [min]	589.0
Average waiting time [min]	8.0
Max waiting time [min]	22.0
Min waiting time [min]	0.0
Stability waiting time (max-min) [min]	22.0
Average journey time [min]	29.0
Average occupancy	1.689
Average load factor	0.243
Max load factor	0.535
Min load factor	0.082
Stability load factor	0.453
Percentage of completed bookings	0.345

Load Factor per vehicle (passenger energy/(vehicle energy\*max capacity)

_Oau	Tactor per vernote (passeriger c	ricigy/(verilele energy	max capac
	Vehicle ID	Load Factor	
	4bf166af-9eeb-432a-bad5-4b93b827ac56		0.535
	8919b741-eee9-4d96-8649-d5aa95c29a46		0.424
	8919b741-eee9-4d96-8649-d5aa95c29a47		0.094
	8919b741-eee9-4d96-8649-d5aa95c29a48		0.082
	d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8		0.214
	d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9		0.111
	Average		0.243

Total energy consumption and energy per vehicle (percentage)

Vehicle ID	Energy
4bf166af-9eeb-432a-bad5-4b93b827ac56	0.067
8919b741-eee9-4d96-8649-d5aa95c29a46	0.068
8919b741-eee9-4d96-8649-d5aa95c29a47	0.075
8919b741-eee9-4d96-8649-d5aa95c29a48	0.056
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8	0.06
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9	0.062

Total

0.388



