	Objective value
Total Energy cost	0.786
Total Waiting time [min]	39.0
Total Journey time [min]	179.0
Average waiting time [min]	3.0
Max waiting time [min]	8.0
Min waiting time [min]	0.0
Stability waiting time (max-min) [min]	8.0
Average journey time [min]	16.0
Average occupancy	0.643
Average load factor	0.062
Max load factor	0.231
Min load factor	0.0
Stability load factor	0.231
Percentage of completed bookings	0.524

## Load Factor per vehicle (passenger energy/(vehicle energy*max capacity)

Vehicle ID	Load Factor
0a38f434-5846-48b2-9cb6-75afd9c217d2	0.107
0a38f434-5846-48b2-9cb6-75afd9c217d3	0.016
0a38f434-5846-48b2-9cb6-75afd9c217d4	0.031
4bf166af-9eeb-432a-bad5-4b93b827ac56	0.0
8919b741-eee9-4d96-8649-d5aa95c29a46	0.0
8919b741-eee9-4d96-8649-d5aa95c29a47	0.231
8919b741-eee9-4d96-8649-d5aa95c29a48	0.0
8919b741-eee9-4d96-8649-d5aa95c29a49	0.099
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8	0.134
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9	0.0
Average	0.062

Total energy consumption and energy per vehicle (percentage)

Vehicle ID	Energy
0a38f434-5846-48b2-9cb6-75afd9c217d2	0.079
0a38f434-5846-48b2-9cb6-75afd9c217d3	0.081
0a38f434-5846-48b2-9cb6-75afd9c217d4	0.073
4bf166af-9eeb-432a-bad5-4b93b827ac56	0.074
8919b741-eee9-4d96-8649-d5aa95c29a46	0.08
8919b741-eee9-4d96-8649-d5aa95c29a47	0.085
8919b741-eee9-4d96-8649-d5aa95c29a48	0.082
8919b741-eee9-4d96-8649-d5aa95c29a49	0.075
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8	0.069
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9	0.089
Total	0.786

per minute average occupancy per vehicle

——	0a38f434-5846-48b2-9cb6-75afd9c217d2
——	0a38f434-5846-48b2-9cb6-75afd9c217d3
——	0a38f434-5846-48b2-9cb6-75afd9c217d4
——	4bf166af-9eeb-432a-bad5-4b93b827ac56
——	8919b741-eee9-4d96-8649-d5aa95c29a46
——	8919b741-eee9-4d96-8649-d5aa95c29a47
——	8919b741-eee9-4d96-8649-d5aa95c29a48
——	8919b741-eee9-4d96-8649-d5aa95c29a49
——	d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8
——	d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9

per minute average occupancy