	Objective value
Total Energy cost	0.612
Total Waiting time [min]	66.0
Total Journey time [min]	336.0
Average waiting time [min]	3.0
Max waiting time [min]	16.0
Min waiting time [min]	0.0
Stability waiting time (max-min) [min]	16.0
Average journey time [min]	19.0
Average occupancy	0.988
Average load factor	0.117
Max load factor	0.47
Min load factor	0.017
Stability load factor	0.454
Percentage of completed bookings	0.548

Load Factor per vehicle (passenger energy/(vehicle energy*max capacity)

	actor per vernore (paeceriger c	mergy/(vernore energy max cap
	Vehicle ID	Load Factor
	4bf166af-9eeb-432a-bad5-4b93b827ac56	0.47
;	8919b741-eee9-4d96-8649-d5aa95c29a46	0.076
;	8919b741-eee9-4d96-8649-d5aa95c29a47	0.044
i	8919b741-eee9-4d96-8649-d5aa95c29a48	0.017
;	8919b741-eee9-4d96-8649-d5aa95c29a49	0.059
	d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8	0.086
	d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9	0.066
	Average	0.117

Total energy consumption and energy per vehicle (percentage)

Vehicle ID	Energy
4bf166af-9eeb-432a-bad5-4b93b827ac56	0.077
8919b741-eee9-4d96-8649-d5aa95c29a46	0.083
8919b741-eee9-4d96-8649-d5aa95c29a47	0.096
8919b741-eee9-4d96-8649-d5aa95c29a48	0.086
8919b741-eee9-4d96-8649-d5aa95c29a49	0.094
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8	0.082
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9	0.094
Total	0.612



