	Objective value
Total Energy cost	0.752
Total Waiting time [min]	45.0
Total Journey time [min]	130.0
Average waiting time [min]	5.0
Max waiting time [min]	14.0
Min waiting time [min]	0.0
Stability waiting time (max-min) [min]	14.0
Average journey time [min]	14.0
Average occupancy	0.351
Average load factor	0.039
Max load factor	0.143
Min load factor	0.0
Stability load factor	0.143
Percentage of completed bookings	0.692

Load Factor per vehicle (passenger energy/(vehicle energy*max capacity)

. Tactor per vernere (passerigt	or orior gy (vornoro orior gy max cap
Vehicle ID	Load Factor
0a38f434-5846-48b2-9cb6-75afd9c217d2	0.017
0a38f434-5846-48b2-9cb6-75afd9c217d3	0.09
4bf166af-9eeb-432a-bad5-4b93b827ac56	0.143
8919b741-eee9-4d96-8649-d5aa95c29a46	0.0
8919b741-eee9-4d96-8649-d5aa95c29a47	0.0
8919b741-eee9-4d96-8649-d5aa95c29a48	0.0
8919b741-eee9-4d96-8649-d5aa95c29a49	0.03
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8	0.0
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9	0.068
Average	0.039

Total energy consumption and energy per vehicle (percentage)

Vehicle ID	Energy
0a38f434-5846-48b2-9cb6-75afd9c217d2	0.084
0a38f434-5846-48b2-9cb6-75afd9c217d3	0.088
4bf166af-9eeb-432a-bad5-4b93b827ac56	0.052
8919b741-eee9-4d96-8649-d5aa95c29a46	0.09
8919b741-eee9-4d96-8649-d5aa95c29a47	0.093
8919b741-eee9-4d96-8649-d5aa95c29a48	0.09
8919b741-eee9-4d96-8649-d5aa95c29a49	0.086
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8	0.085
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9	0.085
Total	0.752



