	Objective value
Total Energy cost	0.668
Total Waiting time [min]	16.0
Total Journey time [min]	179.0
Average waiting time [min]	1.0
Max waiting time [min]	4.0
Min waiting time [min]	0.0
Stability waiting time (max-min) [min]	4.0
Average journey time [min]	17.0
Average occupancy	0.462
Average load factor	0.045
Max load factor	0.161
Min load factor	0.0
Stability load factor	0.161
Percentage of completed bookings	0.476

Load Factor per vehicle (passenger energy/(vehicle energy*max capacity)

Loau	ractor per venicle (passenger e	energy/(venicle energy max of	Japac
	Vehicle ID	Load Factor	
	0a38f434-5846-48b2-9cb6-75afd9c217d2	0.0)
	4bf166af-9eeb-432a-bad5-4b93b827ac56	0.067	7
	8919b741-eee9-4d96-8649-d5aa95c29a46	0.02	2
	8919b741-eee9-4d96-8649-d5aa95c29a47	0.0)
	8919b741-eee9-4d96-8649-d5aa95c29a48	0.16	1
	8919b741-eee9-4d96-8649-d5aa95c29a49	0.053	3
	d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8	0.06	1
	d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9	0.0)
	Average	0.045	5

Total energy consumption and energy per vehicle (percentage)

Vehicle ID	Energy
0a38f434-5846-48b2-9cb6-75afd9c217d2	0.083
4bf166af-9eeb-432a-bad5-4b93b827ac56	0.086
8919b741-eee9-4d96-8649-d5aa95c29a46	0.084
8919b741-eee9-4d96-8649-d5aa95c29a47	0.087
8919b741-eee9-4d96-8649-d5aa95c29a48	0.074
8919b741-eee9-4d96-8649-d5aa95c29a49	0.084
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8	0.081
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9	0.089
Total	0.668



