	Objective value
Total Energy cost	0.614
Total Waiting time [min]	82.0
Total Journey time [min]	425.0
Average waiting time [min]	3.0
Max waiting time [min]	12.0
Min waiting time [min]	0.0
Stability waiting time (max-min) [min]	12.0
Average journey time [min]	20.0
Average occupancy	1.021
Average load factor	0.114
Max load factor	0.659
Min load factor	0.0
Stability load factor	0.659
Percentage of completed bookings	0.362

Load Factor per vehicle (passenger energy/(vehicle energy*max capacity)

<i>-</i>	ractor per verniere (paeceriger e	morgy (vernere errergy	max oup
	Vehicle ID	Load Factor	
	0a38f434-5846-48b2-9cb6-75afd9c217d2		0.012
	0a38f434-5846-48b2-9cb6-75afd9c217d3		0.0
	0a38f434-5846-48b2-9cb6-75afd9c217d4		0.027
	4bf166af-9eeb-432a-bad5-4b93b827ac56		0.659
	8919b741-eee9-4d96-8649-d5aa95c29a46		0.055
	8919b741-eee9-4d96-8649-d5aa95c29a47		0.016
	8919b741-eee9-4d96-8649-d5aa95c29a48		0.0
	8919b741-eee9-4d96-8649-d5aa95c29a49		0.0
	d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8		0.237
	d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9		0.139
	Average		0.114

Total energy consumption and energy per vehicle (percentage)

	<u> </u>	
Vehicle ID	Energy	
0a38f434-5846-48b2-9cb6-75afd9c217d2		0.058
0a38f434-5846-48b2-9cb6-75afd9c217d3		0.062
0a38f434-5846-48b2-9cb6-75afd9c217d4		0.055
4bf166af-9eeb-432a-bad5-4b93b827ac56		0.069
8919b741-eee9-4d96-8649-d5aa95c29a46		0.044
8919b741-eee9-4d96-8649-d5aa95c29a47		0.062
8919b741-eee9-4d96-8649-d5aa95c29a48		0.059
8919b741-eee9-4d96-8649-d5aa95c29a49		0.067
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8		0.069
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9		0.069
Total		0.614



