|	Objective value
Total Energy cost	0.915
Total Waiting time [min]	17.0
Total Journey time [min]	175.0
Average waiting time [min]	1.0
Max waiting time [min]	4.0
Min waiting time [min]	0.0
Stability waiting time (max-min) [min]	4.0
Average journey time [min]	17.0
Average occupancy	0.375
Average load factor	0.036
Max load factor	0.208
Min load factor	0.0
Stability load factor	0.208
Percentage of completed bookings	0.476

Load Factor per vehicle (passenger energy/(vehicle energy*max capacity)

Vehicle ID	Load Factor
0a38f434-5846-48b2-9cb6-75afd9c217d2	0.05
0a38f434-5846-48b2-9cb6-75afd9c217d3	0.208
0a38f434-5846-48b2-9cb6-75afd9c217d4	0.0
4bf166af-9eeb-432a-bad5-4b93b827ac56	0.0
8919b741-eee9-4d96-8649-d5aa95c29a46	0.0
8919b741-eee9-4d96-8649-d5aa95c29a47	0.0
8919b741-eee9-4d96-8649-d5aa95c29a48	0.018
8919b741-eee9-4d96-8649-d5aa95c29a49	0.075
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8	0.0
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9	0.007
Average	0.036

Total energy consumption and energy per vehicle (percentage)

Vehicle ID	Energy
0a38f434-5846-48b2-9cb6-75afd9c217d2	0.081
0a38f434-5846-48b2-9cb6-75afd9c217d3	0.085
0a38f434-5846-48b2-9cb6-75afd9c217d4	0.093
4bf166af-9eeb-432a-bad5-4b93b827ac56	0.09
8919b741-eee9-4d96-8649-d5aa95c29a46	0.094
8919b741-eee9-4d96-8649-d5aa95c29a47	0.1
8919b741-eee9-4d96-8649-d5aa95c29a48	0.094
8919b741-eee9-4d96-8649-d5aa95c29a49	0.09
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8	0.091
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9	0.097
Total	0.915

per minute average occupancy per vehicle

Legend:
- 0a38f434-5846-48b2-9cb6-75afd9c217d2
- 0a38f434-5846-48b2-9cb6-75afd9c217d3
- 0a38f434-5846-48b2-9cb6-75afd9c217d4
- 4bf166af-9eeb-432a-bad5-4b93b827ac56
- 8919b741-eee9-4d96-8649-d5aa95c29a46
- 8919b741-eee9-4d96-8649-d5aa95c29a47
- 8919b741-eee9-4d96-8649-d5aa95c29a48
- 8919b741-eee9-4d96-8649-d5aa95c29a49
- d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8
- d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9

X-axis: Hour
Y-axis: Occupancy

per minute average occupancy