

	Objective value
Total Energy cost	0.941
Total Waiting time [min]	54.0
Total Journey time [min]	188.0
Average waiting time [min]	6.0
Max waiting time [min]	15.0
Min waiting time [min]	0.0
Stability waiting time (max-min) [min]	15.0
Average journey time [min]	20.0
Average occupancy	0.357
Average load factor	0.034
Max load factor	0.208
Min load factor	0.0
Stability load factor	0.208
Percentage of completed bookings	0.692

Load Factor per vehicle (passenger energy/(vehicle energy*max capacity))


Vehicle ID	Load Factor
0a38f434-5846-48b2-9cb6-75afd9c217d2	0.0
0a38f434-5846-48b2-9cb6-75afd9c217d3	0.05
4bf166af-9eeb-432a-bad5-4b93b827ac56	0.208
8919b741-eee9-4d96-8649-d5aa95c29a46	0.0
8919b741-eee9-4d96-8649-d5aa95c29a47	0.024
8919b741-eee9-4d96-8649-d5aa95c29a48	0.0
8919b741-eee9-4d96-8649-d5aa95c29a49	0.0
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8	0.0
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9	0.026
Average	0.034

Total energy consumption and energy per vehicle (percentage)

Vehicle ID	Energy
0a38f434-5846-48b2-9cb6-75afd9c217d2	0.105
0a38f434-5846-48b2-9cb6-75afd9c217d3	0.103
4bf166af-9eeb-432a-bad5-4b93b827ac56	0.1
8919b741-eee9-4d96-8649-d5aa95c29a46	0.106
8919b741-eee9-4d96-8649-d5aa95c29a47	0.106
8919b741-eee9-4d96-8649-d5aa95c29a48	0.104
8919b741-eee9-4d96-8649-d5aa95c29a49	0.109
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8	0.106
d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9	0.102
Total	0.941

per minute average occupancy per vehicle

Occupancy



Hour

- 0a38f434-5846-48b2-9cb6-75afd9c217d2
- 0a38f434-5846-48b2-9cb6-75afd9c217d3
- 4bf166af-9eeb-432a-bad5-4b93b827ac56
- 8919b741-eee9-4d96-8649-d5aa95c29a46
- 8919b741-eee9-4d96-8649-d5aa95c29a47
- 8919b741-eee9-4d96-8649-d5aa95c29a48
- 8919b741-eee9-4d96-8649-d5aa95c29a49
- d6ee24d2-f4b8-4599-b29e-ef1302a6b1a8
- d6ee24d2-f4b8-4599-b29e-ef1302a6b1a9

per minute average occupancy

