	require	global	id_fce	function	return	end	(	)	integer	number	string	id_var	,	:	int_value	num_value	str_value	local	=	#	if	else	while	\$
<start></start>	1.																							
<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>		2.	3.	4.																				5.
<fnc_dec></fnc_dec>		6.																						
<params_dec></params_dec>								7.	8.	8.	8.													
<pre><params_dec2></params_dec2></pre>								9.					10.											
<return_type></return_type>		12.	12.	12.										11.										13.
<data_type></data_type>									13.	14.	15.													
<fnc_call></fnc_call>			16.																					
<value></value>								17.				18.			18.	18.	18.							
<value2></value2>								20.					19.											
<value_last></value_last>												21.			22.	23.	24.							
<fnc_def></fnc_def>				25.																				
<fnc_head></fnc_head>				26.																				
<fnc_def2></fnc_def2>			27.		27.	27.						27.		28.				27.			27.		27.	
<params_def></params_def>								29.				30.												
<params_def2></params_def2>								31.					32.											
<var_def></var_def>												33.												
<return></return>					34.																			
<return_void></return_void>					35.	36.																		
<fnc_body></fnc_body>			39.		40.	40.						39.						39.			37.		38.	
<statement></statement>			43.									42.						41.						
<var_dec></var_dec>																		44.						
<var_dec_init></var_dec_init>			46.		46.	46.						46.						46.	45.		46.		46.	
<var_assign></var_assign>			48.				47.					47.			47.	47.	47.			47.				
<if></if>																					49.			
<loop></loop>																							50.	
<statements></statements>			52.			52.						52.						52.				51.		