

Drivers	L. Filippi	Circuit	ZUHAI	Chassis N.	#004	Session	TEST
Engineer	D. Chialva	km	4300	Engine N.		Date	11-giu-19

Front Left Tyre	Cold	1,40		Tyre	PIRELLI		Front Right Tyre	Cold	1,40
Pressure [bar]	Hot	1,95		Circumf.[mm]	FR	RR	Pressure [bar]	Hot	1,95

Spring [N/mm]	200	Camber [°]	2,9°	Front Brakes		Camber [°]	2,9°	Spring [N/mm]	200
Preload [mm]		Camber shim [mm]		Disks	Brembo 390mmx34mm	Camber shim [mm]		Preload [mm]	
Helper [N/mm]	15			Caliper	Brembo XB2.VO.01/02			Helper [N/mm]	15
Damper	SACHS	Caster [°]	7.85	Pads	RB 340	Caster [°]	7.85	Damper	SACHS
LS	HS	Toe IN [mm]	-1	Splitter RH	Set up	Measured	7.85	LS	HS
Bump	7	ToeRoad Lenght					Toe IN [mm]	Bump	7
Rebound	6	Ride Height	73				-1	Rebound	6
Blow off	84						ToeRoad Lenght	Blow off	84
Bump Rubber	43							Bump Rubber	43
Static Gap [mm]								Static Gap [mm]	
Packers [mm]	3.8 mm							Packers [mm]	3.8 mm

Front Anti Roll Bar	40x3 BLUE YELLOW
Blade angle [°]	- 60 - 60

PEDAL BOX	FR	RR
Master cylinder [mm]	20,20	21,80
Brake balance [bar]	50	42
	54,3%	

Rear Anti Roll Bar	24x1 GREY
Blade angle [°]	+ 30 + 0


Spring [N/mm]	180	Camber	2,7°
Preload [mm]		Camber shim	
Helper [N/mm]	15	Toe IN [mm]	1
Damper	SACHS	ToeRoad Lenght	
LS	HS	Ride Height	75
Bump	7		
Rebound	6		
Blow off	84		
Bump Rubber	43		
Static Gap [mm]	25,0 mm		
Packers [mm]	2 mm		

Rear Left Tyre	Cold	1,35
Pressure [bar]	Hot	2,00
GEARBOX #		

Gear Ratio [max 7000 rpm]		
1st	13/35	113,0
2nd	16/33	147,5
3rd	16/27	180,5
4th	19/27	214,0
5th	21/26	246,0
6th	21/23	278,0
Final Drive	15/50	

Notes:
CHECK SET UP WITH 30 Kg

Diff	
Ramps	
Drive	Coast
60°	30°
Friction Faces	
6+6	
Preload [Nm]	
50	



Disks	Brembo 355mmx32mm
Caliper	Brembo XB0.L2.54/53
Pads	RB 330

Diffuser RH	Set up	Measured
	283	

BOP Weight	1275
Ballast	20
Fuel (kg)	30
Total Weight W fuel	1325
Driver Weight	78
Final Weight	1403

Camber	2,7°
Camber shim	
Toe IN [mm]	1
ToeRoad Lenght	
Ride Height	75

Rear Wing	
Wing position	9
Wing Bushing [mm]	0
Wing angle	

Spring [N/mm]	180	Camber	2,7°
Preload [mm]		Camber shim	
Helper [N/mm]	15	Toe IN [mm]	1
Damper	SACHS	ToeRoad Lenght	
LS	HS	Ride Height	75
Bump	7		
Rebound	6		
Blow off	84		
Bump Rubber	43		
Static Gap [mm]	25,0 mm		
Packers [mm]	2 mm		

Rear Right Tyre	Cold	1,35
Pressure [bar]	Hot	2,00

Weight [Kg]

