Name: Kajal Sunil Pagase.
Rollno: 26 Div: B
Class: TE.

Aim - Design of a MARRO PASS-2

Problem Statement - Write Java program
for pass-II of a two-pass macro-processor.
The output of assignment - 3 (MNIT, MDT
and file without any macro definition)
should be input for this assignment.

Theory

1. macro processor-

Amacroprocessor is a program reads a file and scan them for certain Keywords. when a Keyword found, it is replaced by Some text.

- 2. Basic tasks performed by macro processon
 - a) Recognize macrodefinition
 - b) Save the definition
 - c) recognize call
 - d) Expanded calls and substitudearguments
- · pass 1 micro defination.
- · Pass2 macro calls and Expansion

Passi Macro Delinition.

1. Initialize mptc smntc with value one, so that previous value of mptc smntc is set to value one.

2. Read the first input data.

3. If this data contain MACRO pseudo opcode

A. Read the next data input.

B. Enter the name of the macro and current.

Value MPTC in MMT.

C. Increase the counter value mut by value one

p. prepare that argument list array respective.
to the macro found.

4. It macro pseudo opcode is not encountered in data input then.

Pass 2 Macro Calls and Expansion.

1. Read the input data received from PassI.

2. Examine each operation code for finding respective entry in MNT.

3. If name of macro is encountered then,

4. When macro name is not found then.

Create expanded data file.

5. It end pseudo opcode is encountered then feed expanded source file to Assembler forprocessing.

6. Elese read next source of datainput.

Draw flowchart w.r. t algorithms. Input; INput. MACRO. INCRISFIRST, SSECOND = DATA 9; A 1, 8FIRST L 2, SSECOND MENIO MACRO. INCR2 SARGL SARG2 = DATAS L 3, 8ARGI ST 4, 8 ARG 2. MENO PRG2 START USING * BASE. INCRI DATAI INCRI DATA 3, DATA 4 FOUR DC F'4' FINE OC. F'S' BASE EQU 8 TEMP DS TE DROP8 END 0/P -

[SFIRST, 85ECOND] CSARGI, 8AR62]

PASSI

```
MNT: SEE OF SEE OF SEE OF
 CINCRI, 07
[INCR2, 4]
MOT: 8 FIRST, 8 SECOND = DAT.
I AND A A PROPERTY OF
A 1, #0
   2, #1040000
MEN
D SARGI, SARGE = DATAS-
INCR
     3, #0
 ST 4, #1
MEN STATES
 Pass 2 -
MOT: SFIRST, SSECOND - DAT
INCR: A9
A 1,#0
 L 2, #0
 MEN
      STAR. BASE
PR062
```

USIN

	G	I, DATAI
Kajal Suat	A	2, DATA9
1 . NO 100	2 (LING)	3, DATA 3
31	121013	4, DATAG
	ST	F1 41
FOUR	DC	F'5'
FIVE	PC	8'100
BASE	Fau	TF.
TEMP	DS	8.
i trans	DRO	to statement
Marialla	mo Paris	Sacrificaciones

ALA:

[DATA 1, DATA 9)
[DATA 3, DATA 4]

END -

Conclusion -> Thus Pass-II of macro processor is implemented and ALA file is generated.