

local after ^t (= c01)

- o00 one
- o00 two

local expr (^#)^t · hanging

- (1) o03 one
- (2) o03 two

style ^#., local ^#.^t

- 1. o06 one
- 2. o06 two

first: continue false, start 5

- 5. o09 one
- 6. o09 two

format I, II as <Properties>

- I. o12 one
- II. o12 two

bullet char style attribute

- o15 one
- o15 two

first: continue true, start 5

- 5. o18 one
- 6. o18 two

second: start 10 only

- 1. o21 one
- 2. o21 two

local after space (= c02)

- o01 one
- o01 two

style space, local ^t

- o04 one
- o04 two

expr (^#) as <Properties>

- (1)o07 one
- (2)o07 two

first: start 5 only

- 5. o10 one
- 6. o10 two

format I, II as attribute

- 1. o13 one
- 2. o13 two

number char style <Prop-

- 1. o16 one
- 2. o16 two

style start 1 + continue

- 1. o19 one
- 2. o19 two

local expr ^#. (= c09)

- 1.o02 one
- 2.o02 two

style ^t, local space

- o05 one
- o05 two

after > as <Properties>

- >o08 one
- >o08 two

second: continue false

- 1. o11 one
- 1. o11 two

bullet char style <Proper-

- o14 one
- o14 two

digits char style attribute

- 1.o17 one
- 2.o17 two

style start 5 only

- 5. o20 one
- 6. o20 two