

ORDER D.96A

Mapping Implementation Guide

The following specification shall be used as the basis for creating EDIFACT-message ORDERS between Pagero and the orderer/orderrecipient.

Version
20210319

Christer Fogelberg
2019-11-05

INTRODUCTION	3
STANDARD	3
HOW TO USE THESE GUIDELINES	3
SEGMENT IMPLEMENTATION DETAILS	4
HEADER GROUP	4
GROUP 0 MANDATORY	4
UNB INTERCHANGE HEADER- MANDATORY	4
HEADER SECTION	6
GROUP 0 MANDATORY	6
UNH MESSAGE HEADER- MANDATORY	6
BGM BEGINNING OF MESSAGE- MANDATORY	7
DTM GLOBAL DATE/TIMES- MANDATORY	8
FTX GLOBAL FREE TEXT - OPTIONAL	9
GROUP 1 OPTIONAL	10
RFF REFERENCE - MANDATORY	10
GROUP 2 REQUIRED	11
NAD NAME AND ADDRESS (Party Details)- MANDATORY	11
GROUP 3 OPTIONAL	13
RFF PARTY REFERENCE- MANDATORY	13
GROUP 5 OPTIONAL	14
CTA PARTY CONTACT DETAILS- MANDATORY	14
COM COMMUNICATION CONTACT- OPTIONAL	15
GROUP 7 CONDITIONAL	16
CUX GLOBAL CURRENCIES - MANDATORY	16
GROUP 9 OPTIONAL	17
TDT TERMS OF DELIVERY- MANDATORY	17
GROUP 11 OPTIONAL	19
TOD TERMS OF DELIVERY- MANDATORY	19
DETAILS SECTION	20
LINE ITEM DETAILS:	20
GROUP 25 REQUIRED	20
LIN LINE ITEM IDENTIFICATION - MANDATORY	20
PIA ADDITIONAL PRODUCT ID - OPTIONAL	21
IMD ITEM DESCRIPTION - OPTIONAL	22
QTY ORDERED QUANTITY -REQUIRED	23
DTM DELIVERY DATE/TIMES - OPTIONAL	24
MOA LINE ITEM AMOUNT - MANDATORY	25
FTX FREE TEXT-OPTIONAL	26
GROUP 28 OPTIONAL	27
PRI PRICE DETAILS - MANDATORY	27
PARTY GROUP	28
GROUP 35 OPTIONAL	28
NAD NAME AND ADDRESS (Party Details)- MANDATORY	28
GROUP 36 OPTIONAL	30
RFF PARTY REFERENCE- MANDATORY	30
GROUP 38 OPTIONAL	31
CTA PARTY CONTACT DETAILS- MANDATORY	31
COM COMMUNICATION CONTACT- OPTIONAL	32
ALLOWANCE	33
ALC ALLOWANCE OR CHARGE	33
PCD PERCENTAGE DETAILS - OPTIONAL	34
MOA MONETARY AMOUNT - OPTIONAL	35
SUMMARY SECTION	36

UNS	SECTION SEPARATOR - MANDATORY	36
OPTIONAL		37
MOA	Monetary amount AMOUNT - REQUIRED	37
TRAILER GROUP		38
UNT	MESSAGE TRAILER - MANDATORY	38

Introduction

The following specification shall be used as the basis for creating EDIFACT-message ORDERS between Pagero and the orderer/orderrecipient.

Standard

Pagero use D.96A for receiving EDIFACT orders.

Pagero use UNOC syntax and defines separators in the UNA-segment as follows: UNA:+.? ,

How to Use these Guidelines

The codes shown under the codes heading are those recommended for use within the particular segment and others will not usually be required unless stated otherwise.

The following terms are used to indicate the particular usage of a segment or element. Where a group is optional then any mandatory segments in it are only mandatory if the group is used. Where a segment is optional then any mandatory elements within it are only mandatory when the segment is used:

MANDATORY (M)	Must be used - As defined by UN EDIFACT
REQUIRED (R)	Should always be used in transmissions
DEPENDENT (D)	Usage is determined by specified conditions
OPTIONAL (O)	May be used by trading partners by agreement
NOT USED (NU)	Not normally required

Where a group or segment is not referred to, this means it is not required to be sent in a transmission of the message. Where a segment is MANDATORY, REQUIRED, DEPENDENT or OPTIONAL and element details are given with appropriate codes, then these are the only elements required in that segment. The complete UN message layout definition, from which this subset has been derived, is provided at http://live.unece.org/trade/untdid/download_index.htm.

Segment Implementation Details

Header Group

GROUP 0 MANDATORY

UNB INTERCHANGE HEADER- MANDATORY

Function: To identify an interchange.

S001	SYNTAX IDENTIFIER	M	
0001	Syntax identifier	M	a4
0002	Syntax version number	M	an1
0080	Service code list directory version number	C	an..6
0133	Character encoding, coded	C	an..3
S002	INTERCHANGE SENDER	M	
0004	Interchange sender identification	M	an..35
0007	Identification code qualifier C an..4		
0008	Interchange sender internal identification	C	an..35
0042	Interchange sender internal sub-identification	C	an..35
S003	INTERCHANGE RECIPIENT	M	
0010	Interchange recipient identification	M	an..35
0007	Identification code qualifier	C	an..4
0014	Interchange recipient internal identification	C	an..35
0046	Interchange recipient internal sub-identification	C	an..35
S004	DATE AND TIME OF PREPARATION	M	
0017	Date	M	n8
0019	Time	M	n4
0020	Interchange control reference	M	an..14

USAGE NOTES

Element	Status	Codes
S001	M	
0001	M	UNOC = UN/ECE level C (ISO-8859-1)
0002	M	
0080	C	
0133	C	
S002	M	
0004	M	
0007	C	
0008	C	
0042	C	
S003	M	
0010	M	
0007	C	
0014	C	
0046	C	
S004	M	
0017	M	
0020	M	

SEGMENT EXAMPLE

UNB+UNOC:3+4049500000000:14+7399999999994:14+110308:1530+00000026'

Header Section

GROUP 0 MANDATORY

UNH MESSAGE HEADER- MANDATORY

Function: To start, identify and specify a message.

0062	MESSAGE REFERENCE NUMBER	M	an..14
S009	MESSAGE IDENTIFIER	M	
0065	Message type	M	an..6
0052	Message version number	M	an..3
0054	Message release number	M	n..3
0051	Controlling agency	M	an..2
0057	Association assigned code	R	an..6

USAGE NOTES

Element	Status	Codes
0062	MANDATORY	To specify a unique sequential message reference number. This must match the corresponding 0062 element in the UNT segment at the end of the message.
S009	MANDATORY	
0065	Mandatory	ORDERS
0052	Mandatory	D
0054	Mandatory	96A
0051	Mandatory	UN
0057	Required	EAN008

SEGMENT EXAMPLE

UNH+1234+ ORDERS:D:96A:UN: EAN008'

GROUP 0 MANDATORY
BGM BEGINNING OF MESSAGE- MANDATORY

Function: A segment by which the sender must uniquely identify the order by means of its name and number and when necessary its function. Element 1004 will be used for the order number.

C002	DOCUMENT/MESSAGE NAME	R	
1001	Document/message name, coded	R	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
1004	DOCUMENT/MESSAGE NUMBER	R	an..35
1225	MESSAGE FUNCTION, CODED	C	an..3
4343	RESPONSE TYPE, CODED	C	an..3

USAGE NOTES

Element	Status	Codes
C002	REQUIRED	
1001	Required	105 = Purchase order 220 = Order 221 = Blanket order 222 = Spot order 224 = Rush order 226 = Call off order 227 = Consignment order 228 = Sample order 258 = Standing order 402 = Cross docking order
1131	Not Used	
3055	Optional	Code specifying the party responsible for defining the codes
1004	REQUIRED	A reference to identify the message uniquely
1225	OPTIONAL	Not used
4343	OPTIONAL	Not used

SEGMENT EXAMPLE

BGM+220+127852'

This specifies a purchase order numbered 127852

GROUP 0 MANDATORY
DTM GLOBAL DATE/TIMES- MANDATORY

Function: This segment should appear at least once to identify the date of issue of the order. Other dates may be specified in further repeats optionally as required.

C507	DATE/TIME/PERIOD	M	
2005	Date/time/period qualifier	M	an..3
2380	Date/time/period	R	an..35
2379	Date/time/period format qualifier	R	an..3

USAGE NOTES

Element	Status	Codes
C507	MANDATORY	
2005	Mandatory	A code giving specific meaning to a date, time or period 137 = Document/message Date/Time 2 = Requested delivery date/time 11 = Despatch date/time 63 = Delivery date (earliest) 64 = Delivery date (latest)
2380	Required	
2379	Required	To specify the format of the date/time 102 = CCYYMMDD

SEGMENT EXAMPLE

DTM+2:20100415:102'

The requested delivery date is 15th April 2010

GROUP 0 MANDATORY
FTX GLOBAL FREE TEXT - OPTIONAL

Function: A segment with free text information, in coded or clear form, used when additional information is needed but cannot be accommodated within other segments. In computer-to-computer exchanges such text will normally require the receiver to process this segment manually

4451	TEXT SUBJECT QUALIFIER	M	an..3
4453	TEXT FUNCTION, CODED	C	an..3
C107	TEXT REFERENCE	C	
C108	TEXT LITERAL	R	
4440	Free text	M	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70

USAGE NOTES

The free text should be specified by the actual free text (4440).

Element	Status	Codes
4451	OPTIONAL	MKS = Additional reference description SSR = Delivery instructions
4453	NOT USED	
C107	NOT USED	
C108	REQUIRED	
4440	Mandatory	The actual text
4440	Optional	The actual text
4440	Optional	The actual text
4440	Optional	The actual text
4440	Optional	The actual text

SEGMENT EXAMPLE

FTX+MKS+++REG345'

Example: This specifies Additional reference description.

GROUP 1 OPTIONAL

A group of segments for giving references relating to the whole message e.g. contract number, import/export license number.

RFF REFERENCE - MANDATORY

C506	REFERENCE	M	
1153	Reference qualifier	M	an..3
1154	Reference number	R	an..35

USAGE NOTES

Element	Status	Codes
C506	MANDATORY	
1153	Mandatory	CT = Agreement reference PL = Catalogue reference number CR = Customer reference number BO = Blanket order number
1154	Required	To specify the actual reference

SEGMENT EXAMPLE

RFF+CR:0176347'

Party Group

GROUP 2 REQUIRED

This segment must appear at least twice to define the Seller and the Buyer but can also be used to define up to seven other parties.

NAD NAME AND ADDRESS (Party Details)- MANDATORY

Function: The vendor / supplier and buyer parties are required parties and both require the party code (C082 composite) for the order message. Other parties may be specified if known.

3035	PARTY QUALIFIER	M	an..3
C082	PARTY IDENTIFICATION DETAILS	D	
3039	Party id identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C058	NAME AND ADDRESS	C	
3124	Name and address line	M	an..35
3124	Name and address line	C	an..35
3124	Name and address line	C	an..35
3124	Name and address line	C	an..35
3124	Name and address line	C	an..35
C080	PARTY NAME C		
3036	Party name	M	an..35
3036	Party name	C	an..35
3036	Party name	C	an..35
3036	Party name	C	an..35
3036	Party name	C	an..35
3045	Party name format, coded	C	an..3
C059	STREET	C	
3042	Street and number/P.O. Box	M	an..35
3042	Street and number/P.O. Box	C	an..35
3042	Street and number/P.O. Box	C	an..35
3164	CITY NAME	C	an..35
3229	COUNTRY SUB-ENTITY ID	C	an..9
3251	POSTCODE IDENTIFICATION	C	an..9
3207	COUNTRY, CODED	C	an..3

USAGE NOTES

Element	Status
3035	MANDATORY

Codes

DP = Delivery party
BY = Buyer party
CN = Consignee party
SU/SE = Seller party
OB = Originator party
IV/ITO = Invoicee, invoice recipient
SF = Deliverer party
SU = Delivery party

C082	OPTIONAL
3039	Mandatory

Code to identify the party by specifying agreed code
9 = EAN

1131	Not Used
3055	Optional

To specify the controlling agency of the code specified

C058	OPTIONAL
3124	Mandatory
3124	Optional
3124	Optional
3124	Optional
3124	Optional

To indicate the name of the party
To indicate first line of the party/s address
To indicate second line of the party/s address
To indicate third line of the party/s address
To indicate fourth line of the party/s address

C080	DEPENDENT
3036	Mandatory
3036	Optional

C059	DEPENDENT
3042	Mandatory
3042	Optional
3042	Optional

3164	DEPENDENT
------	-----------

3229	OPTIONAL
------	----------

3251	OPTIONAL
3207	DEPENDENT

SEGMENT EXAMPLE

NAD+SU+00000000000000::9++PAGERO AB+BOX 11006:PACKHUSPLATSEN
2+GOTHENBURG++40421+SE'

This specifies the seller as Pagero AB

GROUP 3 OPTIONAL

A group of segments giving references only relevant to the specified party rather than the whole order.

RFF PARTY REFERENCE- MANDATORY

Function: A segment identifying a reference unique to a party.

C506	REFERENCE	M	
1153	Reference qualifier	M	an..3
1154	Reference number	R	an..35

USAGE NOTES

Element	Status	Codes
C506	MANDATORY	
1153	Mandatory	VA = VAT number FC = VAT registration XA = organization number

1154	Required	To specify the actual reference
------	----------	---------------------------------

SEGMENT EXAMPLE

RFF+ VA:56889879'

This specifies the VAT reference as 56889879

GROUP 5 OPTIONAL

A group of segments giving contact details of the specific person or department within the party identified in the NAD segment.

CTA PARTY CONTACT DETAILS- MANDATORY

Function: To identify a person or a department to whom communication should be directed.

3139	CONTACT FUNCTION, CODED	R	an..3
C056	DEPARTMENT OR EMPLOYEE DETAILS	R	
3413	Department or employee identification	C	an..17
3412	Department or employee	R	an..35

USAGE NOTES

Element	Status	Codes
3139	REQUIRED	IC = Information contact PD = Purchasing contact OC = Order contact (NAD+OB)
C056	REQUIRED	
3413	Not Used	
3412	Required	To specify the full name of the contact

SEGMENT EXAMPLE

CTA+ IC+:JOHN DOE'

This specifies that Ms J Brown is the information contact.

GROUP 5 OPTIONAL
COM COMMUNICATION CONTACT- OPTIONAL

Function: This reference is Optional and there may be up to 4 occurrences to specify the telephone and/or fax numbers, and if applicable the Electronic mail number, for the contact of each party.

C076	COMMUNICATION CONTACT	M	
3148	Communication number	M	an..25
3155	Communication channel qualifier	M	an..3

USAGE NOTES

Element	Status	Codes
C076	MANDATORY	
3148	Mandatory	To specify the senders telephone, telefax, telex no etc.
3155	Mandatory	TE = Telephone FX = Fax EM = Email

SEGMENT EXAMPLE

COM+01812341122:TE'

This specifies the telephone number for the CTA contact

GROUP 7 CONDITIONAL

A group of segments specifying the currencies and related dates/periods valid for the whole order.

CUX GLOBAL CURRENCIES - MANDATORY

Function: To specify currencies used in the transaction and relevant details for the rate of exchange.

C504	CURRENCY DETAILS	R	
6347	Currency details qualifier	M	an..3
6345	Currency, coded	M	an..3
6343	Currency qualifier	M	an..3
6348	Currency rate base	NU	n..4
C504	CURRENCY DETAILS	O	
6347	Currency details qualifier	M	an..3
6345	Currency, coded	M	an..3
6343	Currency qualifier	M	an..3
6348	Currency rate base	NU	n..4
5402	RATE OF EXCHANGE	O	n..12
6341	CURRENCY MARKET EXCHANGE, CODED	NU	an..3

USAGE NOTES

Element	Status	Codes
C504	REQUIRED	
6347	Mandatory	2 = Reference currency
6345	Required	ISO 4217
6345	Mandatory	
6343	Mandatory	9 = Order currency
6348	Not used	
C504	OPTIONAL	
6347	NOT USED	
6345	NOT USED	
6343	NOT USED	
6348	NOT USED	
5402	OPTIONAL	
6341	NOT USED	

SEGMENT EXAMPLE

CUX+2:EUR:9'

GROUP 9 OPTIONAL

TDT TERMS OF DELIVERY- MANDATORY

Function: To specify the transport details such as mode of transport, means of transport, its conveyance reference number and the identification of the means of transport.

8051	TRANSPORT STAGE QUALIFIER, CODED	R	an..3
8028	CONVEYANCE REFERENCE NUMBER, CODED	C	an..3
C220	MODE OF TRANSPORT	C	
8067	Mode of transport, coded	C	an..3
8066	Mode of transport	C	an..3
C228	TRANSPORT MEANS	C	an..3
8179	Type of means of transport identification	C	an..3
8178	Type of means of transport	C	an..3
C040	CARRIER	C	
3127	Carrier identification	C	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3128	Carrier name	C	an..35
8101	Transit direction, coded	C	an..3
C401	EXCESS TRANSPORTATION INFORMATION	C	
8457	Excess transportation reason, coded	M	an..3
8459	Excess transportation responsibility, coded	M	an..3
7130	Customer authorization number	C	an..17
C222	TRANSPORT IDENTIFICATION	C	
8213	Id. of means of transport identification	C	an..9
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
8212	Id. of the means of transport	C	an..35
8453	Nationality of means of transport, coded	C	an..3
8281	Transport ownership, coded	C	an..3

USAGE NOTES

Element	Status	Codes
8051	REQUIRED	
8028	NOT USED	
C220	OPTIONAL	
8067	Optional	
8066	NOT USED	
C228	NOT USED	
C040	NOT USED	
8101	NOT USED	
C222	OPTIONAL	
8213	NOT USED	
1131	NOT USED	
3055	NOT USED	
8212	Optional	

SEGMENT EXAMPLE

TDT+20++3+++++:::TEST7000/20000000'

GROUP 11 OPTIONAL

A group of segments indicating the terms of delivery for the whole order.

TOD TERMS OF DELIVERY- MANDATORY

Function: A segment identifying the delivery terms to be used e.g. UN INCOTERMS 1990 codes are recommended whenever possible.

4055	TERMS OF DELIVERY FUNCTION, CODED	R	an..3
4215	TRANSPORT CHARGES METHOD OF PAYMENT, CODED	C	an..3
C100	TERMS OF DELIVERY	C	
4053	Terms of delivery, coded	C	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4052	Terms of delivery or transport	C	an..3
4052	Terms of delivery or transport	C	an..3

USAGE NOTES

Element	Status	Codes
4055	REQUIRED	6 = Delivery
4215	NOT USED	
C100	OPTIONAL	
4053	REQUIRED	
1131	NOT USED	
3055	NOT USED	
4052	NOT USED	
4052	NOT USED	

SEGMENT EXAMPLE

TOD+6++EXW '

Details Section

Line Item Details:

GROUP 25 REQUIRED

A group of segments providing details of the individual ordered items. There should be at least one occurrence of this group within an order, but not necessarily in a credit note or a debit note. This segment group may be repeated to give sub-line details.

LIN LINE ITEM IDENTIFICATION - MANDATORY

Function: A segment identifying the line item by the line number and configuration level, and additionally, identifying the product or service ordered. Other product identification numbers e.g. Buyer product number, etc. can be specified within the following PIA segment.

1082	LINE ITEM NUMBER	R	n..6
1229	ACTION REQUEST/NOTIFICATION, CODED	C	an..3
C212	ITEM NUMBER IDENTIFICATION	NU	
7140	Item number	NU	an..35
7143	Item number type, coded	NU	an..3

USAGE NOTES

Element	Status	Codes
1082	REQUIRED	
1229	OPTIONAL	
C212	NOT USED	
7140	Not used	
7143	Not used	

SEGMENT EXAMPLE

LIN+1'

This specifies the 1st line item number.

GROUP 25 REQUIRED
PIA ADDITIONAL PRODUCT ID - OPTIONAL

Function: To specify additional or substitutional item identification codes.

4347	Product id. function qualifier	M	an..3
C212	ITEM NUMBER IDENTIFICATION	M	
7140	Item number	C	an..35
7143	Item number type, coded	C	an..3

USAGE NOTES

Element	Status	Codes
4347	REQUIRED	5 = Product identification
C212	OPTIONAL	
7140	REQUIRED	
7143	REQUIRED	
		SA = Supplier's article number
		EN = Standard article number
		BP = Buyer's part number
		IN = Buyer's part number
		NB = Batch number
		MF = Manufacturer's number

SEGMENT EXAMPLE

PIA+5+406108:SA

This specifies suppliers article number.

GROUP 25 REQUIRED

IMD ITEM DESCRIPTION - OPTIONAL

Function: A segment for describing the product or service being ordered as well as product characteristic. This segment should be used for products or services that cannot be fully identified by a product code or article number.

7077	ITEM DESCRIPTION TYPE, CODED	R	an..3
7081	ITEM CHARACTERISTIC, CODED	C	an..3
C273	ITEM DESCRIPTION	R	
7009	Item description identification	C	an..7
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7008	Item description	R	an..35
7008	Item description	C	an..35

USAGE NOTES

Element	Status	Codes
7077	REQUIRED	F= Free Form A=Free form, long description
7081	NOT USED	
C273	REQUIRED	
7009	Not Used	
1131	Not Used	
3055	Not Used	
7008	Required	
7008	Not Used	

SEGMENT EXAMPLE

IMD+F++:::PWA V.35 AB'
This specifies the item description.

GROUP 25 REQUIRED QTY ORDERED QUANTITY -REQUIRED

Function: To specify a pertinent quantity.

C186	QUANTITY DETAILS	M	
6063	Quantity qualifier	M	an..3
6060	Quantity	M	n..15
6411	Measure unit qualifier	C	an..3

USAGE NOTES

Element	Status	Codes
C210	MANDATORY	
6063	Mandatory	21 = Ordered quantity
6060	Mandatory	
6411	Optional	Unit

SEGMENT EXAMPLE

QTY+21:31:PCE'

This specifies the ordered quantity is 31 and unit is PCE.

GROUP 25 REQUIRED
DTM DELIVERY DATE/TIMES – OPTIONAL

Function: This segment should appear at least once to identify the delivery date for the order row. Other dates may be specified in further repeats optionally as required.

C507	DATE/TIME/PERIOD	M	
2005	Date/time/period qualifier	M	an..3
2380	Date/time/period	R	an..35
2379	Date/time/period format qualifier	R	an..3

USAGE NOTES

Element	Status	Codes
C507	MANDATORY	
2005	Mandatory	2 = Requested delivery date/time 11 = Despatch date/time 63 = Latest delivery date/time 64 = Earliest delivery date/time
2380	Required	
2379	Required	102 = CCYYMMDD

SEGMENT EXAMPLE

DTM+2:20100413:102'

This specifies that the requested delivery date is 13th April 2010.

GROUP 25 REQUIRED MOA LINE ITEM AMOUNT - MANDATORY

Function: The order amount should be specified. Further occurrences can be used to specify additional amounts if required. The currency should only be specified if different from the ordered default currency.

C516	MONETARY AMOUNT	M	
5025	Monetary amount type qualifier	M	an..3
5004	Monetary amount	R	n..18
6345	Currency, coded	C	an..3

USAGE NOTES

Element	Status	Codes
C516	MANDATORY	
5025	Mandatory	203 = Line item amount
5004	Dependent	To specify the actual amount
6345	Optional	

SEGMENT EXAMPLE

MOA+203:4081.00:USD

This specifies an order line item amount of 4081.00 in USD.

GROUP 25 REQUIRED FTX FREE TEXT-OPTIONAL

Function: A segment with free text information, in coded or clear form, used when additional information is needed but cannot be accommodated within other segments. In computer-to-computer exchanges such text will normally require the receiver to process this segment manually.

4451	TEXT SUBJECT QUALIFIER	M	an..3
4453	TEXT FUNCTION, CODED	C	an..3
C107	TEXT REFERENCE	C	
C108	TEXT LITERAL	R	
4440	Free text	M	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70

USAGE NOTES

The free text should be specified by the actual free text (4440).

Element	Status	Codes
4451	MANDATORY	ACB = Additional information
4453	NOT USED	
C107	NOT USED	
C108	REQUIRED	
4440	Mandatory	The actual text
4440	Not used	The actual text
4440	Not used	The actual text
4440	Not used	The actual text
4440	Not used	The actual text

SEGMENT EXAMPLE

FTX+ACB+++FLAT PACKED'

GROUP 28 OPTIONAL

This group should be used to specify the relevant pricing information for the goods or services.

PRI PRICE DETAILS - MANDATORY

Function: To specify price information.

C509	PRICE INFORMATION	R	
5125	Price qualifier	M	an..3
5118	Price	R	n..15
5375	Price type, coded	C	an..3
5387	Price type qualifier	C	an..3

USAGE NOTES

Element	Status	Codes
C509	REQUIRED	
5125	Mandatory	AAA = Calculation net AAB = Calculation gross
5118	Required	To specify the actual price
5375	Not used	
5387	Not used	Price specification code

SEGMENT EXAMPLE

PRI+AAA:6.73'

Party Group

GROUP 35 OPTIONAL

This segment must appear at least twice to define the Seller and the Buyer but can also be used to define up to seven other parties.

NAD NAME AND ADDRESS (Party Details)- MANDATORY

Function: The vendor / supplier and buyer parties are required parties and both require the party code (C082 composite) for the order message. Other parties may be specified if known.

3035	PARTY QUALIFIER	M	an..3
C082	PARTY IDENTIFICATION DETAILS	D	
3039	Party id identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C058	NAME AND ADDRESS	C	
3124	Name and address line	M	an..35
3124	Name and address line	C	an..35
3124	Name and address line	C	an..35
3124	Name and address line	C	an..35
3124	Name and address line	C	an..35
C080	PARTY NAME C		
3036	Party name	M	an..35
3036	Party name	C	an..35
3036	Party name	C	an..35
3036	Party name	C	an..35
3036	Party name	C	an..35
3045	Party name format, coded	C	an..3
C059	STREET	C	
3042	Street and number/P.O. Box	M	an..35
3042	Street and number/P.O. Box	C	an..35
3042	Street and number/P.O. Box	C	an..35
3164	CITY NAME	C	an..35
3229	COUNTRY SUB-ENTITY ID	C	an..9
3251	POSTCODE IDENTIFICATION	C	an..9
3207	COUNTRY, CODED	C	an..3

USAGE NOTES

Element	Status	Codes
3035	MANDATORY	DP = Delivery party
C082	OPTIONAL	
3039	Mandatory	Code to identify the party by specifying agreed code
1131	Not Used	
3055	Optional	To specify the controlling agency of the code specified
C058	OPTIONAL	
3124	Mandatory	To indicate the name of the party
3124	Optional	To indicate first line of the party/s address
3124	Optional	To indicate second line of the party/s address
3124	Optional	To indicate third line of the party/s address
3124	Optional	To indicate fourth line of the party/s address
C080	DEPENDENT	
3036	Mandatory	
3036	Optional	
C059	DEPENDENT	
3042	Mandatory	
3042	Optional	
3042	Optional	
3164	DEPENDENT	
3229	OPTIONAL	
3251	OPTIONAL	
3207	DEPENDENT	

SEGMENT EXAMPLE

NAD+DP+00000000000000::9++PAGERO AB+BOX 11006:PACKHUSPLATSEN
2+GOTHENBURG++40421+SE'

This specifies the seller as Pagero AB

GROUP 36 OPTIONAL

A group of segments giving references only relevant to the specified party rather than the whole order.

RFF PARTY REFERENCE- MANDATORY

Function: A segment identifying a reference unique to a party.

C506	REFERENCE	M	
1153	Reference qualifier	M	an..3
1154	Reference number	R	an..35

USAGE NOTES

Element	Status	Codes
C506	MANDATORY	
1153	Mandatory	VA = VAT number FC = VAT registration XA=organization number

1154 Required To specify the actual reference

SEGMENT EXAMPLE

RFF+ VA:56889879'

This specifies the VAT reference as 56889879

GROUP 38 OPTIONAL

A group of segments giving contact details of the specific person or department within the party identified in the NAD segment.

CTA PARTY CONTACT DETAILS- MANDATORY

Function: To identify a person or a department to whom communication should be directed.

3139	CONTACT FUNCTION, CODED	R	an..3
C056	DEPARTMENT OR EMPLOYEE DETAILS	R	
3413	Department or employee identification	C	an..17
3412	Department or employee	R	an..35

USAGE NOTES

Element	Status	Codes
3139	REQUIRED	IC = Information contact PD = Purchasing contact
C056	REQUIRED	
3413	Not Used	
3412	Required	To specify the full name of the contact

SEGMENT EXAMPLE

CTA+ IC+:JOHN DOE'

This specifies that Ms J Brown is the information contact.

GROUP 38 OPTIONAL
COM COMMUNICATION CONTACT- OPTIONAL

Function: This reference is Optional and there may be up to 4 occurrences to specify the telephone and/or fax numbers, and if applicable the Electronic mail number, for the contact of each party.

C076	COMMUNICATION CONTACT	M	
3148	Communication number	M	an..25
3155	Communication channel qualifier	M	an..3

USAGE NOTES

Element	Status	Codes
C076	MANDATORY	
3148	Mandatory	To specify the senders telephone, telefax, telex no etc.
3155	Mandatory	TE = Telephone FX = Fax EM = Email

SEGMENT EXAMPLE

COM+01812341122:TE'

This specifies the telephone number for the CTA contact

ALLOWANCE
GROUP 39 OPTIONAL
ALC ALLOWANCE OR CHARGE

5463	ALLOWANCE OR CHARGE	M	an...3
C552	ALLOWANCE/CHARGE INFORMATION	C	
1230	Allowance or charge number	nu	an..35
5189	Charge/allowance description, coded	nu	an..3
4471	Settlement, coded	M	an..3
1227	Calculation sequence indicator, coded	nu	an..3
7161	Special services, coded	C	an..3
1131	code list qualifier	nu	an..3
3055	Code list qualifier agency, coded	C	an..3
7160	Special service	C	an..35

USAGE NOTES

Element	Status	Codes
5463	Mandatory	C = charge A = allowance
C552	Optional	
1230	Not used	
5189	Not used	
4471	Mandatory	
1227	Not used	
7161	Optional	
1131	Not used	
3055	Optional	
7160	Optional	

SEGMENT EXAMPLE

ALC+C++++015::87:OCEANFRAKT FCL 40'

GROUP 41 OPTIONAL

PCD PERCENTAGE DETAILS - OPTIONAL

Function: To specify percentage information.

C501	PERCENTAGE DETAILS	M	
5245	Percentage qualifier	M	an..3
5482	Percentage	R	n..8
5249	Percentage basis, coded	O	an..3
1131	Code list qualifier	nu	an..3
3055	Code list qualifier agency, coded	nu	an..3

USAGE NOTES

Element	Status	Codes
C501	MANDATORY	
5245	Mandatory	1 = Allowance 2 = Charge
5482	Required	
5249	Optional	

SEGMENT EXAMPLE

PCD+1:10'

This specifies that a 10% percentage allowance applies to row.

GROUP 42 OPTIONAL
MOA MONETARY AMOUNT - OPTIONAL

Function: To specify a monetary amount.

C516	MONETARY AMOUNT	M	
5025	Monetary amount type qualifier	M	an..3
5004	Monetary amount	R	n..18
6345	Currency, coded	C	an..3

USAGE NOTES

Element	Status	Codes
C516	MANDATORY	
5025	Mandatory	52 = Allowance/charge amount
5004	Dependent	Amount
6345	Optional	

SEGMENT EXAMPLE

MOA+52:3864.00:USD

This specifies that the allowance amount is 3856 USD.

Summary Section

UNS SECTION SEPARATOR - MANDATORY

Function: To separate sections correctly.

0081	SECTION IDENTIFIER	M	a1
------	--------------------	---	----

USAGE NOTE

Element	Status	Codes
0081	MANDATORY	S = Summary section

SEGMENT EXAMPLE

UNS+S'

OPTIONAL
MOA Monetary amount AMOUNT - REQUIRED

Function: To specify a monetary amount.

C516	MONETARY AMOUNT	M	
5025	Monetary amount type qualifier	M	an..3
5004	Monetary amount	R	n..18
6345	Currency, coded	C	an..3
6343	Currency qualifier	C	an..3

USAGE NOTES

Element	Status	Codes
C516	MANDATORY	
5025	Mandatory	79 = Total Line Item amount
5004	Dependent	To specify the actual amount
6345	Optional	ISO 4217
6343	Optional	9 = Order currency

SEGMENT EXAMPLE

MOA+79:5111.00:USD'

This specifies that the order amount is 5111.00 USD.

Trailer Group

UNT MESSAGE TRAILER - MANDATORY

Function: To end and check the completeness of a message.

0074	NUMBER OF SEGMENTS IN A MESSAGE	M	n..6
0062	MESSAGE REFERENCE	M	an..14

USAGE NOTES

Element	Status	Codes
0074 message	MANDATORY	To specify the total number of segments making up the inclusive of the UNH and UNT segments
0062 This must at the	MANDATORY	To specify a unique sequential message reference number. match the corresponding 0062 element in the UNH segment beginning of the message.

SEGMENT EXAMPLE

UNT+34+123