

Pagero EDIFACT D96A DESADV

Mapping Implementation Guide

The following specification shall be used as the basis for creating EDIFACT-message DESADV

Version 20210713





CHANGELOG			
Date	Date What changed?		
2021-07-13	2021-07-13 Added IMD, added some qualifiers marked *		



INTRODUCTION		2
STANDARD		2
HOW TO USE TH	IESE GUIDELINES	2
SEGMENT IMPLI	EMENTATION DETAILS	3
HEADER GROUP		3
UNB INTE	ERCHANGE HEADER- MANDATORY	3
GROUP 0	MANDATORY	5
UNH	MESSAGE HEADER- MANDATORY	5
BGM	BEGINNING OF MESSAGE- MANDATORY	6
DTM	GLOBAL DATE/TIMES- MANDATORY	7
GROUP 1	OPTIONAL	8
RFF	REFERENCE – MANDATORY	8
PARTY GROUP		9
GROUP 2	REQUIRED	9
NAD	NAME AND ADDRESS (Party Details)- MANDATORY	9
GROUP 6	OPTIONAL	11
TDT	DETAILS OF TRANSPORT- OPTIONAL	11
GROUP 10	MANDATORY	12
CPS	CONSIGNMENT PACKING SEQUENCE- MANDATORY	12
GROUP 11	OPTIONAL	
PAC	PACKAGE- MANDATORY	13
GROUP 11	OPTIONAL	14
MEA	MEASUREMENTS - OPTIONAL	14
DETAILS SECTION	V	15
LINE ITEM DETAI	ILS:	15
GROUP 15	MANDATORY	
LIN	LINE ITEM- MANDATORY	15
PIA	ADDITIONAL PRODUCT ID- OPTIONAL	16
IMD	ITEM DESCRIPTION – CONDITIONAL	17
QTY	QUANTITY - CONDITIONAL	_
DTM	DATE/TIME/PERIOD - OPTIONAL	19
GROUP 16	OPTIONAL	20
RFF	REFERENCE - MANDATORY	20
GROUP 23	OPTIONAL	21
QVR	ORDERED QUANTITY - MANDATORY	21
CONTROL TOTAL		22
CNT	CONTROL TOTAL - OPTIONAL	22
TRAILER GROUP		23
UNT	MESSAGE TRAILER - MANDATORY	23
UNZ	MESSAGE TRAILER - MANDATORY	24
FXAMPI F FILF		25



Introduction

The following specification shall be used as the basis for creating EDIFACT-message DESADV

Standard

Pagero use D.96A for sending/receiving EDIFACT DESADV.
Pagero use UNOC syntax and defines separators in the UNA-segment as follows: UNA:+.? '

How to Use these Guidelines

The codes shown under the codes heading are those recommended for use within the particular segment and others will not usually be required unless stated otherwise.

The following terms are used to indicate the particular usage of a segment or element. Where a group is optional then any mandatory segments in it are only mandatory if the group is used. Where a segment is optional then any mandatory elements within it are only mandatory when the segment is used:

MANDATORY (M)

Must be used - As defined by UN EDIFACT

REQUIRED (R)

Should always be used in transmissions

DEPENDENT (D)

Usage is determined by specified conditions

OPTIONAL (O)

May be used by trading partners by agreement

NOT USED (NU) Not normally required

Where a group or segment is not referred to, this means it is not required to be sent in a transmission of the message. Where a segment is MANDATORY, REQUIRED, DEPENDENT or OPTIONAL and element details are given with appropriate codes, then these are the only elements required in that segment. The complete UN message layout definition, from which this subset has been derived, is provided at http://live.unece.org/trade/untdid/down_index.htm.



Segment Implementation Details

Header Group

UNB INTERCHANGE HEADER- MANDATORY

Function: To identify an interchange.

S001	SYNTAX IDENTIFIER	М	
0001	Syntax identifier	M a4	UNOC UN/ECE level C
0002	Syntax version number	M n1	3 Version 3
S002	INTERCHANGE SENDER	М	
0004	Sender identification	M an35	Global Location Number (GLN)
0007	Partner identification code qualifier	C an4 R	14 EAN International EAN is now GS1
S003	INTERCHANGE RECIPIENT	M	
0010	Recipient identification	M an35	Global Location Number (GLN)
0007	Partner identification code qualifier	C an4 R	14 EAN International EAN is now GS1
S004	DATE/TIME OF PREPARATION	М	
0017	Date of preparation	M n6	
0019	Time of preparation	M n4	
0020	Interchange control reference	M an14	
S005	RECIPIENT'S REFERENCE PASSWORD	С	
0022	Recipient's reference/password	M an14	
0026	Application reference	M an14	
0029	Processing priority code	C a1	
0031	Acknowledgement request	C n1	
0032	Communications agreement ID	C an35	
0035	Test indicator	C n1	

USAGE NOTES

Element	Status	Codes
S001	Mandatory	
0001	Mandatory	UNOC
0002	Mandatory	3
S002	Mandatory	
0004	Mandatory	
0007	Requested	14
S003	Mandatory	
0010	Mandatory	
0007	Requested	14
S004	Mandatory	
0017	Mandatory	
0019	Mandatory	
0020	Not used	
S005	Not used	
0022	Not used	
0026	Not used	



MIG for Pagero EDIFACT D.96A DESADV

0029	Not used	
0031	Not used	
0032	Not used	
0035	Depended	1 = Test

SEGMENT EXAMPLE

UNB+UNOC:3+7300012550009:14+7350000001204:14+061010:1350+12345++++++1'



Header Section

GROUP 0 MANDATORY

UNH MESSAGE HEADER- MANDATORY

Function: To start, identify and specify a message.

0062	Message reference number	M an14	
S009	MESSAGE IDENTIFIER	М	
0065	Message type identifier	M an6	DESADV Despatch advice message
0052	Message type version number	M an3	D Draft version/UN/EDIFACT Directory
0054	Message type release number	M an3	96A Release 1996 - A
0051	Controlling agency	M an2	UN UN/CEFACT
0057	Association assigned code	C an6 R	PAGERO

USAGE NOTES

Element	Status	Codes
0062	Mandatory	
S009	Mandatory	
0065	Mandatory	DESADV
0052	Mandatory	D
0054	Mandatory	96A
0051	Mandatory	UN
0057	Requested	PAGERO

SEGMENT EXAMPLE

UNH+54321+DESADV:D:96A:UN:PAGERO'



BGM BEGINNING OF MESSAGE- MANDATORY

Function: Despatch advice document number

C002	Document/message name	C R	
1001	Document/message name, coded	C an3 R	351 Despatch advice
1004	Document/message number	C an17 R	Document number
1225	Message function, coded	C an3 R	9 Original

USAGE NOTES

Element	Status	Codes
C002	Mandatory	
1001	Mandatory	351
1004	Mandatory	
1225	Mandatory	9

SEGMENT EXAMPLE

BGM+351+D456327+9'



DTM GLOBAL DATE/TIMES- MANDATORY

Function: This segment should appear at least once to identify the date of issue of the despatch advice. Other dates may be specified in further repeats optionally as required.

C507	Date/time/period	М	
			A code giving specific meaning to a
2005	Date/time/period qualifier	M an3	date, time or period
2380	Date/time/period	C an35 R	Date
2379	Date/time/period format qualifier	C an3 R	102 CCYYMMDD

USAGE NOTES

Element C507	Status Mandatory	Codes
2005	Mandatory	137 = Document/message Date/Time 232 = Arrival date/time, scheduled 17 = Delivery date/time estimated* 11 = Despatch date and/or time
2380	Required	
2379	Required	To specify the format of the date/time 102 = CCYYMMDD

SEGMENT EXAMPLE

DTM+137:20070813:102'



GROUP 1 OPTIONAL

A segment for referencing documents relating to the whole despatch advice message, e.g. purchase orders, delivery instructions, import/export license.

RFF REFERENCE – MANDATORY

Function: To specify purchase order number.

C506	Reference	М	
1153	Reference qualifier	M an3	
1154	Reference number	C an35 R	

USAGE NOTES

Element	Status	Codes
C506	Mandatory	
1153	Mandatory	ON = Buyer order number
		CT = Contract number*
		AEP = Project number*
		VN = Seller order number*
		DQ = Note number*
1154	Required	

SEGMENT EXAMPLE

RFF+ON:Order-12'



Party Group

GROUP 2 REQUIRED

This segment must appear at least twice to define the Seller and the Buyer but can also be used to define up to seven other parties.

NAD NAME AND ADDRESS (Party Details)- MANDATORY

Function: The vendor / supplier and buyer parties are required parties, and both require the party code (C082 composite) for the despatch advice message. Other parties may be specified if known.

3035	Party qualifier	M an3	SU Supplier
C082	Party identification details	C R	
3039	Party id. identification	M an35 R	
1131	Code list qualifier	C an3 N	
3055	Code list responsible agency, coded	C an3 R	9 EAN (International Article Numbering association) EAN is now GS1
C058	Name and address	NU	
3124	Name and address line	NU	
C080	Party name	С	
3036	Party name 1	M an35	
3036	Party name 2	C an35	
C059	Street	С	
3042	Street 1	M an35	
3042	Street 2	C an35	
3164	City name	C an35	
3229	Country sub-entity identification	C an9 N	
3251	Postcode identification	C an9	
3207	Country, coded	C an3	

USAGE NOTES

Element	Status	Codes
3035	Mandatory	SU = Supplier
		ST = Ship to
		SF = Ship from
		BY = Buyer
		DP = Delivery party
		CN = Consignee
0000		
C082	Required	
3039	Required	GLN Global Location Number (GLN)
1131	Not used	
3055	Required	To specify the controlling agency of the code specified
C058	Not used	
3124	Not used	
C080	Optional	





3036	Mandatory
3036	Optional
C059	Optional
3042	Mandatory
3042	Optional
3164	Optional
3229	Optional
3251	Optional
3207	Optional

SEGMENT EXAMPLE

NAD+BY+7350000001204::9++Buyer party+Street:Port code 3465+City++11111+SE'



GROUP 6

OPTIONAL

A segment specifying the carriage, and the mode and means of transport of the goods being despatched.

TDT DETAILS OF TRANSPORT- OPTIONAL

Function: To specify delivery method.

8051	Transport stage qualifier	M an3	
		C an17	
8028	Conveyance reference number	N	
C220	Mode of transport	C R	
8067	Mode of transport, coded	C an3	
8066	Mode of transport	C an17	

USAGE NOTES

Element	Status	Codes
8051	Mandatory	20 = Main-carriage transport
8028	Not used	
C220	Required	
8067	Optional	
8066	Optional	

SEGMENT EXAMPLE

TDT+20++30:DSV'



A segment identifying the sequence in which packing of the consignment occurs, e.g. boxes loaded onto a pallet.

CPS CONSIGNMENT PACKING SEQUENCE- MANDATORY

Function: A unique number assigned by the sender to identify a level within a hierarchical structure. One CPS should be created for each article line. If two article lines are in same package two CPS should be created with same information on PAC segment.

7164 Hierar	chical id. number	M an12	
-------------	-------------------	--------	--

USAGE NOTES

Element Status Codes

7164 Mandatory

SEGMENT EXAMPLE

CPS+1'



GROUP 11 OPTIONAL

A group of segments identifying packaging, physical dimensions, marks and numbers, quantities, date and time information, handling information and information about packing at this level

PAC PACKAGE- MANDATORY

Function: A segment specifying the number and type of the packages/physical units and the physical type of packaging for the despatched goods.

7224	Number of packages	C n8 R	
C531	Packaging details	C R	
7075	Packaging level, coded	C an3 N	
7233	Packaging related information, coded	C an3 R	35 Type of package
C202	Package type	C R	
7065	Type of packages identification	C an17	
1131	Code list qualifier	C an3	
3055	Code list responsible agency, coded	C an3	
7064	Type of packages	C an35	Description of the form in which goods are presented

USAGE NOTES

Element	Status	Codes
7224	Mandatory	
C531	Optional	
7075	Not used	
7233	Required	35
C202	Optional	
7065	Not used	
1131	Not used	
3055	Not used	
7064	Required	

SEGMENT EXAMPLE

PAC+2+:35+:::Boxes'



GROUP 11 OPTIONAL

A group of segments identifying packaging, physical dimensions, marks and numbers, quantities, date and time information, handling information and information about packing at this level

MEA MEASUREMENTS - OPTIONAL

Function: A segment specifying physical measurements of the packages/physical units described in the PAC segment

6311	Measurement application qualifier	M an3	PD Physical dimensions (product ordered)
C502	Measurement details	C R	
6313	Measurement dimension, coded	C an3 R	AAD Total gross weight
6321	Measurement significance, coded	C an3 R	4 Equal to
C174	Value/range	C R	
			GRM gram
6411	Measure unit qualifier	M an3	KGM kilogram
6314	Measurement value	C n18 R	

USAGE NOTES

Element	Status	Codes
6311	Mandatory	PD
C502	Required	
6313	Required	AAD
6321	Required	4 = Equal to
C174	Required	
6411	Mandatory	GRM = gram
		KGM = kilogram
6314	Required	

SEGMENT EXAMPLE

MEA+PD+AAD:4+GRM:5500'



Details Section

Line Item Details:

GROUP 15 MANDATORY

A group of segments providing details of the individual despatched items.

LINE ITEM- MANDATORY

Function: A segment identifying the product being despatched. All other segments in the detail section following the LIN segment refer to that line item.

1082	Line item number	C n6 R	
1229	Action request/notification, coded	C an3 N	
C212	Item number identification	С	
_			
7140	Item number	C an35 R	
7143	Item number type, coded	C an3 R	EU
1131	Code list qualifier	C an3 N	
2055		6 - 2 0	9 EAN (International Article Numbering association)
3055	Code list responsible agency, coded	C an3 R	EAN is now GS1

USAGE NOTES

Element	Status	Codes
1082	Mandatory	
1229	Not used	
C212	Optional	
7140	Required	
7143	Required	EU
1131	Not used	
3055	Required	9

SEGMENT EXAMPLE

LIN+9++7310070034901:EU::9'



A group of segments providing details of the individual despatched items.

PIA ADDITIONAL PRODUCT ID- OPTIONAL

Function: A segment providing additional product identification.

Supplier's article number and Manufacturer's (producer's) article number = Product identification

Batch number and Serial number = Additional identification

4347	Product id. function qualifier	M an3	
C212	Item number identification	М	
7140	Item number	C an35 R	
7143	Item number type, coded	C an3 R	

USAGE NOTES

Element	Status	Codes
4347	Mandatory	5 = Product identification
		1 = Additional identification
C212	Required	
7140	Required	
7143	Required	SA = Supplier's article number
		MF = Manufacturer's (producer's) article number
		NB = Batch number
		SN = Serial number
		BP = Buyers article number*

SEGMENT EXAMPLE

PIA+5+1234567:SA'



A group of segments providing details of the individual despatched items.

IMD ITEM DESCRIPTION – CONDITIONAL

To describe an item in either an industry or free format.

7077	Item description type, coded	M an3	F - Free form
7081	Item characteristic, coded	an3	
C273	ITEM DESCRIPTION		
7009	Item description identification	an17	
1131	Code list qualifier	an3	
3055	Code list responsible agency, coded	an3	
7008	Item description 1	M an35	Description 1
7008	Item description 2	an35	Description 2
3453	Language, coded	an3	
7383	Surface/layer indicator, coded	an3	

USAGE NOTES

Element	Status	Codes
7077	Required	F – free form
7081	Not used	
C273	Not used	
7009	Not used	
1131	Not used	
3055	Not used	
7008	Required	Description 1
7008	Optional	Description 2
3453	Not used	
7383	Not used	

SEGMENT EXAMPLE

IMD+F++:::Description 1:Description 2'



A group of segments providing details of the individual despatched items.

QTY QUANTITY - CONDITIONAL

A segment to give quantity information concerning the product.

C186	Quantity details	М	
6063	Quantity qualifier	M an3	12 Despatch quantity
6060	Quantity	M n15	
6411	Measure unit qualifier	C an3	

USAGE NOTES

Element	Status	Codes
C186	Mandatory	
6063	Mandatory	12 = Despatch quantity
6060	Mandatory	
6411	Required	

SEGMENT EXAMPLE

QTY+12:60:PCE'



A group of segments providing details of the individual despatched items.

DTM DATE/TIME/PERIOD - OPTIONAL

Function: A segment providing date, time information related to the line item, e.g. production date.

C507	Date/time/period	М	
2005	Date/time/period qualifier	M an3	
2380	Date/time/period	C an35 R	
2379	Date/time/period format qualifier	C an3 R	102 CCYYMMDD

USAGE NOTES

Element C507	Status Mandatory	Codes
2005	Required	361 = Best before date 36 = Expiry date 232 = Arrival date/time, scheduled* 17 = Delivery date/time estimated* 11 = Despatch date and/or time*
2380 2379	Required Required	102

SEGMENT EXAMPLE

DTM+361:20070813:102'



GROUP 16 OPTIONAL

A group of segments to give reference numbers and dates

RFF REFERENCE - MANDATORY

Function: A segment providing purchase order information related to the line item.

C506	Reference	М	
1153	Reference qualifier	M an3	
1154	Reference number	C an35 R	Order number
1156	Line number	C an6 R	Reference to order line

USAGE NOTES

Element	Status	Codes
C506	Mandatory	
1153	Mandatory	ON = Buyer order number
		CT = Contract number*
		AEP = Project number*
		VN = Seller order number*
		DQ = Note number*
1154	Required	

SEGMENT EXAMPLE

RFF+ON:Order-12'



GROUP 23 OPTIONAL

A group of segments identifying quantity variances, the reason for the variance, and, when relevant, date and time information

QVR ORDERED QUANTITY - MANDATORY

Function: A segment identifying a quantity variance and the reason for the variance

C279	Quantity difference information	C R	
6064	Quantity difference	M n15	
6063	Quantity qualifier	C an3 R	21
4221	Discrepancy, coded	C an3 R	BP Shipment partial - back order to follow

USAGE NOTES

Element Status Codes	
C279 Mandatory	
6064 Required	
6063 Required 21	
4221 Required BP = Shipment pa	artial - back order to follow

SEGMENT EXAMPLE

QVR+9:21+BP'



Control total

CNT CONTROL TOTAL - OPTIONAL

Function: A segment by which control totals may be provided by sender for checking by the receiver.

C270	Control	М	
6069	Control qualifier	M an3 R	
6066	Control value	M n18 R	

USAGE NOTES

Element	Status	Codes
C270	Mandatory	
6069	Mandatory	1 = Total value of the quantity segments at
		line level in a message
		2 = Number of line items in message
6066	Mandatory	

SEGMENT EXAMPLE

CNT+1:9'



Trailer Group

UNT MESSAGE TRAILER - MANDATORY

Function: A service segment ending a message, giving the total number of segments in the message and the control reference number of the message.

0074	Number of segments in a message	M n6	
0062	Message reference number	M an14	

USAGE NOTES

Element	Status	Codes
0074	Mandatory	To specify the total number of segments making up the message inclusive of the UNH and UNT segments
0062	Mandatory	To specify a unique sequential message reference number. match the corresponding 0062 element in the UNH
segment		at the beginning of the message.

SEGMENT EXAMPLE

UNT+37+54321'



Trailer Group

UNZ MESSAGE TRAILER - MANDATORY

Function: To end and check the completeness of a message.

0036	Interchange control count	M n6	
0020	Interchange control reference	M an14	

USAGE NOTES

Element Status Codes

0036 Mandatory 0020 Mandatory

SEGMENT EXAMPLE

UNZ+1+12345'



Example file

UNA:+.?'

UNB+UNOC:3+7300012550009:14+7350000001204:14+061010:1350+12345++++++1'

UNH+54321+DESADV:D:96A:UN:PAGERO'

BGM+351+D456327+9'

DTM+137:20070813:102'

RFF+ON:Order-12'

NAD+BY+7350000001204::9++Buyer party:Blomman+Box 123:+City++11111+SE'

NAD+SU+7350000000000::9++Supplier party:+Street:+City++12345+SE'

NAD+DP+7350000001204::9++Delivery party+Street:Port code 3465+City++11111+SE'

TDT+20++30:DSV'

CPS+1'

PAC+2+:35+:::Boxes'

MEA+PD+AAD:4+GRM:5500'

LIN+1++7310070034901:EU::9'

PIA+5+1234567:SA'

PIA+5+7654321:BP'

IMD+F++:::Crayons:12 pack'

QTY+12:6:PCE'

DTM+361:20220202:102'

DTM+361:20210401:102'

RFF+ON:Order-12'

RFF+DQ:SE1234'

QVR+9:21+BP'

CNT+1:9'

UNT+26+54321'

UNZ+1+12345'