



# Galaxy System Api Document

Version: 3.0.4

Date: 2025/04/13

Changes: Added maya business withdrawl parameters

Modify cashier address gcash\_qr\_url



## Overview

Merchant ID: The unique identification account registered by the merchant on the Galaxy platform.

Amount: All amounts in the text are in dollar, including two decimal places unless otherwise specified.

### interface list:

|   | Interface name                        | Interface description                                                                                                              |
|---|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Payment interface                     | Transaction interface between the merchant and the Galaxy system                                                                   |
| 2 | Single transaction query interface    | Single transaction query interface between the merchant and the Galaxy system                                                      |
| 3 | Payment result notification interface | The payment result notification interface between the merchant and the Galaxy system (server asynchronous notification interface). |



## MD5 Signature Algorithm for API Requests

To ensure the security of API requests, the signature algorithm must be followed. Please note that the data should be sorted in ASCII ascending order according to the key-value pairs in the format of `k1=v1&k2=v2`. After sorting, please concatenate the string with `key=your_secret_key` at the end. Finally, the concatenated string needs to be encrypted using the MD5 algorithm, and the resulting hash should be sent to the website in the `sign` parameter.

**Example:**

Suppose we have the following key-value pairs:

`k1=123`

`k3=456`

`k2=abc`

**After sorting in ASCII ascending order, we get the following string:**

`k1=123&k2=abc&k3=456`

Then we concatenate the string with the secret key, let's say it is "`my_secret_key`":

`k1=123&k2=abc&k3=456&key=my_secret_key`

Next, we apply the MD5 algorithm to the concatenated string and obtain the resulting hash, which will be sent in the `sign` parameter:

`sign=MD5(k1=123&k2=abc&k3=456&key=my_secret_key)`



# Payment Deposit interface

The payment transaction interface between the merchant and the Galaxy. The merchant is required to submit transaction order data to the Galaxy API payment website in accordance with the interface specifications, using **HTTPS POST** to submit the data.

## Interface Parameter Definition

1. Transaction request address: **https://[domain name]/api/transfer**
2. The encoding in the request parameters is limited to **UTF-8**
3. The payment request parameters are defined as follows:

| parameter    | type   | Required | illustrate                                                                                                  |
|--------------|--------|----------|-------------------------------------------------------------------------------------------------------------|
| merchant     | String | Required | The unique merchant number assigned by the payment platform when the merchant signs a contract.             |
| payment_type | String | Required | Accepted values and descriptions:<br><b>1=Qrcode, 2=WEB_H5, 3=Fast Direct, 7=Original channel</b>           |
| amount       | Number | Required | The requested amount to pay                                                                                 |
| order_id     | String | Required | Order number in merchant system                                                                             |
| bank_code    | String | Required | Gcash => gcash ; Paymaya=>PMP ; Gotyme=>GOT<br>MayaPHQR=>mya;                                               |
| callback_url | String | Required | The address that members will be notified of when payment is successful.                                    |
| return_url   | String | Required | Jump address after successful direct connection channel.                                                    |
| sign         | String | Required | MD5 signature result, please refer to the signature algorithm of the payment result notification interface. |

## Return parameter

The return value is in JSON format.

| parameter           | parameter name    | type   | illustrate                                                                                |
|---------------------|-------------------|--------|-------------------------------------------------------------------------------------------|
| <b>status</b>       | processing code   | String | 1 indicates successful verification, and other error codes are 0.                         |
| <b>message</b>      | return message    | String | Return "success" upon successful payment request, or returnerror information upon errors. |
| <b>order_id</b>     | order number      | Number | your order number                                                                         |
| <b>amount</b>       | Payment amount    | Number | payment amount                                                                            |
| <b>redirect_url</b> | Payment address   | String | Payment page                                                                              |
| <b>qrcode_url</b>   | Payment address 2 | String | 【 Same as above 】 Payment page                                                            |
| <b>gcash_qr_url</b> | Payment address 2 | String | Maya business packaged as gcash cashier                                                   |



# QR payment interface-Return to the QR image

(The deposit page needs to be decorated by yourself )

The payment transaction interface between the merchant and the Galaxy. The merchant is required to submit transaction order data to the Galaxy API payment website in accordance with the interface specifications, using **HTTPS POST** to submit the data.

## Interface Parameter Definition

- 1. Transaction request address: **https://[domain name]/api/transfer**
- 2. The encoding in the request parameters is limited to **UTF-8**
- 3. The payment request parameters are defined as follows:

| parameter                  | type   | Required | illustrate                                                                                                  |
|----------------------------|--------|----------|-------------------------------------------------------------------------------------------------------------|
| merchant                   | String | Required | The merchant number assigned by the payment platform when the merchant signs a contract.                    |
| payment_type               | String | Required | Accepted values and descriptions: <b>1= QR code</b>                                                         |
| amount                     | Number | Required | The requested amount to pay                                                                                 |
| order_id                   | String | Required | Order number                                                                                                |
| bank_code                  | String | Required | Fixed value gcash                                                                                           |
| customer_bank_card_account | String | Required | Gcash account used by members for payment                                                                   |
| callback_url               | String | Required | The address that members will be notified of when payment is successful.                                    |
| return_url                 | String | Required | Jump address after successful direct connection channel.                                                    |
| sign                       | String | Required | MD5 signature result, please refer to the signature algorithm of the payment result notification interface. |

## Return parameter

The return value is in JSON format.

| parameter                  | parameter name         | type   | illustrate                                                                                                                 |
|----------------------------|------------------------|--------|----------------------------------------------------------------------------------------------------------------------------|
| status                     | processing code        | String | 1 indicates successful verification, and other error codes are 0.                                                          |
| message                    | Return information     | String | If the payment request is successful, success will be returned, and if it is an error, error information will be returned. |
| order_id                   | order number           | Number | The order number sent by the merchant.                                                                                     |
| amount                     | Payment amount         | Number | Payment amount, with two decimal places.                                                                                   |
| merchant_bank_card_account | Deposit account number | String | Deposit account number                                                                                                     |
| redirect_url               | Payment address        | String | Payment page                                                                                                               |
| qrcode_url                 | Payment address 2      | String | 【 Same as above 】 Payment page                                                                                             |
| gcashqr                    | Pay for pictures       | String | The data format is base64                                                                                                  |



# Single transaction query interface (Deposit and withdrawl are the same)

Single transaction query interface between the merchant and the Galaxy system

1. Transaction request address: [https://\[domain name\]/api/query](https://[domain name]/api/query)
2. The query request parameters are defined as follows:

| parameter | type   | use      | illustrate                                                                                                 |
|-----------|--------|----------|------------------------------------------------------------------------------------------------------------|
| merchant  | String | Required | The merchant number assigned by the payment platform when the merchant signs a contract.                   |
| order_id  | String | Required | The order number provided by the merchant.                                                                 |
| sign      | String | Required | MD5 signature result, please refer to the signature algorithm of the payment result notification interface |

Return parameter

The return value is in JSON format.

| parameter       | type   | illustrate                                                                                  |
|-----------------|--------|---------------------------------------------------------------------------------------------|
| <b>order_id</b> | Number | Order number                                                                                |
| <b>amount</b>   | Number | Payment amount, with two decimal places.                                                    |
| <b>status</b>   | Number | Transaction status:<br>0-error<br>1-waiting<br>2,6,10-in progress<br>3-failed<br>5-success. |
| <b>message</b>  | String | Message from payment.                                                                       |



# Balance query interface

Transaction request URL: [https://\[domain\]/api/me](https://[domain]/api/me)

| parameter | type   | use      | illustrate                                                                                                  |
|-----------|--------|----------|-------------------------------------------------------------------------------------------------------------|
| merchant  | String | Required | The merchant number assigned by the payment platform when the merchant signs a contract.                    |
| sign      | String | Required | MD5 signature result, please refer to the signature algorithm of the payment result notification interface. |

## Return parameter

| parameter             | type    | illustrate                                                               |
|-----------------------|---------|--------------------------------------------------------------------------|
| merchant              | String  | Merchant id                                                              |
| merchant_display_name | String  | The merchant order number sent by the payment request, or empty if none. |
| balance               | Float   | Merchant balance                                                         |
| pending_balance       | Float   | Amount of pending order                                                  |
| Sign                  | MD5(32) | MD5 signature result.                                                    |



# Receipt query interface

Transaction request address: [https://\[domain name\]/api/receipt](https://[domain name]/api/receipt)

| parameter | type   | use      | illustrate                                                                                                  |
|-----------|--------|----------|-------------------------------------------------------------------------------------------------------------|
| merchant  | String | Required | The merchant number assigned by the payment platform when the merchant signs a contract.                    |
| order_id  | String | Required | Order number provided by the merchant °                                                                     |
| sign      | String | Required | MD5 signature result, please refer to the signature algorithm of the payment result notification interface. |

## Return parameter

| parameter | type   | illustrate                                                                          |
|-----------|--------|-------------------------------------------------------------------------------------|
| status    | String | 1 for success, 0 for failure                                                        |
| message   | String | When the request is successful, it is success, if it fails, it is an error message. |
| receipt   | String | receipt URL                                                                         |



## Payment Result Notification Interface - Callback Interface (Shared by Withdraw and Deposit)

According to the `callback_url` parameter submitted in the payment interface, after the payment is completed, the payment platform will send relevant payment and user information to that URL. The notification frequency is once per minute, up to 10 times, but it cannot be guaranteed that the notification will eventually be successful. If there is any abnormality in the payment result, the notification will be re-initiated. The data will be transmitted via HTTPS POST in the MultiPart/FormData format.

- Please return **SUCCESS** after successfully receiving the notification, otherwise it will be notified 5 times.

| parameter | illustrate                                                                                                                                               |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| merchant  | The merchant number assigned by the payment platform when the merchant signs a contract.                                                                 |
| order_id  | Order number                                                                                                                                             |
| amount    | Pay the requested amount.                                                                                                                                |
| status    | Payout results: <b>5=success ; 3 =failure.</b>                                                                                                           |
| message   | Payment result: 成功 、拒绝.                                                                                                                                  |
| remark    | [ * Default off ] · It is enabled by the merchant notification platform. After it is enabled, the reason for failure or the receipt number will be sent. |
| sign      | MD5 signature result.                                                                                                                                    |

## For example

```
{"order_id":"dsfsdfsdf1608044474","amount":100.00,"merchant":"merchant","message":"\u6210\u529f","status":5,"sign":"97e06225375f75d0ba88c12207035a34"}
```



# Withdrawl interface

The payment transaction interface between the merchant and the Galaxy. The merchant is required to submit transaction order data to the Galaxy API payment website in accordance with the interface specifications, using **HTTPS POST** to submit the data.

### Interface Parameter Definition

- 1. Transaction request address: **https://[domain name]/api/daifu**
- 2. The encoding in the request parameters is limited to **UTF-8**
- 3. The payment request parameters are defined as follows:

| parameter         | type   | Required | illustrate                                                                                                  |
|-------------------|--------|----------|-------------------------------------------------------------------------------------------------------------|
| merchant          | String | Required | The merchant id assigned by the payment platform when the merchant signs a contract.                        |
| total_amount      | Number | Required | The amount to pay                                                                                           |
| callback_url      | String | Required | The address to notify the merchant the result.                                                              |
| order_id          | String | Required | Order number in merchant system                                                                             |
| bank              | String | Required | The bank which the member receives payment                                                                  |
| bank_card_name    | String | Required | The Gcash number or the name of member if it withdrawl to the bank                                          |
| bank_card_account | Number | Required | The Gcash number or the bank account                                                                        |
| bank_card_remark  | String | Required | IFSC,If not enter the gcash number or 'no',Maya business please fill in the phone number                    |
| sign              | String | Required | MD5 signature result, please refer to the signature algorithm of the payment result notification interface. |

## Return parameter

The return value is in JSON format.

| parameter | type   | illustrate                                                                                                                 |
|-----------|--------|----------------------------------------------------------------------------------------------------------------------------|
| status    | String | A value of 1 indicates successful verification, and other error codes are 0.                                               |
| message   | String | If the payment request is successful, success will be returned, and if it is an error, error information will be returned. |