

# SEQUENCE

## EXP-9

```
MySQL 8.0 Command Line Cli
+-----+
2 rows in set (0.00 sec)

mysql> create table student_id(id int auto_increment primary key,name char(40),address varchar(25));
Query OK, 0 rows affected (0.07 sec)

mysql> insert into student_id values(1,"pooji","kadiri"),("madeena","nallamada");
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '_,
' at line 1
mysql> insert into student_id values(1,"pooji","kadiri"),("madeena","nallamada");
ERROR 1136 (21S91): Column count doesn't match value count at row 2
mysql> insert into student_id values(1,"pooji","kadiri");
Query OK, 1 row affected (0.03 sec)

mysql> select*from student
-> -;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '-
' at line 2
mysql> select*from student_id;
+-----+
| id | name | address |
+-----+
| 1 | pooji | kadiri |
+-----+
1 row in set (0.00 sec)

mysql> desc student_id;
+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+
| id | int | NO | PRI | NULL | auto_increment |
| name | char(40) | YES | | NULL | |
| address | varchar(25) | YES | | NULL | |
+-----+
3 rows in set (0.00 sec)

mysql> insert into student_id values(0,"deepa","kadiri");
Query OK, 1 row affected (0.00 sec)

mysql> select*from student_id;
```

```
MySQL 8.0 Command Line Cli
+-----+
mysql> insert into student_id values(1,"pooji","kadiri"),("madeena","nallamada");
ERROR 1136 (21S91): Column count doesn't match value count at row 2
mysql> insert into student_id values(1,"pooji","kadiri");
Query OK, 1 row affected (0.03 sec)

mysql> select*from student
-> -;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '-
' at line 2
mysql> select*from student_id;
+-----+
| id | name | address |
+-----+
| 1 | pooji | kadiri |
+-----+
1 row in set (0.00 sec)

mysql> desc student_id;
+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+
| id | int | NO | PRI | NULL | auto_increment |
| name | char(40) | YES | | NULL | |
| address | varchar(25) | YES | | NULL | |
+-----+
3 rows in set (0.00 sec)

mysql> insert into student_id values(0,"deepa","kadiri");
Query OK, 1 row affected (0.00 sec)

mysql> select*from student_id;
+-----+
| id | name | address |
+-----+
| 1 | pooji | kadiri |
| 2 | deepa | kadiri |
+-----+
2 rows in set (0.00 sec)

mysql>
```