Spooky^2

Cancer v1.0 & v1.1 Protocol



10 November 2020

By The Spooky^2 Team

Table of contents

Choosing your preset version 3

Building your presets 4

Repeating the target phase 4

Cancer Protocol with Coil plus 5

Cancer Protocol with Contact plus 2 6

Cancer Protocol with Contact plus 4 7

Cancer Protocol with Plasma plus 7

Cancer Protocol with Scalar plus 8

The first Cancer protocol for Spooky was designed by David Bourke and was released as a document called *Spooky²: Using 2 Generators For Cancer, v1.0* and later a version for 4 generators called *Spooky²: Using 4 Generators For Cancer, v1.1*. These document gave instructions for users to run a set of programs on 2 or 4 Spooky²-XM generator using Spooky Remote and Contact. The presets in this collection implement those instructions for 2 and 4 generators, with presets for Remote, Contact, Plasma, Scalar, and Coil.

Choosing your preset version

The hardware you have determines which version of the protocol you use. Refer to the chart below to choose the version best suited to your hardware.

Protocol Version	Hardware	Generators	Folder Name
Coil Plus	Spooky Coil + Remote	2	Coil2
Contact Plus 2	Contact + Remote	2	Contact2
Contact Plus 4	Contact + Remote	4	Contact4
Plasma Plus	Spooky Central/Plasma + Remote	2	Plasma2
Scalar Plus	Spooky Scalar + Remote	2	Scalar2

Before you start

These protocols have two phases — Terrain and Target. The Terrain phase is much like the Terrain protocol in that it does general cleanup of your internal terrain. The second phases of the protocol, the Target phase, will clean up specific bacteria and viruses and cancers customized specifically for you. For the target phase you need to create 2 presets. The first preset has frequencies from a biofeedback scan. The second preset you will choose cancer programs from the Spooky² database that target your specific cancer. Use the table below to choose the biofeedback scan(s) to run. If you have Generator X, you only need to take one scan, specified in the 3rd row of this table. For Spook Pulse users, take the scans specified in the 1st and 2nd rows of the table.

Scanning For	Use Biofeedback Preset
Bacteria and Viruses	\Biofeedback\Spooky Pulse\General\ALL Full System Scan - DB \Biofeedback\GeneratorX\General Biofeedback Scan (C) - JW \Biofeedback\Sample Digitizer\General Biofeedback Scan (SD) - JW
Cancer	\Biofeedback\Spooky Pulse\Cancer\aHigh Freq Cancer Scan 11000000-13000000 (C)(R) - EV.txt
Bacteria and Viruses and Cancer	\Biofeedback\GeneratorX\GX General Biofeedback Scan (C) - JW.txt

Building your presets

Build a preset called *My Scans*, choosing one of the shell presets in the table below, depending on which

hardware you have. Add your scan program(s) into your preset and save the preset with the name *My Scans*. You may want to update these scans weekly. For the Cancer biofeedback scan, since it only takes about 11 minutes, you may opt to update more often. Similarly, because the Generator X biofeedback scan only takes 26 minutes, you may opt to update the program more often.

Also create a specific cancer preset that is customized for your specific cancer. Start with the shell preset in the table above, go to the Programs tab in Spooky[2], search for programs for your specific cancer, add these programs to your preset, and save your preset as *My Target*.

Your Hardwar e	Use Shell (Empty) Preset
Coil	\Shell (Empty) Presets\Spooky Coil (XM Direct) - JW
Contact	\Shell (Empty) Presets\Contact\Killing (C) - JW
Plasma / Central	\Shell (Empty) Presets\Plasma\Spooky Plasma Advanced (P)-JW
Scalar	\Shell (Empty) Presets\Scalar\Spooky Scalar General (SS) - JW

Repeating the target phase

After you finish the protocol the first time, you can then repeat the Target phase. For the Remote portion of the protocol, you will need to skip to the Target phase. To do this, load the Remote preset into a Generator control, type a preset number into the Preset text field (see table below), type Tab, and then click Start.

Protocol Version	Day	Preset Number
Coil Plus (Coil2)	19	22
Contact Plus 2 (Contact2)	15	19
Contact Plus 4 (Contact4)	10	15
Plasma Plus (Plasma2)	19	22
Scalar Plus (Scalar2)	19	22

Cancer Protocol with Coil plus

For the Coil plus version of the protocol, you run coil presets and hardware on Generator 1, and a single remote preset and remote hardware on Generator 2.

With the coil hardware on Generator 1, on days 19-24, the first treatment of the day is *My Scans*. On days 20, 22, 24, the second treatment is *My Target*. On days 19-25 the subsequent treatments are listed in the table above. After the 2 hour treatment is over, Spooky beeps to let you know the treatment is over. During the Target phase, when Generator 1 is not in use you can optionally swap the hardware on Generator to Spooky Remote and run */Cancer/Remote/Cancer Advanced (R) - JW* if you have the Spooky[2]-XM, or run */Cancer/Remote/GX Cancer (R) - JW* if you have Generator X.

Day	Phase	Generator 1	Generat or 2
1		Coil2/Gen1/Metals and Chemicals (Coil) - BY	Coil2/ Gen2 (R) - BY
2		Coil2/Gen1/Metals and Chemicals (Coil) - BY	
3		Coil2/Gen1/System Detox 1 (Coil) - BY	
4		Coil2/Gen1/System Detox 1 (Coil) - BY	
5		Coil2/Gen1/System Detox 2 (Coil) - BY	
6		Coil2/Gen1/System Detox 2 (Coil) - BY	
7		Coil2/Gen1/Liver (Coil) - BY	
8		Coil2/Gen1/Liver (Coil) - BY	
9	Terrain	Coil2/Gen1/Kidney 1 (Coil) - BY	
10		Coil2/Gen1/Kidney 1 (Coil) - BY	
11		Coil2/Gen1/Kidney 2 (Coil) - BY	
12		Coil2/Gen1/Blood Liver Kidney (Coil) - BY	
13		Coil2/Gen1/Blood Liver Kidney (Coil) - BY	
14		Coil2/Gen1/Parasites & Lymph (Coil) - BY	
15		Coil2/Gen1/Parasites & Lymph (Coil) - BY	
16		Coil2/Gen1/Immunomodulators (Coil) - BY	
17		Coil2/Gen1/Immunomodulators (Coil) - BY	
18		Coil2/Gen1/Immunomodulators (Coil) - BY	
19	Target	My Scans Coil2/Gen1/Cancer 1 (Coil) - BY	
20		My Scans My Target Coil2/Gen1/Immune System (Coil) - BY	
21		My Scans Coil2/Gen1/Cancer 2 (Coil) - BY	
22		My Scans My Target Coil2/Gen1/Immune System (Coil) - BY	
23		My Scans Coil2/Gen1/Cancer 1 (Coil) - BY	

Day	Phase	Generator 1	Generat or 2
24		My Scans My Target Coil2/Gen1/Immune System (Coil) - BY	

Cancer Protocol with Contact plus 2

For the Contact plus version of the protocol, you run contact presets and hardware on Generator 1, and a single remote preset and remote hardware on Generator 2.

With the contact hardware on Generator 1, on days 15-22, the first treatment of the day is *My Scans*, the second treatment is *My Target*. The subsequent treatments are listed in the table above. After the 2 hour treatment is over, Spooky beeps to let you know the treatment is over. During the Target phase, when Generator 1 is not in use you can optionally swap the hardware on Generator to Spooky Remote and run */Cancer/Remote/Cancer Advanced (R) - JW* if you have the Spooky[2]-XM, or run */Cancer/Remote/GX Cancer (R) - JW* if you have Generator X.

Day	Phase	Generator 1	Generator 2
1-14	Terrain	Contact2/Gen1 (R) - BY	Contact2/ Gen2 (R) -

Day	Phase	Generator 1	Generator 2
15	Target	My Scans My Target Contact2/Gen1/Liver (C) - BY	BY
16		My Scans My Target Contact2/Gen1/Kidney (C) - BY	
17		My Scans My Target Contact2/Gen1/Blood Liver Kidney (C) - BY	
18		My Scans My Target Contact2/Gen1/Immune System (C) - BY	
19		My Scans My Target Contact2/Gen1/Liver (C) - BY	
20		My Scans My Target Contact2/Gen1/Kidney (C) - BY	
21		My Scans My Target Contact2/Gen1/Blood Liver Kidney (C) - BY	
22		My Scans My Target Contact2/Gen1/Immune System (C) - BY	

Cancer Protocol with Contact
plus 4

For the Contact plus 4 version of the protocol, you run contact presets and hardware on Generator 1, and remote presets and remote hardware on Generators 2-4.

With the contact hardware on Generator 1, on days 10-16, run *My Scans*, which is the results of a biofeedback session, and then run *My Target*, which is a frequency set you create that targets your specific cancer. During the Target phase, when Generator 1 is not in use you can optionally swap the hardware on Generator to Spooky Remote and run */Cancer/Remote/Cancer Advanced (R) - JW* if you have the Spooky[2]-XM, or */Cancer/Remote/GX Cancer (R) - JW* if you have Generator X.

Day	Phase	Generator 1	Generator 2	Generator 3	Generator 4
1-9	Terrain	Contact4/Gen1 (R) - BY	Contact4 /Gen2 (R) - BY	Contact4/ Gen3 (R) - BY	Contact4/ Gen4 (R) - BY
10		My Scans My Target			
11		My Scans My Target			
12		My Scans My Target			
13	Target	My Scans My Target			
14		My Scans My Target			
15		My Scans My Target			
16		My Scans My Target			

Cancer Protocol with Plasma
plus

For the Plasma plus version of the protocol, you run plasma presets and hardware on Generator 1, and a single remote preset and remote hardware on Generator 2.

With the plasma hardware on Generator 1, on days 19-24, the first treatment of the day is *My Scans*. On days 20, 22, 24, the second treatment is *My Target*. On days 19-25 the subsequent treatments are listed in the table above. After the 2 hour treatment is over, Spooky beeps to let you know the treatment is over. During the Target phase, when Generator 1 is not in use you can optionally swap the hardware on Generator to Spooky Remote and run */Cancer/Remote/Cancer Advanced*

(R) - JW if you have the Spooky[2]-XM, or run */Cancer/Remote/GX Cancer (R) - JW* if you have Generator X.

Day	Phase	Generator 1	Generator 2
1	Terrain	Plasma2/Gen1/Metals and Chemicals (P) - BY	Plasma2/Gen2 (R) - BY
2		Plasma2/Gen1/Metals and Chemicals (P) - BY	
3		Plasma2/Gen1/System Detox 1 (P) - BY	
4		Plasma2/Gen1/System Detox 1 (P) - BY	
5		Plasma2/Gen1/System Detox 2 (P) - BY	
6		Plasma2/Gen1/System Detox 2 (P) - BY	
7		Plasma2/Gen1/Liver (P) - BY	
8		Plasma2/Gen1/Liver (P) - BY	
9		Plasma2/Gen1/Kidney 1 (P) - BY	
10		Plasma2/Gen1/Kidney 1 (P) - BY	
11		Plasma2/Gen1/Kidney 2 (P) - BY	
12		Plasma2/Gen1/Blood Liver Kidney (P) - BY	
13		Plasma2/Gen1/Blood Liver Kidney (P) - BY	
14		Plasma2/Gen1/Parasites & Lymph (P) - BY	
15		Plasma2/Gen1/Parasites & Lymph (P) - BY	
16		Plasma2/Gen1/Immunomodulators (P) - BY	
17		Plasma2/Gen1/Immunomodulators (P) - BY	
18	Target	Plasma2/Gen1/Immunomodulators (P) - BY	
19		My Scans Plasma2/Gen1/Cancer 1 (P) - BY	
20		My Scans My Target Plasma2/Gen1/Immune System (P) - BY	
21		My Scans Plasma2/Gen1/Cancer 2 (P) - BY	
22		My Scans My Target Plasma2/Gen1/Immune System (P) - BY	
23		My Scans Plasma2/Gen1/Cancer 1 (P) - BY	
24		My Scans My Target Plasma2/Gen1/Immune System (P) - BY	
25		/Cancer/Plasma/Spooky Central Cancer Overnight Sweep - JW.txt	

Cancer Protocol with Scalar plus

For the Scalar plus version of the protocol, you run Scalar presets and hardware on Generator 1, and a single remote preset and remote hardware on Generator 2.

With the Scalar hardware on Generator 1, on days 19-24, the first treatment of the day is *My Scans*. On days 20, 22, 24, the second treatment is *My Target*. On days 19-25 the subsequent treatments are listed in the table above. After the 2 hour treatment is over, Spooky beeps to let you know the treatment is over. During the Target phase, when Generator 1 is not in use you can optionally swap the hardware on Generator to Spooky Remote and run */Cancer/Remote/Cancer Advanced (R) - JW* if you have the Spooky[2]-XM, or run */Cancer/Remote/GX Cancer (R) - JW* if you have Generator X.

Day	Phase	Generator 1	Generator 2
1	Terrain	Scalar2/Gen1/Metals and Chemicals (S) - BY	Scalar2/Gen2 (R) - BY
2		Scalar2/Gen1/Metals and Chemicals (S) - BY	
3		Scalar2/Gen1/System Detox 1 (S) - BY	
4		Scalar2/Gen1/System Detox 1 (S) - BY	
5		Scalar2/Gen1/System Detox 2 (S) - BY	
6		Scalar2/Gen1/System Detox 2 (S) - BY	
7		Scalar2/Gen1/Liver (S) - BY	
8		Scalar2/Gen1/Liver (S) - BY	
9		Scalar2/Gen1/Kidney 1 (S) - BY	
10		Scalar2/Gen1/Kidney 1 (S) - BY	
11		Scalar2/Gen1/Kidney 2 (S) - BY	
12		Scalar2/Gen1/Blood Liver Kidney (S) - BY	
13		Scalar2/Gen1/Blood Liver Kidney (S) - BY	
14		Scalar2/Gen1/Parasites & Lymph (S) - BY	
15		Scalar2/Gen1/Parasites & Lymph (S) - BY	
16		Scalar2/Gen1/Immunomodulators (S) - BY	
17		Scalar2/Gen1/Immunomodulators (S) - BY	
18		Scalar2/Gen1/Immunomodulators (S) - BY	
19	Target	My Scans Scalar2/Gen1/Cancer 1 (S) - BY	
20		My Scans My Target Scalar2/Gen1/Immune System (S) - BY	
21		My Scans Scalar2/Gen1/Cancer 2 (S) - BY	
22		My Scans My Target Scalar2/Gen1/Immune System (S) - BY	
23		My Scans Scalar2/Gen1/Cancer 1 (S) - BY	
24		My Scans My Target Scalar2/Gen1/Immune System (S) - BY	