Pregnancy, Postpartum, Wellness

@fruitsoflife.xo's *Ultimate Guide!* 🍋‍🟩🍍🍎🍇 . ⁺

Hello there! (´ ▽ `)/ Before we delve into all of the tips & tricks, I just wanted to sincerely thank you for supporting ***@fruitsoflife.xo.*** Your support truly means the world to me! I created this guide with love to offer soft, research-based education *(based on my social media posts)* for anyone navigating **pregnancy**, **postpartum recovery**, and **women's wellness** more broadly. My hope is that you will feel more informed, supported, and cared for along the way. Hope you enjoy it! ♡

Nurturing life, softly,
FruitsofLife.xo (⌒‿⌒)

Table of Contents

I. Women's Health Foundations

1. *Caring For Your Body* - Page **5**
   - ☆ Key Vitamins & Minerals For Women - Page **6**
   - ☆ Weight Loss & Strength Training - Page **22**
   - ☆ How Stress Affects Your Hormones - Page **33**
     - ++ *Stress management tips (meditation & mindfulness).*
   - ☆ The Importance of Regular Checkups - Page **41**
   - ☆ Sexual Health Without Stigma - Page **47**
   - ☆ Building Your Support System - Page **56**
   - ☆ How to Advocate for Yourself at the Doctor's - Page **64**
2. *Cycles, Periods, Hormone Awareness* - Page **74**
   - ☆ The Uterine / Ovarian Cycle - Page **75**
     - ++ ***Hormone fluctuations*** *and how to navigate them.*
   - ☆ How to Track Your Cycle Naturally - Page **93**
   - ☆ The Science Behind Menstrual Cramps - Page **102**
     - ++ *How to* ***truly*** *find relief.*
   - ☆ Sustenance For Your Period - Page **115**
   - ☆ The Estrobolome - Page **124**
3. *Everyday Self-Care & Feeling Good in Your Body* - Page **134**
   - ☆ Self-Care Routines - Page **135**
     - ++ ***Self-care ingredient guide*** *from WOC: what to look for, what pairs well, what to avoid mixing, application how-to's, etc.*
   - ☆ Body Image & Beauty Standards - Page **175**
   - ☆ Environmental Toxins (EDCs) - Page **189**
   - ☆ Superfoods & Cold-Pressed Juices - Page **201**

II. Pregnancy Wellness

4. *Pre-Conception* - Page **216**
   - ☆ Pre-Conception Checklist - Page **217**
   - ☆ Pelvic Floor Health - Page **225**

5. *Nourishing Yourself While Pregnant* - Page **235**
- ☆ Pregnancy Nutrition - Page **236**
- ☆ How to Deal With Pregnancy Cravings - Page **246**
- ☆ Navigating Morning Sickness - Page **255**
- ☆ Herbal Remedies For Pregnancy - Page **263**

6. *Moving, Resting, and Caring For Your Pregnant Body* - Page **273**
- ☆ Pregnancy Exercises For Back Pain - Page **274**
- ☆ Sleep Tips For Pregnant People - Page **285**
- ☆ Safe Skincare For Pregnancy - Page **291**

7. *Common Pregnancy Changes* - Page **299**
- ☆ Easing Pregnancy Discomforts - Page **300**
- ☆ Easing Childbirth Fears With Info - Page **308**

III. Postpartum Healing & Recovery

8. *Life After Birth* - Page **319**
- ☆ Tending to Postpartum Emotions - Page **320**
- ☆ Postpartum Recovery - Page **328**
- ☆ Postpartum Nutrition - Page **338**
- ☆ Breastfeeding Help For First-Time Moms - Page **346**
- ☆ Healing From Pregnancy Loss - Page **356**

IV. Midlife, Menopause, Aging

9. *Hormone Changes Across Life* - Page **365**
- ☆ Cycle Changes ; Perimenopause - Page **366**
- ☆ Menopause - Page **373**
- ☆ Aging Gracefully - Page **382**

10. *Strength, Health, Longevity* - Page **394**
- ☆ Healthy Weight in Midlife Women - Page **395**

V. Bonus

- ☆ Fluid Balance ; Lymphatic System - Page **406**
- ☆ Health Benefits of Yoga & Pilates - Page **417**
- ☆ Makeup / Beauty Presentation - Page **428**

VI. For Surrogates

☆ Surrogate Handbook - Page **446**

Women's Health Foundations

Chapter 1: Caring For Your Body

Key Vitamins & Minerals For Women

Vitamins, **minerals**, and everything in between! (¯◡¯) Before we get into specific foods and nutrients, I want to start with one comforting truth: **women do not need perfect diets to properly support their bodies.** What usually matters most is building a *steady, nourishing foundation* over time! This section is here to help you understand the core **vitamins** and **minerals** women hear about *all* the time, why they matter, and what you can actually *do* with that information in daily life.

When people talk about women's health, they often jump straight to hormones, **fertility**, **pregnancy**, or aging. But underneath all of that is something simpler: **your body needs enough nutrients to function well.** Those nutrients support energy, blood health, bones, mood, skin, immunity, metabolism, reproduction, and recovery. So yes, the topic is basic, but it is also very, *very* important!

And, as always, ***this section is for education only, not medical advice.***

Main Content ☆ · ₊ °

A good place to begin is this: women's nutrient needs are not *totally* different from men's, but there are certain nutrients that become especially crucial because of **menstruation**, **fertility**, **pregnancy**, **breastfeeding**, **bone health**, thyroid health, and aging. That is why it helps to think in terms of *life stages*, not just generic nutrition advice.

☆ ***Think "Food First", Not Fear First***

- ☐ A **balanced diet** with fruits, vegetables, whole grains, lean proteins, legumes, dairy or fortified alternatives, nuts, seeds, and healthy fats can cover a ***lot.***
  - ☐ Actual meals are the prime focus! Those trendy drinks and powders can be ***supplementary***, but they should ***not*** replace actual sustenance.
- ☐ **You do not need to obsess over every nutrient every day.**
  - ☐ Follow through on ***patterns*** rather than trying to achieve the picture-perfect diet. One imperfect week of eating is ***not*** the end of the world—don't worry! (◜ ‿ ◝)♡
- ☐ *If your intake is limited, you're **pregnant**, **postpartum**, or dealing with any medical condition, it may be worth discussing labs or supplements with a provider.*

The most important lesson from this section is *"what is this nutrient and what does it help me do?"* That'll make the information much easier to remember! Additionally, attached below is a plate rich with **target food group examples** I created for visualization purposes! \(^ ◡ ^)/



☆ ***Vitamin A:*** *The Growth, Vision, And Reproduction Helper!*

- ☐ **Vitamin A** supports vision, immune function, cellular growth, and reproduction. It is also a high-priority nutrient in **pregnancy**, especially because it plays a role in fetal development.
  - ☐ Food sources of *preformed* **vitamin A** include **eggs**, **cheese**, **milk**, **liver**, and **oily fish like mackerel**.
  - ☐ Food sources of *beta-carotene* include **carrots**, **sweet potatoes**, **spinach**, **apricots**, and **mangoes**.
    - ☐ *So basically, if you want a "**vitamin A** support" addition to your plate, think **orange vegetables + dark leafy greens + a protein source.***

- Now, **vitamin A** matters, but in pregnancy especially, ***more is not always better.*** High-dose vitamin A supplements or very high intakes of preformed vitamin A can be harmful, so supplementation should be discussed with a provider.
  - This is why a food-first approach is usually gentler than randomly supplementing.

☆ ***Vitamin E:*** *The Antioxidant Beauty-And-Cell Protection Nutrient!*

- **Vitamin E** acts as an antioxidant, which means it helps protect cells from damage. It also supports skin health and may help support immune function.
  - Food sources include **sunflower oil**, **rapeseed oil**, **grapeseed oil**, **olive oil**, **almonds**, **sunflower seeds**, and **wheat germ**.
  - Women who smoke or have conditions linked to higher oxidative stress may especially benefit from paying attention to antioxidant-rich foods!
    - Adding a handful of **almonds**, **sunflower seeds**, or a little **olive oil** to meals can be a quick and efficient way to bring more **vitamin E** into your routine. :-)

☆ ***Folate:*** *One Of The* ***Biggest*** *Must-Knows For Women Of Reproductive Age!*

- **Folate** is one of the most significant nutrients for women who could become pregnant. It supports cell division and DNA production, and it helps prevent major birth defects of the brain and spine.
  - Food sources include **spinach**, **kale**, **broccoli**, **asparagus**, **peas**, **beans**, **lentils**, **enriched breads**, **pastas**, and **cereals**.
  - If you are in your reproductive years, it is smart to keep **folate**-rich foods in regular rotation even if pregnancy is not immediately on your mind!
  - Easy meal ideas:
    - Lentil soup + greens.
    - Bean bowl with broccoli.

- ☐ Fortified cereal + fruit.
- ☐ Pasta with spinach and peas.

☆ ***Vitamin D:*** *The Bone, Immunity, And Hormone Support Nutrient!*

- ☐ **Vitamin D** helps with calcium absorption, which makes it *especially* important for bone health. It also supports immune function and may play a role in hormone regulation.
  - ☐ Sources include **sunlight exposure**, **salmon**, **sardines**, **red meat**, **egg yolks**, **fortified cereals**, **dairy milk**, and **fortified plant milks**.
    - ☐ If you don't get much sun, do not eat much fish, or mostly eat indoors, it is definitely worth paying attention to your **vitamin D** intake!

☆ ***Vitamin B12:*** *Especially Important For Blood, Nerves, And The Brain!*

- ☐ **Vitamin B12** is essential for making red blood cells and supporting brain and nerve function.
  - ☐ Food sources include **meat**, **fish**, **eggs**, **poultry**, **dairy**, **fortified cereals**, and **nutritional yeast**.
  - ☐ Women who are pregnant, vegetarian, vegan, or **over 50** may be at higher risk of not getting enough!
  - ☐ If someone is eating very little animal food, **B12** becomes a nutrient to consciously plan for *(supplements may be needed).*
    - ☐ ***Fortified foods*** *can help, but many women in higher-risk groups may need to discuss additional support with a* ***provider!***

☆ ***B-Complex Vitamins:*** *The Subtle Workhorses Behind Energy, Skin, Nerves, And Mood!*

- ☐ Beyond **B12** and **folate**, other **B vitamins** matter too! (´ ω `) These include **B1, B2, B3, B5, B6, and biotin**, and they help with energy metabolism, skin health, nervous system function, and mood regulation.
  - ☐ **B1**: **peas** and **whole grains**.
  - ☐ **B2** (*riboflavin*): **milk**, **eggs**, **leafy greens**.

- ☐ **B3** (*niacin*): **meat**, **fish**, **nuts**.
- ☐ **B6** (*pyridoxine*): **meat**, **poultry**, **fish**, **bananas**, **potatoes**.
  - ☐ Women ***especially*** should keep these in mind because pregnancy, dietary restrictions, and changing needs across life stages can all affect B-vitamin intake!
  - ☐ If your diet is very limited or highly processed, **B vitamins** are one of the first places to tighten things up.

☆ ***Vitamin C:*** *For* ***Collagen****, Healing, And* ***Iron*** *Absorption (Not Just Immunity)!*

- ☐ **Vitamin C** is an *antioxidant*, but it is also central for wound healing, collagen formation, and helping the body absorb iron from plant foods.
  - ☐ Food sources include **oranges**, **grapefruit**, **kiwi**, **mangoes**, **strawberries**, **peppers**, **broccoli**, and **tomatoes**.
  - ☐ Pairing plant-based **iron foods** with a **vitamin C** food increases iron bioavailability and absorption!
    - ☐ Examples of this:
      - ☐ Beans + bell peppers *(like in a burrito bowl!)*.
      - ☐ Lentils + tomatoes.
      - ☐ Spinach + strawberries or citrus.
        - ☐ This is especially helpful for women who are trying to support **iron** status without relying *entirely* on meat.

☆ ***Choline:*** *One Of The Most* ***Underrated*** *Nutrients For Women!*

- ☐ **Choline** helps with brain development, neurotransmitter production, cell membrane structure, and methylation. It is especially important during **pregnancy** and **lactation**!
  - ☐ Food sources include **egg yolks**, **meat**, **poultry**, **fish**, **dairy**, **legumes**, **broccoli**, and **Brussels sprouts**.

Once you understand the **vitamins**, the next big category is ***minerals***. These are worth paying attention to because they affect bones, blood, muscles, nerves, thyroid function, and metabolism!(* ^ ^ *)

☆ ***Calcium:*** *One Of The* ***Biggest*** *Bone-Health Priorities For Women (Especially In The Face Of Osteoporosis… (˚ Д˚ ;))!*

- ☐ **Calcium** helps build and maintain strong bones and teeth! Because women face a higher risk of **osteoporosis**, especially after **menopause**, **calcium** deserves special attention.
  - ☐ Food sources include **milk**, **cheese**, **yogurt**, **broccoli**, **kale**, **tofu**, **sardines**, and **fortified plant milks**.
  - ☐ Examples of ways to build calcium into your routine:
    - ☐ Yogurt at breakfast.
    - ☐ Tofu in stir-fry.
    - ☐ Fortified plant milk in smoothies.
    - ☐ Leafy greens in meals.
  - ☐ Also, **calcium** works closely with **vitamin D,** so think of those two together and you're golden!

☆ ***Magnesium:*** *Your Ride Or Die When It Comes To Calming, Muscle-And-Nerve Support!*

- ☐ **Magnesium** is involved in *hundreds* of body processes, including muscle function, nerve function, blood glucose regulation, and blood pressure control. It often comes up in lots of discussions about stress & cramping.
  - ☐ Food sources include **pumpkin seeds**, **almonds**, **cashews**, **spinach**, **edamame**, and **legumes**.

☆ ***Iodine:*** *The Thyroid Support Material!*

- ☐ **Iodine** is needed to make thyroid hormones, which help regulate *metabolism*.
  - ☐ Food sources include **fish**, **shellfish**, **milk**, **yogurt**, and **iodized salt.**
    - ☐ Thyroid health encompasses energy, mood, metabolism, and temperature regulation, so **iodine** is ***not*** a minor detail.

Alright, now it's time to delve into **trace minerals**! Although they are only needed in *small amounts*, they still support major functions!

☆ ***Zinc:***

- ☐ Supports immune function, wound healing, DNA synthesis, and may play a role in **fertility.**
  - ☐ Food sources: **oysters**, **red meat**, **poultry**, **eggs**, **dairy**, **nuts**, **whole grains**.

☆ ***Selenium:***

- ☐ Helps with antioxidant defense and thyroid function.
  - ☐ Food sources: **fish**, **shellfish**, **red meat**, **grains**, **eggs**, **chicken**, **garlic**.

☆ ***Copper, Manganese, Molybdenum:***

- ☐ These help with enzyme activity and metabolism.
  - ☐ Food sources: **legumes**, **nuts**, **whole grains**, and **organ meats**.
    - ☐ Now, trust me when I say that you do ***not*** need to obsess over ***any*** of these nutrients! Eating a varied diet helps cover them naturally. ♡

Okay, now that we've cleared up the individual nutrients, let's zoom out and answer a question we touched on earlier: ***which nutrients matter most at different stages of life?***

☆ *For Women Of Reproductive Age (~**15-49**)*

- ☐ **Folate** is a big one!
- ☐ **Iron**, which is *especially* relevant while you still have your period.
- ☐ **B12** matters, *especially* for women eating vegetarian or vegan diets.
- ☐ **Vitamin C** helps with iron absorption.
- ☐ **Choline** is worth knowing about early, not only once pregnant.

☆ *During **Pregnancy** & **Postpartum***

- ☐ Nutrients like **folate**, **choline**, **B vitamins**, **zinc**, and **iron** help support maternal health, fetal growth, neural development, and recovery!
- ☐ In the case of nausea, **food aversions**, **anemia**, or dietary restrictions, a provider can help individualize this! :-)

☆ *During **Perimenopause & Menopause***

- ☐ **Calcium** and **vitamin D** become *especially* important, as they relate to bone health & oxidative stress.
- ☐ **Estrogen** decline can alter bone and metabolic patterns, so food choices have more of an impact!

☆ *As Women Age*

- ☐ Absorption of **B12** and **vitamin D** may decrease.
- ☐ Needs around bone support, **protein**, and **antioxidant-rich foods** become more crucial.

At the end of the day, **nutrition for women is not about perfection.** It is about giving your body enough support to do *all* of the things it is constantly doing like cycling, healing, adapting, carrying oxygen, protecting bones, managing hormones, and getting you through everyday life!

1-week Nutrient-Rich Sample Meal Plan ☆ · ₊ °

☆ ***How To Use This:***

- ☐ This is a sample framework, ***not*** a rigid prescription.
- ☐ Feel free to mix and match meals based on appetite, budget, culture, and preferences! :-)
- ☐ The goal is nutrient coverage across the week, ***not*** perfection in every single meal (because, let's face it, that's *extremely* unrealistic (#><;)).

Table 1 (Meal Plan)

Day	Breakfast	Lunch	Dinner	Snack Ideas (⌒‿⌒)
Monday	☆ Fortified cereal + milk or fortified soy milk + strawberries + boiled egg	☆ Lentil bowl with spinach, brown rice, broccoli, bell peppers, olive oil	☆ Salmon + sweet potato + kale + quinoa	☆ Greek yogurt + kiwi / almonds
Tuesday	☆ Oatmeal made w/ milk or *fortified plant milk* + banana + peanut butter + pumpkin seeds	☆ Turkey or **tofu** wrap with hummus, spinach, tomato, and carrots	☆ Bean chili with tomatoes, peppers, and corn + side of yogurt or **fortified** plant yogurt	☆ Orange + sunflower seeds
Wednesday	☆ Greek yogurt bowl with **fortified** granola, blueberries, chia seeds, and walnuts	☆ Chickpea pasta with spinach, peas, olive oil, and parmesan or *fortified alternative*	☆ Chicken stir-fry or **tofu** stir-fry with broccoli, carrots, edamame, and brown rice	☆ Apple slices + peanut butter

Thursday	☆ Whole-grain toast + scrambled eggs + sautéed spinach + orange slices	☆ Tuna salad or **white bean** salad with kale, tomatoes, cucumber, and olive oil + whole-grain crackers	☆ Baked potato topped with black beans, salsa, Greek yogurt, and broccoli	☆ Cottage cheese or **fortified** soy yogurt + berries
Friday	☆ Smoothie with **fortified** milk, spinach, mango, chia seeds, and yogurt	☆ Leftover chili or lentil soup + side salad	☆ Sardines on toast or tofu grain bowl with roasted carrots and greens	☆ Hard-boiled egg, roasted chickpeas
Saturday	☆ **Fortified** whole-grain toast + avocado + egg + tomato	☆ Bean & quinoa salad with parsley, cucumber, peppers, and lemon	☆ Beef, lentil, or mushroom pasta sauce over whole-grain pasta + side spinach salad	☆ Pear + almonds

Sunday	☆ Pancakes or oatmeal with **fortified** milk + berries + side yogurt	☆ Egg salad or hummus sandwich with leafy greens + veggie soup	☆ Roast chicken, tofu, or bean tray meal with carrots, potatoes, onions, and Brussels sprouts	☆ Trail mix / banana with peanut butter

Table 2 (Nutrients Covered/Swaps)

Day	Key **Nutrients** Covered	Vegetarian/ Vegan Swap	Pregnancy-friendly Boost	Budget-friendly + ***Time-friendly*** Swap
Monday	☆ **Folate, iron, vitamin C, calcium, vitamin D, B12, choline, magnesium**	☆ Exchange salmon for **baked tofu** or **edamame**; add **nutritional yeast** *(in the form of dressing)* or **fortified milk** for B12 support	☆ Add an extra **egg** or side of **beans** for more choline, folate, and iron	☆ Use **canned salmon** or **canned sardines**, frozen broccoli, microwave rice, pre-washed spinach, and store-brand fortified cereal

Tuesday	☆ **Magnesium, zinc, vitamin E, B vitamins, iron, vitamin C, calcium**	☆ Use **tofu** or **black beans** instead of turkey	☆ Add **avocado** and extra **beans** for folate and energy support	☆ Use instant oats, peanut butter, canned beans, pre-cut carrots, rotisserie turkey or deli turkey, and **boxed soup-style chili** if needed
Wednesday	☆ **Calcium, folate, B12, vitamin D** if fortified, **magnesium, choline, vitamin A**	☆ Make the stir-fry **tofu-based** and add fortified nutritional yeast if desired	☆ Add an **egg** at breakfast or extra **edamame** for choline and folate	☆ Use rotisserie chicken, frozen stir-fry vegetables, microwave brown rice, and store-bought yogurt cups (e.g., **Chobani**)

Thursday	☆ **Choline, iron, folate, vitamin C, calcium, B12, iodine, selenium**	☆ Use **tofu grain bowl** or **lentil patties** instead of sardines	☆ Keep tuna **low-mercury** and **limited**; white beans may be simpler *(or the overall better option)* during pregnancy	☆ Use **canned tuna** or **canned white beans**, microwave potatoes, frozen broccoli, salsa jars, and pre-washed kale
Friday	☆ **Vitamin D, calcium, iron, folate, vitamin A, omega-3s, B12**	☆ Chili or lentil soup + side salad	☆ Add fortified cereal *later* if appetite is low, but remember that nutrient intake still needs support	☆ Use **canned sardines**, **boxed soup**, frozen spinach, bagged salad, microwave grains, or a bottled smoothie plus a protein side
Saturday	☆ **Iron, zinc, choline, folate, vitamin C, vitamin E, B vitamins**	☆ Use **lentil** or **mushroom** sauce instead of beef	☆ Add **side fruit** and **yogurt** for extra calcium and vitamin C	☆ Use regular pasta, canned beans, jarred pasta sauce, bagged spinach, and **pre-cooked hard-boiled eggs**

Sunday	☆ **Vitamin A, choline, folate, calcium, magnesium, vitamin C, B12** if animal foods included	☆ Use **hummus** sandwich and **tofu** or **bean tray bake**	☆ Add extra **Brussels sprouts** and an **egg** for folate + choline support	☆ Use rotisserie chicken, canned soup / lentil soup, frozen Brussels sprouts, baby carrots, and sandwich basics for an *on-the-go* day

Conclusion ☆ · ₊ °

If there is one takeaway from this section, let it be this: **women's nutrition is not just about calories; it is about support**. The right vitamins & minerals help your body feel steadier, stronger, clearer, and more resilient across every stage of life. You do ***not*** need to memorize everything at once *(this isn't an exam* (⌒ ᗜ ⌒)). Start by noticing the big ones—**folate**, **iron**, **vitamin D**, **calcium**, **B12**, **vitamin C**, **magnesium**, and **choline**—and focus on building a nourishing pattern over time. Add a sprinkle of colour to your plate and you're in tip-top shape! (⌒ ω ⌒)☆

Sources ☆ · ₊ °

Harvard T. H. Chan School of Public Health. (n.d.). *The nutrition source: Vitamins and minerals.* https://nutritionsource.hsph.harvard.edu/vitamins/

Office on Women's Health. (2021, February 17). *Vitamins and minerals for women.* https://www.womenshealth.gov/healthy-eating/how-eat-health/vitamins-and-minerals-women

National Institutes of Health, Office of Dietary Supplements. (2022, June 2). *Choline: Fact sheet for consumers.* https://ods.od.nih.gov/factsheets/Choline-Consumer/

National Institutes of Health, Office of Dietary Supplements. (2025, April 3). *Dietary supplements and life stages: Pregnancy.* https://ods.od.nih.gov/factsheets/Pregnancy-HealthProfessional/

National Institutes of Health, Office of Dietary Supplements. (n.d.). *Dietary supplement fact sheets.* https://ods.od.nih.gov/factsheets/list-all/



Weight Loss & Strength Training

Let's make this feel a lot simpler and a lot less intimidating, shall we? <(￣ ▽ ￣)> When women think about **exercise** for **weight loss** or **toning**, it is so easy to get overwhelmed by all the options and all the *"perfect"* routines online. But in real life, the best plan is usually the one that feels doable, sustainable, and matched to your energy, age, and fitness level! One notably interesting thing from the cited research here is that **strength training** stood out strongly for improving body composition, especially when it came to lowering body fat percentage. **Hydrogymnastics** was another standout, which is a great reminder that low-impact movement can still be *very* effective! ***Fun fact:*** because hydrogymnastics is gentler on the joints, it may be especially appealing for **older women** or women who want a more *gentle-feeling* entry into exercise! (. ◡ .) So, in short, you do not need the hardest workout to make progress. You need the right one for *you*. This section is here to help you figure out **what that workout may look like!**

*And, as always, **this section is for education only, not medical advice.** If you have pain, dizziness, joint concerns, or a **medical condition**, always check with a qualified healthcare professional before starting something new.*

Main Content ☆ · ₊ °

If your goal is to improve your shape, feel stronger, build muscle tone, and support fat loss, then **strength-based movement** is one of the smartest things you can add to your week. Now, that does not mean you need a gym, heavy weights, *or* a complicated split. Even a simple bodyweight routine can do a lot **when it is chosen well!**

The cited **no-equipment guide** gives **2x/week**, **4x/week**, and **6x/week** strength options, each with beginner, intermediate, and advanced levels. It also suggests adding **aerobic exercise** (*cardio*) 2–3 times per week, which can pair *wonderfully* with strength work for overall health and body recomposition.

☆ *Start By Choosing The Right Weekly Frequency*

A lot of women pick workout frequency based on motivation instead of reality. And that … usually backfires, if we're being completely honest. (T __ T) The better move is to choose the schedule that fits your energy, recovery, and *actual* life!

☆ ***2x/Week***: *Easiest Strong Start*

- ☐ Best for women who are new to exercise, have low energy, and/or have a packed schedule!
- ☐ Smart choice if you are restarting after a long break.
- ☐ Usually the most **sustainable** place to begin.
  - ☐ Gives your body time to recover while helping you begin a real habit.

☆ ***4x/Week***: *Balanced Middle Ground*

- ☐ Best for women who already tolerate regular movement, want more visible strength progress, and like structure/routine.
- ☐ It's basically a ***"sweet spot"*** if you want results without training every single day.

☆ ***6x/Week***: ***Only*** *For Women Who Already Have A Strong Routine*

- ☐ Best for women who already recover well & genuinely enjoy frequent training.
- ☐ Usually ***too much*** for women under high stress or dealing with poor sleep.
- ☐ Sounds productive, but is often less sustainable than 2x/week or 4x/week.

☆ ***Now Choose The Right Level! :-)***

This matters just as much as the number of days. Picking the wrong level can make a good plan feel *miserable*!

☆ ***Beginner Level***

- ☐ A wise choice for women in an **older age group** who want a gentler re-entry.
- ☐ Helpful for women easing back after illness, stress, burnout, *or* inactivity.

> *As a little side note, beginner does* ***not*** *mean weak. It means* ***smart****! It means you are building the foundation first, which is exactly what keeps women progressing safely.*

☆ ***Intermediate Level***

- ☐ Best for women who already exercise *somewhat* consistently.
- ☐ Good for women comfortable with **squats**, **push-ups**, **lunges**, and **planks**!

☆ ***Advanced Level***

- ☐ Best for women with a **solid training base**.
- ☐ Better for younger or middle-aged women who already do bodyweight strength work.
- ☐ Includes more demanding moves like **jump squats**, **feet-elevated push-ups**, **V-ups**, and **rotating side planks**.
- ☐ ***Not*** ideal for beginners or women with poor joint tolerance.

Now that you know how to pick your frequency and level, let's make the actual workout types feel much easier to picture! The best part about this guide is that the workouts are *very* balanced–it's not just random little ab circuits or endless cardio. They are built around **joint mobility**, **lower body work**, **pushing**, **pulling**, **glute work**, and **core**, which is exactly what makes a routine feel more complete!

☆ *2x/Week (**Beginner**)*

This is the gentlest entry point and, quite frankly, one of the smartest! It includes:

- ☐ **Joint mobility warm-up** → 1 set, 5–10 min.
- ☐ **Bodyweight squats** → 3 sets, 8–10 reps.
- ☐ **Modified push-ups** → 3 sets, 8–10 reps.
- ☐ **Door frame rows** → 3 sets, 8–10 reps.
- ☐ **Split squats** → 3 sets, 6–8 reps/leg.
- ☐ **Penguin crunches** → 3 sets, 15/side.
- ☐ **Glute bridges** → 3 sets, 10–12 reps.
- ☐ **Planks** → 2–3 sets, 20–45 sec.
- ☐ **Bird dogs** → 2–3 sets, 10/side.
    - ☐ *Most strength moves* → 30–45 sec.
    - ☐ **Split squats** → 20–30 sec.
    - ☐ **Penguin crunches**, **glute bridges**, **planks**, **bird dogs** → 15–30 sec.

☆ *2x/Week (**Intermediate**)*

This is a nice step up if you already have some comfort with bodyweight movement! It adds more **single-leg work** to the routine. It includes:

- ☐ **Joint mobility warm-up** → 1 set, 5–10 min.
- ☐ **Bodyweight squats** → 4 sets, 12–15 reps.
- ☐ **Push-ups** → 4 sets, 8–10 reps.
- ☐ **Table rows** → 4 sets, 8–10 reps.

- ☐ **Backward lunges** → 3 sets, 10/leg.
- ☐ **Sit-ups** → 3 sets, 15–20 reps.
- ☐ **Single-leg deadlifts** → 3 sets, 8–10/leg.
- ☐ **Up/down planks** → 2–3 sets, 8–10 reps.
- ☐ **Back extensions** → 2–3 sets, 10–12 reps.
    - ☐ **Squats, push-ups, table rows, backward lunges** → 30 sec.
    - ☐ **Sit-ups, single-leg deadlifts, up/down planks, back extensions** → 15–30 sec.

☆ *2x/Week (**Advanced**)*

This one is ***definitely*** for women who already have a strong base, and want a stronger challenge with less weekly frequency. It includes:

- ☐ **Joint mobility warm-up** → 1 set, 5–10 min.
- ☐ **Jump squats** → 4 sets, 8 reps.
- ☐ **Feet-elevated push-ups** → 4 sets, 8–10 reps.
- ☐ **Table rows** → 4 sets, 12–15 reps.
- ☐ **Single-leg squats** → 3 sets, 3–8/leg.
- ☐ **V-ups** → 3 sets, 8–10 reps.
- ☐ **Single-leg elevated glute bridges** → 3 sets, 8–10/leg.
- ☐ **Reverse crunches** → 3 sets, 12–15 reps.
- ☐ **Rotating side planks** → 3 sets, 45–60 sec.
    - ☐ **Jump squats, feet-elevated push-ups, table rows, single-leg squats** → 30 sec.
    - ☐ **V-ups, glute bridges, reverse crunches, rotating side planks** → 15–30 sec.

☆ *4x/Week (**Beginner**)*

This is in the same beginner exercise family, just with more frequency and more routine! It includes:

- ☐ **Joint mobility warm-up** → 1 set, 5–10 min.

- ☐ **Bodyweight squats** → 3 sets, 8–10 reps.
- ☐ **Modified push-ups** → 3 sets, 8–10 reps.
- ☐ **Door frame rows** → 3 sets, 8–10 reps.
- ☐ **Split squats** → 3 sets, 6–8/leg.
- ☐ **Penguin crunches** → 3 sets, 15/side.
- ☐ **Glute bridges** → 3 sets, 10–12 reps.
- ☐ **Planks** → 2–3 sets, 20–45 sec.
- ☐ **Bird dogs** → 2–3 sets, 10/side.

> ☆ ***Extra note:*** *the guide says that on every* ***third*** *workout session in the 4x/week workout plan (beginner, intermediate, or advanced), you can* ***decrease all sets by 1****, which is such a nice little recovery-supporting detail!*

☆ *4x/Week (**Intermediate**)*

This is probably the best ***middle-ground*** option for a lot of active women! It's best for women in their **20s–40s** who want a strong, balanced general fitness plan. It includes:

- ☐ **Joint mobility warm-up** → 1 set, 5–10 min.
- ☐ **Bodyweight squats** → 4 sets, 12–15 reps.
- ☐ **Push-ups** → 4 sets, 8–10 reps.
- ☐ **Table rows** → 4 sets, 8–10 reps.
- ☐ **Backward lunges** → 3 sets, 10/leg.
- ☐ **Sit-ups** → 3 sets, 15–20 reps.
- ☐ **Single-leg deadlifts** → 3 sets, 8–10/leg.
- ☐ **Up/down planks** → 2–3 sets, 8–10 reps.
- ☐ **Back extensions** → 2–3 sets, 10–12 reps.

☆ *4x/Week (**Advanced**)*

This is for women who already train and recover well. If you're looking for a challenge without equipment, this is for you! :-) However, this can get **fatiguing** if your sleep/recovery is poor. **More is not always better if your body is always stressed!** That aside, this workout includes:

- ☐ **Joint mobility warm-up** → 1 set, 5–10 min.
- ☐ **Jump squats** → 4 sets, 8 reps.
- ☐ **Feet-elevated push-ups** → 4 sets, 8–10 reps.
- ☐ **Table rows** → 4 sets, 12–15 reps.
- ☐ **Single-leg squats** → 3 sets, 3–8/leg.
- ☐ **V-ups** → 3 sets, 8–10 reps.
- ☐ **Single-leg elevated glute bridges** → 3 sets, 8–10/leg.
- ☐ **Reverse crunches** → 3 sets, 12–15 reps.
- ☐ **Rotating side planks** → 3 sets, 45–60 sec.

Attached below is a customized **diagram** of all of the exercises mentioned in the workouts that I made for visualization purposes! (´∪`)

. ⁺ ⊹ Full-Body Workout Demo Sheet ☆ · ₊ °

☆ How To Use This:

- ☐ Each exercise in the workouts above is depicted here!
- ☐ Use this sheet as a quick visual guide for form, posture, and movement direction.
- ☐ Try to move slowly, stay controlled, and **focus on how each exercise feels in your body!**



joint mobility warm-up

form demo



joint mobility warm-up

form demo

modified push-ups

form demo



door frame rows

setup shown

jump squats

form demo

penguin crunches

form demo

glute bridges

form demo

planks

form demo

single leg deadlifts

form demo

split squats

form demo

table rows

setup shown

backward lunges

form demo

sit-ups

form demo

bird-dogs

form demo



up/down planks

form demo

back extensions

form demo

lunges

form demo

reverse crunches

form demo



single-leg squats

form demo

v-ups

form demo

single-leg elevated glute bridges

form demo

rotating side planks

form demo

feet-elevated push-ups

form demo

push up

form demo

form demo sheet

Okay, let's cut to the chase. You're probably wondering: "*where are the 6x/week ones?*" Well, to be fully transparent, I chose **not** to include them because they are ***definitely*** not for the majority. They exist, sure, and they *sound* impressive, but they only have room for **one** rest day. It is generally recommended that women who are trying to get started, have low energy, are under high stress, and/or struggle with recovery do ***not*** jump into these. **2x/week** or **4x/week** tends to be what actually gets done *consistently* by most women.

☆ *Simple Weekly Schedule Ideas*

Sometimes the hardest part is not choosing the workout. Instead, it's figuring out **where it actually goes in your week!** With that said, here are a few easy, balanced examples:

☆ *Beginner (With A Busy Schedule)*

- ☐ **Monday** → Strength.
- ☐ **Wednesday / Thursday** → Strength.
- ☐ 2-3 other days → Walking, cardio, or light movement.
    - ☐ This works because it is ***much*** easier to stick to than trying to train every day right away, thereby allowing for recovery time! (¯ ▿ ¯)

☆ *Active (With A Desire For More Results)*

- ☐ **Monday** → Strength.
- ☐ **Tuesday** → Strength.
- ☐ **Thursday** → Strength.
- ☐ **Friday** → Strength.
- ☐ Other days → Walking, cardio, or light movement.
    - ☐ This builds more routine, while also still leaving room for recovery.

☆ *Easing Back Into The Groove (^ –)☆*

- ☐ 2 days of strength per week *(any day).*
- ☐ **Most days** → Walking or light cardio.
- ☐ **Optional** → Mobility or stretching on off days.

Now, another thing to keep in mind is that ***modifying is not failing***. It is actually what keeps women progressing! For instance, if push-ups feel too hard, opt for modified pushups! If balance feels shaky, hold onto something while doing split-squats or single-leg work. If jumping bothers your joints, do regular squats instead of jump squats. That is the goal, really: not to do the fanciest version, but to do the version you can do well, safely, and consistently.

☆ *Why A Caloric Deficit Can Help Even More*

Exercise alone does ***not*** always create the same changes as exercise paired with dietary weight loss. If your goal is **fat loss** or **body recomposition**, pairing exercise with a gentle, realistic calorie deficit can be especially helpful. A **calorie deficit** simply means **eating slightly less energy than your body uses, so your body has to pull from stored energy over time.** It does ***not*** have to mean extreme dieting, starving, or being downright *miserable*. In one study, cited below, women who lost at least ***5%*** of their starting body weight tended to see stronger improvements in inflammation-related markers, meaning that **even modest weight loss can matter!** With that said, here's how a healthy calorie deficit can look in real life:

- ☆ Pairing strength training with more **mindful portions**.
- ☆ Building meals around protein, fiber, and whole foods.
- ☆ Reducing excess liquid calories or mindless snacking.
- ☆ Staying consistent enough to create a small deficit ***over time.***

Conclusion ☆ · ₊ °

At the end of the day, the *"best"* workout is ***not*** the trendiest or hardest one. It's the one you can actually *stick with* that packs a real punch! **Strength training** can be such a useful tool for women because it supports muscle tone, body composition, strength, and long-term health all at once. Whether your starting point is **2x/week beginner** or **4x/week intermediate,** what matters most is choosing something that feels realistic, safe, and sustainable for *your* body. Little by little, those consistent choices really do add up. (´ v `) So be gentle with yourself, stay patient, and remember: ***progress does not have to be extreme to be meaningful.***

Sources ☆ · ₊ °

Imayama, I., Ulrich, C. M., Alfano, C. M., Wang, C., Xiao, L., Wener, M. H., Campbell, K. L., Duggan, C., Foster-Schubert, K. E., Kong, A., Mason, C. E., Wang, C. Y., Blackburn, G. L., Bain, C. E., Thompson, H. J., & McTiernan, A. (2012). Effects of a caloric restriction weight loss diet and exercise on inflammatory biomarkers in overweight/obese postmenopausal women: A randomized controlled trial. *Cancer Research, 72(9)*, 2314—2326. https://doi.org/10.1158/0008-5472.CAN-11-3092

No equipment home workouts*: Strength workouts contents.* (n.d.). https://www.utrecsports.org/public/upload/files/general/SP20_FW_PT_At_Home_Workouts_Strength.pdf

How Stress Affects Your Hormones

Stress is one of those things that can feel *so normal* that women forget how deeply it can affect the body. But hormonally, it can be a pretty big deal! When stress becomes frequent, intense, or long-lasting, it can affect other factors beyond mood, such as **ovulation**, cycles, energy, metabolism, and even how supported your body feels *overall*. So if you have ever noticed your period acting up during a particularly hard season, or felt like your body was *"off"* when life dealt you a bad hand, you are absolutely ***not*** imagining it.

The **good news** is that stress is not just something to *"push through."* It is something women can learn to notice, work with, and ***regulate***. This section will focus on both sides of that coin: **how stress affects hormones**, and what you can *actually* do about it in real life! d(⌒—⌒)

And, as always, ***this section is for education only, not medical advice.***

Main Content ☆ · ₊ °

When your body perceives psychological, physical, or emotional **stress**, it activates the **hypothalamic-pituitary-adrenal** (**HPA**) axis. In plain English, this is one of the body's ***main*** stress-response systems!

☆ ***What Happens During The Stress Response (In Simplest Terms):***

- ☐ The **hypothalamus** releases **CRH** (*corticotropin-releasing hormone*).
- ☐ That signals the **pituitary gland** to release **ACTH** (*adrenocorticotropic hormone*).
- ☐ **ACTH** then prompts the **adrenal glands** to release **cortisol**.
- ☐ **Cortisol** is often called the ***stress hormone.***

That response can be helpful in short bursts *(like an **adrenaline rush**)*. The problem is when stress becomes ***chronic***. Then, instead of briefly helping you adapt, the system can start interfering with other **hormone pathways**.

☆ ***How Stress Can Interfere With Ovulation***

☆ ***Cortisol** And **CRH** Can Suppress The **HPG Axis.***

- ☐ This can reduce **GnRH** (*gonadotropin-releasing hormone*) pulses.
- ☐ Lower **GnRH** can blunt **LH** & **FSH**.
- ☐ **LH** and **FSH** are both needed for healthy ovarian function.
  - ☐ Over time, this can contribute to:
    - ☐ Irregular periods.
    - ☐ Missed ovulation.
    - ☐ **Anovulation**.
    - ☐ Cycle disruption.

In the cited study of healthy women tracking daily stress, higher recent stress was linked to lower **estradiol**, lower **LH**, lower **luteal progesterone**, and higher **FSH**. Importantly, higher stress also increased the odds of **sporadic anovulation**, which means a cycle where ovulation does ***not*** happen. That is a big reminder that stress can affect the cycle even when everything else seems *"fine"* on the outside.

☆ *Another Important Pathway: **Kisspeptin**!*

- ☐ **Kisspeptin** is a neuropeptide that helps stimulate **GnRH**.
- ☐ Stress and low-energy states can reduce kisspeptin activity.
- ☐ **This can suppress ovulation.**
- ☐ This is one mechanism involved in **functional hypothalamic amenorrhea (FHA).**

This all goes to show that, yes, stress can show up hormonally in various tangible ways—***not*** just emotionally. And **stress-related hormone disruption signs** kind of sneak up on you, as they are not always crystal clear at first! (x __ x) Sometimes it starts with smaller shifts that are easy to brush off.

☆ *Possible Signs Stress Is Affecting **Hormonal** Health:*

- ☐ Irregular periods.
- ☐ Missed periods.
- ☐ Heavier or lighter bleeding.
- ☐ More painful cycles.
- ☐ Changes in cycle length.
- ☐ Feeling like your cycle is suddenly less predictable.
- ☐ Signs of weak ovulatory function.
- ☐ Worsening of existing **hormonal** issues.

☆ *Long-Term **Chronic Stress** May Contribute To / Worsen:*

- ☐ **Functional hypothalamic amenorrhea.**
- ☐ Ovulatory dysfunction.
- ☐ Luteal phase defects.
- ☐ Worsening of **PCOS.**
- ☐ More noticeable menstrual symptoms.

And that's not all! Stress can affect ***multiple*** endocrine systems at once.

☆ *Other **Hormone** Systems **Stress** Can Influence:*

- ☐ Thyroid hormones.
- ☐ **Prolactin** *(hormone responsible for lactation).*
- ☐ Growth hormone.
- ☐ **Catecholamines** *(molecules that are both neurotransmitters and **hormones**).*
- ☐ Broader adrenal and metabolic signaling.

This is why **chronic stress** can feel so *"whole-body-ish"* to women. Additionally, we can notice changes in energy, blood sugar, weight, sleep, mood, and cycles all at once.

☆ *Why Some Hormonal Phases Can Feel Extra Sensitive*

Hormones and **stress** are closely intertwined, kind of like a wildly dysfunctional married couple where neither can stand the other, but they absolutely ***refuse*** to get a divorce. (`⌒´メ) **Stress** affects **hormones**, but **hormone shifts** can also affect how **stress** feels. That helps explain why some women feel more anxious, overwhelmed, *or* emotionally fragile at specific points in the cycle. It is not *"just in your head."* It's **biology!**

☆ Periods of lower estrogen may make women more vulnerable to the psychological effects of stress.

☆ **Estrogen** helps influence brain circuits involved in **stress** response.

☆ When estrogen shifts, stress can feel ***more intense*** emotionally and physically.

☆ *What To Actually Do When Stress Is Messing With Your Body*

The best part of this section is that stress regulation does not have to be fancy. According to one study, even short **mindfulness** exercises could measurably reduce acute physiologic stress. That matters because sometimes women *(and people for that matter)* need tools that work in five minutes, not a full wellness retreat! (¯—¯) The ***three exercises*** studied were:

1. ***Grounding**: When Your Thoughts Are Spiraling.*
    - ☐ A mindfulness exercise that helps bring attention back to the present moment. It stops your brain from jumping ten steps ahead, thereby interrupting the stress loop before it escalates.
        - ☐ **Grounding** may help when you feel:
            - ☐ Scattered.
            - ☐ Overstimulated.
            - ☐ Mentally overloaded.
            - ☐ Stuck in **anticipatory stress**.
            - ☐ Unable to stop overthinking.
                - ☐ ***How-to:*** Look around and name:
                    - ☐ **5** things you see.
                    - ☐ **4** things you feel.
                    - ☐ **3** things you hear.
                    - ☐ **2** things you smell.
                    - ☐ **1** thing you taste.
            - ☐ Or go down the affirmation route & simply plant your feet and say:
                - ☐ *"I am here. I am safe. I can take this one step at a time."*
        - ☐ ***Grounding** is linked to signs of greater **parasympathetic activation**, which is the body's more restful, recovery-oriented state.*

2. ***Deep Breathing**: When Your Body Feels Rushed Or Activated.*
    - ☐ One of the fastest ways to influence the nervous system. It slows the body down and reduces automatic arousal.
        - ☐ **4–7–8 breathing.**

- ☐ Inhale for **4 seconds**.
- ☐ Hold for **7 seconds**.
- ☐ Exhale for **8 seconds**.
    - ☐ Do 3-5 rounds before bed.
    - ☐ Try it before an appointment, difficult conversation, or stressful task *(or when you notice you are a little more tense than usual).*

3. ***Body Scan**: When Stress Feels Stored Physically.*
    - ☐ This was the ***strongest*** exercise in the study. It is a slow check-in where you bring awareness to different parts of the body and notice tension, pressure, or sensation without judgment!
        - ☐ This is helpful when you feel fine *mentally,* but you feel **stress** coiled up in your muscles (like you're wound up but you don't really know *why*).
            - ☐ ***How-to:***
                - ☐ Start at your **forehead**.
                - ☐ Move *slowly* through:
                    - ☐ Jaw.
                    - ☐ Neck.
                    - ☐ Shoulders.
                    - ☐ Chest.
                    - ☐ Stomach.
                    - ☐ Hips.
                    - ☐ Legs.
                    - ☐ Feet.
                - ☐ At **each area**, ask:
                    - ☐ *"Am I holding tension here?"*
                    - ☐ *"Can I reduce that tension by even **5%**?"*

The more often your body is stuck in *fight-or-flight*, the harder it is to support **hormone balance** long term. So, while grounding, breathing, and body scans are *not* miracle solutions, they may help by reducing **stress** load, improving nervous system recovery, and making your body feel *safer* and more regulated! Plus, they are low-cost, accessible, and easy to do—so it doesn't hurt to try! ¯_(— ᴗ —)_/¯

☆ *A Simple Sample Stress-Support Routine For Women*

☆ *Morning*

- ☐ 1 minute of *grounding.*
- ☐ Ask: *"How am I feeling today?"*

☆ *Midday*

- ☐ 3 rounds of **4–7–8 breathing.**
- ☐ Especially if work, caregiving, or mental load is building!

☆ *Evening*

- ☐ 3–5 minute **body scan.**
- ☐ Especially if your shoulders, jaw, or stomach feel tight.

Conclusion ☆ · ₊ °

Stress support is not a cherry-on-the-top *"bonus"* in women's health; it is part of the ***foundation.*** The most comforting part is that stress regulation does not have to be complicated. Even small tools like grounding, deep breathing, and body scans can help shift the body out of constant overdrive and into a more **restorative state**. So if your body has felt tense, irregular, or hormonally *off* during stressful times, be gentle with yourself! Sometimes support starts with just letting your nervous system *breathe*. ^u^

Sources ☆ · ₊ °

Clarke, H., Dhillo, W. S., & Jayasena, C. N. (2015). Comprehensive review on kisspeptin and its role in reproductive disorders. *Endocrinology and Metabolism, 30(2)*, 124–141. https://doi.org/10.3803/EnM.2015.30.2.124

Magiakou, M. A., Mastorakos, G., Webster, E., & Chrousos, G. P. (1997). The hypothalamic-pituitary-adrenal axis and the female reproductive system. *Annals of the New York Academy of Sciences, 816*, 42–56. https://doi.org/10.1111/j.1749-6632.1997.tb52128.x

Schliep, K. C., Mumford, S. L., Vladutiu, C. J., Ahrens, K. A., Perkins, N. J., Sjaarda, L. A., Kissell, K. A., Prasad, A., Wactawski-Wende, J., & Schisterman, E. F. (2015). Perceived stress, reproductive hormones, and ovulatory function: A prospective cohort study. *Epidemiology, 26(2)*, 177—184. https://doi.org/10.1097/EDE.0000000000000238

Vigil, P., Meléndez, J., Soto, H., Petkovic, G., Bernal, Y. A., & Molina, S. (2022). Chronic stress and ovulatory dysfunction: Implications in times of COVID-19. *Frontiers in Global Women's Health, 3*, 866104. https://doi.org/10.3389/fgwh.2022.866104

Wolfe, A. H. J., Hinds, P. S., du Plessis, A. J., Gordish-Dressman, H., Freedenberg, V., & Soghier, L. (2024). Mindfulness exercises reduce acute physiologic stress among female clinicians. *Critical Care Explorations, 6(11)*, e1171. https://doi.org/10.1097/CCE.0000000000001171

The Importance of Regular Checkups

A doctor a day keeps the… yeah, I don't know where I was going with that one either. ┐(´～`ヾ)┌ There is just something *so* empowering about simply being aware of what is going on in your body. **Regular checkups** and screenings are ***not*** just boring little calendar tasks sitting on your to-do list—they are actually one of the ***kindest***, ***smartest*** forms of self-care a woman can give herself! They help catch problems that lurk in the corners before they start making a scene, create space for important conversations, and make it easier to get support **earlier** rather than later.

A lot of women mistakenly wait until something feels *"really wrong"* before booking an appointment. But many important conditions do ***not*** start with obvious symptoms. That is ***exactly*** why preventive care matters! The goal is to help you stay informed, supported, and one step ahead ***without*** giving you a fright!

And, as always, ***this section is for education only, not medical advice.***

Main Content ☆ · ₊ °

Regular checkups and **screenings** can help detect health issues early, when they are often easier to treat and less likely to cause bigger complications later! That includes conditions like cancer, high blood pressure, high cholesterol, **diabetes**, and certain reproductive-health concerns. Preventive care is so important for a *number* of reasons:

☆ Many screenable conditions can be present ***long*** before symptoms appear.

☆ Early detection → earlier treatment → **higher chance of better outcomes.**

☆ Preventive visits can also reduce the chance of needing more invasive or costly care later.

☆ **Regular visits** create a space to talk about things women often put off, like:

- ☐ **Depression.**
- ☐ **STIs.**
- ☐ **Fertility** concerns.
- ☐ **Menopause.**
- ☐ Intimate partner violence.
- ☐ Contraception.
- ☐ Reproductive planning.

Now, a **well-woman visit** is ***not*** just a quick weigh-in and goodbye! It is meant to be a *comprehensive* check-in where your clinician helps guide screening decisions, reviews your health history, and talks through risk factors or life-stage needs.

☆ *A **Well-Woman Visit** Can Include:*

- ☐ Review of your personal medical history.
- ☐ Review of your family history.
- ☐ **Blood pressure** and general preventive screening.
- ☐ Immunizations, including discussion of the **HPV vaccine**.
- ☐ Counseling about nutrition, exercise, or smoking cessation.
- ☐ **Contraception** or family-planning conversations.

- ☐ Discussion of cycle concerns, **fertility** questions, or **menopausal** symptoms.
- ☐ Mental-health check-ins and safety screening when appropriate.

This is why **annual visits** can be *so* useful even if you *"feel fine."* They help you build a health baseline and make more informed choices *before* something becomes urgent. ('▽^d) Now that all of that's cleared up, let's break down the ***major high-impact screenings*** women should know about! These are general recommendations for average-risk women, but your own timeline may be different depending on your history.

☆ *Cervical Cancer Screening*

- ☐ This is one of the most important preventive screenings in women's health because it can help detect abnormal cell changes *before* they turn into cancer!
  - ☐ Start at age **21**.
  - ☐ *Ages* **21–29**.
    - ☐ **Pap test** every **3** years.
  - ☐ *Ages* **30–65**:
    - ☐ **Pap** every **3** years.
    - ☐ or **HPV test** every **5** years.
    - ☐ or **co-testing** every **5** years.

☆ *Breast Cancer Screening*

- ☐ **Mammograms** (***X-ray*** *of the breast used to help detect breast cancer early, often before it causes symptoms)* every **2** years from ages **40–74** are one major recommendation.
- ☐ Some organizations recommend annual screening for some women.
- ☐ *Personal risk* should always be discussed with a clinician.

☆ *Colorectal Cancer Screening*

- ☐ Begin at age **45** for average-risk adults.
- ☐ Options include:

- ☐ Annual stool-based testing.
- ☐ Colonoscopy at recommended intervals.
  - ☐ The best option is often the one you will realistically complete.

☆ ***Blood Pressure***

- ☐ This one is simple, yet incredibly important because high blood pressure often shows ***no*** symptoms. It can *subtly* increase the risk for heart disease, stroke, and kidney problems.
  - ☐ Check at routine visits.
    - ☐ If your numbers tend to run high in medical settings, ask whether home readings would be helpful too! **White-coat anxiety** is real, and tracking trends over time can be *especially* useful in cases like that.

☆ ***Cholesterol & Diabetes Screening***

- ☐ These help predict **high cholesterol**, **prediabetes**, and **diabetes**! Women who have a family history, are overweight, have a history of **gestational diabetes**, or have other factors identified by a clinician may need closer attention!
  - ☐ *Timing* depends on age & risk.
  - ☐ **A1C** looks at average blood sugar over the past few months.

☆ ***Bone Density Screening***

- ☐ Bone health deserves way more attention than it gets!
  - ☐ **DEXA** screening is typically recommended for **postmenopausal women** *(age 65 and older).*
    - ☐ The test measures bone density and helps assess osteoporosis risk.
  - ☐ Younger women may need earlier screening if they have risk factors *(e.g., a **Vitamin D** deficiency).*

☆ ***STI Screening, HIV Testing, And HPV Prevention***

- ☐ Sexual health is often treated as something to be ashamed of, but it really isn't! ('. • ᵕ •. `) It is an ***integral*** part of preventive care. These decisions are often based on your sexual history, current / past partners, symptoms, and clinician-assessed risk.
  - ☐ The **HPV vaccine** is a preventive tool that can lower risk of certain HPV-related cancers.

So, you may be wondering, what can *you* do? Well, it's simple! ^___^ First, consider booking an annual **well-woman visit** to review screening timing, **vaccines**, and any new symptoms or questions. Before your visit, make sure to bring:

☆ Your family history *(especially cancer, heart disease, **diabetes**);* even partial information is helpful!

- ☐ If you have a strong family history, prior abnormal results, and/or possible hereditary risk, consider asking about **earlier** or risk-based screening!

☆ Screening results (e.g., previous **Pap tests**, **mammograms**, **colonoscopies**, labs, or abnormal findings).

And make sure to check your **preventive-care coverage**! Many recommended screenings are covered under U.S. preventive-care rules; however it's best to check your own plan so that there are **no surprises**.

Conclusion ☆ · ₊ °

Regular checkups and **screenings** are one of the most practical ways women can protect their long-term health! They help catch abnormalities earlier, create space for important conversations, and make care feel more *proactive* instead of *reactive*. You do not need to become obsessive or fearful about your body—paying attention is more than enough. A simple annual visit, a few well-timed screenings, and honest conversations about your history can go such a long way! So if you have been putting it off, let this be your soft little nudge: **book the visit, ask the questions, and give your future self the care they deserve now.**(´▽`')

Sources ☆ · ₊ °

American Cancer Society. (2023). *Breast cancer screening guidelines.* https://www.cancer.org/cancer/screening/american-cancer-society-guidelines-for-the-early-detection-of-cancer.html

American College of Obstetricians and Gynecologists. (2018). *Well-woman visit (Committee Opinion).* https://www.acog.org/clinical/clinical-guidance/committee-opinion/articles/2018/10/well-woman-visit

Centers for Disease Control and Prevention. (2023). *Preventive care for women.* https://www.cdc.gov/chronic-disease/prevention/preventive-care.html

U.S. Preventive Services Task Force. (2024). *Screening for breast cancer.* https://www.uspreventiveservicestaskforce.org/uspstf/recommendation/breast-cancer-screening

U.S. Preventive Services Task Force. (n.d.). *Cervical cancer: Screening.* https://www.uspreventiveservicestaskforce.org/uspstf/recommendation/cervical-cancer-screening

Sexual Health Without Stigma

A lot of women realize a *little* too late that they should've paid attention in ***Sex Ed***. Luckily, this is your friendly little catch-up moment, and I'm here to tell you that there is absolutely ***no*** shame in learning something your younger self was never taught clearly enough. (ㅅ´ ˘ `) **Sexual health** deserves the same calm, routine, no-shame energy as skin care, dental care, or annual checkups. It is not something that becomes relevant *only* when something goes wrong. It is a ***huge*** part of overall well-being, and the more you understand it, the less it starts to feel like just another topic *weighed down* by judgement.

A lot of STIs are common, many are **treatable**, and many cause few or no early symptoms at all. That is **exactly** why knowledge, screening, and prevention are *so* integral. This portion of the guide is here to make the topic of sexual health feel clearer, softer, and more empowering, ***not*** like a pain in the you-know-what.

And, as always, ***this section is for education only, not medical advice.***

Main Content ☆ · ₊ °

Sexual health is not about being *"good"* or *"bad."* It is about being informed, protected, and well-cared for. Routine sexual health habits can help women lower risk, catch concerns earlier, and feel more confident having honest conversations with partners and healthcare providers. Like jeez… a **sexually transmitted disease/infection** is an ***illness***, not a defining characteristic, and it should *definitely* be treated as such. (`_´) Here's what sexual health *really* includes:

- ☐ Preventing **sexually transmitted infections**, or **STIs**.
- ☐ Recognizing symptoms **early** when they do show up.
- ☐ Getting routine screening even when you feel *completely* fine.
- ☐ Protecting the vaginal and reproductive environment from unnecessary irritation & disruption.
- ☐ Communicating *clearly* with partners about testing, symptoms, and protection.

Part of why this matters is that many women are taught to only pay attention to sexual health once something feels urgent, scary, or straight up ***embarrassing***. (@´__`@)In actuality, the healthiest approach is much more routine and *far* less dramatic. Because, **sometimes, STIs are almost too un-dramatic to be noticed!**

- ☐ Many STIs, especially chlamydia and gonorrhea, are often asymptomatic in women.
- ☐ "**Asymptomatic**" simply means there may be no obvious symptoms at all.
  - ☐ So, as a little tidbit for your awareness (***not*** fear): a woman can feel normal and *still* have an infection!
- ☐ Untreated infections can sometimes lead to pelvic inflammatory disease, **infertility**, or **chronic pelvic pain.**

The body is wise, but in this department it's not always the dramatic oversharer we might want it to be! One of the biggest practical takeaways here is pretty simple: ***no symptoms does not always mean no issue.*** Screening matters *precisely* because the female body doesn't always ring an alarm bell on these things! Now, let's get into the **different kinds of STIs** (depicted in the custom Venn diagram below :-)):



- ☐ Knowing the difference between the two helps women understand why treatment plans vary, and which treatment plan fits the infection type! It also helps remove some fear, because ***not every STI conversation is the end of the world.***

Overall, this distinction can make the whole topic feel a lot less blurry and a lot more manageable. Some infections are **treated** and cleared. Others are managed over time. Both deserve care, **not shame**. So, now that we know the different kinds, let's jump right into how we can prevent them! (O ‿ O)

- **Abstinence** (*not having sex at all*) prevents sexual transmission, yes, but for women who are sexually active, there are also very real and ***practical*** tools of prevention.
    - Consistent use of condoms and dental dams can ***significantly*** lower STI transmission risk, though protection varies by infection and *type* of sexual contact.
    - Vaccination can protect against some major infections before they become a problem.
    - ***Routine screening*** helps catch infections early, especially the subtle ones!

Nothing ruins the mood quite like preventable chaos. The best prevention typically comes from **layered routines** (e.g., pairing vaccinations with condoms), not from hoping one single fix will carry the whole load. For my sexually active ladies, here are some ***barrier protection tips*** that actually help:

- Use condoms ***consistently***, not just when it feels convenient.
- Use a **new** condom each time.
- Keep condoms somewhere *cool* and *dry* so they do not get damaged.
- **Check expiration dates.**
- Use dental dams for oral-vaginal or oral-anal contact when relevant.
- If dryness is an issue, use a compatible **lubricant** so friction does not make everything more irritating.

Now, as for **vaccines** that matter for sexual health:

- The **HPV vaccine** helps protect against strains linked to **cervical cancer** and **genital warts.**
- The **hepatitis B** vaccine helps protect long-term *liver health.*
    - **Vaccination** is one of the ***strongest*** prevention tools because it reduces risk before exposure ever happens.
        - *If you are unsure what you have already received, ask your **healthcare provider** to review your records with you. :-)*

Getting screened annually is part of normal preventive care—not some moral issue to be ashamed of. It is not a sign that you "did something wrong." In fact, *CDC guidance* recommends that sexually active women **under 25** get screened annually for chlamydia and gonorrhea.

- ☐ Older women with *risk factors* may also need screening.
- ☐ Pap smears and HPV testing are also important for *cervical cancer prevention.*

One of the biggest helpful mindset shifts of all is: ***screening is wellness care***. It belongs in the same category as checkups, bloodwork, and preventive medicine!

☆ *How To Go About* ***Sexual Health Check-ins***

To start off, ask your provider what **STI screening** makes sense for your age and situation!

- ☐ Do not wait for symptoms if you have a new partner or a possible exposure.
- ☐ Put screening on your calendar if that helps you stay consistent.
- ☐ Ask what tests are being done instead of assuming everything was covered automatically.

If something feels off, it's best to go in ***early*** *rather than spiral at home.*

A lot of women assume a general exam automatically includes full STI testing, and that is not always true! Asking directly is ***responsible***, not embarrassing.

Another thing that can stir up a whole flock of jitters is **having a talk with your partner**. Thoughts like *"what if they judge me"* or even *"what if I find out something I didn't want to know"* may come creeping in and, yes, those fears can feel very scary. Still, ***transparency is key.*** Having the conversation earlier is still the right thing to do. Trust me, **the more you and your partner know about each other, the better!** It can feel *awkward*, but awkward is cheaper than confusion, anxiety, and untreated infection. Trust me. (￣▽￣)b So, without further ado, here are some pointers to get you going:

1. Discuss sexual history and recent testing before things get emotionally or physically complicated if possible.
    - ☐ Keep the tone calm and matter-of-fact.
2. Ask when they were last tested and whether they have had any symptoms or diagnoses.
3. Share your own standards clearly.
    - ☐ ***Remember:*** honest communication is a form of protection too.

The ***vaginal microbiome*** (the natural community of bacteria that helps keep the vaginal environment balanced and protected) has influence too! When that environment is disrupted, irritation and infection risk may rise.

- ☐ Soft hygiene helps support that balance *instead* of disrupting it! Although… ***over-cleansing*** can do more harm than good.
    - ☐ The goal is to support your vagina, ***not*** sterilize it. A lot of women are sold products that make the vagina seem like a problem to fix. She is actually **low-maintenance**—only needing a little gentle cleansing, not an entire perfumery shop.(^v^)

☆ *Tips for Supporting **Vaginal** and **Reproductive Health***

- ☐ Clean the **external** vulvar area gently.
- ☐ Avoid scented douches and perfumed washes.
- ☐ Skip harsh "***feminine hygiene***" products that promise freshness but disrupt natural flora.
- ☐ Wear breathable underwear when possible.
- ☐ Change out of sweaty clothing promptly.
- ☐ Consider probiotic-containing foods, such as **yogurt** with live cultures, if they work well for your body.

Now, here are **symptoms** that signal it is time to get checked instead of guessing. If you're experiencing any of these, take a breath! They do not automatically mean you have an **STI** or **STD**; they simply mean your body may be asking for a little more attention:

- ☐ Unusual discharge.
- ☐ Burning or pain with urination.

- ☐ Pelvic pain.
- ☐ **Lesions**, sores, or bumps.
- ☐ Bleeding that feels unusual for you.
- ☐ Pain during sex.

☆ *What to Do If You Think Something Is Wrong*

- ☐ **Pause the self-diagnosing spiral**--it will only stress you out.(>﹏<)
- ☐ Book care ***promptly.***
- ☐ Avoid using random fragranced products to *"fix"* the issue.
- ☐ Avoid sex until you know what is going on if there is concern about infection or irritation.
- ☐ Follow the treatment ***exactly*** if something is diagnosed.
- ☐ **Make sure partners are informed when medically relevant.**

And sometimes the best **sexual health** *"tip"* is simply making the topic less *taboo* in your own life. Once again, the more you know, the better! Here are some **tips** and **tricks for lowering sexual health stress**:

- ☐ Treat **STI** testing like routine maintenance, ***not*** a crisis response.
- ☐ Keep a note in your phone with vaccine history, testing dates, and any questions for your provider.
- ☐ Pee after sex if that is helpful for your urinary comfort.
- ☐ Use enough lubrication to reduce irritation and tiny tissue tears.
- ☐ Avoid products that sting, burn, or throw off your balance.
- ☐ Choose healthcare providers who make you feel safe enough to ask real questions.

Women deserve sexual health care that feels informed and respectful, not punishing. Shame delays care while knowledge supports it. ♡

☆ *How to Reduce Stigma Around Sexual Health*

- ☐ Normalize conversations with healthcare providers.
- ☐ Speak about STIs as infections, not character judgments.
- ☐ Remember that common does not mean shameful.

- ☐ Encourage testing as a wellness habit in relationships.
- ☐ Try to offer yourself the same compassion you would offer a friend!

Conclusion ☆ · ₊ °

Sexual health is not something to be afraid of or embarrassed by! It is simply part of caring for your body with wisdom, consistency, and a little more tenderness. (⌒▽⌒)☆ When women understand how common **asymptomatic** infections can be, how helpful routine screening is, and how much gentle hygiene matters for vaginal health, the whole topic starts to feel less shame-filled and *much* more manageable. That is the objective at hand: **informed, protected, and never left in the dark.**

Sources ☆ · ₊ °

Centers for Disease Control and Prevention. (2024). *How to use condoms and other barriers.* https://www.cdc.gov/sti/prevention/condoms.html

Centers for Disease Control and Prevention. (2021). *STI screening recommendations.* https://www.cdc.gov/std/treatment-guidelines/screening-recommendations.htm

Workowski, K. A., Bachmann, L. H., Chan, P. A., Johnston, C. M., Muzny, C. A., Park, I., Reno, H., Zenilman, J. M., & Bolan, G. A. (2021). Sexually transmitted infections treatment guidelines, 2021. *MMWR Recommendations and Reports, 70(4),* 1–187. https://www.cdc.gov/std/treatment-guidelines/STI-Guidelines-2021.pdf

Brotman, R. M. (2011). Vaginal microbiome and sexually transmitted infections: An epidemiologic perspective. *The Journal of Clinical Investigation, 121(12),* 4610—4617. https://doi.org/10.1172/JCI57172

Hillier, S. L., Holmes, K. K., & Marrazzo, J. M. (2008). Bacterial vaginosis. In K. K. Holmes, P. F. Sparling, W. E. Stamm, P. Piot, J. N. Wasserheit, L. Corey, M. S. Cohen, & D. H. Watts (Eds.), *Sexually transmitted diseases* (4th ed., pp. 737—768). McGraw-Hill.

Building Your Support System

"Clean this, cook this, take care of this…." There is something so *naggingly* exhausting about always being the one who keeps everything afloat. So many women are taught how to be dependable, nurturing, emotionally aware, and endlessly available long before they are taught how to say, *"Hey, I need help too."* That is part of why this conversation matters *so* much. A **support system** is not just some cherry on top of the sundae that is *"real"* health. It is **part of health**. A ***big*** part at that! The people around you, the care available to you, and the spaces where you feel safe all play a role in how well you cope, recover, rest, and keep going! Support can protect mental health, reduce the effects of chronic stress, and make life's bumpy road feel less lonely and less scary. And thankfully, building support does ***not*** require having a giant friend group or a perfect life! It simply means learning how to create a network that is real, usable, and supportive in the ways you ***actually*** need. (— ‿ —)

*As always, **this section is for education only, not medical advice.** Care should always be individualized, especially when mental health struggles are **severe** or ongoing!*

Main Content ☆ ⋅ ₊ ˚

A **support system** can be a protective factor against both physical and mental health challenges. In very vivid ways, support acts like a buffer against disease and stress, a psychological safety net, and a foundation for ***empowerment***. Now, what *is* a **support system** exactly?

> ☆ („ ˘ ³˘)^˘ ^„) ***Support System:*** *The People, Spaces, And Relationships That Help Protect Your well-being!*
>
> - ☐ This can include friends, family, mentors, healthcare providers, therapists, professors, faith communities, neighbors, and community networks.
> - ☐ Alongside helping you emotionally, a ***good*** support system helps you function, recover, make decisions, and feel less alone.
>   - ☐ **Strong social ties** → lower mortality, better immune function, faster recovery from illness, and reduced stress-related disease!

Support also comes in ***different forms***, which is important because sometimes women think, *"But I do have people around me,"* while *still* feeling unsupported. Often, the issue is not that there is no one by your side. It is that the ***type*** of support you need is missing!

☆ *The Four Types Of Support And Their Impact*

> ☆ ***Emotional*** *Support*
>
> - ☐ **Empathy**, listening, comfort, and feeling understood.
> - ☐ This might look like a friend who lets you vent, a sister who checks in, or a family member who can sit with your pain *without* rushing you.

- ☐ This type of support can help reduce anxiety and improve self-esteem.

☆ ***Instrumental Support***

- ☐ **Practical** help; things like childcare, transportation, financial help, meals, errands, or hands-on assistance.
- ☐ This kind of support can **reduce burnout**, especially for mothers, caregivers, and women juggling too many responsibilities at once.

☆ ***Informational Support***

- ☐ Guidance that helps you make clearer decisions.
- ☐ This may come from healthcare providers, mentors, support groups, therapists, professors, or trusted educators.
- ☐ It improves decision-making and **health literacy**, meaning your ability to understand health information and actually use it in real life.

☆ ***Appraisal Support***

- ☐ Honest **feedback**, grounded encouragement, and perspective.
- ☐ This is the kind of support that helps you trust your judgment, cope better, and remember that you are ***capable***.
- ☐ It strengthens **self-efficacy**, which is defined as confidence in your ability to handle challenges.

Once you see support this way, the whole topic becomes way less obscure! You can start noticing whether you are missing **emotional comfort**, **practical help**, **trustworthy guidance**, or **honest encouragement**. Now ***that*** goes beyond just *"having people in your life."* And there's more! As mentioned before, support matters for both **mental** and **physical** health.

☆ ***Mental Health***

- ☐ Lower risk of **depression**, **anxiety**, and **PTSD**.
  - ☐ This is *especially* important for women coping with trauma, chronic illness, reproductive challenges, **pregnancy stress**, **miscarriage**, **infertility**, or **postpartum** mental health struggles.

- ☐ Strengthens ***resilience***, which is the capacity to adapt and recover from stress.

☆ ***Physical Health***

- ☐ Lower blood pressure, better cardiovascular health, and stronger immune response.
- ☐ Can reduce some of the harmful physiological effects of chronic stress hormones such as **cortisol**.
  - ☐ Being supported can help the body carry stress with less *wear and tear.*
- ☐ Also, consistent support makes women more likely to stick with medical treatments and maintain healthier habits!

Okay, if good support comes in so many *fabulous* shapes and sizes, and has *so* many benefits, **why does finding it feel like an endless treasure hunt?** Let's dive into the *plethora* of answers to that question!

☆ We've normalized women being the *'rock'* for everyone else, but **we haven't made it normal for women to have a rock of their own.**

☆ **Isolation** is common among new mothers, older women, and women in marginalized communities, who often report loneliness or lack of emotional support.

☆ **Cultural norms** in some settings may discourage vulnerability, especially around mental health, reproductive health, or family hardship.

☆ Digital reliance can create broader connections while subtly ***reducing*** emotional intimacy when online interaction replaces face-to-face care. *(Sometimes… it really is that phone).*

☆ How To Start Building Your Support System

1. *Start With **Intentional Communication.***

- ☐ People cannot support needs they do not know about, so clear communication matters! :-)
- ☐ Saying *"I'm overwhelmed"* is helpful, but saying *"I really need help with rides this week,"* or *"I do not need advice right now, I just need you to listen,"* is often even more effective.
- ☐ Being specific makes it easier for the right kind of support to show up!

2. *Build **Reciprocity.***
   - ☐ Healthy relationships usually grow through mutual care.
   - ☐ This does ***not*** mean scorekeeping! It simply means that strong relationships are ***not*** one-sided emotional extraction zones.
   - ☐ Showing up for your loved ones in ways that you can. Focus on building trust, warmth, and balance.

3. *Diversify Your Network.*
   - ☐ Try not to expect one person to meet every emotional, practical, and informational need. Mix it up a little! (☆ ‿ ☆)

4. *Join **Community** Or Women's Health Spaces.*
   - ☐ Support can grow through both virtual and in-person communities.
   - ☐ Women's groups, wellness circles, campus groups, religious communities, and support organizations can all create ***belonging.***
   - ☐ These spaces can be especially helpful if your day-to-day environment feels isolating!

5. *Lean Into **Shared Identity Spaces** When They Feel Safe.*
   - ☐ Being around people who understand your experience ***without*** needing every detail explained can be *deeply* relieving!
   - ☐ That sense of being understood can *lower shame* and increase ***trust.***

6. *Use Technology **Wisely.***

- ☐ Online groups *(opt for **moderated** ones)* and therapy platforms can offer meaningful support, especially for women facing mobility, childcare, transportation, or location barriers!
- ☐ Technology can *absolutely* be part of a healthy support system—**just be smart with how you use it!**

7. *Practice **Boundary**-Setting And Self-Care!*
   - ☐ Healthy **support systems** require ***clear boundaries.***
   - ☐ It is perfectly okay to distance yourself from draining, dismissive, or one-sided dynamics. Not every relationship deserves unlimited access to your energy.
   - ☐ Protecting your peace is ***not*** selfish. It is an *integral* part of building a support system that actually supports you.

☆ *Support Across Life Stages*

Support is not only for moments of crisis. It matters during **transitions** too! And women move through ***a lot*** of transitions, many of which are emotional, physical, relational, and identity-shifting *all at once.* **There is no one-size-fits-all model.** The goal is to build something that fits your life, your needs, your values, and your access points! (´･ᴗ･ `)

☆ During **adolescence**, peer groups and mentors can shape identity, confidence, and mental health resilience.

☆ During the **reproductive years**, support can buffer the stress of pregnancy, miscarriage, **infertility**, caregiving, and postpartum depression.

☆ During **midlife and menopause**, emotional support can reduce isolation and help women adapt to hormonal and body changes with more steadiness.

☆ During **older adulthood**, maintaining community ties may help protect against depression and cognitive decline *(e.g., **dementia**).*

Whew, we covered a lot just now! It's time to put it all together into an **actionable plan**. Without further ado, here is what you can do right now *(or when you choose–there's no rush* (— ‿‿ —)♡*)*:

1. Take inventory and ask yourself: *"who can I go to for **comfort**, **practical help**, **trustworthy advice**, and **honest encouragement**?"*
2. Notice which category feels strongest and which one feels weakest.
3. Choose **one** small support-building step this week.
    - ☐ **Examples**: reaching out to a mentor, joining a women's group, booking therapy, asking for help with childcare, or having one honest conversation.
4. Practice **one clear sentence** that communicates a real need.
5. Remind yourself that receiving care does not make you needy. It makes you *human.* ♡

Conclusion ☆ · ₊ °

Building a support system is ***not*** about proving that you are fragile. It is about refusing the idea that women are supposed to carry everything alone and call that strength! You're kind of standing up to the patriarchy if you really think about it! ,,ʚ ◡ ɞ,, The **right support** can protect your mind, support your body, and make life feel more livable in both ordinary and difficult seasons. So if your support system is still a work in progress, that is okay! **Start small**, **stay honest**, and **let support become something you are allowed to receive too.**

Sources ☆ · ₊ °

American Psychological Association. (2022, May 10). *Social support and identity help explain how gendered racism harms Black women's health.* https://www.apa.org/pubs/highlights/spotlight/issue-236

Southwick, S. M., & Charney, D. S. (2018). *Resilience* (2nd ed.). Cambridge University Press.

Taylor, S. E. (2011). Social support: A review. In H. S. Friedman (Ed.), *The Oxford handbook of health psychology* (pp. 189—214). Oxford University Press.

Umberson, D., & Montez, J. K. (2010). Social relationships and health: A flashpoint for health policy. *Journal of Health and Social Behavior, 51*(Suppl.), S54—S66. https://doi.org/10.1177/0022146510383501

World Health Organization. (2021, May 24). *Gender and health.* https://www.who.int/news-room/questions-and-answers/item/gender-and-health

How to Advocate for Yourself at the Doctor's

Somehow, **doctor's appointments** can make even very smart women feel like they have shown up completely unprepared for a pop quiz about their own organs. (´。＿。`) You are expected to explain your body, remember important details, process unfamiliar information, make decisions quickly, and *somehow* stay unruffled while doing all of it. So if you have ever left an appointment thinking, *"Wait... I forgot to ask half of what I needed,"* or *"I do not think they really heard me,"* you are absolutely **not alone**.

This is exactly why **self-advocacy** matters. In healthcare, speaking up does ***not*** make you difficult, dramatic, or *'too much.'* It only helps make sure that your symptoms are taken seriously, your questions are answered, and your care *actually* reflects what is happening in your body and life! (´ · ᵕ ·) *A* **good appointment** should not leave you confused, dismissed, or steamrolled. It should leave you clearer, more informed, and more supported.

*As always, **this section is for education only, not medical advice.** Care should always be **individualized**, and it is always okay to seek a second opinion when something feels off.*

Main Content ☆ ⋅ ₊ ˚

Self-advocacy in healthcare matters *so* much because proper care often depends on how clearly your concerns are communicated and how fully they are addressed! Think of it this way: **if the appointment is a group project, your symptoms should not be doing all the work while your questions sit quietly in the corner!** Many patients report feeling rushed, misunderstood, minimized, or dismissed during appointments. That can be *incredibly* discouraging, especially when you already do not feel well. (ノ_<、) But research and patient-centered guidance both suggest that preparation, communication, and persistence can improve outcomes, satisfaction, and the overall relationship between patient and provider!

☆ *So, What Does Self-Advocacy Actually Mean?*

☆ **Self-advocacy**: taking an active role in your healthcare rather than staying silent, confused, or overly hesitant to speak up.

- ☐ It includes speaking *clearly* about your symptoms, asking questions, requesting clarification, and participating in decisions about tests, treatments, and next steps!
  - ☐ It does ***not*** mean you need to know everything or challenge every single thing a clinician says.
  - ☐ It means your voice, your lived experience, and your concerns belong in the room too. :-)

It's crazy to think that a lot of women have been subtly taught to be agreeable, polite, and low-maintenance, even when their body is basically waving a tiny emergency flag in the background. But, sadly, **that's how the cookie tends to crumble in this society.** So, it's important to note that a doctor's office is one of the places where **clarity** matters more than **comfort**. You are ***not*** there to perform the role of the *"easy patient"* at the expense of your own well-being.

In a nutshell, **self-advocacy** is important because it ***helps ensure your symptoms are heard and taken seriously.*** It helps you play an active role in decision-making instead of passively receiving instructions you do not fully understand. Once you start speaking up, you may find yourself catching gaps, misunderstandings, or next steps that might otherwise go unaddressed! This can be especially important for **women from marginalized groups**, who may be more likely to report being disbelieved, talked over, or having their pain minimized. That reality is frustrating, to say the least. But it is also exactly why **practical advocacy skills** matter *so* much!

Okay, I've officially rambled enough. (ᵕ,—ᵕ—,) Let's jump into the step-by-step walkthrough of **how to advocate for yourself at the doctor's office!**

1. *Research Ahead Of Time, But Keep It **Grounded.***
    - ☐ Before your appointment, gather credible information about your symptoms, possible diagnoses, and treatment options (a couple *Google* searches can do the trick!).
        - ☐ Now, you don't have to go on a rampage and diagnose yourself with seventeen things from the internet at 2 A.M. All you have to do is know enough to ask informed questions, notice red flags, and better understand the conversation!
    - ☐ Focus on trustworthy sources (not random blogs) and basic background knowledge so you walk in feeling *oriented*, ***not*** overwhelmed.
        - ☐ *Overall, this step will help you **organize your concerns** and make it easier to spot when something feels incomplete!*

2. *Make An **Agenda** Before The Visit.*
    - ☐ Write down your main concerns *before* the appointment starts.
        - ☐ Include your symptoms, when they began, how long they have lasted, how intense they are, what makes them better or worse, and whether they are changing over time.
            - ☐ Also list your medications, supplements, relevant family history, and what you are hoping to get from the visit, such as a **diagnosis**, **treatment plan**, **referral**, **imaging order**, or **lab work**.
        - ☐ Put your most important questions ***first*** in case time runs short.
            - ☐ This step is useful because, once you are in the room, it is very easy to forget details or get sidetracked by one issue while the bigger concern never gets fully addressed. A **written agenda** helps keep the visit anchored to what actually matters most! ^ᴗ^

3. ***Describe Symptoms** Clearly And Concretely.*
    - ☐ Be as ***specific as you can*** when describing what you are experiencing.
    - ☐ Instead of saying, *"I just feel off,"* try to describe location, timing, intensity, pattern, and impact on daily life.
    - ☐ **Concrete details** help a provider think more clearly about what may be going on, while also making it harder for vague concerns to be brushed aside.
        - ☐ For example, it is often more helpful to say, *"I have had sharp lower right abdominal pain for six days, it gets worse after eating, and it woke me up twice this week,"* than to simply say, *"My stomach hurts sometimes."* **Both are meaningful**, of course, but one gives a much stronger clinical picture!

4. *Speak **Clearly** And **Assertively**.*
    - ☐ Your voice **matters** in the room, even if the provider is rushed, confident, or speaking in a way that makes you feel small.

- ☐ Calm, direct phrasing can help keep the conversation grounded and focused.
  - ☐ And if your concern feels brushed aside, you do not need to shut down and smile politely through it. You can say, "*I feel like my concern was not fully addressed. Can we explore this further?*" That is ***not*** rude. That is appropriate.

5. *Ask **Clarifying** Questions Until You Truly Understand.*
   - ☐ Try ***not*** to leave the appointment pretending you understood something that still feels fuzzy!
   - ☐ You have the right to know what a diagnosis, test, medication, or treatment recommendation *actually* means for you.
     - ☐ **Helpful phrases**:
       - ☐ *"So just to confirm, what you're saying is..."*
       - ☐ *"Could you explain that again in simpler terms?"*
       - ☐ *"What does this mean for my next steps?"*

6. *Bring A **Support Person** If You Need One!* (つ˘ ˘ ˘)˘ ˘ç)
   - ☐ You don't have to do this alone! Having someone with you can lighten the mental and emotional load of the appointment.
     - ☐ A support person can help you remember questions, take notes, notice what was said, and speak up if you get flustered.
       - ☐ Choose someone who helps you feel calmer, clearer, and more confident, ***not*** more pressured or embarrassed.
     - ☐ This can be *especially* helpful when discussing serious symptoms, **chronic conditions**, emotionally charged concerns, or complicated treatment decisions!

7. *Take Notes **During** And **After** The Visit.*
   - ☐ Write down the provider's explanations, possible diagnoses, medication instructions, prescriptions, referrals, testing plans, and next steps.

- ☐ When the brain exits appointment mode, it's good to have something to return to. o(˚▽˚)o This step will help you remember details accurately later, *especially* if a lot of information comes quickly. Additionally, **follow-up appointments** will be a *breeze* because you have a record of what was discussed.
- ☐ If you do not really feel like writing while talking, ask a support person to take notes for you!

8. ***Know Your Rights As A Patient***
   - ☐ Medical authority ***can*** be questioned. Patients have rights, including informed consent, access to their records, refusal of treatment, and the ability to seek a second opinion.
     - ☐ You are ***not*** required to agree to something you do not understand.
     - ☐ You are allowed to ask for more information before making a decision.
     - ☐ You are also allowed to switch providers if a clinician is repeatedly dismissive, disrespectful, or simply not listening.

9. ***Follow Up** After The Appointment*
   - ☐ Medical appointments do not always end when you walk out the door!
   - ☐ Keep track of anything new that comes up: symptoms, side effects, new questions, changes over time, and anything that feels unresolved.
     - ☐ If test results come in later, it's best to follow up and ask your provider to walk you through what they mean instead of being left to glance at the portal and piece it together on your own.
   - ☐ Bring your **running notes** to the next visit so the story of your symptoms stays clear and consistent.
     - ☐ This step is crucial because **ongoing documentation** helps you show patterns, track whether treatment is working, and make the next conversation stronger than the last one!

Now, it's important to note that **not everything is within your control.** Some parts of doctor's appointments are *genuinely* hard on their own, and society shapes that experience too. This next part deserves to be stated clearly: **if advocating for yourself feels tiring, that does not mean you are weak or bad at it. It means the system can be genuinely difficult to navigate.**

☆ ***Barriers That Make Self-Advocacy Harder***

- ☐ Power dynamics in healthcare can make patients feel intimidated, overly polite, or afraid of seeming *"difficult."*
- ☐ **Implicit bias**, **discrimination**, and *dismissal* can make it harder for women, people of color, and other marginalized groups to be heard fully.
- ☐ Short appointment times can make it difficult to raise every concern.
- ☐ Health literacy gaps, **medical jargon** (technical terms used by health professionals that can confuse patients; e.g., *"progressing"* means *"getting worse"*), language differences, and provider assumptions can all interfere with understanding.
    - ☐ The emotional burden of needing to be persistent over and over again can become flat-out *exhausting*, especially with chronic conditions. Self-advocacy is powerful, yes, but it should not require superhero levels of energy just to receive decent care.

☆ ***What A Successful Appointment Should Feel Like:***

- ☐ You leave with more clarity than you had when you arrived.
    - ☐ You understand the likely diagnosis, the next steps, the risks and benefits, and when you should return or escalate care.
- ☐ The provider listens, responds to your concerns, and involves you in the decision-making process.
- ☐ You feel able to request changes, such as a referral, imaging, lab work, or a different treatment approach, when something seems incomplete.
- ☐ Over time, you either build a relationship with a provider who respects your voice or you move toward one who does.

A successful appointment does not necessarily mean you get every answer immediately. That's unrealistic. Sometimes medicine takes time, testing, and trial and error! But you should *still* feel heard, informed, and included in the plan. ***That*** is the difference. ૩ı´ ˘ `)

Okay, here are a few **helpful phrases** to use during your next doctor's appointment:

☆*"What I'm experiencing is..."*

☆*"Can you explain why you think this approach is best?"*

☆*"What are the alternatives, and what are the pros and cons?"*

☆*"I'm concerned about the (side effects, cost, or invasiveness). How can we reduce that?"*

☆*"So just to confirm, what you're saying is..."*

☆*"Could you explain that again in simpler terms?"*

☆*"I feel like my concern was not fully addressed. Can we explore this further?"*

☆*"If this plan does not work, what is the next step?"*

☆*"Would a referral, imaging study, or lab work make sense here?"*

☆*"At what point should I follow up again or seek urgent care?"*

Sometimes the hardest part is not knowing how to phrase what you need without sounding confrontational! Having a few ready-made sentences can make speaking up feel much easier in the moment. You do not need a perfect script. You just need a solid starting point. ♡ With that being said, below is a sample, customized **pre-appointment routine** you can follow!

How to Prepare for Your Doctor Visit

1. Spend a few minutes writing down your top concerns.
2. List current medications, supplements, symptom patterns, and relevant family history.
3.  Decide what you most want from the visit.
4. Bring your questions in priority order.
5. Take a notebook, your phone notes, or a printed summary.
6.  Bring a support person if needed.
7. Remind yourself before walking in:
   - I am allowed to ask questions.
   - I am allowed to understand my care.
   - I am allowed to speak up.

☆ This matters more than it may seem! Sometimes self-advocacy begins ***before*** the visit even starts, in the quiet mental decision not to shrink yourself in the room.

Conclusion ☆ · ₊ °

Advocating for yourself at the doctor's office never needs to be a battle. At its core, it is all about being informed, prepared, and clear enough that your care reflects what you are *actually* experiencing. You deserve appointments where your concerns are taken seriously, your questions are answered, and your health decisions are made with you, not just *around* you. So take your notes, ask your questions, and keep speaking up. **Your voice belongs in your healthcare story.** („ᵔ ᵕ ᵔ„) <3

Sources ☆ · ₊ °

Houlihan, B., Sterman, J., & Micari, S. (2016). Health care self-advocacy strategies for negotiating health systems in chronic illness. *Journal of Health Psychology, 21(9),* 1852—1861. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5790025/

Healthline. (2023, September 7). *10 tips for how to advocate for yourself at the doctor.* https://www.healthline.com/health/how-to-advocate-for-yourself-at-the-doctor

Medical News Today. (2025, May 28). *How to advocate for yourself at the doctor's office.* https://www.medicalnewstoday.com/articles/how-to-advocate-for-yourself-at-the-doctor.



Women's Health Foundations

Chapter 2: Cycles, Periods, Hormone Awareness



The Uterine / Ovarian Cycle

The female reproductive cycle (the **uterine cycle**, **ovarian cycle**, and whatnot) can feel sort of baffling when nobody has ever *really* explained what is happening beyond a quick *"you **ovulate**"* and *"you get your **period** at age whatever."* Which, to be frank, is female biology explained with the emotional depth of a ***Post-It®*** note. (ノωˆ、) In reality, your hormones are rising, falling, signaling, preparing, and resetting all month long, and of those shifts can affect ***much*** more than bleeding alone! Energy, mood, appetite, sleep, body temperature, skin, discharge, and even how **emotionally sensitive** or mentally steady you feel can all change across the cycle!

Now, that does ***not*** mean every emotional shift is *"just hormones,"* and it definitely does not mean every woman will feel the same things in the same way. However, it *does* mean the cycle is **biologically active** from start to finish, and for many women, viewing what goes on ***objectively*** can make their bodies feel far more familiar and far less exasperating! (〃´▽`〃)

*As always, **this section is for education only, not medical advice**. If your symptoms are severe, disruptive, or scary, especially if you are dealing with **depression**, **suicidality**, **mania**, **psychosis**, or major functional impairment, please involve a qualified clinician as early as you can.*

Main Content ☆ · ₊ °



Menstruation
The first day of the menstrual period is day 1 of the cycle. Progesterone maintains the lining of the uterus (endometrium); when the blood progesterone level falls, (because pregnancy has not occurred), the lining of the uterus is no longer maintained and is shed as menstruation.

Early follicular phase / Relatively infertile phase
Oestrogen from the maturing follicle causes: (a) proliferation of the endometrium and (b) secretion of cervical mucus which causes the 'dry' sensation at the vulva to change to a sensation of 'moistness', *less fertile-type* mucus is observed at the vulva.

Fertile phase / Ovulation
The rising oestrogen from the Graafian follicle (mature follicle) causes: (a) further proliferation of the endometrium; (b) the '*more-fertile-type*' mucus is now present; (c) the cervical os is open; (d) oestrogen stimulates LH release from the pituitary gland which triggers rupture of the Graafian follicle and release of the mature ovum into the outer end of the fallopian tube (ovulation).

Luteal phase
Progesterone from the corpus luteum causes (a) the secretory phase in the endometrium; (b) the cervical mucus becomes thick and occludes the cervical canal; (c) the cervical os is closed; (d) the basal body temperature (BBT) is raised. When the progesterone level falls the endometrium is shed as menstruation. **The last day of the cycle is the day before the next menstrual period.**
MENSTRUATION / NEW CYCLE BEGINS

The female reproductive cycle is ***not*** just a **period** at the end of the month. It is a ***full hormonal sequence*** involving the brain, the ovaries, and the uterus! The brain sends signals, the ovaries respond, the uterine lining changes, and if pregnancy does not occur, the lining sheds and the cycle begins again. It's kind of like a song stuck on loop! ʚ(ˆ ᵕ < ʚ)

As depicted in the uterine and ovarian cycle diagram above by **Natural Family Planning Teachers of Ireland** (n.d.), the cycle is a *coordinated*, step-by-step process. And once you understand the main players, your monthly ups and downs start making much more sense! Think of it this way: your hormones are not up there improvising like a chaotic little jazz band (even though that *would* be a pretty interesting sight to see (@﹏@)). They are actually following ***cues.***

☆ ***The Big Picture Of What Is Happening***

- ☐ The **menstrual cycle** is coordinated by the brain and reproductive organs working hand in hand!
  - ☐ The hypothalamus releases **GnRH**, which tells the pituitary gland to release **FSH** and **LH.**
    - ☐ **FSH**, or follicle-stimulating hormone, helps ovarian follicles grow.
    - ☐ **LH**, or luteinizing hormone, helps trigger ovulation and supports hormone production by the ovaries.
  - ☐ The main ovarian hormones are **estradiol** and **progesterone.**
    - ☐ **Estradiol** (*a form of* ***estrogen***) helps mature the egg, thicken the uterine lining, and regulate cycle timing.
    - ☐ **Progesterone** helps prepare and maintain the uterine lining for possible pregnancy.

These hormones are ***not*** bouncing around randomly. They are following a *sequence*, and each phase has its own job. That's basically what makes the **menstrual phase** a true starting point, not just an ending.

☆ ***Menstrual Phase****: The "Reset" Window*

- ☐ Usually begins on **Day 1** of bleeding and often lasts around **Days 1–5.**
  - ☐ This is when the **endometrium**, *meaning the uterine lining*, sheds.
  - ☐ Bleeding occurs because hormone levels from the previous cycle have dropped.
  - ☐ **Estradiol** and **progesterone** are both at their *lowest* because the corpus luteum from the prior cycle has regressed.
    - ☐ The **corpus luteum** is the temporary structure left behind after ovulation that produces **progesterone** to support possible implantation.
      - ☐ Once it is no longer needed, it breaks down, hormone levels fall, and ***menstruation*** (your period) begins.

This phase is referred to as the body's *"reset"* because that's … pretty much exactly what is happening! The old lining is cleared, the hormonal support from the last cycle is gone, and the brain begins *slowly* nudging the next cycle into motion. So, without further ado, let's take a peek at what the brain's up to during menstruation! (⌒▽⌒)

- ☐ When **estrogen** and **progesterone** are low, their usual negative feedback is *removed.*
  - ☐ That allows **GnRH**, **FSH**, and **LH** to begin rising gradually again.
    - ☐ In simple terms, the brain is giving the ovaries a little *"okay, let's start again."*
  - ☐ A new wave of **follicles** begins developing in the ovaries during this time.

So yes, while bleeding is happening, the next cycle is being set up behind the scenes. Simply put, your body is already drafting next month's plans while you are still dealing with this month's bleeding!

☆ ***Follicular Phase:*** *Building And Growing*

- ☐ Begins with ***menstruation*** and continues until ***ovulation.***
  - ☐ **FSH** stimulates several ovarian **follicles** to grow, though usually ***one*** becomes dominant.

- ☐ As **follicles** grow, they produce increasing amounts of **estradiol** (which helps thicken the uterine lining in what is called the ***proliferative phase***; also improves uterine blood flow and primes reproductive tissues for what may come next).
  - ☐ **Progesterone** stays relatively low during this phase.

This is often the phase where women feel a little more open, energized, and forward-moving. ^___^ Some mood research suggests **positive affect** (*the experience of pleasurable emotions*) may peak around the ***late follicular phase***, when **estrogen** is highest before ovulation. Not everyone experiences this, of course, but many women notice a sense of *rising energy* as **estrogen** gradually climbs! Right before ***ovulation***, though, **estrogen** starts doing something *especially* interesting with timing. (O . O)

- ☐ Early in the ***follicular phase***, rising **estradiol** helps suppress **FSH** so too many follicles do not keep developing.
  - ☐ Later, once **estradiol** reaches a high enough threshold, it switches from *negative feedback* to *positive feedback* on **LH**.
  - ☐ That hormonal switch is what sets up the ***LH surge*** that leads to ovulation.
    - ☐ So, **estrogen** is not just *"high"* or *"low."* It is actively guiding timing.

The body is not only responding to *how much* hormone is present. It is also responding to when that hormone rises, peaks, or falls. That shift in timing is exactly what leads into ***ovulation***!

☆ ***Ovulation:*** *The Mid-Cycle Release*

- ☐ Happens when estradiol reaches a threshold that triggers a surge in **LH**, along with a smaller **FSH** rise.
  - ☐ The dominant follicle then releases an egg about 24 to 36 hours later.
  - ☐ **Estradiol** peaks just before ovulation.
- ☐ After ovulation, **estrogen** dips briefly and then rises again later in the ***luteal phase.***

- ***Ovulation*** is the *dividing line* between the ***follicular phase*** and the ***luteal phase***!

For some women, ovulation passes by unnoticed. For others, there are *real* physical signs that this window has arrived. These include:

- Mild ovarian or lower abdominal pain, sometimes called **mittelschmerz**.
- **Cervical mucus** (*discharge*) that becomes clearer, stretchier, and more slippery.
- A sense of increased **libido** or heightened body awareness.
- Sometimes even a subtle feeling of sharper senses or stronger responsiveness.

Now, after that release, the cycle moves into a phase that has a knack for differing ***greatly*** from woman to woman!

☆ ***Luteal Phase:*** *Preparing For Implantation*

- After ***ovulation***, the ruptured follicle becomes the **corpus luteum**.
  - The **corpus luteum** produces **progesterone** as the main hormone, along with moderate amounts of **estradiol**.
    - **Progesterone** transforms the uterine lining from ***proliferative*** to ***secretory.***
      - Meaning, the lining becomes more receptive to implantation **if fertilization occurs.**
  - Mid-luteal is usually when **progesterone** is highest.
  - There is also a second, smaller **estradiol** peak during this phase.

So… as you can see, a lot goes on. (> <) During this phase, some women feel calm and steady. Others feel swollen, irritable, sleepy, tender, anxious, hungrier, or *emotionally* more fragile! Same general hormonal pattern, ***very*** different lived experience. And if pregnancy does not happen, this phase is where the hormonal drop becomes crucial.

- If **fertilization** does ***not*** happen, the **corpus luteum** degenerates.
  - **Progesterone** and **estradiol** then fall sharply.

- ☐ That sudden drop triggers **endometrial breakdown**.
- ☐ The uterine lining sheds, **menstruation** begins, and the cycle restarts.

Many ***late-luteal*** and ***premenstrual*** symptoms cluster right around this hormonal withdrawal window! For a lot of women, it is not just the absolute hormone level that matters. **It is the fall**.

☆ *Common **Late Luteal** And **Premenstrual Symptoms***

- ☐ Mood shifts.
- ☐ Irritability.
- ☐ Bloating.
- ☐ Breast tenderness.
- ☐ Fatigue.
- ☐ Changes in appetite or cravings.
- ☐ Sleep disruption.
- ☐ Feeling emotionally more raw or less buffered.

These symptoms (often grouped under *premenstrual symptoms*, sometimes referred to as "***PMS***") are due to hormone changes interacting with brain chemistry and the body's stress systems. That connection is one of the biggest reasons cycle education matters in the first place! •‿•

☆ *How Hormones Can Affect The **Brain** And **Symptoms***

- ☐ **Estrogen** and **progesterone** influence neurotransmitters such as **serotonin**, **GABA**, and **dopamine**.
  - ☐ These chemical systems help regulate mood, calmness, reward, motivation, and emotional processing!
    - ☐ Some women are **more sensitive than others** to hormonal change and withdrawal. That sensitivity may be one reason the same cycle pattern feels mild for one person and brutal for another.

Once you start looking at the cycle this way, it becomes easier to see that hormones can influence ***much*** more than emotions!

☆ ***Other Body Systems*** *Hormones Can Influence*

- ☐ Metabolism and energy use can shift across the cycle, especially during exercise.
  - ☐ In the ***luteal phase***, resting metabolic rate and fuel usage may change (increased resting metabolic rate due to increased **progesterone**; body burns more fat as fuel).
    - ☐ **Progesterone** has a **thermogenic** effect, meaning it slightly raises basal body temperature after ovulation.
      - ☐ This is why **basal body temperature** (**BBT**) tracking can sometimes help identify ovulation.
    - ☐ Hormones also affect skin, blood flow, and sweating.
      - ☐ Skin blood flow and sweating tend to be higher in the mid-luteal phase compared with the follicular phase.

So yes, the cycle can influence *much* more than cramps and bleeding. It can affect how hot you feel, how hungry you get, how your skin behaves, how your workouts land, and how emotionally steady or sensitive you feel. The body is doing ***a lot.*** Okay, now let's ease into how certain **mental health conditions** can shift along with the cycle.

☆ *How Does* ***Mental Health*** *Fit Into The Picture?*

- ☐ Overall, **psychiatric** and emotional symptoms can ***worsen*** at certain points in the cycle (specifically during the premenstrual and ***menstrual*** phases)
  - ☐ Severe symptoms such as **depression**, **suicidality**, **psychosis**, **mania**, and problematic **alcohol use** often showed more worsening during these windows.
    - ☐ The broader ***luteal phase*** was also associated with more anxiety, stress, and binge eating in many cases.

- ☐ Of course, this does ***not*** mean every woman has the same pattern, especially since there were *various limitations* to the **Handy et al., 2022** study (e.g., lack of racial/ethnic diversity, some low quality studies, etc.). It simply means that cycle-related worsening is real ***and*** clinically important.

So, ***why*** does this happen? Well, I'm glad you asked! (๑ᵔ⤙ᵔ๑)

- ☐ **Estrogen** and **progesterone** rise and fall predictably across the cycle.
  - ☐ Some people become *more vulnerable* when hormones are low or when they drop quickly.
    - ☐ Physical symptoms such as cramps, fatigue, breast tenderness, joint pain, and poor sleep can *intensify* emotional distress.
    - ☐ **Social strain** can increase too, with more conflict, isolation, or withdrawal around the premenstrual and menstrual phases.
    - ☐ Hormonal changes may also alter brain chemistry and emotional processing.

So it can all boil down to the *rough* combination of hormone change, physical discomfort, sleep disruption, stress sensitivity, and relational strain **all landing at once**. Talk about a pile up… (╥﹏╥) Okay, now let's get down to the nitty-gritty of ***specific*** mental disorders.

☆ ***Depression:*** *What Tends To Happen*

- ☐ **Depressive** symptoms often worsen *premenstrually*.
  - ☐ This pattern has been seen both in healthy women and in women with depressive disorders.
  - ☐ Women with a history of depression may be especially vulnerable.
  - ☐ Some people also notice lower positive affect, worse mood, or more emotional heaviness during the ***luteal phase.***
  - ☐ Patterns exist, but they are ***personal.***

☆ ***What May Help***

- ☐ Track mood ***daily*** across at least two cycles.

- ☐ Write down sadness, irritability, hopelessness, low motivation, sleep, pain, and appetite.
- ☐ Notice whether symptoms cluster before the period or during menstruation.
- ☐ Plan extra support during the high-risk window.
- ☐ Lighten workload when possible.
- ☐ Reduce unnecessary conflict / major decisions during that window.
- ☐ Schedule therapy, check-ins, or softer routines if possible.
- ☐ Manage pain, fatigue, and sleep disruption ***aggressively*** because **physical suffering can worsen mood**.
- ☐ Review hormonal factors with a clinician if symptoms are severe or consistently patterned.
- ☐ Seek professional help urgently if depression becomes severe, especially with persistent hopelessness or inability to function.

☆ ***Suicidality*** *And* ***Self-Harm:*** *What Tends To Happen*

- ☐ Although this may sound severe, some research suggests that rates of **suicide** and **suicide attempts** were highest during ***menstruation***, with certain studies also showing higher risk *premenstrually* (**Handy et al., 2022**).
  - ☐ Risk appeared especially high in those with existing psychiatric diagnoses.

This part deserves seriousness and gentle care at the same time. **If suicidal thoughts worsen around your cycle, that does not make them less dangerous because hormones are involved.** It makes planning even ***more*** important.

☆ ***What May Help***

- ☐ Do not dismiss cyclical suicidality as "*just hormones.*" Severe symptoms like this need real support, real safety planning, and **real urgency**.
- ☐ Make a **cycle-based safety plan**.

- ☐ Identify the days that are usually highest risk.
- ☐ Reduce access to means of self-harm.
- ☐ Arrange check-ins with trusted people during those days.
- ☐ Keep crisis resources visible and easy to use.
- ☐ Tell a clinician about the pattern so it becomes part of care planning.
- ☐ Increase monitoring during menstrual and premenstrual phases if there is a history of attempts or rapidly worsening mood.
- ☐ Seek ***urgent help*** immediately for **suicidal thoughts** with intent, plans, or immediate danger.

☆ ***Anxiety And Stress***: *What Tends To Happen*

- ☐ **Anxiety** and **stress** often increase in the ***luteal phase***, especially *premenstrually*.
- ☐ Some studies suggest women with **higher baseline anxiety** may experience more noticeable worsening.
- ☐ Common patterns include more worry, more rumination, higher stress sensitivity, and feeling less in control of anxiety.

☆ ***What May Help***

- ☐ Try to set the stage earlier so your nervous system has less to fight through! Don't wait until your anxiety is already peaking. (^◡^)っ
  - ☐ Prepare for the ***luteal***-phase stress spike if that matches your pattern.
  - ☐ Shift into lower-stimulation routines earlier.
  - ☐ **Protect sleep** (poor sleep leads to worsened anxiety and emotional reactivity).
  - ☐ Reduce preventable stressors during vulnerable days.
  - ☐ Avoid overscheduling and simplify what you can.
  - ☐ Use grounding, journaling, body-based calming, and structured routines before symptoms peak.

- ☐ Focus on increasing your sense of control with a **clear coping plan**.

☆ ***Social Anxiety, Panic, And Sensitivity To Bodily Sensations***

- ☐ Now, this can be such a sneaky pattern because it may feel like the world suddenly got harsher or you suddenly got weaker. In reality, though, it could just be your hormones interfering with your perception! Some evidence suggests **social anxiety** and **interpersonal sensitivity** may worsen *premenstrually* or during the ***luteal phase.***
  - ☐ This may feel like overreading people's reactions, stronger fear of rejection, more embarrassment, or more avoidance.
  - ☐ Panic findings were **mixed**, but some women seem more reactive to bodily sensations during the premenstrual phase.
    - ☐ Women with *high anxiety sensitivity* may be more vulnerable to panic-like symptoms when hormones shift.

☆ ***What May Help***

- ☐ **Reality-check your interpretations before withdrawing.**
- ☐ Ask yourself whether something *truly* went wrong or whether you feel more sensitive right now.
- ☐ Keep social contact gentle instead of going all-or-nothing.
- ☐ Label body sensations accurately rather than catastrophizing them.
- ☐ Use paced breathing, grounding, and cognitive reframing if panic symptoms rise.
- ☐ Rely on daily tracking rather than memory, because retrospective impressions can be distorted! Memory tends to collapse hard days together. Tracking lets you see the *real* pattern.

☆ ***Psychosis And Bipolar Symptoms***

- ☐ Psychotic symptoms can worsen *premenstrually.*
  - ☐ Some symptoms may improve *after* ***menstruation*** begins.

- ☐ Lower **estrogen** may increase vulnerability to psychotic symptoms in some individuals.
- ☐ In **bipolar disorder**, some women showed increases in depression, hypomania, mania, or psychosis around *premenstrual* and *menstrual* phases.
- ☐ Treatment may reduce or blur obvious cyclic changes.

☆ ***What May Help***

- ☐ Keep detailed symptom records.
- ☐ Track paranoia, agitation, voices, disorganization, impulsivity, decreased need for sleep, unusual energy, or depressive crashes in relation to the cycle.
- ☐ Tell psychiatry or other treating clinicians about repeated timing patterns.
- ☐ Protect sleep very carefully during vulnerable windows.
- ☐ Tighten support, structure, and medication adherence when symptoms tend to escalate.
- ☐ Seek ***urgent psychiatric help*** if psychosis or mania worsens significantly.

☆ ***PTSD, Trauma Symptoms, OCD,*** *And* ***Related Symptoms***

- ☐ The ***luteal phase*** may be a window of greater vulnerability for intrusive memories in some women, *especially when* ***estradiol*** *is lower relative to* ***progesterone.***
- ☐ Some studies found more flashbacks, intrusions, and difficulty with fear extinction during this time.
- ☐ **OCD** symptoms may worsen *premenstrually* for some women, though the evidence is still limited.
  - ☐ Some related symptoms, like stronger urges or less control in **trichotillomania** (*hair pulling from scalp, brows, etc.*), have also been reported premenstrually.

☆ ***What May Help***

- ☐ Anticipate the possibility of more **intrusions** or **urges** in the vulnerable phase if that matches your pattern.
- ☐ Increase grounding and sensory regulation before symptoms spike.
- ☐ Front-load coping tools such as urge surfing, stimulus control, or treatment tools already in place.
- ☐ Reduce overload during high-vulnerability days.
- ☐ Tell trauma-informed or mental health clinicians about cycle timing so treatment can be paced more thoughtfully.

☆ *Eating Symptoms, Cravings, And Binge Eating*

- ☐ One of the clearest patterns in the literature was more binge eating, hunger, cravings, and emotional eating in the *mid-luteal* and *premenstrual* phases.
- ☐ Some studies also found increased hunger during ***menstruation***.
- ☐ **Estradiol** was linked in some studies with *less* binge eating, while **progesterone** was linked with *more* binge eating.
- ☐ For many women, the **second half** of the cycle is the harder eating window.

☆ *What May Help*

- ☐ **Do not try to push through hunger** during the ***luteal*** phase.
- ☐ Plan more regular meals and snacks.
- ☐ Expect cravings instead of treating them like a moral failure (it's okay to have them; they're *normal* (◠‿◠)).
- ☐ Reduce restriction when cravings rise, because restriction can backfire into binge eating.
- ☐ Watch for body dissatisfaction spikes because those may worsen eating behaviors.
- ☐ Reduce shame and work with predictability instead of against it.

☆ *Alcohol, Nicotine, And Other Substance Vulnerability*

- ☐ Some **substances** feel rewarding or appealing at different points in the cycle.

- ☐ Alcohol use may increase *premenstrually* and during ***menstruation***, especially when linked to negative mood.
- ☐ Around ***ovulation***, drinking may be more *socially* or *positively* motivated.
    - ☐ **Progesterone** may reduce nicotine cravings or reward for some women, though withdrawal-like symptoms may feel worse in the luteal phase.
    - ☐ Subjective cocaine reward also appeared reduced in the ***luteal phase.***

☆ ***What May Help***

- ☐ Track urges as your cycle moves along.
- ☐ Notice whether substances are being used more for numbing sadness, irritability, loneliness, or overwhelm.
- ☐ Make a high-risk-week plan before symptoms intensify.
- ☐ Remove extra alcohol or other triggers from the environment if needed.
- ☐ Replace coping-drinking or coping-use with other regulation strategies where possible.
- ☐ ***Seek support*** early if urges predictably rise at certain times.
- ☐ Bring cycle timing into addiction or mental health treatment discussions.

☆ ***Hormonal Contraception*** *And* ***Mood***

- ☐ **Hormonal contraception** complicates the picture, to say the least.
    - ☐ Some studies found a *worsened* mood in some women.
    - ☐ Others found improved mood or less **anxiety** fluctuation in some cases.
- ☐ **Hormonal contraception** is ***not*** automatically good or bad for mood.
- ☐ Response is **individual** and may depend on the specific formulation.

☆ ***What May Help*** *(If Hormonal Contraception* ***Does*** *Affect Your Mood)*

- ☐ Track mood **before** and **after** starting or changing **contraception**.
- ☐ Bring specific symptom timing to a clinician.
- ☐ Note whether you are experiencing irritability, depression, panic, numbness, or intrusive thoughts.
- ☐ Ask whether a different formulation might make sense.
- ☐ Remember that more research is still needed, especially on different types and doses.

Alright, that was a *mouthful*. (¯◡¯;) To make all of this feel a little easier to take in, let's move into an overall plan you can use to navigate the effects of hormonal fluctuations throughout the month.

☆ ***Overall Plan*** *(For Dealing With Monthly Hormone Changes And Their Impacts)*

1. Track daily symptoms, bleeding days, sleep, pain, cravings, substance use, and major stressors.
2. Identify your **vulnerable window**.
3. Prepare early instead of waiting until symptoms are already severe.
4. Lighten demands, increase food and rest, reduce unnecessary conflict, and use coping tools *proactively*.
5. Get professional help for severe symptoms, especially **suicidality**, **psychosis**, **mania**, severe **depression**, or inability to function.

So, no, **you really don't need to be hypervigilant or scared of your cycle**. What matters **most** is recognizing patterns early enough that you can support yourself more effectively! ૩(• ᴗ <)♡

Conclusion ☆ · ₊ °

Hormonal fluctuations across the month are ***not*** random little inconveniences your body throws at you for the sake of it. (⌒_⌒;) They are part of a *coordinated cycle* that can affect the uterus, ovaries, brain, metabolism, temperature, skin, appetite, and emotional well-being in very real ways. For some women, these shifts are mild. For others, they can meaningfully change mood, stress tolerance, cravings, sleep, and **psychiatric** symptoms at certain points in the month. The most helpful response is usually not panic and not dismissal. It is noticing the pattern, tracking it clearly, preparing for your vulnerable window, and **getting support when symptoms go beyond what feels manageable.**

Sources ☆ · ₊ °

Hale, G. E., Hughes, C. L., Burger, H. G., Robertson, D. M., & Fraser, I. S. (2018). Menstrual cycle hormone changes associated with reproductive aging. *Endocrine Reviews, 39(4),* 385-407. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6226272/

Schmalenberger, K. M., Tauseef, H. A., Barone, J. C., Owens, S. A., Lieberman, L., Jarczok, M. N., Girdler, S. S., Kiesner, J., Ditzen, B., & Eisenlohr-Moul, T. A. (2021). *How to study the menstrual cycle: Practical tools and recommendations. Psychoneuroendocrinology, 123,* Article 104895. https://doi.org/10.1016/j.psyneuen.2020.104895

Wieczorek, K., Targonskaya, A., & Maslowski, K. (2023). *Reproductive hormones and female mental well-being. Women, 3(3),* 432—444. https://doi.org/10.3390/women3030033

Handy, A. B., Greenfield, S. F., Yonkers, K. A., & Payne, L. A. (2022). Psychiatric symptoms across the menstrual cycle in adult women: A comprehensive review. *Harvard Review of Psychiatry, 30(2),* 100—117. https://doi.org/10.1097/HRP.0000000000000329

Natural Family Planning Teachers of Ireland. (n.d.). *Events in the uterus & ovary during the menstrual cycle* [*Diagram*]. Natural Family Planning Teachers of Ireland. https://naturalfamilyplanningireland.ie/the-menstrual-cycle-2/the-uterus-and-ovary-during-the-cycle/?print=



How to Track Your Cycle Naturally

Natural cycle tracking can sound a little disconcerting at first, *especially* if you have only ever heard it explained in the tone of either a medical pamphlet or a woman who fully expects you to become one with the moon by noon! (≧▽≦) But at its core, it is really just the practice of paying attention to what your body is already doing. Your cycle leaves little breadcrumbs **all month long**, and when you learn how to notice them, things can start feeling much less spontaneous.

This can be helpful whether you are trying to understand your body better, identify your fertile window, prepare for symptoms, or notice when something seems off. At the same time, **natural tracking** works best when it is approached with patience, consistency, and a dose of *realism!* It can be *incredibly* informative, but it is ***not*** magical, and it is ***not*** equally reliable in every situation.

*As always, **this section is for education only, not medical advice**. If you have major cycle irregularities, severe symptoms, or are relying on tracking for **pregnancy** prevention, it is best to learn a structured method carefully and involve a qualified healthcare professional when needed.*

Main Content ☆ · ₊ °

Okay, so, **tracking your cycle naturally**—you don't have to hyperfixate on every tiny body change or force your body into a perfect pattern! It all boils down to **collecting enough information over time that your cycle becomes easier to understand.** One sign alone can be helpful, but multiple body signs usually paint the clearest picture. ☆ ～('▽^)

Beginning with full flow keeps your tracking cleaner and more useful!

☆ ***The Most Important Foundation:*** *Day 1 Of Your Period*

- ☐ **Day 1** of your cycle is the first day of full menstrual flow, ***not*** light **spotting**.
  - ☐ Tracking this date every month is the foundation of natural cycle tracking.
    - ☐ If you do not know where a cycle begins, it becomes *much* harder to make sense of everything else! Counting **spotting** as the start can actually throw off the whole timeline—even though it may seem minor.

☆ *Understanding Your* ***Cycle Length***

- ☐ You may have heard that your next period should arrive **28 days later**, but that ***only*** works if every woman has the exact same cycle length, which is simply **not true.**
- ☐ **Cycle length** is counted from the first day of one period to the day before the next period begins.
  - ☐ Over time, you want to notice your *average* cycle length, ***not*** just one isolated month (because there *may* be some inconsistencies along the way).
    - ☐ It is also helpful to know the range between your shortest and longest cycles, so you can notice **timing patterns**, **possible fertile windows**, and whether your cycles tend to be fairly regular or more *variable*.

A single cycle does not tell you very much, but several cycles together can start showing you the rhythm your body usually follows. Connecting the puzzle pieces of your body's *many* signs is the ***best*** way to get an accurate reading!

☆ ***Why Tracking More Than One Sign Is Better***

- ☐ Bleeding dates alone are informative, but not *comprehensive*.
- ☐ **Ovulation** timing can shift from cycle to cycle, especially if stress, illness, travel, or irregular cycles are in the mix.
- ☐ Watching **multiple body signs** gives you a better sense of where you are in the cycle ***right now***, not just where an app guesses you should be. ^___^

Now, the tidbit about **ovulation** matters because some people sometimes expect **BBT** to predict in advance with perfect precision. It usually does ***not*** do that, I'm afraid. (〃¯ω¯〃)ゝ It is more **retrospective**, which means it is best for helping you recognize that ovulation has *most likely* already happened.

☆ ***Basal Body Temperature:*** *The "**Ovulation** Probably Happened" Clue*

- ☐ Basal body temperature, often called **BBT**, is your *resting temperature* taken first thing in the morning before getting out of bed, walking around, eating, or doing anything else!
  - ☐ After **ovulation**, **progesterone** causes a slight rise in body temperature.
  - ☐ When you see a temperature shift followed by **three higher readings**, that pattern can help confirm that ovulation *likely* occurred.
    - ☐ This is especially useful for confirming **ovulation *after the fact.***

So yes, **BBT** can be useful, but it asks for ***consistency***. It works best when you take it under similar conditions each morning. If your schedule is chaotic, that does not mean tracking is impossible, but it *does* mean BBT may need to be interpreted more carefully.

Unlike temperature, which usually confirms ovulation afterward (so it is less useful for predicting the exact start of the fertile window ahead of time), **cervical mucus** can give you clues that the fertile window is approaching. It is a more *in-the-moment* type of sign.

☆ ***Cervical Mucus:*** *One Of The Most Useful Real-Time Signs*

- ☐ Cervical mucus, sometimes called **cervical fluid** or discharge, often changes across the cycle in a very recognizable way.
  - ☐ As ovulation approaches, mucus usually becomes wetter, clearer, stretchier, and more slippery, often described as *egg-white-like.*
  - ☐ After ovulation, under the influence of **progesterone**, it usually becomes thicker, stickier, or drier.
- ☐ These changes can help identify fertile days in a more *immediate* way than **BBT** alone.

Now, this method is usually the easiest place to begin because it requires the ***least*** effort. But it is also the most limited if used alone. It can give a rough estimate, but it does not tell you what your body is doing in *real time.*

☆ ***Other Body Clues*** *That Can Add Context:*

- ☐ Some people notice **ovulation** pain, also called **mittelschmerz**.
  - ☐ Others notice breast tenderness, changes in libido, mood shifts, energy changes, bloating, or fluid retention.
  - ☐ Some also track **cervical position**, including whether the cervix feels softer, higher, or *more open* around ovulation!
    - ☐ Period heaviness, period length, cramping patterns, and how regular or irregular the cycle feels overall can also be worth noting.

Not every woman will notice all of these, and honestly, you do not *need* to. Tracking every possible signal just because it exists is actually counterproductive. It's better to simply notice which signs are actually consistent and meaningful in **your own body.**

☆ *Fertility Awareness-Based Methods*

- ☐ **Fertility awareness-based methods**, often shortened to **FABMs**, combine *multiple* signs.
  - ☐ These methods may include calendar tracking, BBT, cervical mucus observations, and sometimes urinary hormone testing.
  - ☐ They can be used by both people trying to conceive *and* people trying to avoid pregnancy!

Using more than one sign usually improves the quality of the information. For many women, that shift makes the whole process feel much more ***grounded.*** For instance, combining calendar tracking, **BBT**, and cervical mucus observations gives you a *much* fuller picture of your cycle: calendar tracking helps you notice your usual **timing patterns**, cervical mucus can clue you in that *ovulation may be approaching*, and **BBT** helps confirm that it *likely* already happened. **Each method can be useful on its own, but together, they tend to be much more informative**. (≧◡≦)

☆ *So, Why Should You Track Your Cycle Naturally?*

- ☐ Instead of feeling ambushed every month, you will start to understand what your body tends to do! ヽ(´ ▽ `)ノ
  - ☐ It can help predict the fertile window if you are trying to conceive.
  - ☐ It can also help identify *higher-**fertility** days* if you are trying to avoid pregnancy, though that use requires more caution and better training.
    - ☐ Tracking can reveal irregularities such as cycle unpredictability, skipped ovulation patterns, unusual spotting, or symptoms that may deserve ***medical attention.***
    - ☐ It can help you prepare for recurring symptoms such as premenstrual mood changes, cramps, breast tenderness, or energy dips.
  - ☐ Over time, it can offer useful insight into whether your hormonal rhythm seems fairly stable or whether something feels off.

☆ **Natural tracking** can support ***fertility awareness*** *(whether you are trying to conceive or trying to avoid pregnancy).*

- ☐ Fertile windows are not perfectly predicted by apps or simple calendar guesses alone.
  - ☐ **Physiological signs** can give a more individualized picture than date-based estimates by themselves.

This is where a lot of people get tripped up by oversimplified cycle advice online! Ovulation does not always happen on the same textbook day, and fertile windows are ***not*** one-size-fits-all.

☆ ***Tracking*** *Can Also Help You Spot* ***Irregularities***

- ☐ If cycles become *very* irregular, much shorter, much longer, or unusually variable, tracking can help you notice that sooner.
- ☐ **Spotting between periods**, **missing periods**, or signs that **ovulation** may not be happening *regularly* can sometimes point to issues worth discussing with a clinician.
  - ☐ Thyroid issues, **PCOS**, and other hormonal disruptions can affect cycle patterns.
  - ☐ Now, of course, tracking does ***not*** diagnose these conditions *(alas, it does not come with a doctor's note* (^_^ *))*, but it can provide useful observations to bring into a medical visit!

Even if you are not using tracking for **fertility**, a **cycle record** can be a really helpful health history tool. It gives you something more concrete than *"I think my periods have been kind of weird lately."*

☆ ***Tracking*** *Can Help You Plan For Symptoms*

- ☐ Knowing what is likely coming can reduce a lot of frustration!
  - ☐ If you tend to get mood shifts, **PMS** symptoms, cramps, breast tenderness, low energy, or bloating at predictable times, tracking can help you plan ahead. :-)

- That might mean adjusting your workload, protecting more rest, having supplies ready, or simply giving yourself more *emotional breathing room.*
- You may also start noticing whether certain symptoms happen before your period, around **ovulation**, or during **menstruation** itself.

☆ ***Natural Tracking Takes Consistency And Patience***

- **The more consistent your observations are, the more useful the pattern becomes.** We all have bad months—maybe you had a lot on your shoulders, an illness, or some other disruption going on (ﾉ_ﾍ;) —but long-term consistency matters.
- Most women need several cycles, often at *least* ***3–6***, to start seeing a clearer picture.

Now, ***irregular cycles*** do make prediction a *bit* trickier. If your cycle length varies a lot, calendar-based estimates and app predictions become less reliable, which is exactly why real-time body signs matter more. Tracking can still teach you the works, but it is wise to be more cautious about relying on averages alone, especially for pregnancy prevention! **Apps** can absolutely be helpful for storing data, but they are ***not*** a substitute for what your body is *actually* showing you. They can look neat and organized even when your cycle is, well, **the opposite.** So, my advice? Try to think of them as a tool for **logging patterns**, not an oracle for timing. ૩(･ᴗ･)✧

☆ *Other **Limitations** Of Natural Methods:*

- These methods are helpful, but they are ***not*** perfect on their own.
  - **Natural tracking** does not protect against sexually transmitted infections.
  - BBT can be distorted by outside factors (*e.g., warmer seasons*).
  - Tracking requires ***ample*** patience, consistency, and a willingness to look at patterns over time.
  - If you are using these methods to avoid pregnancy, pairing them with other forms of protection can add another layer of support.

☆ *A Simple Beginner-Friendly Way To Start*

- ☐ Track the first day of full flow every month.
- ☐ Record total cycle length for each month.
- ☐ Notice cervical mucus changes through the cycle.
- ☐ If you want to go deeper, add daily basal body temperature.
  - ☐ Write down symptom patterns such as cramps, mood, bloating, breast tenderness, sleep, or energy.
  - ☐ Look for trends across several cycles instead of trying to interpret every single day in isolation.

☆ *What A **Natural Tracking** Routine Can Look Like In Real Life*

- ☐ In the morning, take your **BBT** before getting out of bed *(if that's one of the signs you are using!).*
- ☐ During the day, notice any **cervical mucus** or fluid changes.
- ☐ Log bleeding, symptoms, and anything *unusual* such as spotting, strong **ovulation** pain, or *major* mood shifts.
- ☐ At the end of each cycle, note the **total length** and how the month felt overall.
- ☐ After several cycles (***3–6***), compare patterns.

☆ *When To Check In With A Clinician*

- ☐ If your periods are very irregular or suddenly change a lot.
- ☐ If you are having **very heavy bleeding**, **severe pain**, **repeated spotting between periods**, or **skipped periods.**
- ☐ If you suspect **PCOS**, thyroid issues, or another hormonal concern.
- ☐ If your mood or physical symptoms become disruptive or intense.
- ☐ *If you are unsure how to interpret what you are seeing and want help making sense of it.*

It's important to note that tracking is a ***tool***, not a replacement for care. It can give you a clearer record of what your body has been doing, which can make medical conversations more specific and more productive!

Conclusion ☆ · ₊ °

Tracking your menstrual cycle naturally can be an effective way to understand your body with *more* clarity and *less* guesswork. When you start to take note of bleeding dates, cycle length, cervical mucus, basal body temperature, and recurring symptoms, your cycle often starts to feel much more ***readable***. The most important things are consistency, patience, and realism. Let the patterns reveal themselves over time, use the information gently and wisely, and remember that tracking is there to *support* you, ***not*** stress you out. ♡

Sources ☆ · ₊ °

Duane, M., Stanford, J. B., Porucznik, C. A., & Vigil, P. (2022). Fertility awareness-based methods for women's health and family planning. *Frontiers in Medicine, 9*, 858977. https://doi.org/10.3389/fmed.2022.858977

Yu, J. L., Flores, R., Mendez, A. J., Jaramillo, A., Molina, A., & Vigil, P. (2022). Tracking menstrual cycles and prediction of the fertile window using physiological parameters. *Reproductive Biology and Endocrinology, 20(1)*, Article 93. https://doi.org/10.1186/s12958-022-00993-4



The Science Behind Menstrual Cramps

Menstrual cramps can feel like your own personal villain because they are often treated like something women should just *silently* suffer through. But if you have ever had to curl up with a heating pad, cancel plans, double down on **pain medication**, or feel like your whole body is purposefully working against you for a day or two, you already know this is ***not*** just a tiny inconvenience! Cramps can be extremely disruptive, exhausting, and, frankly, kind of *degrading*. (¬_¬")

So, yeah, you may be wondering: "What is their *deal*?" Well, the good news is that menstrual cramp pain is ***not*** random. It has real biological mechanisms behind it, which means there are also **real, evidence-backed ways to help**.＼(☆▽☆)／Once you understand what is happening inside the body, the applicable treatments start making ***a lot*** more sense!

*As always, **this section is for education only, not medical advice.** If your pain is severe, suddenly worsening, or comes with unusual bleeding, pain outside your period, pain with sex, fainting, fever, or trouble functioning, it is important to speak with a qualified healthcare provider.*

Main Content ☆ · ₊ °

Menstrual cramps are medically called **dysmenorrhea**. Now, I know that the word is a mouthful and a *half*, but it simply refers to painful **menstruation.** There are two main types, and this distinction really matters because **not all cramps come from the same cause.**

☆ *The **Two Main Types** Of **Dysmenorrhea***

- ☐ **Primary dysmenorrhea** means period pain without another underlying pelvic disease causing it.
  - ☐ This is the classic cramp pattern many women experience during **menstruation.**
- ☐ **Secondary dysmenorrhea** means period pain caused by another condition.
  - ☐ Common causes include **endometriosis**, **uterine fibroids**, **adenomyosis**, **pelvic inflammatory disease**, **ovarian tumors**, and other pelvic problems.

In simple terms, **primary dysmenorrhea** is pain from the menstrual process itself, while **secondary dysmenorrhea** is pain from something else going on underneath! That difference is important because severe pain is not always "*just normal cramps.*" I mean, sure, *sometimes* it is. But, on the flip side, sometimes it is your body asking for a **closer look.** Knowing that distinction can help women take their pain seriously without panicking. (⋆ ‿ ⋆)

☆ ***Why Menstrual Cramps Happen In The First Place***

- ☐ Toward the end of the **menstrual cycle**, **progesterone** levels drop.
  - ☐ As that hormone support falls, the lining of the uterus, called the **endometrium**, begins releasing *prostaglandins*.
    - ☐ The main prostaglandins involved include **PGF2a** and **PGE2**.
    - ☐ These chemicals help trigger the *shedding process*, but they also create the pain mechanism behind many cramps.

So, no, menstrual cramps are not happening because the uterus is being melodramatic. They are tied to ***chemical signals*** released as the lining prepares to shed.

☆ ***Prostaglandins*** *And Uterine Contractions*

- ☐ **Prostaglandins** cause the uterine muscle, called the **myometrium**, to contract more strongly and more frequently.
  - ☐ They also contribute to *inflammation*.
  - ☐ These stronger contractions are a major source of cramp pain.
- ☐ **Prostaglandins** can also narrow blood vessels in the uterus, which makes the whole situation even less pleasant… to say the least.

That is why treatments that reduce **prostaglandin** production can be *so* effective. They are not just "*covering up pain.*" They are targeting one of the **main drivers** of the pain itself! ૩(´ ▽ `)

☆ *Reduced Blood Flow And* ***Ischemia***

- ☐ Strong uterine contractions can compress blood vessels.
  - ☐ That reduces local blood flow to uterine tissue.
  - ☐ Reduced blood flow is called **ischemia**.
  - ☐ When tissue gets less oxygen, pain tends to increase.
    - ☐ This oxygen reduction can also contribute to the buildup of *irritating metabolic byproducts.*

This is part of why cramps can feel deep, squeezing, aching, or almost like the uterus is being *wrung out*. The tissue is not just contracting. It is also dealing with reduced blood flow ***during*** those contractions. A real cherry on top of the sundae, huh? (´_ゝ`)

☆ ***Anaerobic Metabolites*** *And Nerve Irritation*

- ☐ When oxygen supply drops, tissues rely more on **anaerobic metabolism**.
  - ☐ This can lead to a buildup of metabolites such as **lactic acid**.

- ☐ Those metabolites can irritate surrounding nerves.
  - ☐ That irritation *adds* to the pain signal.

So the pain is ***not*** coming from one thing only. It is a combination of contraction, reduced blood flow, inflammatory chemicals, and nerve irritation all layering together at once. Which is… a pain in the you-know-what, but biologically very real.

Since that was a lot of information at once (ᵕ—ᴗ—), I've mapped it all out in a **diagram** on the next page to make it easier to digest. Feel free to check it out!


1
Progesterone levels drop.
2
The lining of the uterus (endometrium) releases prostaglandins.
3
The main prostaglandins involved include PGF2α and PGE2.
4
Prostaglandins and Uterine Contractions
• Prostaglandins cause the myometrium to contract more strongly and more frequently.
• They also contribute to inflammation.
• These stronger contractions are a major source of cramp pain.
• Prostaglandins can also narrow blood vessels in the uterus, making pain worse.
5
Reduced Blood Flow and Ischemia
• Strong uterine contractions can compress blood vessels.
• That reduces local blood flow to uterine tissue (ischemia).
• When tissue gets less oxygen, pain tends to increase.
• This oxygen reduction can also contribute to the buildup of irritating metabolic byproducts.
6
Anaerobic metabolites and Nerve Irritation
• When oxygen supply drops, tissues rely more on anaerobic metabolism.
• This can lead to a buildup of metabolites such as lactic acid.
• Those metabolites can irritate surrounding nerves.
• That irritation adds to the pain signal.

Why Can Women Feel Menstrual Cramps So Intensely?

- ☐ Pain nerves in the uterus can become sensitized.
  - ☐ That means normal or expected pain signals may be experienced as *more intense.*
    - ☐ **Prostaglandins** and **leukotrienes** may both help make pain fibers more reactive.
- ☐ Women with more severe **dysmenorrhea** may even show increased baseline pain sensitivity *outside* of ***menstruation*** (*as a little not-so-fun fact*).

  This helps explain why one woman may say, *"Eh, my period is uncomfortable at most,"* while another feels flattened by the weight of it. It is ***not*** always about having the exact same physiology with a different attitude! Pain sensitivity and inflammatory signaling can ***truly*** differ.

☆ *Other **Hormones** And **Inflammatory Factors** Involved*

- ☐ **Vasopressin** *(the hormone that tells your kidneys to retain water and helps **tighten blood vessels to boost blood pressure**)* may also play a role in worsening cramps.
  - ☐ It may heighten uterine contractions and reduce local uterine blood flow.
    - ☐ ***Inflammation*** is a central part of the whole process.
- ☐ Higher **prostaglandin** levels tend to travel with increased inflammatory activity. That is why anti-inflammatory approaches can matter so much!

  ☆ ***Factors** That Can Make Cramps Worse*
  - ☐ Early age at **menarche** (basically *'getting your period early'*) may be associated with worse dysmenorrhea risk.
  - ☐ *Heavy* or *prolonged* menstrual flow can make cramp burden higher.
  - ☐ Obesity and smoking are also associated with worse symptoms.
  - ☐ Family history can matter too.
  - ☐ Stress, mood strain, poor sleep, and overall health can influence how pain is felt and tolerated.

- ☐ The nervous system and the pain experience are ***connected***, so when the whole body is under strain, cramps can pack a bigger punch.

Now that we've covered why cramps can feel like the gift that keeps on taking, let's get into the **treatments** that can *actually* help and what they do inside the body! (*^‿^*)

☆ *The **First-Line Treatment** That Actually Targets The Mechanism*

- ☐ **NSAIDs**, such as ibuprofen, naproxen, and mefenamic acid, are considered first-line treatment for primary dysmenorrhea.
  - ☐ These medications work by blocking *cyclooxygenase*, or **COX**, enzymes.
    - ☐ **That reduces prostaglandin production.**
      - ☐ *Less **prostaglandin** activity usually means fewer or less intense uterine contractions and less inflammation.*
  - ☐ Compared with placebo, **NSAIDs** are consistently effective for many women!

However, **there is a catch:**

- ☐ **NSAIDs** tend to work best when taken at the onset of symptoms or **menstruation** rather than long after pain has already ramped up!
  - ☐ *The earlier **prostaglandin** activity is reduced, the less intense the pain often becomes.*
- ☐ Waiting until the pain is already severe can make them feel **less effective.**

So, yes, **NSAIDs** are useful! They directly interrupt one of the **main** pain pathways rather than just dulling the feeling after everything is *already* in full swing. However, early treatment often works better than heroic late treatment.

☆ ***When Nsaids May Not Be The Best Fit***

- ☐ **NSAIDs** can cause gastrointestinal side effects such as **stomach upset** *(highly recommended to take with **food** or **milk**!).*

- ☐ Some women cannot take them safely because of other medical issues, medication interactions, or personal contraindications.
- ☐ Safety profiles can vary between different **NSAIDs**.
    - ☐ *If **NSAIDs** are not tolerated well or are not enough, other options may be the move!*

This is why a more ***individualized*** plan is important. A treatment can be evidence-backed overall and *still not* be the right fit for everyone!

☆ ***Hormonal Contraceptives** Can Help Many Women*

- ☐ **Hormonal contraceptives**, including combined and progestin-only options, can reduce menstrual cramp pain.
    - ☐ They thin the **endometrium**, which means there is *less* tissue producing **prostaglandins**.
    - ☐ They can also suppress **ovulation** and create a more stable hormonal environment.
        - ☐ This usually leads to less intense uterine contractions for many women.
            - ☐ ***Hormonal contraceptives** can be especially helpful when **NSAIDs** alone are not enough!* ૩ ´ ⌣ `)

    Now, of course, this does not mean **hormonal contraception** is automatically the right answer for everyone. It just means it is a *well-supported* option that can be *very* effective, especially when cramps are frequent, disruptive, or stubborn.

☆ ***Heat Therapy** Is Simple But Genuinely Helpful*

- ☐ **Heat therapy** *consistently* reduces pain intensity in dysmenorrhea.
    - ☐ Heating pads, warm compresses, and hot baths are common ways to use it.
    - ☐ Heat may improve blood flow to the pelvic area.
        - ☐ It may help relax uterine muscles, widen blood vessels, and reduce pain signaling.

- ☐ It is low-cost and low-risk!

  Sometimes heat therapy gets dismissed because it sounds too simple, but simple does ***not*** mean ineffective. A heating pad can be a *very* real part of a pain-management plan!

☆ ***Exercise*** *Is Not A Quick Fix, But It Can Help Over Time*

- ☐ Regular moderate physical activity is associated with reduced menstrual pain over time! (◡̀ ◡ ◡́)و
  - ☐ **Exercise** may help release **endorphins**, which are the body's natural *pain-relieving chemicals*.
    - ☐ It may also improve circulation and reduce inflammation.
    - ☐ Some evidence suggests it may help reduce menstrual flow and possibly prostaglandin activity too.
- ☐ It can also support mood, energy, and overall well-being.

This is one of those things that is more helpful as a regular habit than as an emergency rescue! Going for an afternoon walk one time will not necessarily cancel severe cramps in the moment, but **consistent movement over weeks** can be effective!

☆ ***Acetaminophen*** *Can Be Useful, But It Is Usually Not As Strong*

- ☐ **Acetaminophen**, also called ***paracetamol***, can help with mild to moderate pain.
  - ☐ It has weaker ***COX*** *inhibition* than **NSAIDs**.
    - ☐ Because of that, it is generally less effective than **NSAIDs** for **primary dysmenorrhea**.
- ☐ It may still be useful when **NSAIDs** are contraindicated or poorly tolerated! So, it's not *useless* per se. It is just usually ***not*** the strongest first choice when **prostaglandins** are the main issue.

☆ ***Non-Drug Approaches*** *That May Help As Add-Ons*

- ☐ **Yoga** and **relaxation practices** may help reduce stress and improve overall symptom burden.

- ☐ **TENS**, which stands for *transcutaneous electrical nerve stimulation*, may raise pain threshold and reduce the perception of uterine contraction pain.
- ☐ Some lifestyle approaches, such as better sleep, hydration, and stress management, may improve overall resilience.
- ☐ Diet patterns that emphasize anti-inflammatory foods may also be helpful for some women.
- ☐ **Leafy greens**, **omega-3-rich foods**, and moderating caffeine, added sugar, and alcohol may support a lower-inflammatory baseline.

One thing alone may only help a little, but layering a few low-risk supports together can make the whole cramp experience *much* more manageable!

☆ ***Herbal Treatments*** *With The Strongest Benefits*

- ☐ **Ginger** is one of the most commonly supported herbal options for primary dysmenorrhea.
  - ☐ **Tip** (according to studied amounts): Take 750 to 2000 mg of powdered ginger root capsules daily during the first **three** days of your period.
    - ☐ **Ginger** may work through anti-inflammatory effects, lower prostaglandin activity, and possible uterine muscle relaxation.
- ☐ Mild side effects can include heartburn or stomach upset.
- ☐ *It should be used with caution if you take blood thinners!*

- ☐ **Fennel** is another helpful herb!
  - ☐ **Tip:** Take 30 drops of **fennel** extract or a ~ 30 mg capsule **two to three times daily** during cramps.
    - ☐ **Fennel** may have antispasmodic effects, meaning it may help relax smooth muscle.
    - ☐ It may also influence **prostaglandin** balance.
  - ☐ *It is generally considered safe in usual amounts, but **high doses** should be avoided in hormone-sensitive conditions.*

- **Chamomile** is also included among the top herbal options.
  - **Tip:** Drink one to three cups of tea or take 220 to 1100 mg capsules **daily**.
    - **Chamomile** may offer antispasmodic, anti-inflammatory, and calming effects.
  - *It should be avoided if you are allergic to **ragweed** or **daisies**, and it can also interact with **anticoagulants.***

☆ *When Cramps May Point To Something Beyond Primary Dysmenorrhea*

- Pain that is unusually severe, progressively worsening, or no longer follows your usual pattern may deserve evaluation.
  - Pain *outside* your period can be a clue.
  - ***Very*** heavy bleeding, bleeding changes, painful sex, **infertility** concerns, or pain that does not respond to usual treatment can also be red flags.
    - ***Secondary dysmenorrhea** should be considered when there may be an underlying condition such as **endometriosis**, **fibroids**, **adenomyosis**, or **pelvic inflammatory disease**.*

In short, if something feels off, more intense than expected, or increasingly disruptive, you are allowed to investigate instead of forcing yourself to consider it as normal.

☆ *Rare And More **Invasive Options***

- **Surgical or invasive treatments** are usually reserved for severe cases or secondary dysmenorrhea that does not respond to other approaches.
  - Examples can include nerve ablation, endometrial ablation, or hysterectomy in specific situations.

For many women, this is ***not*** where treatment starts. These are generally considered last-resort options. The risks are higher, and **fertility** goals and personal preferences have to be weighed very carefully!

☆ ***What Actually Helps Most In Real Life***

- ☐ Start treatment ***early*** when symptoms begin.
- ☐ Use NSAIDs promptly if they are safe for you and part of your plan.
- ☐ Utilize **heat therapy** *early* rather than waiting until you feel the brunt of the pain.
- ☐ Track what the pain feels like, how severe it is, what you used, and what helped.
    - ☐ Notice patterns in sleep, stress, heavy bleeding, mood, and symptom severity.
- ☐ Consider **layering supportive strategies** instead of relying on only one thing.
- ☐ *Get evaluated if pain is unusually severe, changing, or suggestive of* ***secondary dysmenorrhea.***

Conclusion ☆ ⋅ ₊ °

To be perfectly honest, the science behind **menstrual cramps** is *much* more logical than the way cramps are usually talked about. They are not random, exaggerated, *or* something women are supposed to silently endure for applause. They are rooted in real hormonal, inflammatory, **vascular**, and nerve-related changes! And because of that, there are ***real*** ways to help. The most useful approach is usually to treat early, use evidence-backed tools, notice your patterns, and stay open to **deeper evaluation** if something does not feel typical. Your pain deserves attention, ***not*** minimization. (ʔ ˘ ³˘)ʔ°₀⋆♡⋅₊°

Sources ☆ · ₊ °

American College of Obstetricians and Gynecologists. (n.d.). *Dysmenorrhea: Painful periods.* https://www.acog.org/womens-health/faqs/dysmenorrhea-painful-periods

Kirsch, E., Rahman, S., Kerolus, K., Hasan, R., Kowalska, D. B., Desai, A., & Bergese, S. D. (2024). Dysmenorrhea: A narrative review of therapeutic options. *Journal of Pain Research, 17,* 2657—2666. https://doi.org/10.2147/JPR.S459584

Li, S., Li, Q., Li, Y., Li, L., Tian, H., Sun, X., Cheng, G., Liu, Z., Chen, J., & Yang, Z. (2021). Comparison of herbal medicines used for women's menstruation diseases in different areas of the world. *Frontiers in Pharmacology, 12,* Article 751207. https://doi.org/10.3389/fphar.2021.751207

Sustenance For Your Period

As you probably know, **periods** can make the whole body feel a little … *out of sorts*, so to speak. Cramps, bloating, fatigue, mood shifts, cravings, and that general *"why do I feel like this,"* feeling can all pop up at once (╯ ‿ ╰,), which is not exactly a fun little combo. But **nutrition** can alleviate some of this in ways you might not expect! It cannot erase every symptom, of course, but it *can* influence inflammation, energy, digestion, fluid balance, and how ***supported*** your body feels while it is moving through **menstruation**!

That is really the heart of this section: *period nutrition is not about eating perfectly or trying to "fix" your body for having a menstrual cycle.* It is about making choices that help the body feel steadier, less inflamed, and **better supported** during a physically demanding time.

*As always, **this section is for education only, not medical advice.** If your symptoms are severe, persistent, or disruptive, or if you have concerns about heavy bleeding, **nutrient deficiencies**, digestive issues, or significant pain, it is always wise to check in with a qualified healthcare provider.*

Main Content ☆ · ₊ °

Menstruation is a physiological process, ***not*** a dysfunction. But just because it is normal does not mean it is always comfortable. You know, it's kind of like assembling **IKEA** furniture: technically *very* normal, widely experienced, and still somehow capable of leaving you sore, annoyed, and a *little* emotionally volatile! (X o X) During your period, the body is dealing with uterine shedding, hormone shifts, fluid changes, energy demands, and inflammation for *days*. **Nutrition** cannot control *every* part of that process, but it can ***definitely*** shape how supported you feel while moving through it!

Alright, introduction over. :-) Let's dive right into changes during menstruation, what **foods** can help, what **foods** may make things more irritating, and what a **realistic support plan** can actually look like!

☆ ***What Is Changing In The Body During Menstruation***

- ☐ Uterine shedding can contribute to cramping, lower energy, and that *heavy, drained* feeling many women know by heart.
  - ☐ Hormone fluctuations during this phase can influence appetite, cravings, and emotional regulation.
    - ☐ **Sweet** or **salty cravings** may reflect real metabolic & hormonal shifts rather than just "*bad discipline.*"
- ☐ Food choices that increase inflammatory load may make some symptoms feel ***worse.***

So, you are not just eating for general health in some abstract sense. You are eating right smack in the middle of a body process that can affect pain, **fluid retention**, mood, digestion, and energy ***all at once.***

☆ *Why* ***Diet*** *Can Matter So Much On Your Period*

- ☐ **Cycle-aware nutrition** can help support the body through those hormonal shifts.
  - ☐ Certain nutrients may help reduce bloating, fatigue, and discomfort.

- ☐ **Hydration** and *anti-inflammatory foods* may support recovery and help the body feel less stressed.
- ☐ Balanced meals can help steady blood sugar, which may also help with mood swings and cravings.

When blood sugar is all over the place, it really can be *that* serious. Hunger feels louder, cravings feel pushier, irritability gets sharper, and fatigue hits harder! That is why **balanced, nourishing meals** take the cake (no pun intended, I swear ⊂(･ヮ･⊂)). They can be your '*knight in shining armor*' during those times.

☆ ***Iron** Is Your Best Friend*

- ☐ **Iron** is especially important during **menstruation** because, simply put, the body is losing a good amount of blood.
  - ☐ Supporting iron intake may help with energy and rebuilding, especially in women who are already running on empty!
    - ☐ **Iron-rich foods** during this phase can be a very practical form of support.
    - ☐ Heavy periods make this even more relevant.

☆ ***Magnesium** Can Do A Lot Behind The Scenes*

- ☐ **Magnesium** helps support muscle relaxation and nervous system function. It is one of those *"why do I feel a little less awful after eating this?"* kinds of foods. It is not flashy, but it can still be **quite helpful**! (^_-)☆
  - ☐ **Magnesium-rich foods** may support cramping, tension, irritability, and fatigue.
    - ☐ It can also fit nicely into a broader *anti-stress* approach to period care.
  - ☐ Many of the foods that contain magnesium also come with fiber, **antioxidants**, or healthy fats, which is always a plus!

☆ ***Omega-3s** May Help With Inflammatory Load*

- ☐ **Omega-3 fatty acids** are associated with anti-inflammatory effects.

- Since period discomfort can be amplified by inflammation, these fats may help support a more *comfortable* period experience!
- They are also a nice example of how **nutrients** can work discreetly, out of the limelight, rather than acting like an instant on-off switch!

☆ ***Fiber*** *and* ***Hydration*** *Really Pull Their Weight!*

- **Fiber** supports digestion and metabolic balance.
  - It can also help when the **digestive system** feels sluggish, strange, or extra sensitive around the period! :-)
- **Hydration** supports fluid balance and can help the body feel less puffy, less headachy, and generally less *awful*.
  - When hydration is low, bloating, fatigue, and headaches can have a more negative impact.

So, essentially, the best *"period foods"* are nothing out of the ordinary. They are simply foods that keep the body **nourished**, **hydrated**, and **more stable** while everything else is shifting! Alright, let's jump right into the ***practical part:*** the foods can help your period feel a little less burdensome. (๑≻ ᴗ ≺)و

☆ *Foods That May Support Menstrual Comfort*

- ☐ **Legumes** such as beans and lentils can provide **iron**, **magnesium**, and **fiber**.
- ☐ **Poultry** can provide *protein* and *iron* for steadier energy.
- ☐ **Citrus fruits** and **berries** can support hydration and add **vitamin C**.
- ☐ **Dark leafy greens** can help with **iron** and mineral support.
- ☐ **Fatty fish** can provide **omega-3 fats** with anti-inflammatory support.
- ☐ **Nuts** and **seeds** can offer healthy fats, minerals, and longer-lasting satiety.
- ☐ **Whole grains** can support fiber intake and energy balance.
- ☐ **Yogurt** may support the gut and can be helpful for bloating regulation in some women.

☆ *Ginger, Turmeric, Tea, and* **Dark Chocolate** *All Have Their Place*

- ☐ **Ginger** and **turmeric** may help support inflammatory balance.
- ☐ Herbal teas *(e.g., ginger, chamomile, peppermint)* can feel soothing for digestion and relaxation.
- ☐ **Dark chocolate**, especially ***higher-cacao options***, can offer **magnesium** and **antioxidants**.

And yes, **dark chocolate** *earned an invitation into the "supportive foods" category! (´∪`) Not in a "live on chocolate and call it wellness" way, sadly, but in a realistic,* ***this-can-actually-fit-here*** kind of way.

☆ ***Balanced Meals*** *Can Help Cravings Feel Less Chaotic*

- ☐ Cravings during menstruation are not always random.
  - ☐ Hormonal and metabolic shifts can make the body want quick energy, sweetness, or salty foods more ***strongly.***
- ☐ Balanced meals with **protein**, **fiber**, and **healthy fats** may help soften the blow!
  - ☐ Eating regular meals can also help prevent the blood sugar crashes that make cravings more persistent!

This is usually more helpful than trying to struggle through the week on harsh restrictions and vibes. The body often responds better to **nourishment** than to **punishment** (come on, you gotta admit *that* was a good one (≧∪≦)).

On the flip side, a few foods can make this phase feel a bit more painful:

☆ ***Foods That May Worsen Symptoms***

- ☐ **Alcohol** may worsen dehydration and disrupt sleep.
- ☐ **Excess caffeine** may contribute to tighter blood vessels, anxiety, or greater cramp sensitivity.

- ☐ *This makes some women may feel more jittery, anxious, or tense, especially if they are already crampy and sleep-deprived.*
  - ☐ These effects may be ***more noticeable*** during menstruation because the body is already a little more sensitive and stretched.
- ☐ **Ultra-processed foods** may increase inflammatory load.
- ☐ **High-sodium snacks** may worsen **fluid retention** and bloating.
- ☐ **Refined sugar** may contribute to **blood glucose swings**, which may worsen fatigue, cravings, and mood instability.
- ☐ **Spicy foods** may irritate digestion in women who are already sensitive.
- ☐ Higher **red meat** intake may be associated with more **prostaglandin-related** cramping in some women.

Now, of course, ***this isn't universal.*** Some women tolerate certain foods just fine, while others notice a very obvious difference when they pull back a little during their period. It's all about what works for **you** and **your body**! Rest assured, I'm not saying *"never have coffee again"* or *"you are in the wrong if you want chips."* As with all things, ***moderation is key.***

☆ *Additional **Lifestyle Supports** To Pair With Nutrition*

- ☐ **Adequate sleep** (around 8 hours a night) supports hormone regulation and pain tolerance.
- ☐ Gentle **exercise** can improve circulation and mood stabilization.
- ☐ **Stress reduction** supports hormonal balance and can make the whole experience feel less intense.
- ☐ **Cycle tracking** can help you anticipate symptoms instead of being blindsided by them.
- ☐ **Heat therapy** can help relax uterine muscle contractions.

Basically, food helps, sleep helps, movement helps, hydration helps, and together they tend to work better than any one thing alone!

☆ *What A **Supportive Period Plate** Can Look Like:*

- ☐ A balanced period-friendly meal often includes **protein**, **fiber**, **healthy fats**, and something *hydrating*.
  - ☐ E.g., lentils with greens and roasted vegetables, salmon with rice and sautéed spinach, yogurt with berries and seeds, or oatmeal with nuts and fruit.
    - ☐ *Still, the exact meal matters less than the **pattern**!*

So, what's a **realistic food mindset** during your period? Supporting your period through nutrition does not mean never craving comfort food or never eating something salty, sweet, or convenient. It means **making enough supportive choices that your body has better odds of feeling cared for**. ***Consistency*** usually matters *more* than intensity. Also, the more you understand your body's patterns, the less likely you are to feel trapped by them. Awareness does not solve everything, of course, but it gives you options, and options are *quite* **powerful**. **(◠ ‿ ◠)**

Conclusion ☆ ⋅ ₊ °

Supporting your period through nutrition is really about helping your body feel less inflamed, less depleted, and more stable during a demanding phase of the cycle. **Iron**, **magnesium**, **omega-3s**, **fiber**, **hydration**, and balanced meals can all play a role, while *too much* **alcohol**, **caffeine**, **sodium**, **refined sugar**, or **ultra-processed food** may make some symptoms feel *worse*. The most helpful approach is usually simple and consistent: nourish yourself well, stay hydrated, protect sleep, lower stress where you can, and pay attention to what your own body responds to! A craving here or there? No problem! The most supportive nourishment plan is not the one that tries to control you perfectly. After all, your period needs ***support***, not harshness. ♡

Source ☆ · ₊ °

What to eat on your period: The best and worst foods for your menstrual cycle. (2025). *Baylor Scott & White Health.* https://www.bswhealth.com/blog/what-to-eat-on-your-period-food-for-your-menstrual-cycle

The Estrobolome

Think of your **gut** and your **hormones** like two best friends at brunch: they are *constantly* gossiping about you behind your back, and if one of them is having a bad day, **everyone** is going to hear about it. (˚ω˚;) Your gut is ***not*** just handling digestion. It is also involved in inflammation, immune signaling, metabolism, **nutrient** processing, and even the way certain hormones are *activated* and *cleared*. **So when the gut feels off, hormones can follow suit.**

Now, this does ***not*** mean every hormone problem begins in the gut, and it *definitely* does not mean a cup of yogurt alone is going to solve all of your **endocrine-related issues**. But it *does* mean the gut can meaningfully influence hormonal balance, especially when it comes to **estrogen** metabolism, **insulin** sensitivity, inflammation, and reproductive health.

*As always, **this section is for education only, not medical advice.** If you are dealing with severe digestive symptoms, missed periods, suspected **PCOS**, **endometriosis**, **infertility**, or major hormone-related changes, it is important to work with a qualified clinician.*

Main Content ☆ · ₊ °

The **gut** and the **hormone system** work *hand* in *hand*. **Hormones** can shape the gut environment, and the **gut microbiome** can shape how hormones are processed and recycled. It truly is a <u>two-way street</u>! ȣ (^ ᗜ ^) Once you wrap your mind around that little back-and-forth, the whole "***gut health*** *and* ***hormone*** *balance*" conversation starts feeling much more approachable, and much less *fluffy*.

<u>☆ ***The Gut Microbiome*** *Is Doing More Than Digestion*</u>

- ☐ **The gut microbiome** refers to the community of *bacteria* and other *microbes* living in the digestive tract.
  - ☐ These microbes help with <u>digestion</u>, <u>metabolism</u>, <u>immune regulation</u>, <u>inflammation</u>, <u>gut barrier integrity</u>, and <u>the production of signaling molecules.</u>
    - ☐ Because all of those systems interact with hormones, the gut has a crucial impact on **endocrine function**. So, no, it's ***not*** some forgettable side character. It's very much part of the main plot!

<u>☆ *The* ***Estrobolome*** *Is One Of The Key Links*</u>

- ☐ The **estrobolome** is the collection of ***gut*** *bacterial genes* involved in **estrogen** metabolism.
  - ☐ ***One*** of the main players is an enzyme called **beta-glucuronidase** ***(β-Glucuronidase)***.
    - ☐ This enzyme helps **deconjugate**, or *reactivate* (in plain English), **estrogens** that were excreted into the gut.
      - ☐ Once reactivated, some of those estrogens can be *reabsorbed* into circulation.

So, in other words, the gut can *partly* influence how much **active estrogen** stays in play in the body! Pretty cool, huh? ☆⌒(ゝ。∂)

<u>☆ ***So, What Happens When The Gut Is Unbalanced?***</u>

- ☐ Well … let's just say that it wouldn't be a good day for your hormones. (⊙ _ ⊙) As previously mentioned, **estrogen** doesn't just float around all *willy-nilly* in your body. When **gut microbial** diversity drops, a state often called ***dysbiosis***, **estrobolome** function may become *less* stable.
  - ☐ Lower **β-Glucuronidase** activity leads to more **estrogen** being *excreted* rather than *recycled*.
    - ☐ That may contribute to lower active **estrogen** levels or altered **estrogen** metabolism.

☆ *The Relationship Goes Both Ways* (It's A **Feedback Loop**)

- ☐ ***Sex hormones*** *also shape the* ***gut microbiome***.
  - ☐ **Estrogen**, **progesterone**, and **androgens** can influence microbiome composition, function, and diversity.
    - ☐ Hormonal changes across the **menstrual** cycle, **pregnancy**, **perimenopause**, and **menopause** can all shift the gut environment.
- ☐ Those shifts may favor some bacteria and **disadvantage** others.

☆ ***Menopause*** *Is One Of The Clearest Examples*

- ☐ **Menopause** has been associated with lower microbial diversity.
  - ☐ It has also been linked with a shift toward a more *male-typical* gut microbiome composition (◦˘ ° ▭ °).
  - ☐ Beneficial bacteria such as **Lactobacillus** and **Bifidobacteria** may decline.
    - ☐ Reduced microbial diversity during this transition may worsen metabolic changes, **estrogen**-related symptoms, and overall resilience. That helps explain why hormonal transitions can feel so **full-body**.

☆ *Gut Bacteria Affect* ***Metabolism*** *And* ***Inflammation*** *Too*

- ☐ Gut microbes produce **short-chain fatty acids**, **bile acid metabolites**, and other signaling molecules!

- ☐ These molecules influence metabolism, **insulin** sensitivity, immune regulation, and inflammatory tone.
  - ☐ Those systems then affect hormone pathways, including **insulin**-related signaling and broader endocrine balance. As you can see, this can all create a *bit* of a **domino effect**. (' ﹏ ' ;)
- ☐ The gut is also involved in maintaining the **intestinal barrier**, which helps regulate what passes into circulation.

Hormones do ***not*** operate in a vacuum. They are influenced by the body's inflammatory state, metabolic health, and immune signaling too!

☆ *Why **"Leaky Gut"** And **Low-Grade Inflammation** Matter*

- ☐ **Dysbiosis** can weaken gut barrier integrity.
  - ☐ When that happens, inflammatory compounds and **endotoxins** may move more easily into circulation.
  - ☐ This can promote low-grade chronic inflammation.
    - ☐ **Chronic inflammation** can disrupt endocrine signaling, including communication along the **hypothalamic-pituitary axes** that help regulate the body.

It goes *beyond* bloating & digestion. The **whole system** gets thrown off balance, becoming more inflamed and more unstable.

☆ ***Reproductive** And **Ovarian Health** Are Connected Too*

- ☐ **Animal** and **human** studies have linked **gut microbiota** profiles with reproductive hormone levels and ovarian function. Certain bacterial patterns have been associated with **insulin**, **testosterone**, **LH**, **FSH**, and **ovarian morphology**.
  - ☐ Gut microbiota differences have also been linked with conditions such as **PCOS**, **endometriosis**, and **infertility**.

- ☐ ***Fun fact:*** *in experimental models, transferring gut microbiota from individuals with* ***PCOS*** *into mice produced both metabolic and reproductive dysfunction in the animals that received it.*

☆ ***What This Can Look Like In Real Life***

- ☐ Women with **gut dysbiosis** from poor diet, repeated **antibiotics**, chronic GI conditions, or other disruptions may be more prone to **hormonal irregularities.**
  - ☐ That can show up as erratic cycles, **estrogen**-withdrawal-like symptoms, **insulin** resistance, or a general sense that things feel *hormonally unstable.*
  - ☐ During **perimenopause** and **menopause**, gut changes may worsen hot flashes, metabolic shifts, and estrogen-related symptoms.
- ☐ The gut may also influence how *resilient* the body feels during times of **major** hormonal change.

It's important to note that this does ***not*** mean every hormone issue is secretly a gut issue. It simply means **gut health** is one *meaningful* piece of the larger picture, especially when symptoms cluster with digestive issues, inflammation, or metabolic changes. Now that we've unpacked how this connection works, let's get into **what can actually help support it in everyday life.**

☆ ***What May Help:***

☆ ***Fiber-Rich Foods*** *Are One Of The Strongest Foundations*

- ☐ **Fiber** helps feed beneficial gut bacteria.
- ☐ *Prebiotic* fibers can support microbial diversity, healthier estrogen metabolism, insulin sensitivity, and lower inflammatory tone.
- ☐ As a bonus, **fiber-rich foods** also help with digestion and metabolic steadiness more broadly.

☆ ***Prebiotic Foods*** *That May Support The Gut-Hormone Connection*

- ☐ Vegetables such as **asparagus**, **leeks**, **onions**, **garlic**, **broccoli**, and **artichokes** can provide **prebiotic** support.
- ☐ Fruits such as **apples**, **bananas**, **pears**, and **berries** can also contribute helpful fibers.
- ☐ **Whole grains** and **legumes**, including oats, barley, quinoa, chickpeas, lentils, and black beans, support both gut bacteria and metabolic stability.
- ☐ **Seeds** such as flaxseed and chia add **fiber**, and flax also brings **phytoestrogens** into the mix.

☆ ***Fermented** And **Probiotic Foods** May Help Replenish The Gut*

- ☐ **Fermented foods** can help support a healthier microbial environment!
  - ☐ Options include **yogurt with live cultures**, **kefir**, **sauerkraut**, **kimchi**, **naturally fermented pickles**, **miso**, **tempeh**, and **kombucha**.
- ☐ These foods may help replenish beneficial bacteria and support gut resilience.
  - ☐ They may be especially useful when paired with **prebiotic foods**, because *feeding* the bacteria matters just as much as *introducing* them! That is why probiotic and fermented foods are often discussed ***with*** fiber rather than instead of it.

☆ ***Polyphenol-Rich Foods** Are Another Gut-Friendly Layer*

- ☐ **Polyphenols** are plant compounds with *antioxidant activity* that can also influence the microbiome.
  - ☐ They may act in prebiotic-like ways and can interact with estrogen-related pathways.
    - ☐ Foods rich in polyphenols include **berries**, **pomegranate**, **red grapes**, **cherries**, **dark chocolate**, and **green tea**.
      - ☐ These foods can support both microbial diversity and inflammatory balance.

- ☐ *This is a sweet little category because it includes foods that are **commonly liked**!* (っ´▽`)っ

☆ ***Healthy Fats** Matter For Hormones And Inflammation*

- ☐ **Healthy fats** support hormone production and cell signaling.
  - ☐ **Omega-3 fats** may help reduce inflammatory signaling.
    - ☐ **Omega-3** sources: salmon, sardines, walnuts, *and* flaxseed oil.
  - ☐ **Monounsaturated fats** from foods like olive oil and avocado can also support a steadier inflammatory environment.

The balance of **fats** matters a lot here! A diet heavily tilted toward inflammatory fats and ultra-processed oils may push the body toward more inflammation, while **omega-3-rich foods** can help pull in a *gentler* direction. ^___^

☆ ***Teas** Can Be Small But Useful Supports*

- ☐ **Green tea** may support **gut bacterial** diversity and has antioxidant effects.
- ☐ **Chamomile tea** may offer gentle digestive support and help calm stress, which matters because **cortisol** and sex hormones influence each other.
- ☐ **Ginger tea** can support digestion, circulation, and bloating relief.
- ☐ **Peppermint tea** may be soothing for GI symptoms, especially when bloating or **IBS**-like overlap is part of the picture.
- ☐ **Rooibos tea** offers a *caffeine-free* antioxidant option and may be a gentler choice for women trying to reduce overall stress.

☆ ***What May Be Worth Limiting:***

- ☐ **Ultra-processed foods** high in refined sugars and processed oils may disrupt gut balance and increase inflammatory load.

- ☐ **Excessive alcohol** can damage the microbiome and also burden the **liver**, which matters because the **liver** is ***central*** to hormone clearance.
- ☐ *Unnecessary* **antibiotic** use can wipe out microbial diversity.
- ☐ *A chronically* **low-fiber diet** can also make it harder for beneficial bacteria to thrive.
    - ☐ Of course, this does ***not*** mean one cupcake or one round of antibiotics is going to throw everything into a frenzy. What matters much more is the *bigger* pattern over time, and as they say, ***moderation is key.***

☆ *Why* ***Liver*** *Health Matters Here Too*

- ☐ Estrogen metabolism is ***not*** only a gut issue.
    - ☐ The **liver** is *deeply* involved in processing and clearing hormones.
    - ☐ Alcohol excess and inflammatory diets may burden both the gut and the liver ***at the same time.*** These systems are very much in communication with each other!
- ☐ That combination can make hormone handling *less* efficient.

Overall, **gut health** is a pretty big deal, but it is ***not*** the *sole* explanation for every hormonal symptom. Hormonal balance is influenced by sleep, stress, movement, medications, reproductive stage, underlying conditions, and overall metabolic health too! However, building a supportive pattern is usually beneficial for overall health. (σ`･∀･)σ Here's an example of what a ***gut-supportive, hormone-friendly pattern*** can look like:

- ☐ Eat **fiber-rich foods** consistently rather than occasionally.
- ☐ Include a *range* of **plant foods** instead of repeating the exact same few every day.
- ☐ Add **fermented foods** if they work well for your body.
- ☐ Prioritize **omega-3-rich foods** and healthier fats.
- ☐ Include **polyphenol-rich foods** regularly.
    - ☐ Limit **ultra-processed foods** and **excessive alcohol**.
        - ☐ *Avoid unnecessary* ***antibiotics*** *when a clinician says they are not needed.*

Conclusion ☆ · ₊ °

The **gut-hormone connection** is such a good reminder that the body works in **relationships**, not in isolated little boxes. The gut can influence **estrogen** metabolism, inflammation, **insulin** sensitivity, immune balance, and even aspects of reproductive function, while hormones also shape the gut environment in return. That means caring for your gut may help support hormonal steadiness in a very real, very *physiological* way. **The most helpful place to begin is simple:** feed the good bacteria, lower unnecessary inflammatory stress, and work with your body ***consistently*** enough that it has a chance to feel more resilient!

Sources ☆ · ₊ °

Baker, J. M., Al-Nakkash, L., & Herbst-Kralovetz, M. M. (2017). Estrogen–gut microbiome axis: Physiological and clinical implications. *Maturitas, 103*, 45–53. https://doi.org/10.1016/j.maturitas.2017.06.025

Biedermann, L., & Rogler, G. (2015). The intestinal microbiota: Its role in health and disease. *European Journal of Pediatrics, 174*(2), 151–167. https://doi.org/10.1007/s00431-014-2476-2

Cardona, F., Andrés-Lacueva, C., Tulipani, S., Tinahones, F. J., & Queipo-Ortuño, M. I. (2013). Benefits of polyphenols on gut microbiota and implications in human health. *The Journal of Nutritional Biochemistry, 24(8)*, 1415–1422. https://doi.org/10.1016/j.jnutbio.2013.05.001

Gibson, G. R., Hutkins, R., Sanders, M. E., Prescott, S. L., Reimer, R. A., Salminen, S. J., Scott, K., Stanton, C., Swanson, K. S., Cani, P. D., Verbeke, K., & Reid, G. (2017). Expert consensus document: The International Scientific Association for Probiotics and Prebiotics (ISAPP) consensus statement on the definition and scope of prebiotics. *Nature Reviews Gastroenterology & Hepatology, 14(8)*, 491–502. https://doi.org/10.1038/nrgastro.2017.75

Kwa, M., Plottel, C. S., Blaser, M. J., & Adams, S. (2016). The intestinal microbiome and estrogen receptor-positive female breast cancer. *Journal of the National Cancer Institute, 108(8)*, djw029. https://doi.org/10.1093/jnci/djw029

Peters, B. A., Lin, J., Qi, Q., Usyk, M., Isasi, C. R., Mossavar-Rahmani, Y., Derby, C. A., Santoro, N., Perreira, K. M., Daviglus, M. L., Knight, R., Kaplan, R. C., & Burk, R. D. (2022). Menopause is associated with an altered gut microbiome and estrobolome, with implications for adverse cardiometabolic risk in the Hispanic Community Health Study/Study of Latinos. *mSystems, 7(4)*, e0027322. https://doi.org/10.1128/msystems.00273-22

Simopoulos, A. P. (2016). An increase in the omega-6/omega-3 fatty acid ratio increases the risk for obesity. *Nutrients, 8(3)*, 128. https://doi.org/10.3390/nu8030128

Wastyk, H. C., Fragiadakis, G. K., Perelman, D., Dahan, D., Merrill, B. D., Yu, F. B., Topf, M., Gonzalez, C. G., Van Treuren, W., Han, S., Robinson, J. L., Elias, J. E., Sonnenburg, E. D., & Sonnenburg, J. L. (2021). Gut-microbiota-targeted diets modulate human immune status. *Cell, 184(16)*, 4137–4153.e14. https://doi.org/10.1016/j.cell.2021.06.019

Ashonibare, V. J., Akorede, G. J., Rukewe, A., Ojieh, A. E., Bankole, A. M., Odetayo, A. F., & Afolabi, B. B. (2024). Gut microbiota-gonadal axis: The impact of gut microbiota on reproductive functions. *Frontiers in Immunology, 15*, 1346035. https://doi.org/10.3389/fimmu.2024.1346035

Women's Health Foundations

Chapter 3: Everyday Self-Care & Feeling Good in Your Body



Self-Care Routines

There is such a difference between **self-care** that belongs on a **Pinterest** board, and **self-care** that *actually* supports you. The second kind is the one that *lingers*. It shows up in how your skin feels after you moisturize it properly, how your scalp behaves when it is consistently cared for, how your body softens when your routine is less irritating, and how much *calmer* everything feels when your rituals **actually match your needs**. Now, ***that*** is the kind of care this section is about. (づ> v <)づ♡

Women's beauty and wellness are rarely treated like separate worlds. **Skin care** overlaps with **barrier repair**. **Hair care** overlaps with **scalp remedies**. **Fragrance** overlaps with mood, ritual, and emotional regulation. **Intimate care** overlaps with **microbiome support** and restraint. And **herbal** ingredients are often doing more than one job at once. They moisturize, calm, cleanse, cool, soften, strengthen, brighten, restore, *and* protect!

*As always, **this section is for education only, not medical advice.** **Patch testing matters!** **Menopause**, **eczema**-prone skin, fragrance allergies, and intimate-area care all require extra attention. Natural does **not** automatically mean safe.*

Main Content ☆ · ₊ °

Alright, we're going to do something a *little* different from the past sections! (๑-﹏-๑) Since there are ***a lot*** of ingredients inspired by traditions all around the world, I organized them into **3** big tables covering categories like overall **self care**, **intimate care**, **hair removal**, **skincare**, **body care**, **aromatherapy**, comfort, **haircare**, and more! At the very end, there is an **editable self-care plan** based on the tables that you can adapt to your skin, scalp, hair texture, climate, cycle and lifestyle! Enjoy! ♡

Core Care Logic + Intimate Care + Hair Removal ☆ · ₊ °

Section	Best For / Who It Suits	Especially Relevant Across…	How to Use / Application	Functional Benefits	Pair With	Do ***Not*** Pair With / Avoid
The 4 Pillars Of Self-Care	Any woman building a routine from scratch.	All women; especially helpful when routines feel too chaotic, **trend-driven**, or product driven.	1) Cleanse without stripping 2) Moisturize for your actual skin/hair type 3) Calm inflammation before chasing glow (ง `□')ง 4) Use herbs and fragrance with purpose	Keeps routine logical, less irritating, and more effective long-term!	Barrier-friendly cleansing, moisture layering, scalp-first thinking, intentional fragrance.	Random *"luxury"* layering with no rhyme or reason. (¯ˆ¯)
Intimate Care Basics	Sensitive, **BV-prone**, post-antibiotic,	All women; especially important where	External cleansing ***only***; keep the vagina alone internally; choose gentle	Protects the vulvar barrier and microbiome;	Breathable cotton underwear, hydration,	Douching, perfumed vaginal products,

	irritation-prone, fragrance-reactive women.	"**feminine freshness**" marketing targets *younger women* aggressively	*fragrance-free* products if needed	lowers irritation and disruption	microbiome-friendly habits, non-irritating routines	scented **yoni bars**, harsh soaps, essential oils, exfoliating acids on *vulvar tissue*
Microbiome Support for Intimate Comfort	Women with recurrent irritation, BV patterns, post-antibiotic disruption, or general sensitivity	All women!	Use ***oral probiotics*** with **Lactobacillus rhamnosus GR-1** + **Lactobacillus reuteri RC-14**; include fermented foods plus fiber.	Supports broader microbiome resilience and gentler *vulvovaginal* balance	**Yogurt** with *live cultures*, **kefir**, **kimchi**, **sauerkraut**, **miso**, **tempeh**, **fiber-rich foods**	Pairing probiotic support with fragranced intimate products that keep re-irritating the area
Shaving	Quick, easy, inexpensive maintenance; good for **legs**, **underarms**, **larger areas**; works on dark/light/thick/fine hair	All women; especially useful when *pigment-based* methods are not ideal	Use warm water, sharp razor, shaving gel/cream, gentle pressure & **shave in direction of hair growth** to prevent ingrown hairs	Fast shaft removal; easy at home; useful *before* laser/IPL	Aloe vera, non-fragranced moisturizer, *chemical exfoliation* on non-shave days if ingrown-prone	Dull razors *(try not to reuse)*, dry shaving, strong fragrance after shaving, broken or freshly exfoliated skin, aggressive scrubbing
Chemical Depilatories (e.g., *Nair*)	Women wanting *painless* at-home body hair removal; better for	Broadly useful; may be appealing to women who dislike **razor abrasion**	Patch test first; use only on intact, non-irritated skin.	Dissolves shaft; *softer-feeling* regrowth than shaving for some	Perfume-free, **moisturizer** afterward; less-sensitive body areas	Leaving on too long, broken/freshly shaved/freshly waxed

	finer to medium hair than very coarse hair					skin, sensitive face unless formulated for it, pairing with **acids/retinoids**/*exfoliation* too closely
Plucking + Threading	**Brows**, **chin hairs**, **upper lip**, **tiny facial zones**, precise cleanup	Women who may find it suitable! :-)	Use on small areas ***only***; warm skin first; use clean tools or an *experienced practitioner*	Precise root removal; great for defined terminal hairs	**Aloe vera**, bland calming moisturizer, clean tools	**Dirty tweezers**, repeated picking, large-area plucking, strong **actives** right before/after threading
Waxing + Sugaring	Women wanting *longer lasting* smoothness on **legs**, **arms**, **underarms**, **bikini area**	Women who may find it suitable! :-)	Use when hair is long enough; keep skin calm; use soothing aftercare	Root removal, longer-lasting smoothness than *shaving/depilatories*	Fragrance-free soothing care, **loose clothing** after bikini/body waxing, pause on strong actives before/after facial waxing	Waxing over irritated/sunburned/ broken skin, systemic retinoids, ultra-short stubble, aggressive exfoliation too close together
Laser + IPL	Best on dark, coarse terminal hair; useful for *larger areas*	Very important to discuss carefully for women of deeper skin	Shave ***beforehand***; no waxing/plucking before; avoid tanning; choose skilled provider with	Longer-term pigment-targeted reduction	*Cooling and gentle* aftercare; skilled provider; realistic	**White/grey/red/very fine vellus** hair, tanning

	like **legs**, **bikini**, **underarms**, some coarse chin hair	tones	your skin tone + hair type in mind		expectations	before treatment, inexperienced provider, treating it like a universal answer
Electrolysis + Eflornithine	*Small facial zones*, stubborn isolated hairs, **white/grey/red** hairs, facial regrowth management	Especially useful for women whose hair color makes laser hair removal disappointing	***Electrolysis*** for small stubborn areas; ***eflornithine*** as a regrowth-slowing add-on, not a remover	***Electrolysis*** = permanent follicle destruction; ***eflornithine*** = slower facial regrowth	Electrolysis + skilled operator; eflornithine + threading/plucking/shaving/another facial method	Electrolysis for large areas, expecting eflornithine to remove hair, casual use when scarring/pigmentation risk is high

Skin, Body, Glow, Fragrance ☆ · . °

Ingredient / Lane	Best For / Who It Suits	Especially Relevant Across…	How to Use / Application	Functional Benefits	Pair With	Do ***Not*** Pair With / Avoid
Shea Butter	Very dry body skin, *ashiness*, rough texture, winter skin, textured hair, scalp dryness .	**West African** and broader *Black beauty* traditions; good for any woman who wants rich moisture	Use as body butter, massage butter, thick overnight moisture (e.g., **lip sealing**), hair softening/sealing, scalp moisture	Rich in **fatty acids**; ***emollient + semi-occlusive*** (forms a breathable, protective barrier that locks in moisture w/o completely	Aloe first, **sunflower** oil, **argan**, **marula**, gentle weekly exfoliation	Thick use on oily/congestion-prone facial skin, very humid weather if you hate heaviness, layering

				blocking oxygen flow); **antioxidant** and *anti-inflammatory* support		over already greasy products (can clog pores)
Sunflower Oil	Sensitive, reactive, barrier-damaged, eczema-prone, dry skin; women who want *lighter* moisture than **butter**	**Universal** barrier-care favorite ^___^	Use post-shower, alone or mixed into lotion	Rich in **linoleic acid**; supports barrier homeostasis and water-loss control	Aloe, fragrance-free creams, shea	Nothing much to say here! (^ \/ ^) It's best in calm, non-chaotic routines
Olive Oil	Some dry body routines, massage, body-softening rituals	**Mediterranean**, **Middle Eastern**, **North African**, and *home-remedy* traditions	Better as <u>body oil</u> or <u>massage oil</u> than a facial barrier oil	**Oleic-acid**-rich; nourishing, softening	Massage, body-softening, richer traditional oiling rituals	Highly reactive, eczema-prone, inflamed, or barrier-damaged skin may find **olive oil** too heavy / irritating.
Coconut Oil	Dry body skin, rough areas, some scalp routines, hair lengths, massage; can work	**South Asian**, **Caribbean**, **Pacific Islander**, **African** diaspora, **Latina**, and *Black beauty*	Use on body, hair lengths, pre-wash hair, some scalps, massage	Rich in **lauric acid**; softening, sealing, barrier-supportive, some antimicrobial relevance	Aloe underneath, gentle body cleansing, body scrub followed by oil, textured-hair softness	Acne-prone face, *very fine hair* if it gets weighed down, sweaty

	wonderfully for textured hair	traditions			routines	buildup-heavy scalp
Argan Oil	Dry-normal skin, hair ends, frizz smoothing, lighter elegant moisture, mature/post menopausal softness	**North African / Moroccan** beauty traditions	Use as finishing oil on skin or hair ends	Helps hydration and lower **transepidermal** (*passive*, daily evaporation of water from the dermis through the epidermis) water loss	Lotion, **marula**	Too light if you want the *occlusion* of butter.
Marula Oil	Women wanting softness ***without*** heaviness; dry-normal or mature skin	**Southern African** beauty traditions	Use as finishing oil on face, body, or hair ends	Moisturizing, generally non-irritating	Lotion, **argan**	Too light when deep repair is needed
Aloe Vera	Hot, tight, irritated, post-sun, post-shave, depleted, dry-but-sensitive skin; some scalp soothing	**Caribbean**, **Pacific**, **Latina**, **Indigenous**, **South Asian**, **Black**, and many feminine care traditions	Use as hydration layer, post-sun gel, soothing body step, calming post-shave layer, scalp-soothing step	Hydration support; linked with soothing, collagen support, cracked-skin comfort, restoring feel	**Shea**, **sunflower**, **coconut** oil, **turmeric**, neem carefully	**Strong acids** over fresh irritated skin, fragrance-heavy layering, relying on aloe alone for very dry skin

Turmeric	Dull, inflamed-looking, uneven, redness-prone, breakout-prone skin needing gentleness	**Indigenous**, **Indian**, **Caribbean**, **Hawaiian**, and broader **South Asian** glow traditions	Short-contact face masks (e.g., turmeric + **aloe vera**, turmeric + **yogurt**, etc.) or calming glow-support routines	Anti-inflammatory support; helps **brightness** come through calmness, not over-stripping	**Aloe**, **yogurt** if tolerated, **sandalwood**, **honey** if tolerated	Can ***stain***; not with super-strong acid routines; patch test sensitive skin; does not replace **sunscreen**
Neem	Oily, breakout-prone, irritated, infection-prone, dandruff-prone skin and scalp	**South Asian** / **Ayurvedic**-inspired routines	Use in simple balancing skin or scalp routines (e.g., as a **paste**)	**Antibacterial**, **antifungal**, anti-inflammatory associations	**Aloe**, **sandalwood**, light scalp oil if dryness and flakes coexist	Overcomplicating with many strong actives, treating it like a hydration ingredient, applying to over-exfoliated skin
Sandalwood	Heat-prone, sweat-rash-prone, blemish-prone, irritation-prone skin	**South Asian** and some **Middle Eastern** sensory-beauty traditions	Calm-heat routines (e.g., sandalwood powder + **aloe vera** gel), cooling masks, sensory-soothing	Cooling, **astringent**, soothing	**Turmeric**, **aloe**	Overly aggressive modern layering
Hibiscus	Glow, elasticity-supportive, plump-looking skin; also	**Caribbean**, **Hawaiian/Pacific**, and **South Asian** hair traditions	Use in hydrating skin routines for a little glow (e.g., a hibiscus **soaked infusion**) or	Naturally associated with AHAs, hydration, elasticity,	Hydrating ingredients (e.g., **honey**, **rose water**, etc.); soothing	Nothing much to say here! (^ \/ ^) Just don't

	useful in hair conditioning /growth		scalp/hair rituals	plumping, cell turnover		stack with too many exfoliating ingredients!
Papaya	Smoother texture, brighter look, gentle **fruit-enzyme** glow	**Caribbean**, **Pacific**, **Latina**, tropical pantry-beauty traditions	Use in gentle short-contact routines for exfoliation	Associated with **papain** (*proteolytic enzyme* that helps loosen dead skin buildup), smoother texture, brighter complexion	Soothing follow-up care, hydrating bases (e.g., **aloe vera**)	Too much exfoliation with other acids/scrubs
Guava	Glow, **collagen**-supportive beauty-food! >__<	**Caribbean** and **Latina** beauty-food overlap	Nourishment from consumption + gentle glow support (e.g., **guava flesh**, **honey**, **yogurt** face mask!)	Rich in **vitamin C**; collagen/glow	Hydration (e.g., **citrus**, **berries**), softer glow care	Over-exfoliation alongside it
Sea Moss / Limu	Moisture, softer hydrated skin feel, mineral-bolstering routines	**Caribbean** and **Pacific Islander** / Hawaiian traditions	Use in hydration-focused care (e.g., soaked in water for 24 hours & blended into a smooth gel)	Mineral-supportive, moisture-oriented	Barrier care (e.g., an **oil**)	Over-layering
Noni	Inflamed, blemish-prone, stressed-looking, repair-minded skin	**Pacific Islander** traditions	Best for **antioxidant** infusion and skin repair	Anti-inflammatory, **anti-acne**, **anti-aging**, skin-calming support	**Aloe**	Overly aggressive routines, harsh exfoliation stacks, already-irritated skin with too many

						actives
Tamanu / Kamani Oil	Scars, post-mark support, stretch marks, nighttime repair, blemish support	**Pacific** and some **Caribbean** traditions	Usually used as a **repair oil** at night or to support face masks	Regeneration, repair, healing	**Aloe** underneath, lighter moisturizer under oil (e.g., **kukui**) if desired	Can feel rich for congestion-prone skin or skin that dislikes heavier oils
Kukui Oil	Barrier support, elasticity support	**Hawaiian / Pacific** traditions	Used in lighter routines rather than super-heavy occlusion	Moisture and elasticity support, softening, comfort-giving barrier care	Lighter moisture layers (e.g., **tamanu** oil), **aloe**.	May feel too light if someone needs very heavy occlusion or a dense winter seal
Rose Water (Rosewater)	Soft scent, refreshment, skin comfort.	**Middle Eastern**, **South Asian**, **Latina** beauty spaces	Used as a **mist**, layer, soft refresh, mask companion, scent-prep step. It can be used to set makeup! You can also sip on rose petal water if you want—it's nutritious & soothing! (｡>﹏<)	Supports mood, softness, & refreshment	Examples: calming masks like **kaolin clay**, **cucumber juice** for post cleansing refreshment	Reactive skin can still dislike fragrance components or floral waters
Lavender	Bedtime calm, perfume, aromatherapy	**Middle Eastern**, **Mediterranean**, modern aromatherapy spaces, some *Black* hair perfume	Inhalation, soft scent, hair-perfume, linen, body/facial skin	Mood-calming / quality-of-life support; refreshment & comfort	**Chamomile**, **mint**, **rooibos**, bedtime wind-down rituals; a refreshing mist w/ **rose water**	Strong fragrance on reactive skin; overstimulation; ***not*** for

		traditions				intimate tissue
Chamomile, Mint, Ginger, Cinnamon, Cardamom, Marjoram, Caraway, Dates, Olive	Women wanting **warming, soothing, restorative support**; especially nice for cycle discomfort, tense evenings, gentle nourishment, digestive comfort, and the calming aspect of self-care	**Middle Eastern**, **Latina**, **South Asian**, and broader women's comfort-care traditions	Best used as tea, warm drinks, nourishing foods, aromatic support, gentle body care, and soothing add-ons to a slower routine	Comfort, warmth, calm, digestion, circulation, and sensory-softness	**Chamomile + mint** tea, **ginger + cinnamon** tea, **cardamom + dates**, **olive oil** + massage/body-softening care, **rosewater + cardamom**, **mint + chamomile**, **ginger + cinnamon** for warmth, **dates** with tea or *milk-based* comfort drinks	**Strong direct topical use** can irritate depending on the ingredient and skin barrier. **Cinnamon** can be especially intense on skin. **Mint** can feel too sharp on sensitive areas.
Musk, Jasmine, Violet, Saffron, Aloeswood, Incense, Perfumed Oils, Powders, Camphor	Layered fragrance rituals, mood-setting, sensory elegance	Historically **Middle Eastern / Islamicate** fragrance worlds	They are used in **fragrances** to smell like sugar, spice, and everything nice (´·ε·`). On their own, however, they are used to establish a calming atmosphere for your self-care day (***not*** barrier use)!	Aesthetic, emotional, social, and ritual richness; scent as part of ***care***, not frivolity	**Moisturized** skin first, softer perfume layering, body rituals, linen / evening atmosphere	**Overapplication**, direct barrier use on their own, sensitive skin, irritated freshly shaved skin, intimate tissue
Arbutin, Vitamin C, Niacinamid	Uneven tone, brightening, post-inflam	**East Asian** and **Hanbang**-inspired beauty	Use as brightening actives in balanced routines	Brightening, tone-evening, **antioxidant** support	**Ceramides**, **hyaluronic acid**, **glycerol**, **panthenol**,	Aggressive layering

e, Licorice, Azelaic Acid, Kojic Acid	matory marks, long-term glow				**urea, sunscreen**	
Ceramides, Hyaluronic Acid, Glycerol, Panthenol, Urea	Dry, dehydrated, barrier-damaged, sensitive, tight-feeling skin	**East Asian** barrier-first routines	Brightening routines, anti-aging routines, recovery care	Hydration, barrier repair, water retention, softness	These go well with pretty much anything! Think of them as ***peacemakers***. ૩ (^ ᗜ ^)	Nothing to say here :-)
Ginseng, Goji, Rehmannia, Chrysanthemum, Scutellaria, Schisandra, Curcuma Longa, Perilla	If you like multi-target herbal formulas w/ prevention. These are for you!	**Hanbang** and broader **East Asian** herbal beauty traditions	Formula-based / layered herbal care	Multi-target herbal support, **antioxidant**/ barrier/brightening *depending on formula*	Calmer routines with barrier support	If your routine is very aggressive with no barrier support, it's best to be careful with these ingredients!

Cultural Beauty Systems, Scalp Routines, Rhythm ☆ · . °

Ingredient / Lane	Best For / Who It Suits	Especially Relevant Across…	How to Use / Application	Functional Benefits & **Pointers**	Pairs Well With	Do ***Not*** Pair With / Avoid
Indian Hair Care Herbs	Women dealing with dandruff, itch,	**South Asian / Indian hair traditions**; adaptable	Think of them as a full hair system: **cleanse, soothe, nourish, seal**.	Cleansing without stripping, **scalp**	☆ **Shikakai** or **reetha** + oiling	Too many strong herbs at once,

	dryness, shedding, weak roots, dullness, buildup, scalp imbalance, or texture that needs both cleansing and nourishment; especially good for **wavy, curly, coily, textured, long, or oil-treated hair** .	across races and textures	☆ **Neem** = balance, dandruff, scalp defense ☆ **Fenugreek / methi** = hydration, softness, follicle comfort ☆ **Shikakai** = gentle cleansing ☆ **Reetha** = wash support ☆ **Ginger** = circulation, itch comfort ☆ **Hibiscus** = softness, conditioning, growth-support ☆ **Bhringraj** = density, scalp calm, greying support ☆ **Flaxseed** = nourishment, omega-3 softness ☆ **Amla** = shine, root strength,	**microbial balance**, root nourishment, conditioning, itch relief, dandruff support, circulation support, shine, strength, softness	☆ **Fenugreek + aloe** ☆ **Hibiscus + bhringraj** ☆ **Amla + henna** ☆ **Neem + tulsi** ☆ **Coconut oil + curry leaves** ☆ **Black cumin** + oiling ☆ **Ginger** or **onion** + a very simple wash day ☆ **Flaxseed** + conditioning support	heavy oil on a buildup-coated scalp, **henna** used casually without realizing it coats/colors, strong **onion/ginger** blends on a sensitive scalp. Please focus on what ***your*** hair & scalp want rather than just copying someone else's routine! :-)

			dryness support ☆ **Henna** = color, coating, strength support ☆ **Curry leaves** = scalp and strand nourishment. ☆ **Black cumin** = scalp-oil support. ☆ **Tulsi** = balance, scalp comfort. ☆ **Brahmi** = calm, strengthening support. ☆ **Aloe vera** = soothing hydration. ☆ **Marigold** = gentle comfort. ☆ **Orange peel** = cleansing-brightening support. ☆ **Onion** = strong scalp-stimulation			

			support			
Castor Oil	Thick sealing, scalp-focused moisture, edges, dryness-prone hair routines	**African** and *Black beauty* traditions, **Latina** scalp-care overlap	Best used in **small amounts** as a **sealant oil**, scalp massage oil, **edges oil**, or mixed into a *mask/oil blend* rather than poured on carelessly. Works well in pre-wash scalp care, **protective-style maintenance**, or on dry ends	Rich, occlusive-feeling support	**Aloe vera** for hydration underneath; **banana / honey / avocado** oil masks	Can feel **too heavy** on already-coated scalps, **fine hair**, or hair with lots of buildup
Avocado Oil	Women with dry lengths, dull hair, rough-feeling body skin, dry-normal skin, and women who want nourishment without the extreme heaviness of a butter	**Latina / Mexican** pantry-based beauty; *Black beauty* overlap	Better as <u>body oil</u> or <u>massage oil</u> than a facial barrier oil	Best used in softening hair masks, dry-length treatments, body-softening oil routines; Brings **fatty-acid**-rich moisture support	**Banana + honey** for a softening hair mask, **aloe vera** if you want hydration underneath	Not the best for women who hate oils that feel **a little richer** or for already greasy roots/scalps when used too heavily :,)
Latina / Mexican Home Remedies	Women who love **practical home-care** beauty,	**Latina / Mexican** intergenerational beauty wisdom	Keep it **simple, occasional, and job-based**	Softness, hydration, light exfoliation, calmness,	☆ **Aloe + castor oil** for scalp care	**Lemon** on irritated skin, over-scrubbing with

	softness, scalp oils, simple masks, body polishing, and ingredient logic that feels warm and familiar			scalp comfort, face-mask support	☆ **Banana + honey + avocado oil** for softening hair masks ☆ **Rose water + kaolin clay** + soothing base (e.g., plain yogurt, aloe vera, honey, etc.) for face care ☆ **Brown sugar** + soothing base for gentle body polish (exfoliation) ☆ **Chamomile / mint / cinnamon / rosemary / ginger** for overall comfort ☆ Main ingredients: **aloe, castor oil, banana, honey, avocado oil, rose water, kaolin clay, brown sugar, chamomile, cinnamon, rosemary, ginger, peppermint,**	**brown sugar**, heavy **castor** on a buildup-pr one scalp, stacking exfoliants

					spearmint	
Simple Routine Basics	Women who want structure without overcomplicating self-care	**Universal**; especially helpful for women who feel overwhelmed by too many products, trends, or conflicting advice	Use this as your baseline rhythm: daily gentle cleansing, damp-skin moisture, simple intimate care, scalp support based on hair type, weekly upkeep, and softer cycle-aware adjustments	☆ **Daily:** gentle wash/rinse + damp-skin moisture + simple intimate care. ☆ **Scalp:** wash based on hair type + support scalp before styling. ☆ **Weekly:** gentle exfoliation + **body-butter** night + hair mask or scalp treatment + *bedding refresh* + one calming self-care moment. ☆ **Cycle-aware**: more hydration, softer cleansing, less irritation, calming **teas/heat**.	Gentle wash/rinse, damp-skin moisturizing, texture-aware scalp care, weekly exfoliation, body-butter night, calming teas/heat, soft fragrance layering	***Copying a routine*** that doesn't suit your real skin barrier, hair texture, scalp needs, climate, or cycle

				☆ **Fragrance:** moisture first, then layer softly.		
Holistic Care (Showers, Exfoliation, Hair Wash, Scent, Nervous System, Nourishment)	For a routine that works in real life, and is ***not*** just pretty on paper	**Universal**; especially useful for dry, sensitive, stressed, burnout-prone, reactive, scalp-troubled, or cycle-sensitive women	Treat this as the rhythm behind the products: shower based on **sweat/climate/activity**, exfoliate based on skin resilience, wash hair based on **texture**, apply fragrance on **moisturized** skin, support the nervous system, and nourish from the inside too	☆ **Quick daily rinse** if needed; fuller everything shower a few times weekly depending on sweat/climate/activity. 1-2 showers a day can work + oral hygiene upkeep. ☆ **Dry/sensitive skin** usually does best exfoliating about **once weekly**; oilier or more resilient skin may tolerate **2–3 times weekly** depending on method ☆ **Straight/fine hair** often	Feel free to add any products / ingredients / remedies that already work for you! Holistic self-care is *all* about fulfilling your body's needs.	Over-cleansing, harsh scrubbing, fragrance on reactive skin, skipping the basics and expecting products to do all the heavy lifting

				likes washing every **2–3 days**; **wavy/curly** every **3–4 days**; **coily/kinky** about **weekly or every 10 days** with moisture between washes ☆ **Fragrance** lasts better on moisturized skin at **wrists, behind ears, collarbone, behind knees** ☆ **Nervous-system care** includes journaling, breathwork, meditation, yoga, aromatherapy, and calming teas ☆ **Nourishment** includes hydration, berries, cucumber, citrus, **omega-3-ric**		

				h foods, fiber, antioxidants, minerals		
Chemical Relaxers & Hormone-Related Risk	Women thinking through straightening choices, especially those wanting a more **health-aware** hair care routine	**Black women's** hair conversations, textured hair-care, chemically processed hair routines, long-term scalp and strand health	Use this section as a **decision-making note**, ***not*** a product recommendation. If relaxers are part of your routine, it may be worth thinking about frequency, scalp health, timing, alternatives, and whether the tradeoff feels right for you!	☆ Hair that is easier to manage / straighten (for *some* women) ☆ ***But***, they can also cause dryness, breakage, burns, and scalp irritation ☆ Some research has also linked long-term use to hormone-related health concerns, including higher **uterine cancer** risk in certain populations	Scalp protection, informed choice, lower-irritation alternatives, longer spacing between services	Relaxed over-damaged scalp, frequent reprocessing, thinking "common" means "safe"

+ ⊹ ♡ ⊹ + Self-Care Routine Template ☆ · + °

☆ **Name** / Vibe Of Routine:

_____

☆ **Main Goals**:

_____

_____

_____

☆ ***4 Pillars***:

1. Cleanse *without* stripping.
2. **Moisturize** for your actual skin / hair type.
3. Calm **inflammation** before chasing glow.
4. Use **herbs** and **fragrance** with purpose, not just because they sound nice. You do ***not*** need to use every ingredient listed! Only use what works for **you**. (σ≧▽≦)σ

☆ **Intimate Care Basics**

- ☐ For all women! Especially those who are: sensitive, irritation-prone, fragrance-reactive, BV-prone, post-antibiotic, or generally cautious routines.
  - ☐ External cleansing only.
  - ☐ Gentle fragrance-free product if needed.
  - ☐ Breathable cotton underwear.
  - ☐ Hydration.
  - ☐ Low-irritation habits.
  - ☐ ***Oral probiotics*** with **Lactobacillus rhamnosus GR-1** and **Lactobacillus reuteri RC-14** if useful.
    - ☐ **Yogurt** with live cultures, **kefir**, **kimchi**, **sauerkraut**, **miso**, **tempeh** + **fiber-rich foods**.

Avoid:

- ☐ Douching.
- ☐ Perfumed vaginal products.
- ☐ Scented yoni bars.
- ☐ Harsh soaps.
- ☐ Essential oils on intimate tissue.
- ☐ Exfoliating acids on vulvar skin.

☆ Notes For Me:

_____

_____

☆ **Hair Removal**

- ☐ (*Only if you want to!* ♡) Choose the method that actually suits your hair type, skin tone, body area, and irritation level.

  Shaving / Depilatory / Plucking / Threading / Waxing / Sugaring / Laser / IPL / Electrolysis / Eflornithine

  Chosen Area(s): _____

  Why This One Suits Me: _____

  ☆ If **Shaving**:

  - ☐ Use warm water.
  - ☐ Use a clean, sharp razor.
  - ☐ Use shaving gel or cream for slip.
  - ☐ Shave gently, ideally with the direction of growth if ingrown-prone.
  - ☐ Follow with **aloe vera** or fragrance-free moisturizer.
  - ☐ Use chemical exfoliation only on non-shave days if ingrown-prone.
    - ☐ ***Avoid***:
      - ☐ Dull razors.
      - ☐ Dry shaving.
      - ☐ Strong fragrance right after.
      - ☐ Broken or freshly exfoliated skin.
      - ☐ Aggressive scrubbing.

  ☆ If **Chemical Depilatory**:

  - ☐ **Patch test** first.
  - ☐ Use only on intact, non-irritated skin.
  - ☐ Keep it to less-sensitive body areas unless face-safe and personally tolerated.
  - ☐ Moisturize simply afterward.
    - ☐ ***Avoid***:
      - ☐ Leaving it on too long.

- ☐ Freshly shaved, waxed, exfoliated, or broken skin.
- ☐ Using it too close to acids, retinoids, or strong exfoliation.

☆ If **Plucking / Threading**:

- ☐ Keep it to **small areas.**
- ☐ Warm skin first.
- ☐ Use clean tools or a trusted practitioner.
- ☐ Follow with aloe vera or bland calming moisturizer.
  - ☐ ***Avoid***:
    - ☐ Dirty tweezers.
    - ☐ Repeated picking.
    - ☐ Large-area plucking.
    - ☐ **Strong actives** right before or after (let your skin *breathe* :-)).

☆ If **Waxing / Sugaring**:

- ☐ Make sure hair is long enough.
- ☐ Keep skin calm before.
- ☐ Use fragrance-free soothing care afterward.
- ☐ Wear loose clothing after bikini / body waxing.
- ☐ Pause strong actives around facial waxing.
  - ☐ ***Avoid***:
    - ☐ Irritated, sunburned, or broken skin.
    - ☐ Systemic retinoids.
    - ☐ Ultra-short stubble.
    - ☐ Aggressive exfoliation too close together.

☆ If **Laser / IPL**:

- ☐ **Shave** beforehand.
- ☐ Do ***not*** wax or pluck before treatment.
- ☐ Avoid tanning.

- ☐ Use a skilled provider who understands your skin tone and hair type.
- ☐ Use cooling and gentle aftercare.
- ☐ ***Avoid:***
  - ☐ Expecting great results on white, grey, red, or peach-fuzz hair.
  - ☐ Inexperienced provider.
  - ☐ Tanning right before.
  - ☐ Treating it like a universal answer.

☆ If **Electrolysis / Eflornithine**:

- ☐ Use **electrolysis** for small stubborn areas.
- ☐ Use **eflornithine** as a regrowth-slowing add-on, not a remover.
- ☐ Keep expectations realistic.
  - ☐ ***Avoid***:
    - ☐ Large body areas for electrolysis.
    - ☐ Expecting eflornithine to remove hair.
    - ☐ Casual use when pigmentation or scarring risk is high.

☆ My Hair Removal Notes:

Hair Type: _____
Skin Tone / Sensitivity Notes: _____
Ingrown / Pigmentation Tendencies: _____

☆ **Body**, **Skin**, And **Scalp**

- ☐ Circle / write in the ingredients that'll do the job! Please make sure to **research carefully** before trying anything new and ***always*** perform patch tests!

☆ My Moisture Lane:

- ☐ **Shea butter / sunflower oil / olive oil / coconut oil / argan oil / marula oil / aloe vera / kukui oil / tamanu oil /** other: _____

☆ My Calm / Glow Lane:

- ☐ **Turmeric / sandalwood / hibiscus / papaya / guava / rose water / aloe vera / noni** / other: _____

☆ My Scalp / Hair Lane:

- ☐ **Castor oil / Neem / fenugreek / shikakai / reetha / ginger / hibiscus / bhringraj / flaxseed / amla / henna / curry leaves / black cumin / tulsi / brahmi / aloe vera / marigold / orange peel / onion** / other: _____

☆ My Comfort / Fragrance Lane:

- ☐ **Lavender / rose water / chamomile / mint / ginger / cinnamon / cardamom / marjoram / caraway / dates / olive / jasmine / musk / violet / incense** / other: _____

☆ My Barrier / Brightening Lane:

- ☐ **Ceramides / hyaluronic acid / glycerol / panthenol / urea**
- ☐ **Arbutin / vitamin C / niacinamide / licorice / azelaic acid / kojic acid**
- ☐ **Ginseng / goji / rehmannia / chrysanthemum / scutellaria / schisandra / curcuma longa / perilla** / other _____

☆ The Specific Ingredients I Want In My Routine:

_____

_____

☆ **Ingredient Pairings** I Want To Try

Deep Moisture / Dry Skin:

- ☐ **Aloe** first, then **shea butter.**
- ☐ **Sunflower oil** + fragrance-free cream.
- ☐ **Argan** or **marula** over lotion.
- ☐ **Coconut oil** on rough body areas or hair length.
- ☐ **Kukui oil** for lighter softness.
  - ++ **Tamanu oil** for richer nighttime repair.

Calming / Tone-Evening:

- ☐ **Turmeric** + **aloe vera.**
- ☐ **Turmeric** + **yogurt** if tolerated.
- ☐ **Sandalwood** + **aloe vera.**
- ☐ **Rose water** + calming mask base (e.g., **kaolin clay**).
- ☐ **Hibiscus** + hydrating ingredients (e.g., **honey**, **rose water**, etc.).
- ☐ **Papaya** + soothing follow-up care (e.g., **aloe vera**).
- ☐ **Guava** in nourishment-based glow support.
- ☐ **Noni** + antioxidant-rich care.

Scalp And Hair:

- ☐ **Shikakai** or **reetha** + oiling.
- ☐ **Fenugreek** + **aloe.**
- ☐ **Hibiscus** + **bhringraj.**
- ☐ **Amla** + **henna.**
- ☐ **Neem** + **tulsi.**
- ☐ **Coconut oil** + **curry leaves.**
- ☐ **Black cumin** in scalp-oil support.

Comfort / Fragrance / Softness:

- ☐ **Lavender** + **rose water**.
- ☐ **Chamomile** + mint tea.
- ☐ **Ginger** + **cinnamon** warming drink.
- ☐ **Cardamom** + **dates** in comforting nourishment.
- ☐ **Olive oil** massage for body-softening care.

Barrier + Brightening:

- ☐ **Ceramides** / **hyaluronic acid** / **glycerol** / **panthenol** / **urea** under brightening actives.
- ☐ **Niacinamide** + barrier support (e.g., **ceramides**).
- ☐ **Vitamin C** + sunscreen.
- ☐ **Azelaic acid** + calm routine.
- ☐ **Arbutin** / **licorice** / **kojic acid** only in balanced routines.

What I Want To Avoid:

- ☐ Fragrance on vulvar skin.
- ☐ Essential oils on intimate tissue.
- ☐ Exfoliating acids on vulvar skin.
- ☐ Strong acids over fresh irritated aloe.
- ☐ Strong actives layered over over-exfoliated skin.
- ☐ **Turmeric** with a super harsh acid routine.
- ☐ **Neem** with too many strong actives at once.
- ☐ **Papaya** plus a bunch of extra exfoliants.
- ☐ Heavy **castor** on a buildup-prone scalp.
- ☐ **Lemon** on irritated skin.
- ☐ Rough **brown sugar** scrubbing.

☆ Notes:

_____

_____

☆ **Diy / Home-Care** Treatments I Want In Rotation

- ☐ Please circle ***only*** the ones that actually suit your skin, scalp, and time. And, of course, you can jot down one of your own! (★≧▽≦★)

1. Softening Hair Mask (For dry lengths, additional softness, hair that feels rough / dull)

- ☐ **Mashed banana.**
- ☐ **Honey.**
- ☐ **Avocado oil.**
  - ☐ Apply ***mainly*** to lengths.
  - ☐ Let sit briefly.
  - ☐ Rinse thoroughly.
  - ☐ Follow with a gentle wash day if needed.

2. **Scalp-Softening Step** (For scalp dryness & edges)

- ☐ **Aloe vera** + a small amount of **castor oil.**
  - ☐ Use lightly on scalp / edges only if buildup is not the issue.
  - ☐ Keep it simple and small.

3. **Calming Face Mask** (For oily but irritated skin + inflamed-looking skin)

- ☐ **Rose water.**
- ☐ **Kaolin clay.**
- ☐ Soothing base like **aloe vera**, **plain yogurt**, or **honey.**
  - ☐ Keep it gentle and short-contact.
  - ☐ Follow with moisture.

4. **Gentle Body Exfoliation** (To brighten up skin)

- ☐ **Brown sugar.**
- ☐ Soothing base like **honey**, **aloe vera** gel, or a little oil.
  - ☐ Use gently.
  - ☐ Do ***not*** use on irritated skin.
  - ☐ Always follow with moisture.

5. **Cooling Glow** Support (For redness-prone, dull / inflamed looking, heat-prone skin)

- ☐ **Aloe vera**.
- ☐ Turmeric in a very simple short-contact mask if tolerated.
  - ☐ Or **sandalwood** + **aloe vera**.

☆ My Chosen DIY Treatment(s):

_____

_____

☆ Daily Routine

Morning

- ☐ Gentle rinse / cleanse: _____
- ☐ Oral hygiene step(s): _____
- ☐ Hydration step: _____
- ☐ Moisture step: _____
- ☐ Scalp / hair touch-up if needed: _____
- ☐ **Fragrance** (e.g., jasmine, musk, violet, etc. in a fragrance mist/**perfume**) if using: *moisturize first, then apply lightly to wrists / behind ears / collarbone / behind knees.*
- ☐ **Sunscreen** if using brightening or pigment-care steps: _____

Midday / Touch-Up

- ☐ Water / hydrating food / tea: _____
- ☐ Reapply soft moisture if needed: _____
- ☐ Gentle refresh (e.g., a **cucumber water mist**): _____

Evening

- ☐ Cleanse without stripping: _____

- ☐ Oral hygiene step(s):_____
- ☐ Calm the skin / scalp: _____
- ☐ Moisturize on damp skin: _____
- ☐ Special treatment if needed: _____
- ☐ Bedtime comfort step: _____

☆ **My Daily Staples:**

_____

_____

_____

☆ **Wash Day** / Scalp Day

My Wash Schedule:

- ☐ **Straight** / **fine** hair: every **2** to **3** days.
- ☐ **Wavy** / **curly** hair: every **3** to **4** days.
- ☐ **Coily** / **kinky** hair: weekly or about every **10** days with moisture between washes.
  - ☐ My Actual Schedule: _____

Step-by-Step:

- ☐ Pre-wash oil or scalp treatment if useful: _____
- ☐ Cleanse: _____
- ☐ Second cleanse / clarifying only if needed: _____
- ☐ Conditioner / softness step: _____
- ☐ Scalp-soothing step: _____
- ☐ Leave-in / sealing step: _____
- ☐ Hair perfume / soft scent if desired: _____

☆ Ingredients I Want On Wash Day:

_____

☆ **What I Am Avoiding on Wash Day**:

- ☐ Too many pungent herbs at once.
- ☐ Heavy oil on buildup.
- ☐ Copying someone else's texture routine.

☆ Weekly Body-Care Plan

1. **Everything Shower** Day

- ☐ *Before* Shower
  - ☐ Set out towel, loose clothes, body lotion / butter, hair products, razor if using, scalp or hair mask if using.
  - ☐ Optional tea / calming drink: _____

- ☐ *In* The Shower
  - ☐ Wash your body gently.
  - ☐ Deeper cleanse only where actually needed.
  - ☐ Wash hair if it is wash day.
  - ☐ Shave / depilate / exfoliate only if that is the plan.
  - ☐ Keep intimate care simple and fragrance-free.

☐ ☆ Everything Shower **Order**:

- ☐ Hair treatment or pre-wash if using.
- ☐ Shampoo / scalp cleanse.
- ☐ Conditioner step.
- ☐ Body cleanse.
- ☐ Shave or hair removal step if planned.
- ☐ Gentle exfoliation if planned.
- ☐ Rinse thoroughly.
- ☐ Step out and moisturize while damp.

☆ *After Shower*

- ☐ Oral hygiene step(s) – e.g., **floss**, **brush**, **tongue scrape**, **whitening strips**, **lip care**, etc.
- ☐ Aloe / hydration step if using.
- ☐ Lotion / cream / oil / butter based on your moisture lane.
- ☐ Scalp or hair finishing step.
- ☐ Soft fragrance only after moisture.
- ☐ Loose clothing.
- ☐ Water / tea / snack if needed.

☆ My Everything Shower Add-Ons:

- ☐ Body butter night: _____
- ☐ Calming mask: _____
- ☐ Hair mask: _____
- ☐ Scalp care: _____
- ☐ Nail care: _____
- ☐ Bedding refresh: _____
- ☐ Emotional self-care add-on: _____

2. **Exfoliation** Day

- ☐ **Dry** / **sensitive** skin: usually about **once** weekly;
- ☐ **Oilier** / more *resilient* skin: up to **2** to **3** times weekly depending on method;
  - ☐ My Exfoliation Method: _____
  - ☐ My Frequency: _____
  - ☐ My Follow-Up Moisture: _____

3. **Repair** Night

- ☐ Richer butter / oil / barrier support
  - ☐ **Tamanu** / **kukui** / **shea** / **sunflower** / **argan** / **marula** / **coconut** / other: _____
- ☐ Target area(s): _____

☆ **Cycle-Aware** Version Of The Routine

- ☐ When feeling more sensitive, crampy, hot, inflamed, tired, or just generally not in the mood for nonsense. (ᵕ—ᴗ—)

Focus On:

- ☐ Softer cleansing (e.g., routine menstrual product changes, warm baths, etc.).
- ☐ Less irritation.
- ☐ More hydration.
- ☐ Less fragrance overwhelm.
- ☐ Calming teas / warmth.
- ☐ Simpler body care.
- ☐ **More comfort, less aggression.**

☆ Things I Want During This Time:

- ☐ **Chamomile** / **mint** / **ginger** / **cinnamon** / **rooibos** / other: _____
- ☐ Hydration foods like **berries** / **cucumber** / **citrus.**
- ☐ Softer body moisture.
- ☐ Low-irritation scalp and skin care.
- ☐ Rest / heat / journaling / stretching / aromatherapy.

☆ Things I Want To ***Avoid*** During This Time:

- ☐ Harsh exfoliation.
- ☐ Too much fragrance.
- ☐ Aggressive hair removal.
- ☐ Complicated DIY experiments.
- ☐ Over-cleansing.

☆ **Nervous-System** And **Comfort** Care

☆ My Calm List:

- ☐ Journaling.
- ☐ Breathwork.
- ☐ Meditation.
- ☐ Yoga.
- ☐ **Aromatherapy**.
- ☐ Calming tea.
- ☐ Soft shower or bath.
- ☐ Bedtime scent ritual.
- ☐ Stretching.
- ☐ Low-light wind-down.

☆ My Actual Comfort Steps:

_____

_____

_____

☆ My Bedtime Winddown Plan:

☐ **Lavender / chamomile / mint / ginger / rooibos / rose water** / other:

_____

☆ Nourishment That Belongs In The Routine

Foods / Drinks I Want:

- ☐ **Berries.**
- ☐ **Cucumber.**
- ☐ **Citrus.**
- ☐ **Yogurt with live cultures.**
- ☐ **Kefir.**
- ☐ **Kimchi.**
- ☐ **Sauerkraut.**
- ☐ **Miso.**
- ☐ **Tempeh.**
- ☐ **Chamomile** tea.

- ☐ **Mint** tea.
- ☐ **Ginger** tea.
- ☐ **Cinnamon** drink.
- ☐ **Dates** in comfort drinks or snacks.

Functional Food Support:

- ☐ **Omega-3s**.
- ☐ **Fiber**.
- ☐ **Antioxidants**.
- ☐ Minerals.
- ☐ Hydration.
- ☐ **Microbiome support**.

☆ My Go-To Beauty Nourishment:

_____

_____

☆ The Main Things I Am Building Around:

_____

_____

_____

☆ The Things I Am No Longer Doing Just Because They Look Pretty:

_____

_____

_____

Conclusion ☆ · ₊ °

The richest **self-care routines** are not the ones with the most pretty products. They are the ones with the most ***thought*** behind them. When you bring together barrier-friendly moisture, scalp-first care, microbiome respect, calming herbs, thoughtful fragrance, and routines that match your *actual* body, self-care stops feeling performative and starts feeling **restorative**. So, no, you don't have to do the most. *Never* that. It all boils down to doing what pairs well, what makes *sense*, and what lets your body feel **beautifully supported** over time. ‹3 .'

Sources ☆ · ₊ °

Arabiat, D., Whitehead, L., Gaballah, S., Nejat, N., Galal, E., Abu Sabah, E., Smadi, N., Saadeh, I., & Khlaif, R. (2022). The use of complementary medicine during childbearing years: A multi-country study of women from the Middle East. *Global Qualitative Nursing Research, 9*, 23333936211042616. https://doi.org/10.1177/23333936211042616

Bakhtiari, S., Paki, S., Khalili, A., Baradaranfard, F., Mosleh, S., & Jokar, M. (2019). Effect of lavender aromatherapy through inhalation on quality of life among postmenopausal women covered by a governmental health center in Isfahan, Iran: A single-blind clinical trial. *Complementary Therapies in Clinical Practice, 34*, 46–50. https://doi.org/10.1016/j.ctcp.2018.11.001

Bertrand, K. A., Delp, L., Coogan, P. F., Cozier, Y. C., Lenzy, Y. M., Rosenberg, L., & Palmer, J. R. (2023). Hair relaxer use and risk of uterine cancer in the Black Women's Health Study. *Environmental Research, 239(Pt 1)*, 117228. https://doi.org/10.1016/j.envres.2023.117228

Brahmi, F., Kampemba Mujinga, F., Guendouze, N., Madani, K., Boulekbache, L., & Duez, P. (2025). Benefits of traditional medicinal plants to African women's health: An overview of the literature. *Diseases, 13(5)*, 160. https://doi.org/10.3390/diseases13050160

Browning, K. (2019, February 12). *Why Hawaiian botanicals are the hottest skincare ingredients.* Honua Hawaiian Skincare. https://honuaskincare.com/blogs/news/why-hawaiian-botanicals-are-the-hottest-skincare-ingredients

Cabada-Aguirre, P., López López, A. M., Mendoza, K. C. O., Garay Buenrostro, K. D., Luna-Vital, D. A., & Mahady, G. B. (2023). Mexican traditional medicines for women's reproductive health. Scientific Reports, 13(1), 2807. https://doi.org/10.1038/s41598-023-29921-1

Chen, M. N., Chou, C. H., & Chen, C. H. (2019). Effects of aromatherapy on menstrual-related symptoms in women: A systematic review and meta-analysis. *International Journal of Nursing Studies, 92*, 120–130. https://doi.org/10.1016/j.ijnurstu.2019.01.001

Cho, G., Park, H. M., Jung, W. M., Cha, W. S., Lee, D., & Chae, Y. (2020). Identification of candidate medicinal herbs for skincare via data mining of the classic Donguibogam text on Korean medicine. *Integrative Medicine Research, 9(4)*, 100436. https://doi.org/10.1016/j.imr.2020.100436

Haahr, T., Zacho, J., Bräuner, M., Shalom-Paz, E., & Humaidan, P. (2018). Recurrent bacterial vaginosis: An unmet therapeutic challenge. *Frontiers in Public Health, 6*, 241. https://doi.org/10.3389/fpubh.2018.00064

Jiménez, A. (2020, May 18). *DIY hair and skin mask recipes Latina beauty gurus swear by.* HOLA! USA. https://www.hola.com/us/beauty/20200518fnipzp44a3/diy-hair-face-mask-latina-approved/

Kang, C. N., Shah, M., Lynde, C., & Fleming, P. (2021). Hair removal practices: A literature review. *Skin Therapy Letter, 26(5)*, 6–11.

King, A. (2022). Medieval Islamicate aromatherapy: Medical perspectives on aromatics and perfumes. *The Senses and Society, 17(1)*, 37–51. https://doi.org/10.1080/17458927.2021.2020606

Lans, C. (2007). Ethnomedicines used in Trinidad and Tobago for reproductive problems. *Journal of Ethnobiology and Ethnomedicine, 3*, 13. https://doi.org/10.1186/1746-4269-3-13

Liu, J. K. (2022). Natural products in cosmetics. Natural Products and Bioprospecting, 12(1), 40. https://doi.org/10.1007/s13659-022-00363-y

Pathiraja, K. N. L. (2018). The role of indigenous products in cosmetology from ancient to modern times. *Dermatology & Cosmetology Journal, 1(2)*, 555558. https://doi.org/10.19080/JOJDC.2018.01.555558

Patibandla, S., Gallagher, J. J., Patibandla, L., Ansari, A. Z., Qazi, S., & Brown, S. F. (2024). Ayurvedic herbal medicines: A literature review of their applications in female reproductive health. *Cureus, 16(2)*, e55240. https://doi.org/10.7759/cureus.55240

Penkar, G. M., Salkar, M. R., Chavan, P. S., Ambade, M. S., Parab, S. A., Padte, T. S., Salgoankar, P. L., Sawant, M. M., & Jagtap, V. A. (2023). An overview on Indian herbs in hair care therapy. *Research Journal of Pharmacognosy and Phytochemistry, 15(2)*, 161–166. https://doi.org/10.52711/0975-4385.2023.00025

Poljšak, N., & Kočevar Glavač, N. (2022). Vegetable butters and oils as therapeutically and cosmetically active ingredients for dermal use: A review of clinical studies. *Frontiers in Pharmacology, 13*, 868461. https://doi.org/10.3389/fphar.2022.868461

Wang, S., Xu, J., Liu, Y., & Li, Y. (2021). The skin barrier, microbiome, and care in healthy and atopic dermatitis populations. *Frontiers in Immunology, 12*, 697386. https://doi.org/10.3389/fimmu.2021.697386

West, B. J., Deng, S., Isami, F., Uwaya, A., & Jensen, C. J. (2018). The potential health benefits of noni juice: A review of human intervention studies. *Foods, 7(4)*, 58. https://doi.org/10.3390/foods7040058

Yi, S. S., Hwang, E., Baek, H. K., Kim, T. H., Lee, H. H., Jun, H. S., & Kim, S. J. (2015). Application of bioactive natural materials-based products on five women's diseases. *Journal of Menopausal Medicine, 21(3)*, 121–125. https://doi.org/10.6118/jmm.2015.21.3.121

Body Image & Beauty Standards

It is honestly so easy for women to feel watched, measured, compared, and edited behind the scenes at all times. Your body can be perfectly normal, healthy, and human, and *still* somehow feel "wrong" under **enough pressure**. This does ***not*** mean you are vain. It means you are living in a world that teaches women to **over-monitor** themselves. And, apparently, we're supposed to keep it all together, look radiant, and somehow *not* break a sweat. Like sure… let me just grab my superheroine cape and save the world real quick. (¯へ¯)

Body image and **self-esteem** aren't random, either. They are shaped by hormones, brain chemistry, life experiences, family messages, social media, culture, and the way you have learned to speak to yourself over time. The good news is that neither one is fixed. Both can be softened, rebuilt, and strengthened with ***practice***.

*As always, **this section is for education only, not medical advice**. If body image struggles are severe, persistent, or tied to **disordered eating**, **depression**, or strong avoidance behaviors, professional support really matters.*

Main Content ☆ · ₊ °

Sometimes the most healing thing is realizing that **body image struggles** are ***not*** proof that something is wrong with you. I mean, your mind may be talking up a storm, but **that's not on you**. (o´･ω･)ノ(ノω･｡) Body image struggles are often a *very* understandable response to pressure, change, and emotional pain. Once you understand what is shaping the way you see yourself, it becomes *much* easier to answer with **care** instead of guilt!

☆ *What **Body Image** And **Self-Esteem** Actually Are*

- ☐ **Body image** is how you think and feel about your body, how you perceive it, and how you treat it.
- ☐ **Self-esteem** is the broader way you value yourself overall.
  - ☐ The two overlap, but they are ***not*** identical.
- ☐ A woman can feel confident in some areas of life and still struggle deeply with appearance.
  - ☐ And even *that* confidence may fall to the wayside at times! (: o ^ o :)
    - ☐ A woman can also notice her body image shifting with stress, hormones, relationships, life transitions, or the environment she is in.

So, it is important to try to remember that you are worth far more than what is on the surface. **Body image** is one part of your internal world. It is ***not*** your whole identity.

Now, negative body image is ***not*** just about "*confidence.*" It is often tied to the way the brain, body, and environment are interacting. This is why telling a woman to "*just love herself*" can feel so hollow and ineffective sometimes. The issue is often **deeper** than one mindset quote and a cutesy mirror affirmation. (ᵕ—ᴗ—)

- ☐ **Body image** and **self-esteem** are shaped by biological, psychological, and sociocultural factors.
  - ☐ Hormonal shifts, stress, low mood, **trauma**, criticism, and comparison can *all* intensify body dissatisfaction.

- ☐ Brain regions that may be involved in self-perception and emotional evaluation, such as the **insula** and **amygdala**, can become more reactive in people struggling with body dissatisfaction.
- ☐ Low **serotonin**, chronic stress, and emotional overload can intensify harsh self-talk about appearance.

☆ ***Hormones** And **Body Image** Across A Woman's Life*

- ☐ The **menstrual cycle** can affect mood, sensitivity, and body satisfaction.
- ☐ During the **follicular phase**, rising **estrogen** may support better mood and slightly better body image.
- ☐ Around **ovulation**, peak **estrogen** and **testosterone** may temporarily increase confidence.
- ☐ During the **luteal phase**, rising **progesterone** and greater emotional sensitivity may increase bloating, insecurity, self-criticism, and body dissatisfaction.
  - ☐ **Pregnancy** and **postpartum** can bring rapid body changes, hormonal shifts, and appearance-related **anxiety**.
  - ☐ Many **postpartum** women (around ***60%***) report negative feelings about appearance as their bodies recover and adjust after birth.
  - ☐ **Perimenopause** and **menopause** can also affect self-esteem through changes in skin elasticity, body composition, fat distribution, and energy.
    - ☐ Of course, this doesn't mean hormones cause all insecurity, but they definitely can influence how strong body dissatisfaction feels.

This is why **cycle tracking** can come to your rescue! (ง> ᴗ <)ง Sometimes your body is moving through a more sensitive window, and your mind may simply need a little extra kindness to catch up before it feels steady again.

☆ ***Social Media** And **Comparison Pressure***

- ☐ **Social media exposure** can worsen body dissatisfaction, self-objectification, shame, and comparison.

- ☐ Seeing idealized bodies over and over again can make unrealistic appearance standards feel normal.
- ☐ Content built around the *'perfect'* body, whether that means thin, toned, curvy, or *"slim thick,"* can distort **self-perception.**
    - ☐ **Media literacy** matters because many images are filtered, edited, posed, or chosen from *hundreds* of attempts!
        - ☐ Reducing triggering exposure, unfollowing accounts that make you feel chronically inadequate, and limiting time on appearance-heavy platforms can help.

One very practical guideline here is to be ***intentional*** about what you keep looking at. **Sometimes, it really *is* that damn phone.** Your nervous system doesn't need a daily buffet of reasons to feel insufficient. So, please, try not to rub salt into your wounds! ♡(>„ <„)

☆ Family, Peers, And Cultural Messaging

- ☐ Negative comments about weight, shape, beauty, or dieting during adolescence can leave long-lasting effects on self-esteem.
- ☐ **Family** and **peer messages** often become the inner voice women carry for years.
- ☐ **Beauty standards** also change across cultures, which can create confusion and pressure.
    - ☐ Some cultures glorify *thinness*.
    - ☐ Some glorify *curviness*.
    - ☐ Some glorify youthfulness, softness, or constant effortlessness.
    - ☐ Understanding that beauty standards are socially shaped can help weaken their influence.

So take a breath! Your outer world plays a big role in your inner one. A lot of what women think is personal failure is often just **social conditioning** wearing a *very* convincing outfit. (^_-)☆

So, how do you know if you may be struggling with **body image** or **self-worth?** Well, there are a few patterns to look out for. Please keep in mind that if any of these hit close to home, it does ***not*** make you shallow. It makes you *human* and, very possibly, **tired**. (T～T;。) Tangent aside, let's take a look a few clues:

- ☐ Constant **body-checking**.
- ☐ Mirror avoidance or mirror distress.
- ☐ Frequent comparison.
- ☐ Feeling *"not enough"* no matter what you accomplish.
- ☐ Harsh self-talk.
- ☐ Avoiding certain clothes, events, photos, or intimacy because of appearance shame.
- ☐ Feeling disconnected from yourself.
- ☐ Needing constant validation to feel okay.
- ☐ Exhaustion from always trying to be more attractive, more acceptable, or less visible.
- ☐ Persistent insecurity that affects eating, movement, relationships, or mental health.

Okay, now let's delve into the concept of ***self-love.*** There is a *much* gentler and more realistic definition than the internet usually gives. It is *not "I think I am gorgeous every second."* Sometimes it is simply, *"I will not bully myself today."*

- ☐ It is ***not*** vanity, selfishness, or ego.
- ☐ It is having a healthy, kind, respectful relationship with yourself.
  - ☐ It includes **acceptance**, **compassion**, **boundaries**, **forgiveness**, **honesty**, and **care**.
  - ☐ It affects how you speak to yourself, what you tolerate, what relationships you choose, and how you recover from hard things.
  - ☐ It is ***not*** pretending you feel amazing all the time. Instead, it is refusing to *abandon* yourself, even on hard days.

☆ *The First Step:* ***Awaken To Yourself***

- ☐ Self-love often begins with a moment of *waking up.*
  - ☐ You realize that approval is ***not*** peace.
  - ☐ You realize that perfection is ***not*** safety.

- ☐ You realize that hating yourself is ***not*** making you better.
- ☐ This awakening may come through heartbreak, burnout, loss, therapy, motherhood, illness, disappointment, or plain emotional exhaustion.
  - ☐ *Awareness comes **before** change!* (◠ ‿ ◠)

Transformation requires ***friction***. A lot of women begin loving themselves not because life was easy, but because **they got tired of being cruel to themselves and realized it was not working**.

☆ ***CBT**-Style Body Image Tools*

- ☐ Notice body-negative thoughts as they happen.
- ☐ Name them ***clearly.***
- ☐ Ask whether they are factual, helpful, and kind.
- ☐ Replace them with more neutral, grounded statements.
  - ☐ E.g., instead of *"I look disgusting,"* try *"I am feeling uncomfortable in my body right now, and that feeling is real, but it is not the full truth about me."*
    - ☐ Instead of *"I am too fat to be seen,"* try *"My body is allowed to exist as it is today."*
- ☐ **Behavioral experiments** can also help.
  - ☐ Wear clothes that actually fit.
  - ☐ Notice how you feel in supportive clothing versus punishing clothing.
  - ☐ Observe the shift in self-perception.

This work can feel awkward at first, but it is impactful! Your brain learns through **repetition**. If you keep interrupting self-deprecation, you slowly stop giving it the only microphone in the room.

☆ ***Mindfulness** And **Self-Compassion***

- ☐ **Mindfulness** helps you notice thoughts without instantly becoming them.
- ☐ **Self-compassion** helps you respond to yourself with care instead of contempt.
- ☐ Daily practices can include meditation, breathwork, stretching, quiet sitting, or journaling.

- ☐ A gentle journaling prompt is: *"Name three things my body did for me today."*
- ☐ Another is: *"What do I need right now that has nothing to do with being prettier?"*

☐ **Self-compassion reminders can include:**

- ☐ Healing is not linear.
- ☐ Mistakes do not erase worth.
- ☐ Having needs does not make me weak.
- ☐ I can struggle and still be worthy.

☆ ***Mirror Anxiety** And **Body Avoidance***

☐ **Mirror anxiety** can improve through gradual exposure.

- ☐ Instead of obsessively scanning or avoiding mirrors completely, practice calmer, more neutral observation.
- ☐ Focus on the whole body rather than picking apart one area.
- ☐ Focus on function, presence, and neutrality before trying to force admiration.

☐ Keep mirror time intentional, not compulsive.

☐ Clothes that fit now, not *"goal clothes,"* usually help reduce body-checking distress.

In this case, the goal is ***not*** to stare at yourself until you suddenly feel beautiful. Instead, the goal is to build a less hostile relationship with your reflection! ^___^

☆ *Exercise For **Function**, Not Punishment*

☐ Exercise can support body appreciation when it is rooted in function rather than self-hatred.

- ☐ **Weight lifting** 2 to 3 times weekly may improve mood, body appreciation, and bone health.
- ☐ **Yoga** and **Pilates** can improve mind-body awareness and reduce stress.

☐ Supportive movement helps most when it is framed around strength, energy, mobility, steadiness, or emotional relief.

☐ Hardcore, punishing exercise usually makes body resentment worse.

At the end of the day, **it's all about the mindset!** *"Exercise because I hate my body"* feels very different from *"exercise because I want to feel stronger and more supported inside it."* (⌒▽⌒)☆

☆ ***Nourishment*** *And* ***Balanced Eating***

- ☐ **Extreme dieting** often ***worsens*** body obsession, mood instability, and shame.
- ☐ *Balanced eating* supports mood, energy, and **cognitive steadiness.**
  - ☐ **Protein**, **fiber**, **iron**, **vitamin D**, **omega-3s**, and adequate overall nourishment can support mental health indirectly.
- ☐ Restriction, binge cycles, and chronic guilt around food usually *deepen* body distress rather than healing it.
  - ☐ *If eating feels emotionally loaded,* ***professional support*** *can be very helpful.*

☆ ***Sleep***, ***Stress***, *And* ***Emotional Load***

- ☐ **7** to **9** hours of sleep can support mood and reduce stress reactivity.
- ☐ Poor sleep increases **cortisol** and can intensify emotional sensitivity, self-criticism, and body dissatisfaction.
- ☐ Ongoing stress can also make appearance concerns feel much louder.
  - ☐ Journaling, therapy, stretching, breathwork, supportive routines, and reducing overload can all help.

Sometimes the most *"**body image**"* problem is actually an *exhaustion* problem. (__ __*) Z z z So, please try to give your mind a break; it will take better care of you.

☆ ***Practical Ways To Protect Your Self-Esteem***

- ☐ Reduce time with content that makes you feel chronically inadequate.
- ☐ Unfollow accounts that trigger shame, comparison, or self-objectification.
- ☐ Choose clothes that fit your current body.
- ☐ **Stop using humiliation as motivation.**
- ☐ Speak to your body with *respect*, even when you feel insecure.
- ☐ Spend more time around people who do not make your appearance the price of belonging.

- ☐ Build daily rituals that make you ***grounded***, not constantly evaluated.

☆ ***Boundaries*** *As Self-Love*

- ☐ Boundaries are one of the clearest forms of self-respect.
- ☐ They can sound like:
  - ☐ ***"No."***
  - ☐ *"That does not work for me."*
  - ☐ *"I need time."*
  - ☐ *"Please do not speak to me that way."*
  - ☐ *"I am not available for that."*
- ☐ Setting boundaries can feel guilty at first, especially for women who were taught to stay agreeable, over-give, or make themselves easy to manage.
- ☐ Guilt does ***not*** always mean you are doing something wrong. Sometimes it means you are doing something *new.*

☆ ***Protecting Your Energy***

- ☐ **Notice what drains you.**
- ☐ This may include people, content, environments, conversations, habits, or expectations.
- ☐ Spend *less* time where you feel inferior, judged, anxious, unseen, or emotionally used.
- ☐ Spend *more* time where you feel calm, respected, nourished, and safe.
- ☐ **Self-esteem** grows better in environments where you are not constantly bracing.

☆ ***Inner Child Healing***

- ☐ Many body image wounds and self-worth struggles are tied to earlier experiences of criticism, rejection, abandonment, or pressure.
- ☐ **Inner child work** can involve journaling to your younger self, identifying what she needed, and offering that care now. (´ ω `♡)
- ☐ Helpful phrases may include:
  - ☐ *"You did not deserve that."*
  - ☐ *"You are safe with me now."*

- ☐ *"You do not have to earn love."*
- ☐ *"I will not abandon you."*

☐ This kind of work can feel very tender, but very healing.

A lot of women soften when they realize they have been using adult language to bully a younger wound. (つ ˃̵ᴗ˂̵ c)

☆ *Building **Self-Trust***

☐ **Self-love** is not only about liking yourself. It is also about ***trusting*** yourself.

☐ **Self-trust** grows when you keep promises to yourself, listen to your feelings, and stop constantly overriding your needs.

☐ Start *very* small:

- ☐ Eat when hungry.
- ☐ Go to bed on time.
- ☐ Leave situations that feel wrong.
- ☐ Follow through on one supportive action each day!

☆ ***Making Self-Care Real**, Not Performative*

☐ As mentioned in the previous section, real **self-care** is ***not*** just candles, facials, and things that look good online.

- ☐ Sometimes self-care is **therapy**.
- ☐ Sometimes it is **rest**.
- ☐ Sometimes it is **taking your medicine**.
- ☐ Sometimes it is **asking for help**.
- ☐ Sometimes it is **canceling plans**.
- ☐ Sometimes it is **leaving the relationship**.
  - ☐ Ask: *"What would actually support me right now?"* because that question is usually much wiser than *"What looks like self-care?"*

☆ *Caring For Your Body With **Respect***

☐ Body respect means feeding your body, moving it, resting it, and speaking to it without cruelty.

- ☐ It means wearing clothes that fit ***now.***
- ☐ It means choosing movement that supports rather than punishes.
- ☐ It means not making your body the enemy.

☐ **Your body is not something you have to control into worthiness.**

Okay, now **this one** is worth absorbing for a second. Your body is ***not*** the obstacle between you and your value. You are worthy at all times, no matter what.

☆ ***Comparison*** *And* ***Authenticity***

☐ **Comparison** makes self-love harder because it teaches constant lack.

- ☐ You do not know the full truth of anyone else's life, body, editing, insecurity, or sacrifice.
- ☐ Someone else's beauty does ***not*** reduce yours.

☐ **Authenticity** helps rebuild self-esteem because it teaches you to stop performing acceptability all the time.

- ☐ Practice being honest in small ways.
- ☐ Let your real preferences, feelings, and needs exist.
  - ☐ A woman becomes *much* more rooted when she stops trying to be the most acceptable version of herself and starts becoming the most ***honest*** one.

☆ *Supportive Relationships And* ***Sisterhood***

☐ *Women often heal* ***faster*** *in spaces where they do not have to audition for belonging.* (⊃´ᗜ`)(^ ᵕ ^„) ♡

- ☐ **Community** matters more than many women realize.
- ☐ Supportive friendships can reduce shame, normalize insecurity, and strengthen healing.
- ☐ Healthy relationships reflect your worth back to you in a steadier way.
- ☐ Choose people who speak kindly, respect your boundaries, and celebrate your growth.

☐ Sisterhood can be *deeply* reparative.

Rituals make **self-love** feel less *abstract*. They turn kindness into something you *actually* practice. Here are some examples:

- ☐ Journaling.
- ☐ Affirmations that feel grounded, not fake.
- ☐ Mindful movement/exercise.
- ☐ Gentle skincare done with care, not criticism.
- ☐ Quiet tea time.
- ☐ A daily walk.
- ☐ Speaking kindly to yourself in the mirror.
- ☐ Gratitude.
- ☐ Tracking your progress and noticing your growth.
- ☐ Celebrating small wins.

Now, you do not need to fret about having a bad day here or there. We *all* have them! You will likely still have days where you compare yourself, doubt yourself, or want outside validation. That does ***not*** mean you failed. Something very important to keep in mind is: **you do not have to feel amazing about yourself to treat yourself with dignity.**

- ☐ On hard days, lower the goal.
- ☐ Do not force *"I feel beautiful."*
    - ☐ **Try:** *"I will not abandon myself today."*
- ☐ **Imperfect self-love is still real self-love.**

☆ ***When To Seek Extra Help***

- ☐ Persistent body hatred.
- ☐ **Severe** avoidance of mirrors, food, photos, or social situations.
- ☐ Disordered eating patterns.
- ☐ Intense shame or self-loathing.
- ☐ **Depression**, **anxiety**, or obsessive thoughts tied to appearance.
- ☐ Evidence-based support can include **CBT**, **ACT**, therapy groups, and other professional treatments.
- ☐ If symptoms are severe or interfering with daily life, getting help is a ***strength***, not a failure.

Conclusion ☆ · ₊ °

Healing **body image** and **self-esteem** is usually ***not*** about becoming prettier, more perfect, or more approved of. It is about becoming less cruel to yourself, less easily manipulated by pressure, and more rooted in your own humanity. The real shift happens when you stop treating yourself like a problem to solve and start treating yourself like someone worth protecting, understanding, and ***loving***. Now, ***that*** is where self-esteem gets *steadier*. And, simultaneously, that is also where **self-love** starts to feel like the **real deal**. ♡(◡ ‿ ◡)

Sources ☆ · ₊ °

Alleva, J. M., Sheeran, P., Webb, T. L., Martijn, C., & Miles, E. (2015). *A* meta-analytic review of stand-alone interventions to improve body image. *PLOS ONE, 10(9)*, e0139177. https://doi.org/10.1371/journal.pone.0139177

Cash, T. F., & Smolak, L. (Eds.). (2011). *Body image: A handbook of science, practice, and prevention* (2nd ed.). Guilford Press.

Klump, K. L., Keel, P. K., Culbert, K. M., & Edler, C. (2013). Ovarian hormones and binge eating: Exploring associations in community samples. *Psychological Medicine, 43(12)*, 2629–2639. https://doi.org/10.1017/S0033291713000438

Mohr, H. M., Röder, C., Zimmermann, J., Hummel, D., Negele, A., & Grabhorn, R. (2011). Body image distortions in bulimia nervosa: Investigating body size overestimation and body dissatisfaction by fMRI. *NeuroImage, 56(3)*, 1822–1831. https://doi.org/10.1016/j.neuroimage.2011.02.069

Rodgers, R. F., Donovan, E., Cousineau, T., Yates, K., McGowan, K., Cook, E. C., & Lukowicz, M. (2019). Instagram use and young women's body image concerns and self-objectification: Testing mediational pathways. *New Media & Society, 21*(11–12), 2604–2622. https://doi.org/10.1177/1461444819854751

Rodgers, R. F., Slater, A., Gordon, C. S., McLean, S. A., Jarman, H. K., & Paxton, S. J. (2020). A biopsychosocial model of social media use and body image concerns, disordered eating, and muscle-building behaviors among adolescent girls and boys. *Journal of Youth and Adolescence, 49(2),* 399–409. https://doi.org/10.1007/s10964-019-01190-0

Hummingbird Sami, K. (2014). *Awakening to me: One woman's journey to self-love.* Siwarkinte Publishing.

Environmental Toxins (EDCs)

Just when you think you've finally cracked the code on women's health, **environmental toxins** show up uninvited like a relative who just will not leave (`△´+). Plastics, receipts, cookware, dust, air pollution, old pipes, certain cosmetics, and even the air near busy roads can all become part of the conversation. While it may seem like hazards are lurking in every corner of this planet, you do ***not*** need to panic *nor* try to live in a glass bubble.

The real objective here is ***not*** fear. Not in the *slightest!* It is **awareness,** then **gentle strategy.** Many **environmental toxins** are linked to hormone disruption, **fertility** issues, **menstrual** changes, **pregnancy** complications, and long-term health effects, but exposure science is *complex*. Timing, dose, duration, mixtures, and life stage *all* play a role. ***Correlation does not equal causation***, and one or two exposures could be nothing but a storm inside of a teacup. (^_-)☆

*As always, **this section is for education only, not medical advice**, and the most helpful mindset is: reduce what you reasonably can, **without** spiraling into paranoia.*

Main Content ☆ · ₊ °

Now, a good way to think about **environmental toxins** is not, *"How do I remove **every single risk** from my life?"* but, *"Which routine exposure points should I swap first for **maximum** protection?"* That question keeps this ***practical*** instead of overwhelming.

☆ *What These Toxins Are And Why Women Should Care*

- ☐ A major group of concern is **endocrine-disrupting chemicals**, often shortened to **EDCs**.
  - ☐ These are chemicals that can interfere with hormones by mimicking them, blocking them, or changing how hormone signals work.
    - ☐ They may affect **estrogen**, **androgen**, thyroid, and other hormone pathways.
- ☐ Women's health is especially sensitive to this because hormones help regulate **ovulation**, **menstrual cycles**, **fertility**, **pregnancy**, **puberty**, and **menopause**.
- ☐ **Critical windows** matter a lot, especially **puberty**, **pregnancy**, fetal development, and follicle development in the **ovaries**.

This is why the topic matters so much for women specifically! Hormone signaling is not peripheral. It is woven through ***everything***. (x_x)⌒☆

☆ *The Main Ways Toxins Can Affect The Body*

- ☐ **Hormone receptor interference** means a chemical can act a little like estrogen or block normal hormone signaling.
  - ☐ **Epigenetic changes** means certain exposures may affect how genes are turned on or off, including in eggs, sperm, embryos, or developing babies.
    - ☐ **Oxidative stress** and **inflammation** can damage tissues, impair placental function, and affect fetal growth.

- ☐ Mixture effects matter too, because in real life we are usually exposed to many low-level things together, not one majorly detrimental chemical at a time.

Now that we've covered how they can affect the body, we can now focus on the ***major*** toxins. Of course, you do not need to memorize every acronym like it is finals week. (◠‿◠ ") What matters most is learning the everyday sources and the easiest swaps!

☆ **Bisphenols**, including **BPA**, are used in some plastics, can linings, thermal paper receipts, and some medical products.

☆ **Phthalates** are used in flexible plastics, vinyl, food packaging, plastic wrap, and many personal care products through hidden fragrance ingredients.

☆ Some **pesticides** can act like **endocrine disruptors** and may show up through food, water, and household pest-control products.

☆ **PCBs** were banned decades ago in the **United States**, but they persist in older materials and the environment and can build up in animal fat and fish.

☆ **PBDEs** are flame retardants found in older foam furniture, carpets, curtains, and electronics, and they often end up in **household dust**.

☆ **PFAS**, often called forever chemicals, are found in some non-stick cookware, stain-resistant fabrics, grease-resistant packaging, some cosmetics, and contaminated water.

☆ **Air pollution** includes particulate matter, nitrogen dioxide, and ozone, which are tied to **pregnancy** and birth-related risks.

☆ **Heavy metals** such as **lead**, **mercury**, **cadmium**, and **arsenic** can also affect **fertility**, **pregnancy**, fetal development, and long-term health.

The strongest takeaway of this section is **not that everything is dangerous!** It is that women's bodies are ***not*** overreacting when they are sensitive to hormonal disruption. With that being said, the most concerning women's-health outcomes are:

- ☐ Reduced **fertility** or longer time to conception.
  - ☐ Menstrual irregularities and possible disruption of ovulation.
    - ☐ Possible links to **endometriosis**, **PCOS**, **uterine fibroids**, and **altered puberty timing**.
- ☐ Pregnancy complications, including **miscarriage**, **preterm birth**, **low birth weight**, placental problems, and **preeclampsia**.
  - ☐ Fetal and child neurodevelopment concerns.
    - ☐ Possible hormone-related ***cancer*** associations, including **breast** and **reproductive** cancers.
    - ☐ Thyroid disruption in some cases, especially with **PFAS** and other endocrine-active chemicals.

☆ ***Who Is Most Vulnerable***

- ☐ **Pregnant women** and **fetuses** are especially vulnerable because development happens in very sensitive windows.
  - ☐ **Adolescents** are vulnerable because puberty is heavily *hormone-dependent*.
  - ☐ Women trying to conceive may be especially motivated to reduce avoidable exposures.
  - ☐ Communities of color and **socioeconomically disadvantaged populations** often face higher exposures because of housing, pollution, work conditions, infrastructure, and environmental injustice.
    - ☐ Occupational exposures can matter a lot in some jobs, including construction, health care, salons, manufacturing, agriculture, and industrial work.

☆ ***BPA And Bisphenols:*** *What To Watch For*

- ☐ **BPA** is often associated with plastic food and beverage containers, especially older or certain mixed plastics, some can linings, receipts, and medical materials.
  - ☐ *"BPA-free"* does not always mean *"risk-free,"* because replacement chemicals may still have endocrine activity.
    - ☐ Heating food in plastic increases concern because heat can increase **chemical migration**.

☆ ***Simple Ways To Lower Bisphenol Exposure***

- ☐ Use **glass**, **stainless steel**, or **ceramic** for hot food and drinks when possible.
- ☐ **Avoid microwaving food in plastic containers.**
  - ☐ Store leftovers in glass when you can.
- ☐ Minimize handling of thermal paper receipts, especially right after using hand sanitizer or lotion.
- ☐ Choose fresh or frozen foods more often than heavily canned foods when realistic.

☆ ***Phthalates:*** *The Sneaky Fragrance Problem*

- ☐ Phthalates are common in flexible plastics and can also hide inside **fragrance** in beauty and personal care products.
- ☐ They may show up in perfumes, fragranced lotions, air fresheners, vinyl products, plastic wrap, and some packaging.
  - ☐ This is one reason *"fragrance"* can be such a vague little troublemaker!

☆ ***Simple Ways To Lower Phthalate Exposure***

- ☐ Choose **fragrance-free** or clearly labeled low-fragrance products more often, especially for daily-use items.
  - ☐ Reduce use of heavily fragranced sprays, plug-ins, and synthetic air fresheners.
- ☐ **Avoid heating food in plastic wrap or soft plastic containers.**
- ☐ Be extra mindful with products used directly on the skin every day, because repetition ***matters.***

- ☐ Simplify your routine a little! Fewer products can genuinely mean fewer exposure points.

☆ ***PFAS:*** *The "Forever Chemicals"*

- ☐ **PFAS** are called ***forever chemicals*** because they break down very slowly and can persist in the body and environment.
  - ☐ They are found in some non-stick cookware, stain-resistant furniture, waterproof clothing, grease-resistant food packaging, some cosmetics, and contaminated drinking water.
- ☐ They are associated in some studies with delayed conception, **pregnancy loss**, thyroid disruption, and **altered puberty timing**.

☆ ***Simple Ways To Lower PFAS Exposure***

- ☐ Swap older scratched non-stick pans for **stainless steel**, **cast iron**, or other lower-concern cookware when possible.
- ☐ Cut down on grease-resistant fast-food wrappers and microwave popcorn bags as routine habits.
- ☐ **Check local water information if you live near known contamination sites, landfills, industrial areas, or military bases**.
- ☐ Use a ***water filter certified for PFAS reduction*** if local contamination is a concern.
- ☐ Be cautious with heavily stain-resistant or water-repellent treated materials if you are trying to reduce overall exposure.

☆ ***Air Pollution:*** *The Environmental Risk People Forget*

- ☐ **Air pollution** is a real women's-health issue, especially in pregnancy.
  - ☐ **Fine particles**, **nitrogen dioxide**, and **ozone** have been linked to **preterm birth**, **low birth weight**, placental problems, hypertensive disorders of pregnancy, and reduced IVF or live-birth rates in some studies.
    - ☐ Sources include traffic, industrial emissions, power plants, wildfire smoke, indoor smoke, candles, tobacco smoke, and poor ventilation.

☆ ***Simple Ways To Lower Air-Pollution Exposure***

- ☐ Check air-quality alerts on bad-smoke or high-smog days.
- ☐ Limit outdoor exercise near major roads during heavy traffic.
- ☐ Keep windows closed on very smoky or high-pollution days if indoor air is cleaner.
- ☐ Use an **air purifier** if that is accessible and useful for your living space.
- ☐ ***Ventilate when cooking***, especially with gas stoves.
- ☐ Avoid smoking indoors and reduce indoor smoke sources where possible.
- ☐ Be especially careful during **pregnancy**, asthma flares, or wildfire season.

☆ ***Heavy Metals:*** *Lead, Mercury, Cadmium, And Arsenic*

- ☐ **Lead** can come from older paint, dust, soil, older plumbing, imported pottery, some cosmetics, some toys, and certain jobs or hobbies.
- ☐ **Mercury** is most relevant for women through certain fish, especially large predatory fish, where mercury accumulates from ***biomagnification***.
- ☐ **Cadmium** is strongly linked to cigarette smoke and also appears in certain industrial settings and contaminated soil.
- ☐ **Arsenic** can show up in drinking water, especially private wells in some areas, and in **rice** and **rice**-based foods because rice absorbs it easily.

☆ ***Simple Ways To Lower Heavy-Metal Exposure***

- ☐ If you live in an older home, be careful about **peeling paint** and **renovation dust**.
  - ☐ Get water tested if you use a **private well** or suspect older plumbing issues.
- ☐ Wash hands after handling dust, soil, or old painted surfaces.
- ☐ Be thoughtful about ***fish choices*** during pregnancy or preconception, focusing more on lower-**mercury** options.
- ☐ **Avoid smoking** and reduce *secondhand smoke exposure.*

- ☐ Rinse rice well and vary grains instead of relying on rice alone for everything.
  - ☐ *Be cautious with imported pottery, cosmetics, or remedies if safety is unclear.*

☆ ***Food** And **Kitchen Tips** That Help A Lot*

- ☐ Heat is a big theme, so reducing ***hot food plus plastic*** is one of the simplest wins.
- ☐ Choose fresh, frozen, or minimally packaged foods more often when practical.
- ☐ Wash produce **well**, especially if pesticide exposure is a concern.
- ☐ Vary your diet instead of eating the exact same packaged or potentially contaminated food sources every day.
- ☐ Use glass, stainless steel, wood, ceramic, or cast iron more often in the kitchen.
- ☐ **Ventilate** while cooking.
- ☐ Be mindful with canned foods, plastic takeout containers, and heavily grease-resistant wrappers.

☆ ***Beauty** And **Personal Care** Tips For Women*

- ☐ **Personal care products** can be a daily dermal exposure route, especially when used consistently over years.
  - ☐ Fragrance-heavy products, plastic-packaged products, and products used over large body areas can add up.
- ☐ This does not mean personal care is the villain! It just means ingredient awareness matters.
  - ☐ Choose **fragrance-free** or lower-fragrance products for daily essentials like lotion, body wash, deodorant, and hair care when possible.
  - ☐ Use fewer products with vague *"parfum"* or *"fragrance"* ingredient listings if you are trying to reduce **phthalate** exposure.
  - ☐ Keep routines simple and consistent instead of constantly layering trendy extras you do not really need.

- ☐ Be especially thoughtful during pregnancy, postpartum, and preconception.
- ☐ Store products away from excessive heat, and do not keep old degrading plastic containers forever.

☆ ***Home** And **Furniture** Tips*

- ☐ **Household dust** can carry flame retardants and other *chemical residues*, especially from older foam furniture and electronics.
- ☐ Shoes, outdoor pollutants, and old materials can all add to indoor burden.
  - ☐ Dust and vacuum regularly, especially if you have older upholstered furniture.
  - ☐ **Wash hands before eating**, *especially* for kids and after cleaning or handling receipts.
  - ☐ Take shoes off at the door if possible.
  - ☐ **Ventilate** the home regularly when outdoor air quality allows.
  - ☐ Replace crumbling, very old foam items over time if that is realistic.
    - ☐ ***No need to go bananas over every couch cushion.*** *Just know that dust control is a step in the right direction!* (^▽^)

☆ ***Best Preconception** And **Pregnancy-Focused** Steps*

- ☐ Do not microwave food in plastic.
- ☐ Reduce **high-mercury fish.**
- ☐ Use filtered water if contamination is known or suspected.
- ☐ Avoid smoking and secondhand smoke.
- ☐ Ventilate cooking areas.
- ☐ Reduce heavy fragrance exposure in daily body products.
- ☐ Be cautious with **pesticides**, harsh solvents, and unnecessary chemical use at home.
- ☐ Ask your doctor about **lead screening** or other evaluation if you live in an older home, have occupational exposure, or suspect contamination.

☆ ***What To Do If Work Is Part Of The Exposure***

- ☐ Use proper **PPE** and safety training.
- ☐ Ask about ventilation, exposure monitoring, and safer handling protocols.

- ☐ Bring up occupational exposures during preconception, **fertility**, prenatal, and routine health visits.
- ☐ Do not assume your doctor will automatically ask. It is okay to bring it up yourself.
- ☐ If you suspect a workplace issue, document what you are around and how often.

☆ ***When To Talk To A Clinician***

- ☐ If you are trying to conceive and have known chemical, dust, smoke, or metal exposure.
- ☐ If you are pregnant and concerned about water, housing, work, or old-home risks.
- ☐ If you live in older housing with **lead** concerns.
- ☐ If you use a **private well**.
- ☐ If your work involves solvents, fumes, pesticides, heavy metals, or frequent receipt handling plus chemical products.
- ☐ If you have repeated **pregnancy loss**, **infertility concerns**, or unusual **menstrual disruption** and want a fuller environmental history discussed.

Understanding exposure science is tricky because it is rarely about one single *"smoking gun."* It is more about ***how small things add up over time,*** including the way your genes, your age, *and* different chemicals interact. While it is frustrating that laws often move slower than the latest research, remember that **even tiny, daily exposures matter**. It is not always simple, but looking at the whole picture can help women make sense of the uncertainty. ʚ(• ᴗ •)

☆ *The Most Useful Low-Stress* ***Cheat Sheet***

- ☐ **Hot food?** Try not to put it in plastic.
- ☐ **Daily products?** Go gentler and less fragranced.
- ☐ **Water concern?** Check local info and filter if needed.
- ☐ **Old home?** Think lead, dust, and plumbing.
- ☐ **Non-stick pan peeling?** Replace it when you can.
- ☐ **Bad air quality?** Reduce smoke and ventilate wisely.
- ☐ **Pregnant or trying?** Focus on the big, repeated exposures first.

Conclusion ☆ · ₊ °

Environmental toxins can sound intimidating because they are woven into modern life in so many ways. But that is also exactly why small, realistic changes matter so much. You do not need fear, perfection, or a complete lifestyle makeover. You need ***awareness***, a few high-impact swaps, and the reminder that protecting your hormones, **fertility**, **pregnancy**, and long-term health can *absolutely* start with simple everyday choices. Gentle caution is more than enough here. **Consistency is where the magic happens.** ·‿·

Sources ☆ · ₊ °

American College of Obstetricians and Gynecologists. (2021). *Reducing prenatal exposure to toxic environmental agents.* https://www.acog.org/clinical/clinical-guidance/committee-opinion/articles/2021/07/reducing-prenatal-exposure-to-toxic-environmental-agents

Endocrine Society. (2023). *Endocrine-disrupting chemicals.* https://www.endocrine.org/topics/edc

National Institute of Environmental Health Sciences. (2024). Per- and polyfluoroalkyl substances (PFAS) and your health. *U.S. Department of Health and Human Services.* https://www.niehs.nih.gov/health/topics/agents/pfc/index.cfm

National Institute of Environmental Health Sciences. (2026, January 5). *PFAS exposure linked to reduced fertility in women.* https://www.niehs.nih.gov/research/supported/centers/core/spotlight/fertility

Stieb, D. M., Chen, L., Eshoul, M., & Judek, S. (2012). Ambient air pollution, birth weight and preterm birth: *A systematic review and meta-analysis. Environmental Research, 117*, 100–111. https://doi.org/10.1016/j.envres.2012.05.007

Superfoods & Cold-Pressed Juices

"Superfood" talk can sometimes feel like a high-speed chase through a wellness trend-fest. And, to be honest, we've got better things to do! (¯^¯) So, to not waste your time, I'm skipping the hype so we can get straight to the good stuff that ***actually*** works for you! And don't worry(⌒▽⌒)— it's not like you need a magical berry flown in from a mountain at sunrise or anything weird like that. All you need to understand is which foods actually give women *meaningful* **nutritional support**, why they matter, and how they may fit into real life across your cycle, reproductive years, and **menopause**.

This topic also gets confusing because some of the exact foods praised as ***"superfoods"*** contain compounds called **phytoestrogens**. That word can sound scary, especially when people hear phrases like "***endocrine disruptor***" and immediately lose their marbles. **But, as always, context matters so much!** Many of these plant compounds are found in normal foods, are consumed safely in regular diets, and may offer antioxidant, anti-inflammatory, skin-supportive, *and* healthy-aging benefits rather than harm.

*As always, **this section is for education only, not medical advice.** **Juices** and **superfoods** can support wellness, but they do not diagnose, cure, or replace treatment for conditions like **PCOS**, **endometriosis**, **infertility**, **UTIs**, or **menopause** symptoms. **Think of them as supportive tools in a bigger care routine, not miracle fixes.** Use them to strengthen the foundation, **not** to carry the whole house.*

Main Content ☆ · ₊ °

Think of **superfoods** as your personal hype crew in edible form. (ง > ³ <)ɔ They're basically just standard ingredients packing a high concentration of support! They tend to be especially rich in **vitamins**, **minerals**, **fiber**, **antioxidants**, and **protective plant compounds** that can help the body handle inflammation, oxidative stress, aging, and hormone-related changes a little more *gracefully*.

☆ ***What "Superfoods" Really Mean For Women***

- ☐ **Superfoods** are foods especially rich in **nutrients** and protective compounds.
  - ☐ They may help support energy, healthy aging, inflammation control, heart health, brain health, skin health, weight regulation, and hormone-related wellness.
  - ☐ For women, certain superfoods may be especially useful during reproductive years, **pregnancy**, **PMS**, **perimenopause**, and **menopause**.
    - ☐ They are most helpful when eaten regularly as part of an overall pattern, not treated like one-off miracle foods.

Okay, now it's time to clear up a little science jumpscare! ʚ(—ᴗ—) People often freak out over **phytoestrogens**, lumping them in with the infamous **endocrine disruptors**. But here's the tea: while they *do* interact with hormone pathways, they aren't the villains they're made out to be. These compounds act as **potent antioxidants** and **anti-inflammatories**! So the smarter question is not, *"How do I avoid all **phytoestrogens**?"* It is, *"What does the evidence actually say about them in food?"*

☆ *What Phytoestrogens Actually Are*

- ☐ **Phytoestrogens** are plant-derived **polyphenols** with some **estrogen**-like activity.
  - ☐ Plants do not make *human* **estrogen**, but they do make compounds that can bind to **estrogen receptors**.
    - ☐ The four main classes are **flavonoids**, **phenolic acids**, **lignans**, and **stilbenes**.
- ☐ These compounds are found in very normal foods and are basically impossible to fully avoid in everyday plant-based eating patterns.

So, the most important nuance is that **hormone-active does not automatically mean harmful**.

- ☐ **Phytoestrogens** are ***not*** the same thing as **estrogen**.
- ☐ They may act more like weak, selective modulators rather than powerful hormone floods!
- ☐ Some appear to interact more strongly with **ERβ**, which is often discussed more *favorably* for skin and tissue support than **ERα**.
- ☐ **Resveratrol** and **equol** are recognized as compounds with promising skin-supportive and anti-aging potential.

☆ *Why The Word "Endocrine Disruptor" Scares People Unnecessarily Here*

- ☐ Many people hear ***"endocrine disruptor"*** and assume it always means toxic, dangerous, or hormone-damaging.
  - ☐ This is often a *perspective* problem rather than an evidence-based conclusion!
    - ☐ Foods like **berries**, **grapes**, **soy foods**, **flax**, **legumes**, **cocoa**, and **leafy greens** may contain **phytoestrogens** while also being widely celebrated as healthy foods.
- ☐ The same food can be framed as a wellness food or a hormone-active food depending on the lens being used.

- ☐ *That does not mean every hormone-active compound in every form is harmless. It means **dietary plant compounds** in normal foods deserve a much more nuanced conversation.*

☆ ***The Strongest Superfoods** For Women: The Basic Eight*

- ☐ There are ***eight*** especially useful foods for women.
- ☐ These are **dark leafy greens**, **avocado**, **salmon**, **citrus fruits**, **pumpkin seeds**, **blueberries**, **ginger**, and **dark chocolate**.
- ☐ Each one supports women's health in a slightly different way.
- ☐ Together, they create a *really* practical foundation!

1. ***Dark Leafy Greens***

- ☐ **Dark leafy greens** like kale, spinach, and arugula are rich in **folate**.
  - ☐ **Folate** supports cell growth and red blood cell production.
    - ☐ This makes leafy greens especially useful for prenatal health and general women's nutrition.
- ☐ Spinach and kale also contain helpful plant compounds such as **flavonols** and other polyphenols.
- ☐ So they support women through both core nutrition and plant-compound protection.

2. ***Avocado***

- ☐ **Avocado** supports satiety because it contains **fiber** and **healthy fats**.
  - ☐ It also provides **folate**, **potassium**, **vitamin E**, and **magnesium**.
- ☐ **Vitamin E** and **antioxidant-rich foods** matter for skin integrity and healthy aging.

3. ***Salmon***

- ☐ **Salmon** is one of the ***strongest*** anti-inflammatory foods for women.
  - ☐ It is rich in **omega-3 fatty acids**, which may help lower inflammation and support heart health.
    - ☐ It also provides **protein**, **B vitamins**, and **potassium**.

- ☐ Anti-inflammatory foods matter because chronic inflammation contributes to skin aging, tissue stress, and broader disease risk.

4. ***Citrus Fruits***

- ☐ **Citrus fruits** are rich in **vitamin C**.
  - ☐ **Vitamin C** may help reduce bone loss, which becomes especially relevant as women age.
    - ☐ It also supports collagen-related processes, which matter for skin structure, healing, and connective tissue health.
- ☐ **Oranges** and **grapefruit** are simple examples of foods supporting both internal health and outer tissue quality.

5. ***Pumpkin Seeds***

- ☐ **Pumpkin seeds** are especially relevant for **PMS** support because they are rich in magnesium.
  - ☐ **Magnesium** may help ease irritability, anxiety, low mood, breast tenderness, headaches, and cramps.
- ☐ They are one of the *best* examples of a food that supports cyclical symptoms without requiring anything fancy.
- ☐ They are also easy to keep around, which we love! ⊂(・∀・)⊃

6. ***Blueberries***

- ☐ **Blueberries** are highlighted for brain health and healthy aging.
  - ☐ They contain **anthocyanidins**, antioxidant pigments that help give them their deep blue color.
    - ☐ These compounds may help lower inflammation and support protection against mental decline, heart disease, and **diabetes.**
- ☐ Blueberries are also a source of beneficial **polyphenols**.

7. ***Ginger***

- ☐ **Ginger** is one of the ***most practical*** superfoods in the entire list! ヾ(〃 'O'〃)ﾉﾞ
  - ☐ It may help with bloating, abdominal discomfort, and nausea-like stomach upset, especially around the **menstrual cycle**.

- ☐ It is naturally anti-inflammatory and digestion-supportive.

8. ***Dark Chocolate***

- ☐ **Dark chocolate** supports mood and stress regulation through its **polyphenol** content.
  - ☐ A common recommendation is to choose high-quality dark chocolate with at least ***68%*** cacao.
    - ☐ **Cocoa** is also a really good source of beneficial polyphenols!
- ☐ It is a nice example of a food that can support mood, oxidative-stress defense, and healthy aging when chosen thoughtfully.

See? A **superfood** list can actually be both normal and delicious. No powdered moss from the moon required! (o_ _)ノ彡☆

Beyond the basics, many favorites like berries, soy, seeds, and leafy greens also fall into this category! These foods are rich in **polyphenols** and **phytoestrogens**, which is exactly where the confusion starts.

☆ ***Soy Foods:*** *The Most Famous Phytoestrogen Example*

- ☐ **Soy** is one of the best-known sources of **isoflavones**, a major subclass of **phytoestrogens**.
  - ☐ **Soy** has been surrounded by repeated safety controversies, but the evidence does not support many common fears.
- ☐ **Soy** foods are ***not*** supported by the evidence as increasing overall cancer risk, meaningfully damaging thyroid function in most people, feminizing males, or *drastically* harming **fertility** in the ways people often claim.
  - ☐ Instead, **soy** foods may offer positive contributions to health, especially in ***postmenopausal women.***

☆ ***Resveratrol:*** *The Superfood Compound People Accidentally Fear*

- ☐ **Resveratrol** is a stilbene **phytoestrogen** found in **red grape skins**, **blueberries**, **raspberries**, **cranberries**, **mulberries**, **peanuts**, and **cocoa powder**.

- ☐ Yes, it is a ***phytoestrogen.*** So, yes, that means it is part of the broader hormone-active conversation.
  - ☐ But it is also a *powerful* **antioxidant** with anti-inflammatory and skin-supportive effects! ^____^

☆ ***What Resveratrol May Do For Women***

- ☐ **Estrogen**-deficient skin becomes more relevant with aging and **menopause**.
- ☐ After **menopause**, skin often becomes drier, more wrinkled, less elastic, and more vulnerable to **collagen** breakdown and oxidative stress.
  - ☐ **Resveratrol** may help by increasing antioxidant defenses, supporting **collagen** and **elastin**-related pathways, reducing inflammatory signaling, and inhibiting **matrix metalloproteinases**, which are enzymes that break down **collagen** and **elastin**.
- ☐ That is why it is framed as promising for anti-aging skin support, especially in women with lower **estrogen** levels.

☆ ***Equol:*** *Another Important Compound For Women*

- ☐ **Equol** is another major compound discussed in the review.
- ☐ It is related to **soy isoflavone metabolism**.
- ☐ It is described as especially promising for skin health in **postmenopausal women**.
- ☐ **Equol** may act like a selective estrogen receptor modulator, with particular interest around **ERβ**-related actions.
- ☐ It was associated with better **collagen** and **elastin** support, reduced inflammatory markers, protection against oxidative stress, and improved hydration, tone, and wrinkles.

☆ ***Why Equol Matters Specifically For Women***

- ☐ Women move through major hormone shifts during puberty, the **menstrual cycle**, **pregnancy**, **perimenopause**, and **menopause**.

- ☐ In the **menopause** setting, where **estrogen** decline changes both the appearance and function of the skin, certain plant compounds with weak estrogen-like or receptor-modulating actions may be supportive rather than harmful.

At its core, this "**superfood**" list is really just a functional toolkit for women's health! (´∇`") By stacking **leafy greens** for minerals, **berries** for aging support, **salmon** for *inflammation*, and **seeds and soy** for hormonal balance, you're choosing consistent nourishment over dietary perfection. While it's important to avoid the trap of self-treating with random supplements or high-dose powders, the anxiety around whole-food **phytoestrogens** is *mostly* hype. **A food-first approach is where it's at!**

Now let's move into the ***juice side***, because this is where the topic gets very practical *and* kind of fun!

Juicing can act as a concentrated source of **bioactive compounds** like **vitamin C** for immune and hormonal health, **antioxidants** to reduce inflammation, and **folate** for cellular repair. These nutrients, paired with essential *hydration*, help support metabolic function and natural detox pathways.

While **juice isn't a cure-all**, it's an efficient way to improve nutrient density, energy, and mood, especially for women! :-) Regarding ***quality***, **cold-pressed methods** (using a **hydraulic press**) generally preserve more of these sensitive compounds through *gentler processing*, but the priority is simply getting these functional nutrients into your routine without doing too much!

Ready to put this into practice? (ง>ᴗ<)ง Here are a few **recipes** to get you started:

☆ *Period Support Juice*

- ☐ Recipe: **1 orange**, **1/3 pineapple**, **1 cup strawberries**, **1 knob turmeric**, **1 knob ginger**
- ☐ **Pineapple** contains **bromelain**, which may help reduce uterine inflammation.
- ☐ **Vitamin C** supports iron absorption during blood loss.
- ☐ **Turmeric** and **ginger** support anti-inflammatory pathways and pain modulation.
- ☐ Hydration and **antioxidants** may help with fatigue and bloating.

☆ *UTI-Support Juice*

- ☐ Recipe: **1 cup cranberries**, **1 cup blueberries**, **2 cups watermelon**
- ☐ **Cranberries** contain **proanthocyanidins**, which may reduce bacterial adhesion in the urinary tract.
- ☐ **Watermelon** supports hydration and **urinary flushing**.
- ☐ **Blueberries** add antioxidants and immune support.
    - ☐ Please keep in mind that this juice recipe is supportive, ***not*** curative, and it should ***never*** replace proper care for a suspected **UTI**, but it *can* work as a hydration-and-support blend.

☆ *PCOS-Support Juice*



- ☐ Recipe: **1 bunch kale, 1/2 pineapple, 3 stalks celery, 1-inch ginger, 1-inch turmeric**
- ☐ **Kale** provides micronutrients and supports a broader insulin-regulation-friendly eating pattern.
- ☐ **Celery** contributes hydration, **potassium**, and a **low-glycemic profile**.
- ☐ **Turmeric** supports anti-inflammatory pathways relevant to endocrine health.
- ☐ **Ginger** adds digestive and anti-inflammatory support.
    - ☐ This does ***not*** fix **PCOS**, but it can absolutely support a lower-inflammation, **nutrient-dense** routine.

☆ *Endometriosis-Support Juice*

- ☐ Recipe: **5 carrots, 1 small beet, 1 red apple, 1 cucumber, 1-inch ginger, 1/2 lemon**
- ☐ **Carrots** contain **carotenoids** and fiber-related compounds that may fit well into an overall estrogen-supportive eating pattern.
- ☐ **Beets** add iron and circulation support.
- ☐ **Ginger** and **lemon** support inflammatory pain modulation.
- ☐ **Antioxidants** may help reduce tissue stress.

☆ *Fertility-Support Juice*



- ☐ Recipe: **5 stalks celery, 1 apple, 1 orange, 1 bunch spinach, 1/2 lemon**
- ☐ **Vitamin C** supports ovulatory-function-related processes.
- ☐ **Folate** supports ovarian and cellular health.
- ☐ Hydration may support uterine blood flow.
- ☐ **Antioxidants** help support eggs against oxidative stress.

☆ *Hormone-Balance Juice*

- ☐ Recipe: **6 carrots, 1 pomegranate, 1 large beet, 1 knob turmeric, 1-inch ginger**
- ☐ **Pomegranate** provides polyphenols and antioxidant support.

- ☐ **Beets** connect to **methylation** and *hormone-synthesis* pathways.
- ☐ **Turmeric** and **ginger** add anti-inflammatory support.

☆ *Debloating Juice*

- ☐ Recipe: **1 bunch celery, 1 piece ginger, 1 piece turmeric, 1 kiwi, 2 to 3 handfuls spinach, 1 pineapple, 1 fennel bulb plus greens**
- ☐ **Celery** supports *hydration* and *electrolyte balance.*
- ☐ **Ginger** supports **gastric motility**.
- ☐ **Turmeric** may support bile production.
- ☐ **Spinach** contributes **magnesium**, which supports *smooth-muscle relaxation.*
- ☐ **Fennel** is especially relevant for gas reduction and digestive comfort.

☆ *Menopause-Transition Juice*



- ☐ Recipe: **1 handful watercress or kale**, **1 grapefruit**, **3 green apples**, **2 cucumbers**, **1/2-inch ginger**
- ☐ **Leafy greens** support overall nutrient intake and mood-related pathways.
  - ☐ Water-rich produce may support **thermoregulation** and hydration, which matters when **hot flashes** or heat sensitivity are part of the picture.
- ☐ **Antioxidants** support metabolic aging and tissue protection.
- ☐ **Ginger** adds a little circulation and energy support.
  - ☐ This is a *very* gentle **menopause-supportive** blend that leans into hydration, **antioxidants**, and **nutrient** density! >__<

☆ *How To Use Juices Wisely*

- ☐ Think of **juices** as ***support***, not treatment.
- ☐ Use them to *complement* meals rather than replace balanced eating all day.
- ☐ If blood sugar regulation is a concern, pairing juice with **protein**, **fiber**, or a fuller meal may feel better than drinking it alone.
- ☐ **Juices** can be especially useful when appetite is low, digestion feels off, or you want a concentrated way to increase plant intake.

Conclusion ☆ · ₊ °

The most amazing thing about **superfoods** is not that they are trendy. It is that many of them support women's bodies through real hormonal shifts, inflammation, energy demands, skin changes, and cycle-related symptoms in the background. And the **phytoestrogen** conversation gets so much less fear-inducing when you realize that many of these compounds show up in normal, nourishing, *delicious* foods that may help far more than they harm. So, once again, you don't need to have the perfect diet or stress over clinical buzzwords. It's far *simpler* than that: just choose real sustenance that supports your body's natural rhythm and **enjoy the process**! (´∪`)

Sources ☆ · ₊ °

Lephart, E. D. (2021). Phytoestrogens (Resveratrol and Equol) for estrogen-deficient skin-controversies/misinformation versus anti-aging in vitro and clinical evidence via nutraceutical-cosmetics. *International Journal of Molecular Sciences, 22(20),* 11218. https://doi.org/10.3390/ijms222011218

Eight superfoods for women. (2022). *Endeavor Health.* https://www.endeavorhealth.org/articles/eight-superfoods-women

Khaksar, G., Assatarakul, K., & Sirikantaramas, S. (2019). Effect of cold-pressed and normal centrifugal juicing on quality attributes of fresh juices: Do cold-pressed juices harbor superior nutritional quality and antioxidant capacity? *Heliyon, 5(6),* e01917. https://doi.org/10.1016/j.heliyon.2019.e01917

Kuvings USA. (2024, April 12). *8 juices for women's health.* https://www.kuvingsusa.com/blogs/stories/8-juices-for-womens-health

Pregnancy Wellness

Chapter 4: Pre-Conception



Pre-Conception Checklist

A woman with a plan is *truly* a force to be reckoned with! And, as with all things, **a little bit of groundwork goes a long way**. Whether you're planning on pregnancy in the near future or just keeping it in the "*maybe someday*" folder, focusing on **preconception care** can make the process feel *way* less out of sorts. It is basically the **low-key preparation stage**: making sure your body, mind, medications, and daily habits are as supported as possible before pregnancy begins.

Think of it this way: prepping for a baby is not an all-or-nothing endeavor. It is really just about layering in more support so your foundation feels steadier and more secure. Tiny steps taken before conception can matter ***greatly*** because some of the earliest stages of pregnancy happen before many women even *realize* they are pregnant! (ↄ ° - ° ς)

*As always, **this section is for education only, not medical advice**. If you are actively trying to conceive, have chronic health conditions, take prescription medications, or have a history of **infertility**, **miscarriage**, or **mental health concerns**, it is especially worth checking in with a healthcare professional early.*

Main Content ☆ · ₊ °

A good **preconception routine** is less about doing everything at once and *more* about covering the basics that actually protect you and a future pregnancy. Think of this as your gentle, grown-woman checklist: **preparation**, not panic, and ***definitely*** not pressure. Now, let's get into it! (ง˙ᗜ˙)

1. *Start With A **Reproductive Life Plan***
    - ☐ A **reproductive life plan** means thinking about if you want children, when you might want them, and what steps would help you get there.
    - ☐ This does ***not*** need to be rigid or overly formal.
    - ☐ It simply helps you move from *"I guess we will see?"* to a more intentional mindset.
    - ☐ It can also help you make smarter decisions now about **contraception**, timing, finances, health care, and lifestyle habits.

2. *See A Healthcare Professional **Before** Trying*
    - ☐ A **preconception visit** is one of the most useful things you can do.
    - ☐ This is the time to review your medical history, current health conditions, past pregnancies, if applicable, and any **medications** or **supplements** you take.
    - ☐ It is also the time to bring up things people often forget to ask about, like **cycle irregularities**, painful periods, **thyroid issues**, **diabetes**, high blood pressure, migraines, past eating issues, **anxiety**, **depression**, or family history concerns.
    - ☐ The goal is to catch anything that could affect pregnancy *early*, ***not*** after you are already overwhelmed.

    ☆ What To Ask At A Preconception Appointment
        - ☐ Ask whether your current medications are safe to continue if you become pregnant.
        - ☐ Ask whether you need any lab work, screening, or follow-up for chronic conditions.

- ☐ Ask whether your cycle pattern suggests you are **ovulating** regularly.
- ☐ Ask about your ***vaccine status*** to make sure you are all caught up to date! (^-^)
- ☐ Ask what **prenatal vitamin** or **folic acid** routine makes sense for you.
- ☐ Ask what health changes would be most helpful for ***your*** specific body, not just for an imaginary textbook patient.

3. *Make Sure Your **Vaccines** Are Up To Date*
   - ☐ Being **up to date** on recommended vaccines before pregnancy can help protect both you and a future baby!
   - ☐ The **CDC** specifically highlights **MMR** and the **influenza vaccine** as important parts of preconception care.
   - ☐ This matters because some infections can be more dangerous during pregnancy, and some vaccines are ideally handled ***before*** conception rather than *during* it.
     - ☐ *If you are unsure what you have already had, your healthcare professional can help you review your records.*

4. *Take **Folic Acid** Before Pregnancy, Not After*
   - ☐ The CDC recommends that all women of reproductive age take ***400 micrograms*** of **folic acid** every day.
   - ☐ This helps reduce the risk of ***major*** birth defects of the baby's brain and spine, called **neural tube defects.**
   - ☐ This step matters before pregnancy because the neural tube develops *very* early, often before a woman even realizes she is pregnant.

   ☆ ***Easy Folic Acid Tips***
   - ☐ Keep it by your toothbrush or skincare so you remember it daily!
   - ☐ Choose a simple routine you can actually stick to.
   - ☐ **Do not wait until a positive pregnancy test to start thinking about it.**

- ☐ If you already take a **multivitamin** or **prenatal**, check the **label** so you know how much **folic acid** you are getting.

5. *Avoid **Substances** That Can Harm A Developing Baby*
   - ☐ **Alcohol**, **tobacco**, and **illicit drugs** can harm a developing baby at *any* stage, including very early pregnancy.
   - ☐ That is why reducing or stopping them *before* conception is so ***strongly*** encouraged.
   - ☐ This is not about shame. It is about timing and protection.
   - ☐ If stopping feels difficult, that does not mean you failed. It means you deserve **support**, not silence. (っ˶´ ˘ `)っ♡

   ☆ Harmful Substances To Pay Attention To
   - ☐ **Alcohol**.
   - ☐ **Tobacco**.
   - ☐ **Illicit drugs**.
   - ☐ Environmental toxins such as **lead**, **mercury**, **BPA**, **phthalates**, **PFAS**, **pesticides**, and significant **air pollution**.

   ☆ Practical Ways To Reduce Exposure Before Pregnancy
   - ☐ Avoid smoking and **secondhand smoke**.
   - ☐ Be mindful of workplace or home exposures if you are around chemicals, dust, fumes, or old paint.
   - ☐ Limit unnecessary contact with known environmental toxins when possible.
   - ☐ Bring up home or job exposures at your medical visit, especially if you work in health care, salons, factories, labs, agriculture, construction, or other higher-exposure environments.

6. *Maintain A **Healthy Weight** In A Gentle, Sustainable Way*
   - ☐ Being at a healthy weight before pregnancy can lower the risk of complications such as **gestational diabetes** and **preeclampsia**.
   - ☐ This does not mean crash dieting or trying to force your body into some impossible version of ideal! That is *always* a no-no!(¯へ¯)

- ☐ It means supporting your body with steady nutrition, movement, sleep, and medical guidance if needed.
- ☐ Pregnancy preparation should feel like ***care***, not punishment.

☆ ***Weight-Supportive Habits That Are Actually Helpful***

- ☐ Eat ***regularly*** rather than swinging between restriction and chaos.
- ☐ Focus on balanced meals with **protein**, **fiber**, and **nourishing fats**.
- ☐ Choose movement that feels sustainable enough to repeat.
- ☐ Ask your doctor what a healthy weight range means for you specifically.
- ☐ **Avoid extreme diets right before trying to conceive.**

7. *Manage **Chronic Health Conditions** Before Conception*
   - ☐ Conditions like **diabetes**, high blood pressure, and **depression** can affect pregnancy if they are untreated or poorly controlled.
   - ☐ Managing them ahead of time can lower the risk of complications for both you and the baby.
   - ☐ This is one of the biggest reasons preconception care matters so much!
   - ☐ Stable health going in often creates a much smoother road than trying to sort everything out **mid-pregnancy.**
     - ☐ This is not a sign that your body is "*too complicated for pregnancy*" or anything absurd like that. It is just a matter of taking thoughtful precaution. (> — <)

   ☆ ***Conditions** Worth Getting Under Better Control Beforehand*
   - ☐ **Diabetes.**
   - ☐ High blood pressure.
   - ☐ **Thyroid conditions.**
   - ☐ **Depression.**
   - ☐ **Anxiety.**

- ☐ *Other ongoing medical conditions your doctor is already tracking.*

Mental health matters just as much as physical health! You do not need to become the calmest woman alive before trying to conceive. That would be as unrealistic as expecting yourself to float through life like a lavender-scented cloud with perfect coping skills at all times. (ᵕ—ᵕ—) But untreated suffering should ***not*** be brushed aside as just stress.

- ☐ Mental health is ***not*** extra credit. It is ***foundational.***
- ☐ Untreated **anxiety** and **depression** can affect self-care, sleep, nutrition, stress levels, and day-to-day functioning.
- ☐ They are also associated with a *higher* risk of **postpartum depression**.
- ☐ So yes, being in a better place mentally before pregnancy really *does* matter!

☆ *What Women Should Know About* ***Mental Health*** *And* ***Pregnancy Planning***

- ☐ If you are struggling emotionally, bring it up before pregnancy rather than hiding it.
- ☐ Many mental health medications are safe to continue during pregnancy!
- ☐ Some medications are **not**, which is exactly why talking with your healthcare provider early matters.
- ☐ Do ***not*** stop medication on your own just because you are thinking about pregnancy.
  - ☐ *The safest plan is an* ***informed*** *plan!*

8. ***Mental Health*** *Preparation Tips*
   - ☐ Tell your doctor if you have a history of **anxiety**, **depression**, **panic attacks**, **OCD**, **trauma**, or **postpartum** mental health issues.
   - ☐ Ask whether your current treatment plan is pregnancy-safe.
   - ☐ Build coping routines ***now***, not only after conception.
   - ☐ Prioritize sleep, nourishment, support, and emotional honesty.
   - ☐ Let someone close to you know what support you may need.

☆ *A Simple* ***Preconception Checklist***

- ☐ Think through your reproductive life plan.
- ☐ Book a **preconception appointment.**
- ☐ Review medical conditions and medications.
- ☐ Check vaccine status.
- ☐ Start **400 mcg folic acid** daily.
- ☐ Reduce **alcohol**, **tobacco**, **illicit drugs**, and avoidable **toxin** exposure.
- ☐ Work toward a healthy weight in a supportive way.
- ☐ Get chronic conditions under better control.
- ☐ Take your mental health ***seriously*** before pregnancy, not as an afterthought.

☆ Gentle Reminder

- ☐ You do ***not*** need to do all of this in one crazy, hyper-organized weekend!
- ☐ You can build this checklist little by little. Bit by bit!
- ☐ One appointment, one supplement habit, one honest conversation, one healthier routine at a time is still *real* progress.
- ☐ **Preparation does not need to be perfect to be meaningful.** ♡

Conclusion ☆ · ₊ °

Preparing for pregnancy is really about creating *steadiness* before such a life-changing transition begins. The goal is not to become flawless, ultra-disciplined, or oddly stress-free. It is to support your body, protect your future baby where you can, and make sure your physical and mental health are both part of the conversation. **A gentle, informed start is more powerful than a perfect one!** <3

Sources ☆ · ₊ °

American College of Obstetricians and Gynecologists. (2023). *Mental health and medication use during pregnancy.* https://www.acog.org/womens-health/faqs/mental-health-and-medication-use-during-pregnancy

American College of Obstetricians and Gynecologists. (2019). *Prepregnancy counseling.* https://www.acog.org/clinical/clinical-guidance/committee-opinion/articles/2019/01/prepregnancy-counseling

Centers for Disease Control and Prevention. (2024, May 22). *Preconception health and health care.* https://www.cdc.gov/preconception/index.html



Pelvic Floor Health

You know that one side character, the fan favorite who deserves the spotlight way more than the main lead? That is the **pelvic floor**. It's one of those parts of the body so many women are never really taught about, even though it does the heavy lifting for us behind the scenes every single day. It is a group of muscles that acts like a ***supportive hammock*** at the base of the pelvis, helping hold up the bladder, bowel, and, in women, the ***uterus.***

When these muscles are working well, life tends to feel a lot more breezy and a lot less *complicated*. When they are weak, overly tense, poorly coordinated, or constantly strained, that is when leaks, pressure, discomfort, and other frustrating symptoms can start popping up. So yes, **pelvic floor health** deserves *way* more attention than it usually gets. (シ_ _)シ

*As always, **this section is for education only, not medical advice**. If you have pelvic pain, pressure, **prolapse symptoms**, trouble emptying your bladder or bowels, pain with sex, or worsening leakage, it is important to see a healthcare professional or pelvic floor physical therapist rather than trying to push through it alone.*

Main Content ☆ · ₊ °

A healthy **pelvic floor** is not just about doing random **Kegels** and wishing on a shooting star! It is really about support, coordination, strength, relaxation, and protecting these muscles from too much repeated strain over time.

☆ *Functions Of The* **Pelvic Floor**

- ☐ The **pelvic floor** helps support the bladder, bowel, and uterus.
- ☐ It helps keep these organs in place so they do not shift downward more than they should.
- ☐ These muscles help open and close the **sphincters**, which is why they matter so much for bladder and bowel control.
- ☐ They also contribute to **sexual health**, including arousal, sensation, and orgasm.
    - ☐ The **pelvic floor** works together with the diaphragm, abdominal muscles, and other core muscles to support posture, spinal stability, and **pelvic balance**.

Because your trusty **pelvic floor** handles ***everything*** from core stability to pressure management, issues can show up in ways that seem completely unrelated and out of the blue at first. It's about so much more than just *"not peeing yourself."* It is about support, pressure management, stability, and comfort.

☆ *Why* ***Pelvic Floor Health*** *Is Such A Big Deal For* ***Women***

- ☐ A well-functioning **pelvic floor** helps prevent urine leaks when you cough, laugh, sneeze, or move quickly.
- ☐ It helps support healthy bowel control too!
- ☐ It helps protect against excessive downward pressure that can contribute to **prolapse**, which is when organs start to shift or bulge downward.
- ☐ It supports **core stability**, which can affect balance, posture, and the way your body handles movement and lifting.
    - ☐ It also matters for sexual well-being, which is something women are *way* too often expected to just magically figure out without good information. (ᵕ • ᴗ •)

So, how can you tell when your **pelvic floor** is waving a red flag?

- ☐ **Urine leakage**, especially when coughing, sneezing, jumping, or laughing.
- ☐ Trouble controlling gas or bowel movements.
- ☐ A feeling of heaviness, dragging, or pressure in the pelvis.
- ☐ A sense that something is bulging downward.
- ☐ **Constipation** linked to straining or pelvic coordination issues.
- ☐ Pain or discomfort with sex.
- ☐ Ongoing pelvic tension, especially if you feel like you are always clenching.

You know, a lot of women are under the assumption that these things are just something they have to live with after childbirth or with aging. And I'm here to tell you that, while they *are* common, you do ***not*** have to ignore them!

☆ ***Common Factors That Can Weaken Or Strain The Pelvic Floor***

- ☐ **Pregnancy**, because carrying a growing baby places ongoing pressure on these muscles.
- ☐ **Vaginal childbirth**, because delivery can stretch and weaken the pelvic floor.
- ☐ **Aging**, because pelvic floor muscles can lose strength and flexibility over time like other muscles do.
- ☐ **Chronic constipation** and repeated straining.
- ☐ Heavy lifting done with poor pressure management.
- ☐ A persistent cough that keeps bearing down on the pelvic floor.
- ☐ **Obesity**, because extra body weight creates ongoing pressure on the pelvic floor.

This is helpful to know because it reminds you that pelvic floor changes are ***not*** random. There are usually **real mechanical reasons** behind them. And, since it's a physical *system*, it responds to physical *solutions*. (ง > ᗜ <)ว .´`-

1. ***Kegel Exercises** Can Help, But Only If You Are Doing Them Correctly*
   - ☐ **Kegels** are one of the best-known ways to support pelvic floor strength.
   - ☐ They involve squeezing and lifting the pelvic floor muscles, then letting them relax fully.

- ☐ *A **simple image** is to imagine you are trying to stop the flow of urine and hold back gas at the same time.*
- ☐ The squeeze should feel <u>internal</u> and <u>supportive</u>, ***<u>not</u>*** like you are gripping your thighs, clenching your butt, or bracing your whole body. (>﹏<。)

<u>☆ Tips For Doing Kegels The Right Way</u>

- ☐ Start gently rather than squeezing as hard as humanly possible.
- ☐ Lift and squeeze the pelvic floor, then fully relax.
- ☐ Breathe **normally** while you do them.
- ☐ Keep your stomach, butt, and thighs as relaxed as possible.
- ☐ Focus on quality over speed.
- ☐ Do ***<u>not</u>*** turn every Kegel into a full-body stress event.
  - ☐ Feel free to refer to the image below, ***<u>heavily</u>*** inspired by **Prevail eNurse Team, n.d.** :-)

☆ ***What To Avoid With Kegels***

- ☐ Do ***not*** practice by repeatedly stopping your urine flow during actual bathroom trips.
- ☐ Do ***not*** hold your breath.
- ☐ Do ***not*** bear down or push downward instead of lifting upward.
- ☐ Do ***not*** assume more squeezing is always better.
- ☐ Do ***not*** keep doing them if they increase pain or tension without getting professional guidance.

2. ***Relaxation*** *Is Part Of Pelvic Floor Health Too*
   - ☐ A healthy **pelvic floor** is ***not*** only strong. It also needs to **relax**.
   - ☐ These muscles should *soften* and *lengthen* when appropriate, especially during inhalation, bowel movements, and general pressure release.
   - ☐ If a woman is constantly clenching, bracing, or living in *stress mode*, the **pelvic floor** may stay too tense.
   - ☐ That tension can contribute to discomfort, pain, and poor coordination.

3. ***Diaphragmatic Breathing*** *Helps More Than People Realize*
   - ☐ When you **inhale**, the diaphragm moves *down* and the **pelvic floor** naturally relaxes and lengthens.
   - ☐ When you **exhale**, the diaphragm *rises* and the pelvic floor naturally lifts.
   - ☐ This coordination is part of healthy core function.
   - ☐ If breathing is shallow, tense, or *constantly* chest-driven, that natural rhythm can get disrupted.

   ☆ ***Easy Diaphragmatic Breathing Cues***

   - ☐ Breathe in slowly and let your ribs and belly expand.
   - ☐ Imagine the pelvic floor gently softening on the inhale.
   - ☐ Exhale and feel a light lift through the lower core and pelvic floor.
   - ☐ Keep the jaw, shoulders, and glutes relaxed.

4. *Avoid **Straining** Whenever Possible*
    - ☐ Repeated **straining** is one of the biggest things that can wear down the pelvic floor over time.
    - ☐ This includes straining during constipation, forcing urine out quickly, or constantly pushing through heavy pressure.
        - ☐ **The more often you bear down hard, the more stress these muscles and supportive tissues have to absorb.**
    - ☐ Preventing that repeated strain is one of the ***most practical*** forms of pelvic floor care.

    ☆ ***Ways To Reduce Straining In Daily Life***
    - ☐ Eat enough **fiber** to support regular bowel movements.
    - ☐ Stay hydrated.
    - ☐ Give yourself enough time in the bathroom instead of rushing.
    - ☐ Let your bladder empty naturally rather than forcing it.
    - ☐ Treat **chronic constipation** rather than acting like it's normal.
    - ☐ Get support for a chronic cough if one is present.

5. *Avoid **Power Peeing***
    - ☐ **Power peeing** means straining to empty your bladder fast instead of letting it flow naturally.
    - ☐ It may feel efficient in the moment, but it can train poor pressure habits and add unnecessary pelvic floor stress.
    - ☐ *A calmer*, more relaxed bladder-emptying pattern is better for long-term function.

6. *Maintain A **Healthy Weight** If Possible*
    - ☐ Excess body weight places *ongoing pressure* on the pelvic floor.
    - ☐ Over time, that constant extra load can make it harder for the muscles and connective tissues to keep everything supported well.
    - ☐ Now, **weight management** is ***not*** about perfection here. It is about reducing mechanical stress where you reasonably can! ^___^ Even modest changes can help reduce pressure.

7. ***Posture** And **Body Mechanics** Matter Too*
    - ☐ Poor pressure management during *lifting*, *standing*, or *sitting* can increase stress on the pelvic floor.
    - ☐ The pelvic floor works as part of a bigger team, so posture and core coordination affect it.
    - ☐ Slumped, rigid, or poorly supported movement patterns can make symptoms worse over time.
    - ☐ ***Gentle awareness*** helps a lot here.

    ☆ ***Lifting Tips That Protect The Pelvic Floor***
    - ☐ Engage your **core** gently before lifting.
    - ☐ Exhale through effort rather than holding your breath.
    - ☐ Lift with your legs instead of yanking with your back and belly pressure.
    - ☐ Avoid sudden, forceful bearing down.
    - ☐ Get help with very heavy loads when you can.

Now for the main event: **pregnancy** and **postpartum**. These stages put a unique kind of demand on your pelvic floor:

- ☐ **Pregnancy** puts real physical demands on the **pelvic floor** because of increasing weight and pressure.
- ☐ Childbirth, especially **vaginal delivery**, can stretch and weaken these muscles further.
    - ☐ That does ***not*** mean damage is guaranteed, but it does mean support and recovery matter.
- ☐ **Postpartum** women are often told to just wait things out, but **pelvic floor care** can be *incredibly* helpful during recovery.

☆ *Gentle **Pelvic Floor** Support During **Pregnancy** And **Postpartum***
- ☐ Use breathing and pressure management instead of constant bracing.
- ☐ Avoid chronic constipation.
- ☐ Be mindful with lifting, especially while healing.

- ☐ Talk to your provider if you notice heaviness, leaking, pain, or pressure.
- ☐ Consider **pelvic floor physical therapy** if symptoms are lingering.

And, as mentioned earlier, aging does ***not*** mean you have to give up on pelvic floor function.

- ☐ Like other muscles, the **pelvic floor** can lose strength and flexibility with age.
- ☐ That may increase the likelihood of symptoms like leaking, **prolapse**, or pelvic heaviness.
  - ☐ **But this is not a lost-cause situation.**
- ☐ Supportive exercise, breathing, healthy bowel habits, and treatment, when needed, can still make a real difference.

We can't ignore the connection to ***intimacy***, either! Your **pelvic floor** is a *central* player in **sexual health** and overall comfort.

- ☐ The **pelvic floor** contributes to arousal, sensation, and orgasm.
- ☐ If these muscles are weak, overly tight, painful, or poorly coordinated, sexual comfort and function can be affected.
  - ☐ *Pelvic health information* ***must*** *include pleasure and comfort, not just leakage prevention.*

☆ *When To Get Extra Help*

- ☐ If symptoms are persistent.
- ☐ If you feel pressure or bulging.
- ☐ If leakage is getting worse.
- ☐ If sex is painful.
- ☐ If you cannot seem to identify the right muscles.
- ☐ If **Kegels** make things feel tighter, more painful, or more ***uncomfortable***.

A **pelvic floor physical therapist** can be such a game-changer here! Sometimes the issue is weakness, sometimes it is tension, and sometimes it is coordination. Knowing which one you are dealing with matters ***a lot***.

☆ *A Gentle Daily Pelvic Floor Routine*

- ☐ Check your posture a few times during the day.
- ☐ Practice **diaphragmatic breathing** for a few minutes.
- ☐ Avoid **constipation** and rushing in the bathroom.
- ☐ Use **Kegels** thoughtfully, not frantically.
- ☐ **Exhale** during effort when lifting or standing from a heavy task.
- ☐ Notice whether you are *clenching* when stressed and consciously let go.

Conclusion ☆ · ₊ °

Pelvic floor health matters because these muscles support so many basic parts of daily life, from bladder control to bowel function to posture to sexual well-being! A strong, coordinated pelvic floor can make your body feel more *supported* and more *comfortable*, while an overstrained one can create symptoms that are easy to dismiss but hard to live with. The good news is that awareness, good habits, and the right support can go a long way! Your pelvic floor is ***not*** random background tissue. It is part of your **foundation**, and it deserves quality care. (ノノノ›﹏‹ノノノ) ♡ノノ

Sources ☆ · ₊ °

Cleveland Clinic. (2025, June 27). Pelvic floor muscles: Anatomy, function & conditions. https://my.clevelandclinic.org/health/body/22729-pelvic-floor-muscles

Harvard Health Publishing. (2022, March 15). *Pelvic floor exercises: Help for incontinence, sexual health, and more.* Harvard Medical School. https://www.health.harvard.edu/staying-healthy/pelvic-floor-exercises-help-for-incontinence-sexual-health-and-more

News-Medical. (2022, October 25). *Pelvic floor dysfunction: Understanding its impact on bladder, bowel, and sexual function.* https://www.news-medical.net/health/Pelvic-Floor-Dysfunction-Understanding-Its-Impact-on-Bladder-Bowel-and-Sexual-Function.aspx

Nygaard, I. E., & Shull, B. L. (2021). Pelvic floor disorders: Risk factors and preventive strategies. *Best Practice & Research Clinical Obstetrics & Gynaecology, 78*, 1–10. https://doi.org/10.1016/S0301-2115(21)00434-6

National Center for Biotechnology Information. (2023). *Kegel exercises (pelvic floor muscle training).* In StatPearls. U.S. National Library of Medicine. https://www.ncbi.nlm.nih.gov/books/NBK555898/

Prevail eNurse Team. (n.d.). *What are Kegel exercises and do they really work?* Prevail Protective Hygiene. https://www.prevail.com/answer/what-are-kegel-exercises-and-do-they-really-help

Pregnancy Wellness

Chapter 5: Nourishing Yourself While Pregnant

Pregnancy Nutrition

If you hopped on **Google** right now and searched for **common pregnancy questions**, one of the **first** results would likely be, "*What do I eat while pregnant?*" And I mean, hey, it makes sense! ┐(´∀`)┌

Pregnancy nutrition has a tendency to feel *oddly* overwhelming because suddenly every morsel of food seems to come with a rule, a warning, or a dramatic opinion from somebody on the web. But the heart of it is actually much simpler: your body is doing a miraculous amount of work, and it needs steady nourishment, enough variety, and a little extra ***intention***.

So, by all means, forget about trying to "*eat like a saint.*" There's no need! The main objective is helping your body feel **supported** while giving your baby the building blocks they need for growth, development, and safety. A few **key nutrients** matter *especially*, and a few **food-safety habits** matter a lot too!

*As always, **this section is for education only, not medical advice.** If you have severe nausea, vomiting, food aversions, **anemia**, **gestational diabetes**, high blood pressure, a **multiple pregnancy**, or dietary restrictions that make eating hard, it is important to talk with your healthcare provider or a registered dietitian for personalized support.*

Main Content ☆ · ₊ °

No need to fret! (⌒ _ ⌒) A **healthy pregnancy diet** is ***not*** about chasing perfection or eating for two in some dramatic, stressful way. It's simply building meals around the nutrients that matter most, staying hydrated, and avoiding a few foods that carry **higher safety risks**. That's all there is to it! You do not need a **Pinterest**-perfect meal plan. You need a pattern that actually *nourishes* you.

☆ ***The Big-Picture Goal***

- ☐ Focus on **nutrient-dense foods** rather than just eating more food.
- ☐ Aim for meals that include **protein**, **fiber-rich carbohydrates**, **healthy fats**, **vitamins**, and **minerals** from a variety of foods.
- ☐ Think in terms of ***support***, not restriction.
    - ☐ **Consistency matters more than having a perfect day of eating!**

Pregnancy nutrition works best when it feels **doable**. So, at the end of the day, your task is a piece of cake: just help your body feel steady, fueled, and *genuinely* cared for in real life!

☆ ***Folic Acid And Folate**: One Of The Most Important Early Nutrients*

- ☐ **Folic acid** and **folate** are crucial for helping prevent **neural tube defects.**
- ☐ This matters especially early in pregnancy, often before many women even know they are pregnant.
- ☐ Foods that provide folate include dark green leafy vegetables like **spinach** and **broccoli**, **citrus fruits** like oranges, **beans**, **peas**, and **fortified cereals**.

☆ ***Iron:** For Extra Blood Volume And Anemia Prevention*

- ☐ **Iron** is needed to help make the extra blood your body needs during pregnancy.
- ☐ It also helps reduce the risk of **anemia**, which can leave you feeling exhausted, weak, or short of breath.
- ☐ Good food sources include **lean red meat**, **poultry**, **fish**, **dried beans**, **peas**, **iron-fortified cereals**, and **spinach**.
    - ☐ ***Fun fact:*** *Pairing* ***iron-rich foods*** *with* ***vitamin C*** *sources can improve absorption!*

☆ *Easy* ***Iron Pairings*** *That Make The Iron You Are Already Eating More Useful To Your Body*

- ☐ **Spinach** & **oranges**.
- ☐ **Beans** & **tomatoes**.
- ☐ **Iron-fortified cereal** & **berries**.
- ☐ **Lean meat** & **bell peppers**.
- ☐ **Lentils** & **citrus**.

That pairing trick is such a good one because it does ***not*** require a full-blown diet makeover. It simply helps your body get more use out of the **iron** you are already eating.

☆ ***Calcium*** *And* ***Vitamin D****: For Bones, Teeth, Muscles, And More*

- ☐ **Calcium** and **vitamin D** work together to help build your baby's bones and teeth.
- ☐ They also support the baby's heart, nerves, and muscles.
- ☐ For the mother, they help maintain bone density.
- ☐ Adequate intake is also linked with helping reduce the risk of **preeclampsia**, which is a pregnancy complication involving high blood pressure and **protein in the urine**.

☆ ***Calcium-Rich Foods***

- ☐ **Milk**.
- ☐ **Yogurt**.
- ☐ **Cheese**.

- ☐ **Calcium-fortified orange juice**.
- ☐ Dark green leafy vegetables like **kale** and **spinach**.

☆ ***Vitamin D-Rich Foods***

- ☐ **Fortified milk**.
- ☐ **Fatty fish** like **salmon**.
- ☐ **Eggs**.

You see, **calcium** gets ***a lot*** of the attention, but **vitamin D** helps the body use it properly. A very *"please don't forget my bestie"* **nutrient** pair!

☆ ***Protein:*** *A Major Building Block During Pregnancy*

- ☐ **Protein** supports the growth of fetal tissue.
- ☐ It also supports the growth of breast tissue and uterine tissue.
- ☐ Good protein sources include **lean meat**, **poultry**, **seafood**, **eggs**, **beans**, **peas**, **nuts**, **seeds**, and **soy products** like **tofu**.
  - ☐ **Protein** can also help meals feel more steady and satisfying, which is ***extra*** helpful when pregnancy appetite gets unpredictable.

☆ ***Simple Ways To Add More Protein Without Making Meals Complicated***

- ☐ Add **eggs** to breakfast.
- ☐ Include **beans** or **lentils** in soups, bowls, or salads.
- ☐ Build snacks around **yogurt**, **nuts**, or **cheese**.
- ☐ Add **tofu** or **lean meat** to grain bowls.
  - ☐ *Keep **protein** in every main meal when you can!*

Protein is just one of those nutrients that subtly makes everything work better. She's not always glamorous, but she is doing ***a lot!***

☆ ***Omega-3*** *Fatty Acids: Especially Important For Baby's Brain And Eyes*

- ☐ **Omega-3 fatty acids** are important for **brain and eye development**.
- ☐ **Low-mercury fish** like salmon, sardines, and herring are especially helpful food sources.
- ☐ Other sources include walnuts, flaxseed, and canola oil.

If fish feels hard to eat during pregnancy because of nausea or aversions, that's okay! It just means you may need other strategies or a conversation with your provider. ૭ ˊ ᵕ ˋ)

☆ ***Iodine:*** *Small Nutrient, Very Big Job*

- ☐ **Iodine** is critical for the baby's brain development.
- ☐ Good sources include **iodized table salt**, **dairy products**, **seafood**, and **eggs**.
  - ☐ This nutrient tends to get overlooked because **folate** and **iron** usually get more attention, so consider this **iodine's** little moment in the light. (∴• v •∴)

☆ ***Potassium:*** *Underrated But Helpful*

- ☐ **Potassium** supports fluid and electrolyte balance.
- ☐ It may help with **swelling** and **leg cramps**.
- ☐ It is also important for maintaining healthy blood pressure.
- ☐ Good sources include **bananas**, **sweet potatoes**, **avocados**, **spinach**, **beans**, **lentils**, and **dairy products**.

Pregnancy can make your body feel extra puffy and crampy at times, so **potassium-rich foods** can be a really practical part of daily support.

☆ ***Vitamin K****: Important For Clotting And Healing*

- ☐ **Vitamin K** is important for proper **blood clotting**.
- ☐ This matters for **wound healing** and can help support the body's ability to prevent excessive bleeding during labor and delivery.
- ☐ Good food sources include leafy greens like **kale**, **spinach**, and **collard greens**, as well as **broccoli**, **Brussels sprouts**, and **cabbage**.
- ☐ It is one of those nutrients that does important behind-the-scenes work.

☆ ***Hydration*** *Matters More Than People Think*

- ☐ **Water** helps support **circulation**, **digestion**, and overall pregnancy comfort.
- ☐ A simple goal is around ***8 glasses*** of water throughout the day.
- ☐ Staying hydrated can also help with constipation, headaches, and that washed-out, low-energy feeling.

- ☐ This one is commonly looked over, but **water** truly is a boring afterthought until you are dehydrated, and then suddenly she is the star of the show! (。¯ 。)

☆ ***Gentle Hydration Tips***

- ☐ Sip throughout the day instead of waiting until you feel awful.
- ☐ Keep water near you.
- ☐ Pair fluids with meals and snacks.
- ☐ Use **fruit** or **ice** if plain water feels unappealing.
- ☐ *Ask for help if nausea is making hydration really hard.*

Now that we've covered all the **good stuff** your body needs, let's chat about a few things you'll want to be a bit more cautious with for a while!

☆ ***Caffeine:*** *Not Forbidden, But Limited*

- ☐ **Caffeine** should be limited to less than **200 milligrams** per day.
  - ☐ That is about **1 to 2 cups** of coffee, depending on the strength and serving size.
- ☐ So, please, do not lose it over one measly cup! ***Remember:*** *moderation is key.*

☆ ***Alcohol:*** ***Avoid Completely***

- ☐ **No amount of alcohol is considered safe during pregnancy.**
- ☐ This is one of the clearest nutrition rules in pregnancy guidance!
- ☐ If avoiding **alcohol** feels emotionally hard or socially complicated, that does ***not*** make you a bad person whatsoever. It just means support may help.
  - ☐ **Safety here matters more than trying to seem low-maintenance about it.**

☆ ***High-Mercury Fish*** *To Avoid*

- ☐ Avoid **shark**, **swordfish**, **king mackerel**, and **tilefish**.
- ☐ Limit **white albacore tuna** to 6 ounces per week.

So, no, this is ***not*** about avoiding fish altogether. It is about choosing **lower-mercury options** more thoughtfully.

☆ ***Foods To Avoid Because Of Foodborne Illness Risk***

- ☐ **Unpasteurized milk**.
- ☐ **Unpasteurized juices**.
- ☐ **Soft cheeses** made from unpasteurized milk, including cheeses like Brie, feta, and blue cheese.
- ☐ **Raw** or undercooked meat.
- ☐ **Raw** or undercooked poultry.
- ☐ **Raw** or undercooked seafood.
- ☐ **Raw** or undercooked eggs.
- ☐ Foods made with **raw eggs**, like raw cookie dough.
- ☐ **Raw sprouts** of any kind.

Pregnancy lowers the margin for error with **food safety** a bit, which is why these rules matter. It is less about fear and more about reducing *avoidable risk.*

☆ *Why **Raw Sprouts** Are One Of Those Sneaky Pregnancy No's*

- ☐ The warm, humid conditions used to grow **sprouts** are also ideal for ***harmful bacteria.***
  - ☐ That includes bacteria like **Salmonella**, **E. coli**, and **Listeria**.
- ☐ Because of that, **raw sprouts** are considered *riskier* during pregnancy.
- ☐ This one surprises people a lot, **but it is a real food-safety issue!**

☆ ***Deli Meats** Need One Extra Step*

- ☐ **Deli meats** should be heated until **steaming hot** before eating.
- ☐ This is to help kill potential bacteria, especially **Listeria**.
- ☐ It is a small habit, but it matters.
  - ☐ Pregnancy really is an era of *"annoying but useful precautions,"* and this is one of them.

☆ ***A Simple Way To Build A Pregnancy-Supportive Plate***

- ☐ Include a **protein** source.
- ☐ Add a **vegetable** or **fruit**.
- ☐ Include a **fiber-rich carbohydrate**.

- ☐ Add **calcium-rich** or **iron-rich foods** across the day.
- ☐ Use <u>hydration</u> as part of the meal pattern, not an afterthought.
    - ☐ Take a look at the plate ***<u>below</u>*** from **Raising Children Network**, *"Healthy Eating for Pregnancy."* It's a **simple visual guide** for how those food groups can fit together! Don't get caught up in the stress of exact measurements; just aiming to get a little bit of each group onto your plate is a win. ♡



That kind of structure helps make **pregnancy nutrition** feel less abstract. Please keep in mind that you do ***<u>not</u>*** need to memorize a giant chart every time you eat! You just need a few **consistent anchors**.

<u>☆ If Eating Feels Difficult, Focus On Gentle Wins</u>

- ☐ <u>Small meals</u> still count.
- ☐ <u>Bland food</u> still counts.
- ☐ Repeating safe foods is okay for a while.
- ☐ A decent meal is still a *good* meal.

- ☐ *Nutrition during pregnancy should **support** you, not become another thing you use to scare yourself.*

Some phases of pregnancy are very much **survival mode**. That is ***valid.*** If nausea, cravings, aversions, exhaustion, or food sensitivity are running rampant for a while, take the pressure down where you can. **Keep choosing the next gentle step:** a sip, a snack, a safe food, a small meal, or a provider check-in when you need one.

Conclusion ☆ · ₊ °

A **healthy pregnancy diet** doesn't have to look fancy to be deeply supportive. When you focus on **key nutrients**, **stay hydrated**, choose safer food options, and build meals with a little more intention, you are giving both your body and your baby something really meaningful! Nourishment during pregnancy is not about being picture-perfect. It is about being cared for, supported, and steady, **one meal at a time**.

Sources ☆ · ₊ °

Brigham and Women's Hospital. (n.d.). *The pregnancy food guide* [PDF]. https://www.brighamandwomens.org/assets/bwh/obgyn/pdfs/nob-bwh-pregnancy-food-guide.pdf

Mayo Clinic Staff. (2025, January 31). *Pregnancy diet: Focus on these essential nutrients.* Mayo Clinic. https://www.mayoclinic.org/healthy-lifestyle/pregnancy-week-by-week/in-depth/pregnancy-nutrition/art-20045082

Raising Children Network. (2024, December 10). *Healthy eating for pregnancy: in pictures.* https://raisingchildren.net.au/pregnancy/health-wellbeing/healthy-lifestyle/healthy-eating-for-pregnancy

University of Georgia College of Agricultural and Environmental Sciences. (2025, July 18). *Nutrition recommendations for pregnant women.* https://fieldreport.caes.uga.edu/publications/C1349-01/nutrition-recommendations-for-pregnant-women/

American College of Obstetricians and Gynecologists. (n.d.). *Healthy eating during pregnancy.* https://www.acog.org/womens-health/faqs/healthy-eating-during-pregnancy

Centers for Disease Control and Prevention. (2025, May 20). *About folic acid.* https://www.cdc.gov/folic-acid/about/index.html

Centers for Disease Control and Prevention. (2025, January 31). *Safer food choices for pregnant women.* https://www.cdc.gov/food-safety/foods/pregnant-women.html

How to Deal With Pregnancy Cravings

Pregnancy cravings are like a security guard who will not let you pass until you answer a riddle that can only be solved by a *very* specific brand of spicy chips. They're… *erratic*, to say the least. (ノ_ノ-‿-_ノ) One day something sounds *delectable*, and the next day the smell alone makes you want to flee the scene immediately. If that flip-flop has ever made you feel confused, dramatic, guilty, or like your body is suddenly operating with a secret menu, please know: **you are absolutely not alone**.

Cravings are common, but they can still bring up very real questions about nutrition, weight gain, and whether your body is trying to tell you something. The good news is that most cravings are not a cause for concern. You do ***not*** need to control every bite or turn every snack into a huge deal! Understanding what is happening, then responding with a little more calm, balance, and support, is *all* that is necessary.

*As always, **this section is for education only, not medical advice.** If cravings become extreme, involve **non-food items**, or come with concerns about nutrition, **iron**, weight gain, or hydration, it is important to check in with your healthcare provider.*

Main Content ☆ ･ ₊ °

"If life were a movie, I'd be sending someone out into a rainstorm at midnight just to find a very specific brand of crunchy peanut butter." (｀⌒´)

Ah yes. We have *all* seen those jokes, and while they make great **Reddit** fodder, there is actually real biology behind the **cravings**. They are not just you being *"too emotional"* or *"dramatic."* Your senses, hormones, appetite signals, and day-to-day needs really can *shift* during pregnancy.

☆ *What Causes **Pregnancy Cravings***

- ☐ Hormonal changes, including shifts in **hCG**, **progesterone**, and **estrogen**, can heighten smell and taste sensitivity.
  - ☐ That increased sensitivity can make some foods sound intensely appealing and others suddenly *unbearable*. (･. ･;)
    - ☐ Taste and smell changes can also contribute to **food aversions**, which may sometimes play a protective role by making certain foods less appealing.
- ☐ Some researchers also explore whether cravings can occasionally reflect **nutrient needs**, but this is not a simple one-to-one rule.

So yes, sometimes a craving is, well, just a craving. Sometimes it may loosely line up with a **need**. Usually, it is best to think of cravings as information, ***not*** instructions.

☆ ***When Cravings Usually Start And How Long They Last***

- ☐ Cravings can begin as early as the **first trimester**.
- ☐ For many women, they ease up *after* the first trimester.
- ☐ For others, they continue on and off throughout pregnancy.

- ☐ *There is a **wide range** of normal here, so timing can vary a lot from person to person.*

☆ ***Cravings** And **Aversions** Often Come Together*

- ☐ Pregnancy does not just increase **cravings**. It can also create strong **food aversions**.
- ☐ A food you used to love may suddenly feel *impossible* to tolerate.
- ☐ Strong smells, textures, or flavors may hit differently during pregnancy.
- ☐ In some cases, aversions may help steer women away from foods that feel unsafe, spoiled, or harder to tolerate.

This is why forcing yourself to eat something just because it is *"healthy"* can backfire if it is making you feel crummy or straight up ***nauseated***. Sometimes the better move is finding a **gentler alternative** that still supports you.

☆ *Most Cravings Are Harmless*

- ☐ Common cravings like **chocolate**, **chips**, **fruit**, **salty foods**, **sour foods**, or **spicy foods** are usually not dangerous by themselves.
- ☐ The bigger issue is the overall pattern of eating, not one random craving.
- ☐ A craving becomes more important when it is constant, extreme, or pushing out more nourishing foods too often.
- ☐ The key is always ***balance.***

In other words, **craving a brownie does not mean you are doing pregnancy wrong.** It just means you are **human** and **pregnant**, which is already *more* than enough excitement for one body! :,) ♡

☆ ***Pica** Is Different And Needs Attention*

- ☐ **Pica** means craving or eating non-food or non-nutritive substances, such as **dirt**, **clay**, **soap**, **paper**, or **ice**.
  - ☐ **Pica** is *less* common than typical food cravings, but it is still ***important.***
- ☐ It may sometimes be linked with deficiencies such as **low iron** or **low calcium**.

- ☐ It can also create health risks depending on what is being eaten.

  If cravings move into non-food territory, that is ***not*** something to quietly shrug off. It is a **real reason** to contact your healthcare provider.

  ☆ ***What Pica Can Signal***

  - ☐ Possible **nutritional deficiencies**, especially **iron deficiency**, are one concern.
  - ☐ Some substances can expose you to **bacteria**, **toxins**, intestinal problems, or injury.
  - ☐ Even if it feels embarrassing to mention, it is ***medically important*** and worth bringing up.
  - ☐ Early support can help protect both you and your baby.

Now, you have probably heard the old *"eating for two"* cliché a thousand times, but when it comes to **extra calories**, the reality is actually *a lot* less exaggerated than people typically think!

- ☐ You do not need to *"eat for two"* in the literal sense. (〃´▽`〃)
  - ☐ During pregnancy, extra calorie needs are usually *smaller* than people anticipate: many women need no extra calories in the first trimester, about **340** extra calories per day in the ***second trimester***, and about **450** extra calories per day in the ***third trimester.***
- ☐ That usually looks more like one additional snack than a whole extra day of meals!
  - ☐ *Quality matters just as much as quantity.*

  ☆ ***Healthy Weight Gain Recommendations Depend On Pre-Pregnancy BMI***

  - ☐ Underweight, with a BMI under **18.5**: about **28 to 40 pounds**.
  - ☐ Normal weight, with a BMI of **18.5 to 24.9**: about **25 to 35 pounds**.
  - ☐ Overweight, with a BMI of **25 to 29.9**: about **15 to 25 pounds**.
  - ☐ Obese, with a BMI of **30 or greater**: about **11 to 20 pounds**.
    - ☐ Carrying multiples, like twins or triplets, usually increases these ranges.

Weight gain is merely ***one*** clinical tool used to support pregnancy health, and it should be interpreted with your body, your history, your symptoms, and your provider's guidance in mind.

☆ ***Why Balancing Cravings Matters***

- ☐ Excessive weight gain and poor nutrition can raise the risk of **gestational diabetes**.
- ☐ They can also increase the likelihood of **cesarean birth**, delivery complications, and **postpartum weight retention**.
- ☐ For the baby, concerns can include larger-than-average size, blood sugar issues, and longer-term **obesity** risk.
- ☐ That does ***not*** mean every craving causes harm. It means **patterns matter over time**.

All-or-nothing thinking is usually counterproductive here, like it usually is in most life situations. Constant restriction is a *headache*. But on the other hand, constant *"anything goes"* can also stop feeling good pretty fast. ヽ(;▽;)ノ

The middle ground is the sweet spot!

☆ ***The Best Mindset:*** *Cravings Are Signals, Not Commands*

- ☐ Cravings are normal and natural.
- ☐ Sometimes they may reflect changing senses more than an actual deficiency.
- ☐ Sometimes they may loosely overlap with what your body needs, but **not always**.
- ☐ It helps to pause and ask what would satisfy you while ***still*** supporting your body.

☆ ***Tips For Handling Cravings Without Feeling Deprived***

- ☐ Try to pair the craving with something more nourishing instead of fighting it aggressively.
- ☐ If you want something sweet, see whether **fruit**, **yogurt**, or fruit plus **protein** could help first.

- ☐ If you still want the *actual* craving afterward, have some and move on without spiraling.
- ☐ Planning satisfying snacks ahead of time makes it *much* easier not to get ambushed by hunger.

☆ ***Better Snack Ideas*** *When Cravings Hit*

- ☐ **Yogurt** or **cottage cheese** for **protein** and **calcium.**
- ☐ **Fruit** with **nuts** or nut butter for **fiber**, **healthy fats**, and more staying power.
- ☐ **Whole grain toast** with something **protein**-rich.
- ☐ **Lean meats**, **eggs**, or **fish** when savory cravings show up.
- ☐ **Vegetables** with a dip or **grain bowl** when you want something crunchy or filling.

A lot of intense craving "emergencies" are at least partly "I accidentally waited too long to eat" situations. (;´ ̫ `) **Smaller, more frequent meals** can help.

- ☐ Eating ***every few hours*** may be easier than trying to power through big gaps between meals.
  - ☐ Smaller meals can help with nausea, energy dips, and that strange **pregnancy combo** of being hungry *and* queasy at the same time.
    - ☐ More frequent eating may also make cravings feel less urgent.
- ☐ **Long stretches** without food can make it much harder to respond calmly.

☆ ***Hydration*** *Matters More Than People Realize*

- ☐ Aim for around **8 to 12 cups** of water per day.
- ☐ Dehydration can make fatigue, headaches, dizziness, and feeling-off sensations worse.
- ☐ Sometimes what feels like a food craving is really your body needing *fluid.*
- ☐ Keeping water nearby throughout the day makes this *much* easier.

Now, it is worth noting that your pregnancy body *may* have different rules than your pre-pregnancy body. A pain in the you-know-what, yes. Personal betrayal, maybe. (¬_¬") But still **worth working with.**

- ☐ Many pregnant women deal with **GERD**, which is acid reflux.

- ☐ Spicy or irritating foods can make that worse for some people.
- ☐ If a craving keeps leading to burning, discomfort, or chest pressure, it may help to choose a gentler version.
- ☐ This is less about *"good"* or *"bad"* food and more about noticing what your body tolerates right now.

☆ Prenatal Vitamins Still Matter

- ☐ **Prenatal vitamins** help cover nutritional gaps.
- ☐ They are especially important for nutrients like **folic acid**.
- ☐ Vitamins do ***not*** replace food, but they do help support the baby when appetite, nausea, or inconsistent eating make things harder.
- ☐ **They are part of the safety net, not the whole plan.**

Okay, now for the cherry on top! There might also be a **brain-reward piece** happening since research shows pregnancy cravings can actually *light up* specific reward pathways in your head. (¯ □ ¯ ;)

This ***possible*** physiology is why certain foods feel so emotionally charged and intense, so please know it's not a lack of willpower. It may just be a *very* pregnant brain doing its thing! While you might wonder if craving **ice cream** or **fruit** is your body's way of signaling a **nutrient deficiency** like **calcium** or **vitamins**, these links are interesting but ***not*** definitive. A craving on its own isn't a diagnosis, but understanding the science can help you stop blaming yourself for those sudden, *"must-have-it-now"* moments! :-)

☆ When To Call Your Healthcare Provider

- ☐ If cravings involve **non-food substances**.
- ☐ If you are unable to keep nourishing foods down.
- ☐ If weight gain feels very fast, very low, or concerning.
- ☐ If food aversions are so strong that you are struggling to eat enough.
- ☐ If you are worried about **iron**, **calcium**, **hydration**, or overall nutrition.

Bringing it up is ***not*** overreacting. That is literally what they are there for!

☆ A Gentle Strategy That Usually Works Best

1. **Notice the craving.**
2. Ask whether you are hungry, thirsty, nauseated, tired, or overstimulated.
3. Choose a nourishing option **first** when possible.
4. Let yourself have the craving **in moderation** when that feels right.
5. Keep the overall week balanced instead of obsessing over one little moment.

Conclusion ☆ · ₊ °

Pregnancy cravings can be weird, strong, emotional, and honestly *kind of* inconvenient, but they are also ***very*** normal. You do not need to fear them, obey them blindly, *or* judge yourself for having them. The best approach is to stay curious, stay nourished, and stay *flexible*. Your body is doing a lot right now, and it deserves a ***truckload*** of support, not a courtroom trial over every snack. ⋆˙✧

Sources ☆ · ₊ °

American College of Obstetricians and Gynecologists. (2021, October). *How much weight should I gain during pregnancy?* https://www.acog.org/womens-health/experts-and-stories/ask-acog/how-much-weight-should-i-gain-during-pregnancy

American College of Obstetricians and Gynecologists. (2020, October). *How much water should I drink during pregnancy?* https://www.acog.org/womens-health/experts-and-stories/ask-acog/how-much-water-should-i-drink-during-pregnancy

Hill, A. J., Cairnduff, V., & McCance, D. R. (2016). Nutritional and clinical associations of food cravings in pregnancy. *Journal of Human Nutrition and Dietetics, 29(3)*, 281–289. https://doi.org/10.1111/jhn.12333

Haddad-Tóvolli, R., Ramírez, S., Muñoz-Moreno, E., et al. (2022). *Food craving-like episodes during pregnancy are mediated by accumbal dopaminergic circuits.* Nature Metabolism. https://doi.org/10.1038/s42255-022-00557-1

Nordeng, H., & Kristoffersen, L. (2023). Update on the global prevalence of pica in pregnant women: A meta-analysis. *International Journal of Women's Health and Reproduction Sciences, 11(3),* 99-110. https://doi.org/10.15296/ijwhr.2023.18

Cleveland Clinic. (2023, March 15). *Pica: Causes, symptoms and treatment.* https://my.clevelandclinic.org/health/diseases/22944-pica

Northwestern Medicine. (2025, June). *An OB-GYN's guide to cravings during pregnancy.* https://www.nm.org/healthbeat/healthy-tips/pregnancy-cravings

Science Focus. (2022, November). *The causes of pregnancy cravings, explained.* https://www.sciencefocus.com/the-human-body/the-seriously-weird-causes-of-pregnancy-cravings-explained/

Navigating Morning Sickness

The usual morning spent hunched over a toilet and hurling while the rest of the world drinks coffee… fun stuff, huh? **Morning sickness** is one of those pregnancy symptoms people mention so casually, but when you are the one actually *living* it, it can feel exhausting, puzzling, and, to be perfectly honest, kind of humbling! (⊃╥﹏╥⊂) It can show up as **nausea**, **retching**, **vomiting**, **food aversions**, or all of the above, and despite the name, it absolutely does ***not*** clock out after breakfast.

The reassuring part is that morning sickness is *extremely* common, especially in early pregnancy. In many cases, it may even reflect a **protective response** during a sensitive stage of development rather than a sign that something is *"wrong."* Still, **common does not mean easy**. A lot of the *"common"* parts of pregnancy can still feel like an uphill battle and a half. And, through it all, you deserve support, strategy, and a little less *"just sit through it with a smile"* energy.

*As always, **this section is for education only, not medical advice.** Mild to moderate nausea can be a normal part of pregnancy, but **severe vomiting**, dehydration, inability to keep food or fluids down, weight loss, dizziness, or signs of weakness deserve medical attention.*

Main Content ☆ · ₊ °

Morning sickness is often *called* morning sickness, but that name is a *teensy* bit misleading! For many women, symptoms can show up at any point during the day and can make the whole first trimester feel *very* different from what they expected.

☆ *What Morning Sickness Actually Is*

- ☐ **Morning sickness** refers to nausea and vomiting during pregnancy.
- ☐ Medically, it is often called **NVP**, which stands for nausea *and* vomiting in **pregnancy**.
- ☐ It may also be called pregnancy sickness or **emesis gravidarum**.
- ☐ Common symptoms include nausea, retching, vomiting, and **food aversions**.
- ☐ It usually shows up during the ***first trimester.***

If you are dealing with this, you are very much not alone. **Morning sickness** is one of the most common early-pregnancy experiences in the world.

- ☐ About ***two-thirds*** of pregnant women experience nausea and vomiting in pregnancy.
- ☐ Across many estimates, the average frequency is around ***68%.***
- ☐ Rates can range *widely*, from mild nausea in some women to more persistent vomiting in others.

Now, please, take a breath. (っ´ ｀)っ This is ***not*** the end-all-be-all. For many women, symptoms really *do* ease with time, even if it feels like your stomach is calling all the shots in the moment.

- ☐ Symptoms often begin around **week 4** of pregnancy.
    - ☐ They usually rise *fairly* quickly after that.
- ☐ Symptoms tend to peak around weeks **9** to **14**.
    - ☐ They then gradually decline for many women.
- ☐ By around week **20**, most women feel ***significant*** improvement.

As mentioned before, **morning sickness** does ***not*** only happen in the morning. If your *"morning"* sickness hits at 2 p.m., after dinner, or whenever your body feels like causing a scene, that still counts!

- ☐ Symptoms can happen throughout the waking hours of the day.
- ☐ Nausea often appears during daytime hours.
- ☐ Symptoms are usually less common during sleep.
- ☐ Some women feel their worst first thing in the morning, but many do not!

☆ *Why Researchers Think It May Happen*

- ☐ One fascinating scientific theory is this: **morning sickness may help protect the developing embryo**.
- ☐ Nausea and vomiting may encourage the body to avoid or *expel* foods that could contain **toxins**, **pathogens**, or compounds that interfere with development.
- ☐ These may include **teratogens**, which are chemicals that can cause birth defects.
- ☐ They may also include **abortifacients**, which are substances that may increase miscarriage risk.

While it may *feel* like a total ambush, pregnancy **nausea** is not just some random plot twist appearing out of nowhere to sabotage your lunch plans. >___< It often peaks *right* when the embryo is especially sensitive.

- ☐ The most sensitive developmental window is roughly weeks **6** to **12** of pregnancy.
- ☐ During this time, organ systems are forming.
- ☐ **Cell division** and **differentiation** are happening rapidly.
- ☐ That means the embryo is especially vulnerable to chemical disruption during this stretch.

☆ *Foods That Commonly Trigger Aversions*

- ☐ Pregnant women often develop aversions to foods that historically may have been more likely to carry toxins or pathogens.
- ☐ Common aversions include **meat**, **fish**, **poultry**, and **eggs**.
- ☐ **Alcoholic beverages** are also commonly avoided.
- ☐ Caffeinated drinks like **coffee** and **tea** often become less appealing.
- ☐ Strong-tasting vegetables and foods with strong odors can also become harder to tolerate.

- ☐ The strongest aversions are often toward ***animal products.***

It turns out your body is operating on a much lower tolerance threshold than usual right now. While it feels like you are just being *"picky,"* food disgust during pregnancy can have much deeper biological roots than people sometimes realize.

- ☐ Historically, before refrigeration, animal foods were more likely to carry parasites, bacteria, and **foodborne pathogens**.
- ☐ Pregnant women are more vulnerable to infections because **the immune system shifts during pregnancy**.
  - ☐ That immune shift helps the body tolerate the fetus.
- ☐ Because of this, avoiding riskier foods may have offered ***survival advantages.***

☆ ***Morning Sickness*** *And* ***Miscarriage*** *Risk*

- ☐ Nausea and vomiting in pregnancy are often associated with a lower risk of **miscarriage**.
- ☐ Vomiting may be linked with an even *lower* risk than nausea alone.
- ☐ The general pattern seen across research is **lowest** risk with vomiting, **moderate** risk with nausea only, and **highest** risk with no symptoms. Still, **not having morning sickness does not automatically mean something is wrong**.
  - ☐ *And, of course, this does not mean you should want worse symptoms for yourself. (ノωˆ、) **Never that!** It just means those rough mornings are often not automatically a sign of something bad.*

☆ ***Food Aversions*** *During Pregnancy*

- ☐ **Food aversions** often begin during pregnancy rather than existing beforehand.
- ☐ They are usually newly developed aversions.
- ☐ As mentioned before, foods most often avoided include **meat**, **fish**, **poultry**, **eggs**, **caffeinated beverages**, **vegetables**, and **alcohol**.
- ☐ These aversions are strongest in the first trimester and usually decline later.

☆ ***Food Cravings*** *During Pregnancy*

- ☐ As mentioned in the previous section, cravings are also *very* common during pregnancy.
- ☐ Common cravings include **fruit**, **fruit juice**, **sweets**, **desserts**, **dairy foods**, and **carbohydrate-rich foods**.
- ☐ Cravings and aversions can sometimes act like **mirror images**.
    - ☐ Foods commonly **avoided** may include animal products, alcohol, and coffee.
    - ☐ Foods commonly **craved** may include fruit, sweets, and starchier foods.

☆ *There May Be A **Genetic Component***

- ☐ **Morning sickness** may be ***partly heritable.***
- ☐ Women are more likely to experience symptoms if their *mother* had them.
- ☐ They are also more likely to experience symptoms if their *sisters* had them.
- ☐ Twin patterns suggest genetics may play a role.

☆ ***Other Possible Factors***

- ☐ **Pregnancy hormones** may contribute to nausea and vomiting.
- ☐ Smell and taste changes may also play a major role.
- ☐ Appetite changes, fatigue, digestion changes, and food sensitivity can all add to the experience.
- ☐ Symptoms can vary **widely** even when hormone levels are not clearly different from one woman to another.

Morning sickness is probably not caused by one single thing. It is more like a sticky little pregnancy soup of hormones, senses, digestion, appetite, and protective instincts!

Now for the part that tends to matter most when you are actually in it: ***how to make this easier on your body!*** (◡̀_◡́)ᕗ

☆ ***Gentle Tips That May Help Alleviate Nausea***

- ☐ Eat **small, frequent meals** instead of letting yourself get too hungry.
- ☐ An empty stomach can make nausea feel worse for many women.
- ☐ Keeping a simple snack nearby can help soften that sharp, queasy feeling.

- ☐ **Bland foods** are often easier to tolerate than greasy, spicy, or very rich foods.

☆ ***Foods That Are Often Easier To Tolerate***

- ☐ **Dry crackers**, **toast**, **plain rice**, **applesauce**, or **simple cereal** may feel gentler.
- ☐ **Fruit** can be easier than heavier foods for some women.
- ☐ Cold foods may smell less intense than hot foods.
- ☐ **Carbohydrate-rich foods** are often more tolerable during nausea.
- ☐ Very strong odors can be a trigger, so simpler foods may help.

☆ ***Morning*** *Tricks That May Help*

- ☐ Try eating a few **crackers** or another dry snack before getting fully out of bed.
- ☐ Move ***slowly*** when you first wake up.
- ☐ Avoid jumping into a hot shower or rushing around immediately if that worsens symptoms.
- ☐ Give your stomach a softer start to the day! :-)

☆ ***Hydration*** *Tricks*

- ☐ Sip fluids *slowly* throughout the day instead of chugging large amounts at once.
- ☐ **Cold water**, **ice chips**, or **diluted drinks** may feel easier than room-temperature fluids for some women.
- ☐ Try drinking between meals instead of with meals if fluids make you feel overly full or more nauseated.
- ☐ Watch for signs of ***dehydration*** like dizziness, dark urine, dry mouth, or weakness.

☆ ***Smell-Management*** *Tricks*

- ☐ Avoid cooking smells when possible if they are a trigger.
- ☐ Open windows or use **ventilation** if kitchen odors make symptoms worse.
- ☐ Ask someone else to cook when you can.

- ☐ **Cold meals** or **room-temperature foods** may be easier because they release less smell.
- ☐ Strong perfumes, candles, or cleaning-product scents may also need a temporary break.

☆ ***Food-Avoidance*** *Tricks (That Are Actually Helpful)*

- ☐ If a food makes you feel intensely nauseated, do not force it just because it is *"healthy."*
- ☐ Find a gentler substitute instead.
- ☐ If eggs are unbearable, maybe **yogurt**, **beans**, or another **protein** source feels more manageable.
- ☐ If meat is impossible, start with what you can tolerate and build from there.

☆ ***Ginger*** *And* ***Simple Nausea-Soothing Ideas***

- ☐ **Ginger** is commonly used to help settle nausea and may feel soothing for some women.
- ☐ Ginger tea, ginger candies, or ginger in food may be worth trying if your body tolerates it.
- ☐ Plain, mild foods may be better than heavily seasoned foods when nausea is strong.
- ☐ Some women also do better with tart or sour flavors, though that varies.

☆ ***Rest*** *And* ***Pacing*** *Matter More Than People Think*

- ☐ **Fatigue** can make nausea feel *worse*.
- ☐ Try to rest when you can and avoid pushing yourself too hard if symptoms are flaring.
- ☐ Moving slowly, sitting upright after meals, and pacing your day may help reduce that overwhelmed, sick feeling.
- ☐ Sometimes feeling *"worse for no reason"* is really feeling worse because your body is exhausted.

☆ ***When Symptoms May Need More Attention***

- ☐ If you cannot keep food or fluids down.

- ☐ If you are losing weight.
- ☐ If you feel faint, weak, or dehydrated.
- ☐ If vomiting is frequent or severe.
- ☐ If nausea is interfering so much that daily functioning feels *impossible*.

☆ ***The Biggest Practical Takeaway***

- ☐ Eat before you get overly hungry.
- ☐ Sip fluids steadily.
- ☐ Avoid strong triggers.
- ☐ Choose gentle foods without guilt.
- ☐ Rest when you can.
- ☐ **Ask for help if symptoms are becoming hard to manage.**

Conclusion ☆ · ₊ °

Morning sickness can be draining, messy, and *very* humbling, but it is also incredibly common and often closely linked to the earliest, most delicate stage of pregnancy! For many women, it may reflect the body's effort to **protect the embryo** during a vulnerable window. The best approach is a soft one: gentle food, gentle pacing, gentle hydration, and gentle self-talk. :-) You do ***not*** have to handle it perfectly. You just have to support yourself through it, **one small step at a time**.

Sources ☆ · ₊ °

American College of Obstetricians and Gynecologists. (n.d.). *Morning sickness: Nausea and vomiting of pregnancy.* https://www.acog.org/womens-health/faqs/morning-sickness-nausea-and-vomiting-of-pregnancy

Flaxman, S. M., & Sherman, P. W. (2000). Morning sickness: A mechanism for protecting mother and embryo. *The Quarterly Review of Biology, 75(2),* 113–148. http://www.jstor.org/stable/2664252

Herbal Remedies For Pregnancy

Herbs can feel soft, natural, and comforting, especially during **pregnancy**, when so many women are looking for gentler ways to manage nausea, sleep trouble, stress, or digestion. I mean hey, who does not love a cozy cup of warm cinnamon tea with a little swirl of brown sugar? (ᵕ—ᴗ—) No? Just me?

But, as with all things in life, there's a catch. A *big* one at that. ***"Natural" does not automatically mean harmless.*** Herbs contain **active** compounds that can affect the body in real, *medicine-like* ways, which is **exactly** why they can sometimes help and why they can also cause problems.

Some **herbs** are commonly used in **pregnancy** with more reassuring safety information when used in appropriate forms and amounts. Others may stimulate the uterus, affect hormones, increase bleeding risk, or *potentially* harm the baby. So, stay informed, keep things simple, and run herbs, teas, tinctures, powders, capsules, supplements, and essential oils by your healthcare provider ***before*** using them in pregnancy. And, as always, ***this section is for education only, not medical advice.***

Main Content ☆ · ₊ °

A lot of women assume **herbs** are automatically gentler than conventional medicine, but pregnancy asks us to be more careful than that. In one survey of **242** pregnant women, ***9.1%*** reported using **herbal supplements** during their current pregnancy, and ***7.5%*** used them at *least* **weekly**. So this is ***not*** a tiny niche topic. It is something many women are *already* doing. ʚ(˃ ᵕ <„)

☆ *The Most Important Pregnancy Herb Rule*

- ☐ **Herbs** are biologically active substances, not purposeless little leaves with good branding.
  - ☐ The same property that makes an herb helpful can also make it risky.
- ☐ Pregnancy is ***not*** the time to casually self-prescribe concentrated herbal products.
- ☐ Always check with your healthcare provider before using herbal teas, capsules, tinctures, powders, extracts, or essential oils internally.
- ☐ **Dose**, **timing**, **form**, and **trimester** matter.

Now, let me be crystal clear: tea used occasionally is ***not*** the same thing as a concentrated supplement taken daily! It is really a case of ***different format, different impact***, where the dose and delivery method make all the difference in how your body handles it. ^___^

☆ ***Herbs*** *And* ***Remedies*** *That Are Generally More Reassuring*

- ☐ Some **herbs** and **plant-based remedies** have more supportive pregnancy safety information than others!
  - ☐ *"More reassuring"* does not mean unlimited use or automatic safety for every person.
- ☐ Use the ***gentlest*** effective form, stay within common food or tea amounts unless your provider says otherwise, and **avoid assuming more is better**.

☆ *Ginger Root*

- ☐ **Ginger** is one of the **best-supported** herbal options for nausea and vomiting in early pregnancy.

- ☐ Its usefulness for morning sickness is well documented in clinical studies.
- ☐ It is considered safe in doses up to ***1,000 mg*** per day.
- ☐ The risk of adverse effects at those amounts is considered **low**.
    - ☐ Easy options include **ginger tea**, **ginger chews**, **fresh ginger in warm water**, **ginger added to soups**, **broths**, or **smoothies**.
- ☐ Small, divided amounts during the day may feel gentler than one large dose.

☆ ***Peppermint Leaf***

- ☐ **Peppermint leaf** may help relieve nausea and morning sickness.
- ☐ Peppermint tea is generally considered safe in pregnancy.
    - ☐ The main concern is ***concentrated peppermint oil***, especially in large doses.
- ☐ Large medicinal amounts of peppermint oil may stimulate **menstruation** and should be avoided.
    - ☐ Choose peppermint tea rather than essential oil taken internally.
- ☐ Sip ***slowly*** if strong mint flavors worsen reflux.

☆ ***Red Raspberry Leaf***

- ☐ **Red raspberry leaf** is traditionally used as a uterine tonic.
- ☐ Research suggests it may help tone uterine muscles.
- ☐ Some studies suggest it may be linked with shorter, less complicated labor and fewer interventions.
- ☐ It should be used with ***caution*** until the **third trimester** because of concern about stimulating contractions too early.
- ☐ Be ***extra*** cautious if you have a history of **preterm labor**, **cervical issues**, contractions, or a high-risk pregnancy.

☆ ***Garlic***

- ☐ **Garlic** is a food-based herb with **vitamin C**, **vitamin B6**, **manganese**, and **selenium**.

- Some studies suggest it may help with blood pressure and may reduce risk of **preeclampsia**, spontaneous preterm delivery, and infection.
- It is considered safe when consumed in normal food amounts.
- A common food-level example would be around **one** to **two** cloves per day.
- **Avoid high-dose garlic supplements** unless your provider approves them.
  - *Mention it to your provider if you have bleeding issues or are using other products that affect clotting.*

☆ *Chamomile Tea*

- **Chamomile tea** may help with nausea and sleeplessness.
- It also contains **calcium** and **magnesium**.
- The concern is specifically with ***Roman chamomile*** in medicinal amounts, which is considered unsafe.
- Stick to simple tea amounts rather than medicinal-strength products.
- Double-check labels if you are buying blends, because herbal mixes often include other ingredients.

☆ *Pumpkin Seeds*

- **Pumpkin seeds** are more of a pregnancy-supportive food than a classic herbal remedy, but they still belong in this conversation! (- ◡ -)
- They are rich in **protein**, **fiber**, **iron**, **zinc**, **magnesium**, and **omega-3 fatty acids**.
- These nutrients support fetal development and may help reduce common pregnancy issues like anemia and constipation.
- They can be eaten raw, roasted, or sprinkled onto **salads**, **yogurt**, **oatmeal**, or **smoothies**.

☆ *Slippery Elm Bark*

- **Slippery elm bark**, specifically the inner bark used orally in food-like amounts, may help relieve nausea, heartburn, and vaginal irritation.
- The emphasis here is on the ***inner bark*** and *modest* oral use.

- ☐ As with all herbs in pregnancy, **provider approval still matters!**
- ☐ Check product labels *carefully* so you know exactly what form you are taking.
- ☐ Stop and ask for guidance if symptoms worsen or if you are relying on it heavily.

☆ ***Oats And Oat Straw***

- ☐ **Oats** and **oat straw** are rich in **calcium** and **magnesium**.
- ☐ They may help with anxiety, restlessness, and irritated skin.
- ☐ They fit nicely into the gentler, nourishment-based category.
- ☐ **Oatmeal** can be a steady, soothing snack or breakfast.
- ☐ Oatmeal baths may also help calm irritated or dry skin.

☆ ***Nettle Leaf****, Specifically Leaf Not Root*

- ☐ **Nettle leaf tea**, not nettle root, is the form mentioned as more reassuring.
- ☐ It is rich in **vitamin A**, **vitamin C**, and **vitamin K**, plus **calcium**, **potassium**, and **iron**.
- ☐ The distinction between leaf and root matters.
- ☐ Use it as a tea only after checking with your provider.
- ☐ Be careful with mixed herbal blends that contain multiple additional herbs!
- ☐ *Treat nettle leaf tea as a supportive add-on, not as a replacement for prenatal nutrition or* ***iron management****.*

Now for the *other* side of the conversation: some herbs are better placed in the *"**absolutely not** on your own"* category because they may stimulate contractions, affect fetal development, increase bleeding, or cause other serious problems. So, to keep things **safe** and **sound**, here are a few herbs you'll want to ***skip*** for now *unless* your provider gives you the green light:

- ☐ **Blue cohosh**.
- ☐ **Black cohosh**.
- ☐ **Pennyroyal**.
- ☐ **Yellow dock**.

- ☐ **Dong quai**.
- ☐ **St. John's wort**.
- ☐ **Saw palmetto**.
- ☐ **Goldenseal**.
- ☐ **Ginseng**.
- ☐ **Oral aloe**, especially *aloe latex.*
- ☐ **Ephedra**.
- ☐ **Yohimbe**.
- ☐ **Pau d'arco**.
- ☐ **Passion flower**.
- ☐ **Roman chamomile** in *medicinal* amounts.

☆ ***Why These Herbs Raise Concern***

- ☐ **Blue cohosh** contains powerful **uterine stimulants** and has been associated with fetal heart problems, stroke, and heart attack in newborns.

- ☐ **Black cohosh** can stimulate contractions prematurely and is best avoided unless medically recommended in a labor-related context.

- ☐ **Pennyroyal essential oil** is *highly* toxic, can cause liver damage, and may increase **miscarriage** risk.

- ☐ **Yellow dock** has strong laxative effects that can cause significant cramping and may stimulate uterine contractions.

- ☐ **Dong quai** can affect uterine activity and may increase **miscarriage** risk.

- ☐ **St. John's wort** may affect fetal development, especially in the **first trimester**, and can interfere with medications.

- ☐ **Saw palmetto** has hormonal activity and may interfere with pregnancy-related hormones.

- ☐ **Goldenseal** contains **berberine**, which can cross the placenta, may contribute to ***kernicterus*** in newborns, and may cause uterine contractions.

- ☐ **Ginseng** has hormonal effects, and **ginsenoside Rb1** has raised concern about possible **birth-defect risk**.

- ☐ **Oral aloe**, especially **aloe latex**, can cause strong laxative effects, uterine contractions, and severe dehydration.

- ☐ **Ephedra** and **yohimbe** are **stimulants** and are considered unsafe during pregnancy.

- ☐ **Pau d'arco** may induce uterine contractions in large oral doses and may have blood-thinning effects.

- ☐ **Passion flower** may have uterine-stimulating effects, and human pregnancy safety data are insufficient.

- ☐ **Roman chamomile** in medicinal amounts is believed to increase **miscarriage** risk.

Now, herbal treatments come in ***all*** shapes and sizes! The exact plant part, preparation, and dose can *completely* change the safety conversation. (๑´>ᴗ<)~

- ☐ **Topical use** and **oral use** are not the same thing.
- ☐ Food amounts and supplement amounts are not the same thing.
- ☐ Tea and tincture are not the same thing.

- ☐ Leaf and root are not always the same thing.
- ☐ Occasional use and daily use are not the same thing.

☆ *The Safest Practical Approach To Herbs In Pregnancy*

- ☐ **Use food first, when possible.**
- ☐ Use **simple teas** before concentrated capsules, tinctures, powders, or extracts, but ***only*** with provider approval.
- ☐ Avoid multi-herb blends when you do not fully know every ingredient.
- ☐ Read labels *carefully*, because *"pregnancy tea"* on the front does not guarantee safety.
- ☐ Be especially cautious in the **first trimester**, when early development is **most sensitive**.

☆ *Tips And Tricks For Choosing Herbs More Safely*

- ☐ Bring the ***exact*** product name or a photo of the label to your prenatal appointment.
- ☐ Ask about the herb, dose, form, and trimester, not just whether the ingredient sounds familiar.
- ☐ **Avoid essential oils taken internally.**
- ☐ Avoid trying several remedies at once, because then you cannot tell what is helping or hurting.
- ☐ Stop using a product and contact your provider if you notice cramping, dizziness, rash, worsening nausea, diarrhea, **palpitations**, or anything that feels off.

☆ *A Good Pregnancy Herb Checklist*

- ☐ *What exactly is the herb?*
- ☐ *What form is it in: tea, capsule, tincture, oil, extract, powder, or food?*
- ☐ *How much am I taking?*
- ☐ *How often am I taking it?*
- ☐ *What trimester am I in?*
- ☐ *Does it affect the uterus, hormones, blood pressure, clotting, or hydration?*

- ☐ *Has my healthcare provider cleared this specific product?*

☆ *Biggest **Pregnancy Herb Mistakes** To Avoid*

- ☐ Assuming natural means safe.
- ☐ Using concentrated oils internally.
- ☐ Starting **red raspberry leaf** too early.
- ☐ Confusing **nettle leaf** with **nettle root**.
- ☐ Using **aloe** orally because topical aloe was fine.
- ☐ Taking blends with ingredients you have not individually checked.
- ☐ Using herbs to self-manage serious symptoms instead of calling your provider.

Conclusion ☆ · ₊ °

Herbs in pregnancy are ***not*** a simple yes-or-no category. Some can be *gently* helpful, especially for things like nausea or mild discomfort, while others have enough risk that they belong *firmly* on the avoid list unless a medical professional is guiding their use. The safest mindset is calm, informed, and specific: keep it **simple**, check *every* ingredient, respect the power of plant compounds, and ***never*** feel silly for asking before you **sip**, **swallow**, or **supplement**. ♡.°

Sources ☆ · ₊ °

American Pregnancy Association. (n.d.). *Herbal tea and pregnancy: Is it safe?* https://americanpregnancy.org/healthy-pregnancy/is-it-safe/herbal-tea/

American Pregnancy Association. (n.d.). *Herbs and pregnancy.* https://americanpregnancy.org/healthy-pregnancy/is-it-safe/herbs-and-pregnancy/

Lundberg, A. (2000). Herbal and alternative medicine use in pregnancy. *Obstetrics & Gynecology, 96(3)*, 443–447.

National Center for Complementary and Integrative Health. (n.d.). *Herbs at a glance.* National Institutes of Health. https://www.nccih.nih.gov/health/herbsataglance

Sarecka-Hujar, B., & Szulc-Musioł, B. (2022). Herbal medicines—Are they effective and safe during pregnancy? *Pharmaceutics, 14(1)*, Article 171. https://doi.org/10.3390/pharmaceutics14010171

Pregnancy Wellness

Chapter 6: Moving, Resting, and Caring For Your Pregnant Body

Pregnancy Exercises For Back Pain

Pregnancy back pain and pelvic pain can kick up *quite* a fuss! (╥ ^ ╥) Standing at the sink, turning over in bed, getting up from a chair, taking a walk that used to feel *easy* … suddenly the simple things are a weight on your shoulders that you *definitely* did not sign up for. Yeesh, pregnancy really knows how to throw a curveball!

The **good news** is that non-strenuous **exercise** can alleviate some of this! („> ∇ <„) Now, **it does not have to be intense, over-the-top, or exhausting to be useful.** For many women, the objective during pregnancy is ***not*** peak fitness. It is support, comfort, and helping the body stay a little *steadier* through all the shifting weight, posture changes, and muscle demands that come with growing a baby.

*And, as always, **this section is for education only, not medical advice.** Please check with your healthcare provider before starting or changing an exercise routine, especially if your pregnancy is **not uncomplicated** or if you have pain, bladder issues, bowel issues, dizziness, bleeding, or contractions.*

Main Content ☆ · ₊ °

Pregnancy exercise is meant to ***support*** the body, not strain it. Regular moderate movement can help with sleep, circulation, posture, and day-to-day comfort, and it may also help reduce the risk of **gestational diabetes** and **hypertension**. When back pain shows up, the answer is not just *"grinning and bearing it."* More often, it is gentler, smarter movement. (ʚ˵ ◠ ‿ ◠)

So, you are probably curious as to just how *much* **exercise** you are actually supposed to be getting right now. Well, here is your answer (ˆ ◡ ˆ)⊃:

- ☐ Pregnant women with uncomplicated pregnancies are generally advised to aim for at least ***150 minutes*** of moderate-intensity aerobic activity per week.
- ☐ A simple way to picture moderate intensity is this: **you can still carry on a conversation, but you are too breathless to sing**.
- ☐ That can look like ***30 minutes*** on most days of the week.
- ☐ It can also be broken into smaller chunks, like 10-minute sessions throughout the day.
    - ☐ **If 30 minutes feels like too much at once, shorter sessions still count.**

You know, many women tend to think exercise only counts if it is long and impressive. During pregnancy, ***consistency*** matters *much* more than a singular grand performance.

☆ *Why **Gentle Exercise** Can Help Back And Pelvic Pain*

- ☐ Pregnancy changes **posture**, **center of gravity**, and the way the **core** and **pelvis** have to work.
    - ☐ As the belly grows, the low back and pelvic area often take on more strain.
    - ☐ Gentle exercise can help support the core, hips, glutes, and pelvic floor.
    - ☐ It can also improve posture, circulation, flexibility, and body awareness.

- ☐ *For many women, stronger support muscles often mean <u>less pulling</u>, <u>less aching</u>, and <u>better stability!</u>*

This is why the right **exercises** can feel so *relieving!* They help distribute work more evenly instead of letting the low back do everything by itself. Having said that, let's jump right into the **actual exercises** and have a little chat about why they are so helpful! ヽ(› ∀ ‹ ☆)ノ

- ☐ **Walking** is one of the simplest and most pregnancy-friendly exercise choices.
- ☐ **Swimming** can feel especially good because the water supports body weight and eases joint pressure.
- ☐ **Stationary biking** is usually a safer choice than outdoor cycling because it lowers fall risk.
- ☐ Low-impact movement such as <u>prenatal yoga</u>, <u>modified dance</u>, and <u>prenatal **Pilates**</u> can also be great options.
  - ☐ The best exercise is usually the one that feels <u>sustainable</u>, <u>safe</u>, and ***<u>kind</u>*** to your body!

<u>☆ Kegels</u>

- ☐ **Kegels** strengthen the pelvic floor muscles.
  - ☐ These muscles help support the <u>bladder</u>, <u>bowel</u>, and <u>uterus.</u>
    - ☐ *A gentle way to find them is to* **imagine trying to stop urine flow and hold back gas at the same time.**
  - ☐ Pelvic floor strength can be helpful in pregnancy, labor preparation, and postpartum recovery.
    - ☐ *If you have a tight pelvic floor, pain with penetration, or certain* ***bladder*** *or* ***bowel issues****, Kegels may not be the right fit, and a pelvic floor physical therapist can help guide you.*
      1. Gently identify the pelvic floor by imagining that you are **trying to stop urine flow and hold back gas at the same time.**
      2. Lift and squeeze the muscles softly.
      3. Relax the rest of the body.

- ☐ **Do not clench your butt, thighs, or stomach.**

4. Fully let the muscles relax again.
5. Repeat for a few gentle reps.

This is a really important nuance, because **pelvic floor health** is not always about squeezing more. Sometimes it is about balance, not just strength. (•́

- ☐ **Second** and **third** trimesters: do them *seated* or standing.

2. Exhale gently.
3. Tighten the abdominal muscles softly.
4. Rotate the pelvis upward.
5. Hold for ***3–5 seconds***.
6. Relax.
7. Repeat about ***10 times***.

☆ ***Quadruped Cat***

- ☐ This move can help improve back flexibility and encourage a more neutral, supported spine.

1. Start on your hands and knees with shoulders over hands and hips over knees.
2. Gently exhale and engage the abdominals.
3. Round the spine upward toward the ceiling while the head drops softly toward the chest.
4. Hold for ***10–15 seconds***.
5. Return to the starting position.
6. Repeat about ***10 times***.

☆ ***Bird Dog***

- ☐ **Bird dogs** help with core strength, balance, and stability.

1. Start on hands and knees with the spine long and the core gently engaged.
2. Slowly extend the right arm and left leg until they are in line with the spine.
3. Hold for ***3–5 seconds***.
4. Return to the starting position.
5. Switch sides and repeat with the left arm and right leg.
6. Aim for about ***10 repetitions*** on each side.

☆ ***Squats***

- ☐ **Squats** help strengthen the lower body and glutes and can also support labor preparation.
    1. Stand with the feet about shoulder-width apart.
    2. Bend the knees and shift the hips back as if sitting into a chair.
    3. Keep the knees tracking comfortably.
        - ☐ Avoid letting them push too far forward.
    4. Only go as low as feels comfortable and pain-free.
    5. Return to standing.
    6. Repeat about ***10 times***.

☆ *Resisted Side Steps*

- ☐ This exercise strengthens the hips and glutes, which help support the pelvis.
- ☐ It can also be done without a band.
    1. Stand with feet slightly apart and knees softly bent.
    2. Add a resistance band if it feels comfortable.
        - ☐ Place it around the thighs or ankles.
    3. Step to the right for about **10 steps**.
    4. Then step to the left for about **10 steps**.
    5. Keep the movement controlled and steady.

☆ *Resisted Kick Backs*

- ☐ This move helps strengthen the glutes and hamstrings.
- ☐ Keep the movement controlled and avoid arching the lower back.
    1. Stand with feet slightly apart.
    2. Add a resistance band if you want, but know that it is optional.
    3. Perform **10** small, slow, controlled backward kicks with one leg.
    4. Switch and repeat on the other side.
    5. Keep the lower back steady the whole time.

☆ *Side-Lying Leg Raises*

- ☐ This exercise helps strengthen the hips and glutes.
    1. Lie on one side with shoulders, hips, and ankles in a straight line.
    2. Use a small pillow for support if needed.

3. Slowly lift the top leg to about a **45°** angle within a pain-free range.
4. Lower with control.
5. Do about ***10 repetitions***.
6. Switch sides and repeat.

☆ ***Side Bridges***

☐ **Side bridges** help strengthen the core and side body.

1. Lie on one side with knees bent to **90°**.
2. Keep the shoulders, hips, and knees lined up.
3. Gently engage the core and lift the top hip.
4. Hold for ***3–5 seconds***.
5. Lower back down.
6. Repeat about ***10 times*** per side.

Attached below is a small, **custom illustration** for you to paint a picture of how to move through each exercise. I showed the standing version here, but feel free to check the ***"Pelvic Floor Health"*** section to see how to do the others! (^ _ <)〜☆

☆ ***Strength Training*** *During Pregnancy*

- ☐ If you were already **strength training** before pregnancy, you can often continue with modifications if your provider says it is safe.
  - ☐ Use *lighter* weights and *more* repetitions.
  - ☐ Focus on control, breathing, and good form.
    - ☐ Avoid **heavy straining** and avoid lifting while lying flat on your back, especially after the first trimester.

☆ ***Yoga*** *And* ***Pilates*** *During Pregnancy*

- ☐ Modified **prenatal yoga** and **prenatal Pilates** can improve flexibility, breathing, balance, and core awareness.
  - ☐ They can also help with stress reduction and body connection.
    - ☐ Avoid **deep twists**, excessive stretching, and high-impact movements.

- ☐ Avoid exercises that keep you lying flat on your back for long periods after the first trimester.
- ☐ Prenatal-specific classes are often the easiest and safest route!

Now, as always, **safety is key**! Pregnancy is ***not*** the time to go for a personal best or prove how tough you are. It is all about finding that **sweet spot** where you are staying active in a way that actually feels good for you. ≼(˙ ᗜ ˙)≽

- ☐ Always talk to your healthcare provider before starting or continuing exercise during pregnancy.
- ☐ ***Avoid lying flat on your back after the first trimester.***
- ☐ Exercise in a safe, stable environment.
- ☐ Wear **supportive shoes**.
- ☐ Drink water before, during, and after movement.
- ☐ Wear loose, breathable clothing.
- ☐ Avoid exercising in very hot or humid conditions.
- ☐ Do ***not*** push to exhaustion.
- ☐ If you cannot comfortably hold a conversation, ***slow down***.

☆ *Stop And Get **Medical Guidance** If You Notice These Warning Signs*

- ☐ **Dizziness**.
- ☐ **Faintness**.
- ☐ **Chest pain**.
- ☐ **Shortness of breath** that feels concerning.
- ☐ Headache that does not feel normal.
- ☐ **Vaginal bleeding**.
- ☐ **Contractions**.
- ☐ Pain that *worsens* instead of easing.
- ☐ Fluid leaking from vagina.
- ☐ Anything that simply feels off to you.

☆ ***Exercises** And **Activities To Avoid***

- ☐ **Contact sports**.
- ☐ Activities with a high risk of falling, such as downhill skiing or horseback riding.

- ☐ High-impact movement if it feels *jarring* or unstable.
- ☐ Exercises involving long periods flat on the back **after the first trimester.**
- ☐ **Deep twisting** or excessive stretching.
- ☐ **Heavy lifting** that forces you to strain or bear down.

☆ ***Tips*** *And* ***Tricks*** *To Actually Alleviate Back And Pelvic Pain*

- ☐ Start with a short walk if your back feels stiff rather than jumping into intense exercise.
- ☐ Use **pelvic tilts** and **quadruped cat** on days when the low back feels tight.
  - ☐ Focus on glute and hip strength, because weak hips often leave the pelvis and back doing extra work.
- ☐ Choose side-lying or hands-and-knees positions when standing feels tiring.
- ☐ Use a **pillow** for support during side-lying exercises.
- ☐ Keep movements slow and controlled instead of big and dramatic.
- ☐ **Stay hydrated**, because dehydration can make the body feel worse overall.
- ☐ Spread exercise out through the week instead of doing too much at once.
- ☐ **Stop before you feel wiped out.**
  - ☐ *If pelvic pain, bladder issues, bowel issues, or pain with certain movements keep showing up, please ask for a referral to a pelvic floor or pregnancy-informed physical therapist.* ♡

Conclusion ☆ ⋆ ｡ ˚

Gentle exercise during pregnancy is not about going the extra mile. It is about helping your body feel steadier, stronger, and a little more comfortable inside a season of so much change. When movement is chosen carefully, modified wisely, and done with ***consistency*** instead of intensity, it can **ease back pain**, **support the pelvis**, and make daily life feel more *manageable*. Less strain, more support, and **a body that feels cared for every step of the way** is all you need! (ノノ> ᴗ•ノノ)

Sources ☆ · ₊ °

American College of Obstetricians and Gynecologists. (2019). *Exercise during pregnancy (FAQ).* https://www.acog.org/womens-health/faqs/exercise-during-pregnancy

OrthoCarolina. (n.d.). *Safe exercises to combat low-back and pelvic pain during pregnancy.* https://www.orthocarolina.com/blog/safe-exercises-to-combat-lowback-pelvic-pain-during-pregnancy



Sleep Tips For Pregnant People

Trying to catch some ᶻ z z's when you're all P can feel like a total tra-*gedy* (See what I did there?… Okay, I'm sorry, I'll stop. (〃￣ω￣〃)ゞ). One minute you are tired out of your mind, and the next minute you are wide awake because your hips hurt, your bladder is doing the most, or the baby has apparently decided that 3 a.m. is officially party time! If any of that rings a bell, please know that you are very much ***not*** alone.

Pregnancy sleep is *really* just about strategic resting and giving your body the extra backup it needs. A few small changes in position, pillows, lighting, fluids, and evening habits can make a real difference in how comfortable your nights feel. And if sleep still feels a little hectic sometimes, that does ***not*** mean you are doing anything wrong.

As always, ***this section is for education only, not medical advice.*** *If sleep loss is severe, you* ***snore heavily****, wake up gasping, have restless legs, feel extremely sleepy during the day, or have pain that keeps you from resting, check in with your provider.*

Main Content ☆ · ₊ °

Pregnancy sleep struggles are ***not*** some personal fail; it is just that your body is currently doing *a lot!* The belly gets heavier, bathroom trips become more frequent, **heartburn** can show up uninvited, and getting comfortable can start to feel like rocket science. (⇀‸↼") That is exactly why ***practical sleep*** support matters so much.

Alright, let's kick things off with the **gold standard** for how to *actually* position yourself for sleep while you're expecting!

☆ *The Best Sleep Position During Pregnancy*

- ☐ The most recommended sleep position is ***SOS***, which means **sleeping on your side**.
  - ☐ The **left side** is especially encouraged because it may improve circulation to the placenta and baby.
  - ☐ **Left-side sleeping** may also help reduce **swelling**, **varicose veins**, and **hemorrhoids**.
    - ☐ So, yes, **left-side sleeping** is golden! However *either side* can be okay if your provider has not told you otherwise.
- ☐ **Side sleeping** generally becomes more important as pregnancy progresses and the belly gets heavier!
- ☐ This does ***not*** mean you need to panic if you shift positions in your sleep.

  Many pregnant women wake up worried because they rolled onto their back. Usually, the helpful response is simple: **just roll gently back onto your side and go back to sleep**.
  - ☐ Waking up on your back sometimes is actually common!
  - ☐ You do not need to spiral or assume you harmed your baby because you changed positions in your sleep.
  - ☐ The practical move is just to **reposition onto your side again**.
  - ☐ Stressing yourself fully awake over it usually helps ***less*** than calmly adjusting and resting.

☆ ***Pillows*** *Can Make All The Difference*

- ☐ Put a pillow under your belly for extra tummy support.
- ☐ Put another pillow between your knees to reduce pressure on the hips and lower back.
- ☐ If your back feels strained, extra side support can help keep the body more aligned.
- ☐ If **heartburn** is an issue, try using another pillow to raise your upper body slightly.
- ☐ A ***pregnancy pillow*** can also be a very worthwhile investment if regular pillows are not cutting it anymore!

Now, here's the lowdown on making your bed feel a bit less like a battlefield and a lot more like a *sanctuary!*

- ☐ Aim for a position that keeps the belly, hips, and back supported at the same time.
- ☐ Keep pillows nearby so you can readjust easily in the middle of the night.
- ☐ Use **gentle support** rather than forcing your body into one stiff position.
- ☐ If one setup stops working as your pregnancy changes, simply adjust it! There is no shame in this game. (,, > ﹏ < ,,)
  - ☐ Comfort needs can shift week to week, and that is ***normal.***

☆ *Cut Back On* ***Nighttime Bathroom Disruption***

- ☐ Drink plenty of **water** during the day.
- ☐ Try **reducing fluids** a couple of hours before bedtime so you are not up quite as often overnight.
- ☐ **Do not cut hydration too aggressively, though, because you still need good fluid intake overall!**
- ☐ The idea is to shift more of your drinking *earlier* in the day, not deprive yourself.

☆ *Keep The Bedroom* ***Sleep-Friendly***

- ☐ Make the room cool, dark, and quiet if possible.
- ☐ Use a **nightlight** for bathroom trips instead of switching on bright overhead lights.

- ☐ **Softer light** helps protect your sleep rhythm and makes it easier to fall back asleep.
- ☐ If noise is an issue, a calmer sound environment can help the body settle more easily.

☆ ***Relaxing Evening Habits*** *Help More Than You Think*

- ☐ **Avoid rigorous exercise close to bedtime.**
- ☐ Choose **relaxing activities** in the evening instead.
- ☐ A warm bath can help the body wind down.
- ☐ A **foot massage** or **shoulder massage** can ease tension!
- ☐ Reading something mind-easing can help signal to your brain that it is time to rest.

☆ *Watch The* ***Caffeine Timing***

- ☐ Cutting back on **caffeine** can help with sleep.
- ☐ It is especially smart to reduce caffeine later in the day!
- ☐ Avoid caffeine and other stimulants after around ***2 p.m.*** if you are having trouble falling asleep.
  - ☐ This can also help with that tired-but-still-somehow-awake feeling at night.

☆ *If* ***Heartburn*** *Is Keeping You Up*

- ☐ Try propping the upper body up with an **extra pillow.**
- ☐ Avoid lying completely flat if **reflux** is bothering you.
- ☐ Notice whether certain evening foods make symptoms worse.
- ☐ A lighter, earlier dinner may feel better for some women.

☆ ***If You Cannot Get Comfortable***

- ☐ Reposition ***slowly*** instead of fighting your body.
- ☐ Add or move pillows until the belly, knees, and back feel more supported.
- ☐ Try a **side-lying setup** with soft support in front of and behind the body.

- ☐ Give yourself permission to *experiment* instead of assuming there is one perfect position!

☆ *Do Not Underestimate* ***Daytime Rest***

- ☐ If nighttime sleep is rough, **daytime naps** can help.
- ☐ Rest still counts even if it does not happen in one perfect overnight block!
- ☐ You do not have to be overly rigid about where rest comes from.

To round it all out, here are the best ways to *actually* get some shut-eye while pregnant! (−ω −) zzZ

☆ ***Tips And Tricks For Better Pregnancy Sleep***

- ☐ Sleep on your side, especially the left side when comfortable.
- ☐ Use one pillow under the belly and one between the knees.
- ☐ Prop yourself up a bit if **heartburn** is acting up.
- ☐ Drink **water** well during the day, then ease up closer to bedtime.
- ☐ Keep the bedroom cool, dark, and quiet.
- ☐ Use a **nightlight** for bathroom trips instead of bright lights.
- ☐ **Avoid intense workouts late in the evening.**
- ☐ Try calming nighttime rituals like a warm bath, reading, or massage.
- ☐ Cut back on **caffeine**, especially after mid-afternoon.
- ☐ Take **naps** when you need them instead of forcing yourself to power through exhaustion.

Conclusion ☆ · ₊ °

A good night's sleep during pregnancy may look a little different than it used to, and that is *perfectly* okay. The goal is ***not*** to sleep like a robot in one perfect position all night long. It is to support your body as *kindly* as possible, make yourself more **comfortable**, and take rest wherever you can get it. A **side-sleeping setup**, a few strategic pillows, a calmer evening routine, and a little self-compassion can go a long way! (^_−)☆

Sources ☆ · ₊ °

American College of Obstetricians and Gynecologists. (2023, August). *Can I sleep on my back when I'm pregnant?* https://www.acog.org/womens-health/experts-and-stories/ask-acog/can-i-sleep-on-my-back-when-im-pregnant

American Pregnancy Association. (n.d.). *Sleeping positions during pregnancy.* https://americanpregnancy.org/healthy-pregnancy/pregnancy-health-wellness/sleeping-positions-while-pregnant/

Mayo Clinic Staff. (2019, March 28). *Women's wellness: Sleep tips during pregnancy.* Mayo Clinic News Network. https://newsnetwork.mayoclinic.org/discussion/womens-wellness-sleep-tips-during-pregnancy/

Safe Skincare For Pregnancy

Pregnancy can *truly* make your skin feel like it suddenly has a personality of its own. (@ __ @) One week it is reflective like a mirror, the next week it is breaking out, looking more pigmented, or growing hair in places that were previously minding their own business. That shift is very real, and it mostly comes from the hormonal and physiological changes of pregnancy, especially **higher androgen levels**.

The reassuring part is that most **topical skincare products** are considered ***safe*** during pregnancy because they mainly work on the surface of the skin and only tiny amounts are absorbed into the bloodstream. So no, pregnancy does ***not*** mean you have to give up caring for your skin entirely. It just means being a little more thoughtful about what deserves a yes, what deserves a maybe, and what is better **left alone** for now! >___<

And, as always, ***this section is for education only, not medical advice.***

Main Content ☆ · ₊ °

A helpful way to think about **pregnancy skincare** is this: most products stay mostly local, but a few deserve ***extra caution*** because they are absorbed more easily or come with more concerning safety questions. So, believe me when I say that you do ***not*** have to hyperanalyze *every* serum and hand cream you come across. (_ _)/ All you really need are **a few strategic adjustments**, and you will be all set!

So, why *is* your skin acting all brand new all of a sudden?

- ☐ **Pregnancy** causes hormonal and physiological changes in the body.
- ☐ **Increased androgen levels** can make some skin issues appear for the first time or become more noticeable.
- ☐ Common changes can include **acne vulgaris**, increased hair growth, and pigmentation shifts.
- ☐ Many pregnant women therefore reach for **topical skincare** or cosmetic products to manage these changes.

Additionally, it is important to note that wanting to feel comfortable in your skin while pregnant is ***not*** vanity. It is simply part of caring for yourself. ⊹ ° . ♡

☆ *The Big Safety Picture*

- ☐ Most **topical skincare products** act ***locally*** on the skin.
- ☐ Because of that, systemic absorption is usually *minimal*.
- ☐ Minimal systemic absorption means very little reaches the bloodstream.
- ☐ If very little reaches the bloodstream, very little is likely to reach the fetus.
- ☐ This is why most common topical skincare products are considered **safe** during pregnancy.

☆ *The Two Main Products That Need More Caution*

- ☐ **Hydroquinone** should be minimized during pregnancy.
- ☐ **Topical retinoids**, such as **tretinoin**, are generally best avoided during pregnancy.

- ☐ These two stand out more than most other topical products ***not*** because every use causes harm, but because the caution level is simply *higher* than with most other ingredients.

So, if you remember only one thing from this section, let it be this: most topical skincare is okay, but **hydroquinone** and **retinoids** are the big *pause-and-rethink* ingredients.

Okay, now that we have cleared the air on the *"doom and gloom"*, let us get into the more reassuring side of the list. ʚ(ˆᗜˆ)

- ☐ **Benzoyl peroxide** is commonly used for acne and is considered low concern in pregnancy.
  - ☐ Only a **small amount** is absorbed through the skin.
    - ☐ It is metabolized into benzoic acid and then eliminated in the urine.
- ☐ **Topical clindamycin** is considered *safe* in pregnancy.
- ☐ **Topical erythromycin** is also considered *safe* in pregnancy.

☆ ***Benzoyl Peroxide***

- ☐ **Benzoyl peroxide** is a common acne treatment.
  - ☐ About ***5%*** is absorbed through the skin.
  - ☐ Once absorbed, it is converted into benzoic acid and cleared from the body.
- ☐ Systemic effects are considered unlikely.
- ☐ Its use during pregnancy is ***not*** generally considered concerning.

So if your skin likes **benzoyl peroxide**, this is one of the more reassuring acne ingredients on the list.

☆ ***Topical Antibiotics*** *For Acne*

- ☐ Common examples include **clindamycin** and **erythromycin**.
- ☐ A study involving **647** pregnant women found **no increased risk** of malformations with topical clindamycin.
  - ☐ Oral clindamycin studies also do not show increased adverse pregnancy outcomes.

- ☐ **Erythromycin** has been studied in *thousands* of pregnancies.
- ☐ No **teratogenic** effects, meaning no birth-defect-causing effects, have been shown in those studies.
- ☐ These topical antibiotics are considered **safe** in pregnancy.

☆ ***Salicylic Acid***

- ☐ **Salicylic acid** is found in many acne products and exfoliating products.
  - ☐ Absorption can range from undetectable to around ***25%.***
  - ☐ How much is absorbed depends on product concentration, skin condition, pH, and how much is applied.
- ☐ Even so, topical use is still thought to create *low* systemic exposure in most cosmetic situations.
- ☐ Studies of **low-dose aspirin** during pregnancy did ***not*** show increased risk of birth defects, preterm birth, or low birth weight.
- ☐ Because topical absorption is *much* lower than oral exposure, fetal risk from normal cosmetic use is considered ***unlikely***.

  This is one of those ingredients where ***moderation is key.*** A small-area acne treatment is a *very* different situation from coating large portions of the body in a strong peel!

☆ ***Glycolic Acid***

- ☐ **Glycolic acid** is an alpha hydroxy acid, or **AHA**.
  - ☐ It is commonly used for exfoliation and acne support.
    - ☐ Up to ***27%*** can be absorbed into the skin, but systemic exposure remains *very* low with cosmetic use.
- ☐ Animal studies only showed problems at doses *far* higher than ordinary skincare use.
- ☐ With normal topical cosmetic use, glycolic acid is considered ***unlikely*** to pose a risk during pregnancy.

☆ ***Sunscreen*** *(Your Best Friend (,, ♡…♡,,))*

- ☐ Common **sunscreen** ingredients include **avobenzone**, **octinoxate**, and **oxybenzone**.

- Dermal absorption is *very* limited.
  - Systemic exposure is low.
- **No adverse pregnancy effects have been reported from sunscreen use.**
- **Sunscreen** is generally recommended during pregnancy, especially because it can help prevent **melasma** from worsening.
- They are especially helpful for preventing **melasma** from getting worse.

☆ ***Self-Tanning Products***

- **Self-tanners** usually contain **dihydroxyacetone**.
  - This works by binding to amino acids in the outer layer of the skin.
    - About ***0.5%*** becomes systemically available.
- That is a very low level of exposure.
- Self-tanning products are ***not*** expected to pose a risk during pregnancy.

☆ ***Hair Removal And Bleaching Products***

- Common depilatory creams may contain **thioglycolic acid**.
- Other ingredients may include sodium, calcium, or **potassium hydroxide**.
- Bleaching products may contain **hydrogen peroxide**.
  - **Hydroxide ions** are naturally present in the body, and cosmetic exposure is *tiny* compared with ordinary dietary exposure.
    - Hydrogen peroxide absorption is **minimal** and it is rapidly metabolized.
- Topical hair removal and bleaching products are generally considered safe ***when used in moderation.***

Now for the *no-go* list. (` ^ ´) This is where things get a little *hazy*. While the risks may not be *100%* set in stone for standard topical use, that lingering question mark is enough for most professionals to play it safe. Since we would all rather have a clear *yes* or *no*, the general consensus is simple: **it is better to just skip these for now**.

☆ ***Topical Retinoids***

- ☐ **Topical retinoids** are used for acne treatment.
- ☐ **Tretinoin** is a common example.
- ☐ Skin absorption is *very* low.
- ☐ However, four case reports have described birth defects that resembled **retinoid embryopathy**, the pattern associated with **oral isotretinoin.**
- ☐ Two prospective studies involving 96 women and 106 women did ***not*** find an increased risk of major malformations.
- ☐ Even so, the evidence is still considered ***controversial.***
    - ☐ Because safer alternatives exist, **topical retinoids** are generally ***avoided*** during pregnancy.

☆ ***Hydroquinone***

- ☐ **Hydroquinone** is used to treat **melasma** and hyperpigmentation.
    - ☐ It is also found in some skin-lightening products.
        - ☐ This ingredient stands out because about ***35%*** to ***45%*** is systemically absorbed.
            - ☐ That is *much* higher than most other topical skincare ingredients.
- ☐ One study did not show increased adverse pregnancy outcomes, but the sample size was small.
- ☐ Because absorption is high and safety data are limited, **exposure should be minimized during pregnancy**.

☆ ***Tips And Tricks*** *For Pregnancy-Safe Skincare*

- ☐ **Keep your routine simple instead of trying ten new products at once.**

- ☐ Focus on gentle cleansing, moisturizing, acne control if needed, and daily sunscreen.
- ☐ Use **benzoyl peroxide** or pregnancy-safe topical antibiotics for acne support if your clinician agrees.
- ☐ Choose **glycolic acid** over stronger, more questionable actives if you want light exfoliation.
- ☐ Skip **topical retinoids** during pregnancy.
- ☐ Minimize or avoid **hydroquinone** during pregnancy.
- ☐ Wear sunscreen ***daily*** to help prevent melasma from deepening.
- ☐ **Patch test products because pregnancy skin can become more reactive.**
- ☐ Use hair removal and bleaching products in moderation rather than excessively.
- ☐ Ask your healthcare provider or dermatologist before using strong active products regularly!

☆ ***A Practical Pregnancy Skincare Routine***

- ☐ **Morning**: gentle cleanser, moisturizer, **sunscreen**.
- ☐ **Evening**: gentle cleanser, pregnancy-safe acne treatment if needed, moisturizer.
  - ☐ For breakouts: consider **benzoyl peroxide**, **topical clindamycin**, or **topical erythromycin** if recommended.
  - ☐ For pigmentation: lean heavily on sun protection rather than reaching straight for **hydroquinone.**
  - ☐ For texture: a mild glycolic acid product may be a more comfortable option than harsher actives.

Conclusion ☆ · ₊ °

Pregnancy skincare does ***not*** need to feel like a grand undertaking. Most products used on the skin stay *mostly* on the skin, which is why the overall safety picture is *much* more reassuring than many women assume right off the bat. The softest and smartest approach is to keep the basics, be cautious with **hydroquinone** and **retinoids**, and build a routine that helps your skin feel ***supported*** without adding unnecessary stress. Your skincare does ***not*** have to be perfect right now. It just has to be *thoughtful*. (˘ ᵕ ˘)

Source ☆ · ₊ °

Bozzo, P., Chua-Gocheco, A., & Einarson, A. (2011). Safety of skin care products during pregnancy. *Canadian Family Physician, 57(6)*, 665–667.

Pregnancy Wellness

Chapter 7: Common Pregnancy Changes



Easing Pregnancy Discomforts

Growing a human is a miraculous experience, but it *does* in fact come with a side of *"glitchy"* **physical discomforts** that weren't in the starter pack. One week it is nausea, the next it is **heartburn**, leg cramps, swelling, back pain, or sleep that disappears the second your head hits the pillow. Talk about a serious test of your internal server capacity. So if your body feels a little out of whack right now, that does ***not*** automatically mean anything is wrong. It could just mean your body is doing a lot. (−ω −) 。oO

But, let's try to see the glass half full! (づ„> ⌄ <„)づ **Pregnancy discomforts** are common, manageable, and *surprisingly* responsive to small daily adjustments. This section is here to help you distinguish between "*normal-but-annoying*" changes and symptoms that **deserve a call to your provider**, while also giving you ***real-life relief tips*** that can make this season feel a little less harsh.

As always, ***this section is for education only, not medical advice.***

Main Content ☆ · ₊ °

Pregnancy discomforts tend to shift by trimester, which is part of why they can feel so hectic! Just when you adjust to one thing, your body introduces another little (usually *unpleasant* (T ﹏ T)) surprise. Don't we just *love* that?

☆ *How Discomforts Change By Trimester*

- ☐ **First trimester**: sharp hormonal changes can bring about fatigue, nausea, vomiting, headaches, and moodiness.
- ☐ **Second trimester**: some early symptoms may ease, but new aches, swelling, and pressure can start showing up as the body grows.
- ☐ **Third trimester**: the added weight of the fetus can strain joints, press on organs, and make symptoms like heartburn, shortness of breath, bladder pressure, and sleep problems more noticeable.

That said, common does ***not*** mean you should suffer silently through everything! If that were the case, the human race would have been a *limited-time-only event*, if we're being for real. (— ‿ —) There's a whole toolkit of ways to support your body while pregnant. One of the most useful pregnancy skills is: **not freaking out over every twinge,** but also **not brushing off symptoms that are trying to tell you something important.**

☆ *Normal Discomfort Vs. When To Call A Provider*

- ☐ Many **minor discomforts** are a normal part of pregnancy.
- ☐ Severe or persistent symptoms deserve medical attention.
  - ☐ Severe vomiting could point to **hyperemesis gravidarum** rather than ordinary morning sickness.
    - ☐ Sudden, severe swelling could be more serious and may need urgent evaluation.
- ☐ Any symptom that feels intense, unusual, or rapidly worsening is worth checking with your provider.

Okay, enough with the preamble. (. ^ ◡ ^ .) Let's talk **symptoms**, **solutions**, and **how to reclaim your comfort**!

1. ***Fatigue***

- ☐ Feeling **exhausted** is common, especially in the **first** & **third trimesters**.
  - ☐ Your body is doing an enormous amount of behind-the-scenes work, even when you are technically doing nothing.
- ☐ Fatigue can also be worsened by **anemia**, so a blood test may be useful if exhaustion feels *especially* heavy or persistent.

☆ *Tips To Ease **Pregnancy Fatigue***

- ☐ Keep a regular sleep schedule as much as possible.
  - ☐ Take short naps earlier in the day, ideally before ***3 p.m.***, so they do not interfere with nighttime sleep.
- ☐ Include **safe daily exercise**, because light movement can sometimes improve energy more than inactivity.
  - ☐ *Ask your provider whether you should be checked for **anemia** if fatigue feels excessive!*

2. ***Headaches***

- ☐ **Headaches** are especially common in the **first trimester**.
  - ☐ Hormonal changes, increased blood volume, dehydration, and stress can all play a role.
- ☐ ***Pregnancy-safe medication** decisions should always go through your provider, since common pain relievers are not all equally safe in pregnancy.*

☆ *Tips To Ease **Pregnancy Headaches***

- ☐ Apply an **ice pack** or **cool compress**.
- ☐ Drink plenty of water, with a goal of around ***10 to 12 glasses daily*** if your provider has not told you otherwise.
  - ☐ A lot of pregnancy headaches are worsened by dehydration and overstimulation, so upping your water intake might just do the trick!

- ☐ Rest in a dimly lit, quiet room.
- ☐ Ask your provider before taking medication.
- ☐ If recommended by your provider, **acetaminophen** may be an option!

3. ***Nausea And Vomiting***

☐ **Morning sickness** can happen at any time of day, not just in the morning.

☐ It affects up to about ***70%*** of pregnant women in the **first trimester**.

☐ Nausea and vomiting can range from mild and annoying to much more disruptive.

☆ *Tips To Ease **Nausea And Vomiting***

- ☐ Eat bland foods such as **bananas, rice, applesauce, and toast**.
- ☐ Sip non-caffeinated fluids throughout the day instead of forcing large amounts at once.
  - ☐ Eat small, frequent meals rather than letting yourself get overly hungry.
- ☐ Ask your provider whether **vitamin B6** or **ginger extract** might be appropriate for you.
  - ☐ Reach out *sooner* rather than later **if vomiting becomes severe or you cannot keep fluids down.**

4. ***Physical Aches And Pain***

☐ Pregnancy hormones loosen ligaments to prepare the body for birth.

- ☐ The growing uterus also shifts posture and adds strain to muscles and joints.

☐ This can show up as **round ligament pain**, leg cramps, backaches, hip discomfort, and general soreness.

☆ *Tips To Ease **Physical Aches And Pain***

- ☐ Use a **lumbar pillow** for lower-back support.
- ☐ Try a **maternity belt** if belly weight is making your pelvis / back feel strained.

- ☐ Use a heating pad carefully if your provider says that is okay.
- ☐ Get a gentle massage if available.
- ☐ Wear comfortable, low-heeled shoes.
- ☐ Practice **gentle exercise** and use good body mechanics when bending, lifting, or standing.
- ☐ Keep up with your **prenatal vitamin**, and ask your provider whether you need extra **calcium**, **magnesium**, or *other* support.

5. ***Swelling** And **Varicose Veins***

☐ Increased pressure on blood vessels can lead to fluid retention, swelling, and visible veins, especially in the **legs** and **feet**.

- ☐ This tends to become more noticeable *later* in pregnancy.

☆ *Tips To Ease **Swelling** And **Vein Pressure***

- ☐ Wear comfortable shoes.
- ☐ Try **compression socks** if they feel helpful.
- ☐ Stay hydrated.
- ☐ Elevate your legs and feet whenever possible.
- ☐ Avoid long stretches of sitting or standing in one position.

6. ***Bladder Changes** And **Incontinence***

☐ **Increased urination** is common in pregnancy.

☐ In the **third trimester** especially, the growing fetus puts more pressure on the bladder.

- ☐ Some women also notice **incontinence**, meaning leaking a little urine when laughing, coughing, or sneezing.

☐ Pregnancy can also raise the risk of **urinary tract infections** (**UTIs**).

☆ *Tips To Support **Bladder Comfort***

- ☐ Practice **Kegel exercises** to strengthen the pelvic floor muscles.
  - ☐ As mentioned in previous sections, think of your pelvic floor muscles as the ones you would use to stop urine or prevent passing gas!
- ☐ Do ***not*** practice Kegels while actively urinating.

- ☐ Do ***not*** hold the contraction so long that you start straining.
- ☐ Stay hydrated even if frequent urination is annoying.
    - ☐ *Watch for **UTI warning signs** such as pain or burning with urination, frequent urination with discomfort, cloudy urine, foul-smelling urine, or blood in the urine.*

7. ***Heartburn** And **Constipation***

☐ Hormonal changes and the physical pressure of pregnancy can slow digestion.

- ☐ That can lead to **heartburn**, **constipation**, **bloating**, and general digestive discomfort.

☆ *Tips To Ease **Heartburn** And **Constipation***

- ☐ Eat small, frequent meals instead of large heavy ones.
- ☐ Avoid foods that are especially spicy or greasy if they trigger symptoms for you.
- ☐ Do ***not*** lie down for ***two to three hours*** after eating.
- ☐ Increase fiber intake, including foods like dried fruit if they work well for your body.
- ☐ Keep fluids up throughout the day.

8. ***Skin Changes***

☐ Pregnancy hormones and skin stretching can cause **stretch marks**, **melasma**, **linea nigra**, and **acne.**

- ☐ **Melasma** is the brown-to-gray-brown facial pigmentation sometimes called the mask of pregnancy.
    - ☐ **Acne** can also flare because of hormonal shifts.

☆ *Tips To Support **Pregnancy Skin***

- ☐ Stick with a gentle skincare routine.
- ☐ Use gentle cleansers and moisturizers.
- ☐ Wear sunscreen regularly, especially if **melasma** is showing up.
- ☐ **Stay hydrated.**

- ☐ Avoid acne medications that are not pregnancy-safe, including ***isotretinoin.***

9. *Trouble Sleeping*

- ☐ Sleep problems are very common in pregnancy, especially in the **third trimester**.
  - ☐ Discomfort, bladder trips, **heartburn**, anxiety, and trouble getting physically comfortable can all pile on at once.

☆ *Tips To **Sleep Better While Pregnant***

- ☐ Adjust your sleep position with supportive pillows.
  - ☐ Try **C-shaped** or **wedge-shaped pillows** for belly, hip, and back support.
- ☐ Do light stretches before bed if they feel good.
- ☐ **Warm milk** may be soothing for some women.
  - ☐ *Avoid taking **sleep medications** during pregnancy unless your provider specifically recommends something!*

Okay, **symptom management**: check. (^ ___ ^) و Now, let me pivot the conversation for a second. ***Your intuition matters.*** I cannot stress this enough. If your gut is telling you something is up, please make sure to listen to it! You don't need to prove how tough you are by waiting too long to get help.

☆ *Warning Signs Not To Ignore*

- ☐ Severe vomiting.
- ☐ Sudden, **severe swelling.**
  - ☐ Severe headache, vision changes, chest pain, trouble breathing, or swelling of the face/hands.
- ☐ Symptoms that are intense, persistent, or **rapidly worsening.**
- ☐ **UTI symptoms** such as burning, blood in urine, or cloudy foul-smelling urine.
  - ☐ Any discomfort that feels far outside your normal or comes with fear that something is off.

Conclusion ☆ · ₊ °

Pregnancy discomforts can be frustrating, but many of them respond really well to gentle daily support, practical adjustments, and **paying attention to what your body is asking for**! The goal is ***not*** to have a perfectly symptom-free pregnancy. It is to feel more equipped, more comfortable, and less thrown off when your body does what pregnant bodies so often do! A little gentleness, a little strategy, and **a willingness to call your provider when something feels truly off** can do some *serious* heavy lifting at the end of the day! (˘ᴗ˘)

Sources ☆ · ₊ °

American College of Obstetricians and Gynecologists. (n.d.). *Back pain during pregnancy.* https://www.acog.org/womens-health/faqs/back-pain-during-pregnancy

Centers for Disease Control and Prevention. (2024, May 15). *Urgent maternal warning signs and symptoms.* https://www.cdc.gov/hearher/maternal-warning-signs/index.html

Cleveland Clinic. (n.d.). *Pregnancy pains & discomforts: Types & relief.* https://my.clevelandclinic.org/health/articles/pregnancy-pains

Easing Childbirth Fears With Info

Look, staring down labor in the face can make a woman bounce between being *totally* ready for this and wanting to sprint in the opposite direction. (◦‿◦"◡) *A lot* of fear around birth is ***not*** due to any personal flaw. Instead, it is due to the fact that birth comes with uncertainty, intensity, and a *whole* lot of outside stories that are not always helpful (like the ones you stumble across while doom-scrolling on **pregnancy forums** … I see you (^_-)☆). If any of this hits home, this section is for you!

Fear of childbirth is common, understandable, and usually *much* more manageable when it is met with ***real*** information, flexible preparation, and **support** instead of radio silence. Here, we will delve into **research-backed facts** that'll make birth feel less mysterious, less doom-filled, and a *whole* lot more navigable. Not because every birth goes *exactly* to plan, but because understanding the common paths can help take the monster out from under the bed! (o ^ _ ^ o)

As always, ***this section is for education only, not medical advice.***

Main Content ☆ · ₊ °

One of the biggest reasons **childbirth** feels nerve-wracking is that so many women hear *fragments* of information instead of getting a clear, grounded overview. And, to be perfectly honest, **vague fear** usually packs a bigger punch than **specific fear**. Once you know what you are actually afraid of without somersaulting to the worst case scenario, it becomes ***much*** easier to respond with something useful! ଘ(ˊᵕˋ)

☆ *What **Childbirth Fear** Really Is*

- ☐ **Childbirth fear** is the fear, dread, or intense anxiety some women feel about labor and delivery.
  - ☐ It exists on a **spectrum**.
    - ☐ Some women have normal worries, which are *extremely* common.
    - ☐ Some women have more **intense** fears that may need extra support or clinical attention.
- ☐ Fear can show up even before pregnancy, not just during it.

According to the cited research, about ***80%*** of pregnant women report more general worries, around ***20%*** experience more specific and *intense* worries, and around ***10%*** deal with **severe** childbirth fear. Clinically relevant childbirth fear has also been reported in **non-pregnant women**, which goes to show that fear can start *long* before labor ever enters the picture.

☆ ***Why Birth Can Feel So Scary***

- ☐ Birth involves **uncertainty**.
  - ☐ You do not know *exactly* when labor will start.
  - ☐ You do not know *exactly* how long it will last.
  - ☐ You do not know how **intense** it will feel in your own body.
- ☐ You may worry about pain, tearing, interventions, making decisions quickly, or losing control.

- ☐ ***And keep in mind:*** *media, social media, and exaggerated birth stories can make birth look more dangerous or chaotic than it usually is!*

A lot of fear grows in the space where information is *fuzzy*. That is why naming the **exact** fear is so important. **Fear of pain** needs a different kind of support than fear of the unknown, fear after **trauma**, or fear of medical intervention.

☆ ***The Most Common Types Of Birth Fear***

- ☐ Fear of the **unknown**.
- ☐ Fear of **pain**.
- ☐ Fear of **tearing** or **birth injury**.
- ☐ Fear of **medical interventions**.
- ☐ Fear of **pooping** or **peeing** during labor.
- ☐ Fear of not making it to the hospital in time.
- ☐ Fear after a *previous* difficult or traumatic birth.

Each of these fears has its own emotional texture, which means each one is eased a little differently. A generic pep talk usually does not do much. **Specific fear** tends to need a specific response.

One of the **subtlest fear reducers** is simply knowing that labor often takes ***time***. It is a **process**. Many women imagine a panicked race from first contraction to *immediate* delivery, when in reality there is usually more time to think, call, move, and assess than fear first tells you.

☆ ***What To Expect:*** *The General Reality Of Birth*

- ☐ Birth doesn't usually unfold in one dramatic movie-style moment!
  - ☐ For first-time mothers, labor commonly takes *much* longer than people expect.

- ☐ Average labor for first-time mothers is often described in the range of about ***8—17.5 hours.*** Now, that does ***not*** mean every woman labors for that **exact** amount of time, but it does mean labor is usually a *process* rather than an instant emergency.

☐ Birth can begin with **contractions**, a gush of **amniotic fluid**, slow leaking fluid, or discharge of **mucus** from the vagina.

☆ *What The **Beginning Of Labor** May Look Like*

- ☐ **Contractions** may start gradually and become stronger, more regular, and closer together.
- ☐ Your waters may break as a gush ***or*** as slow leaking fluid.
- ☐ You may notice mucus discharge.
  - ☐ **Not every sensation means the baby is arriving that exact second.**

This is why it helps so much to ask your provider or midwife *in advance* what they want you to do when labor begins. Knowing who to call, what to time, and when to come in can make those first hours feel a lot less chaotic.

☆ *What Happens **During Labor** And **Birth***

- ☐ Labor involves the **cervix** opening, also called **dilating**, so the baby can move down and be born.
  - ☐ Cervical dilation may be checked vaginally by a midwife or provider to feel how open the cervix is.
    - ☐ Monitoring may include ***CTG***, where a belt with ultrasound plates is placed around the abdomen.
- ☐ In normal labor, a woman is not automatically locked into one position.
  - ☐ Movement and position changes can help the birth process!

- ☐ Women can often choose different labor positions rather than staying flat on the back the entire time.

☆ *What Happens **After The Baby Is Born***

- ☐ Birth is not over the instant the baby comes out.
  - ☐ The **placenta** still needs to be delivered afterward.
    - ☐ This is called the ***afterbirth.***
- ☐ A healthy newborn may be placed with the mother soon after birth.
- ☐ The **umbilical cord** doesn't always have to be cut immediately.
- ☐ The cervix is ***not*** sutured shut again. That takes time, no matter what kind of bizarre internet myths try to tell you otherwise. (¯^¯)ゞ

Now, fear is ***not*** only reduced by facts. It is also reduced by **how birth is framed in the mind**. A more natural, flexible mindset tends to be linked with lower fear, while facts alone do not always do the whole job.

☆ *The Two **Birth Mindsets***

- ☐ A **natural birth mindset** sees birth as generally a natural event the body can manage in normal circumstances.
- ☐ A **medical birth mindset** sees birth mainly as a medical event that needs to be managed through medical care.
  - ☐ Medical care can absolutely be life-saving and important.
    - ☐ But the way a woman *mentally* frames birth may influence how fearful it feels to her!

☆ ***What Makes Birth Feel Less Scary***

- ☐ Seeing birth as something the body is *designed* to do, while still respecting that support may be needed sometimes.
- ☐ Feeling involved in decisions.
- ☐ Knowing that labor can have **multiple** normal paths.

- ☐ Having realistic expectations instead of horror-story expectations or fantasy expectations.
- ☐ Building ***self-efficacy***, which means the belief that you can cope with the process.

Okay, let's get into the **most common anxieties** and look at some practical ways to work through them! (^▽^)

☆ ***Fear Of The Unknown:*** *Tips And Tricks*

- ☐ Ask your doctor or midwife what labor *usually* looks like in normal situations.
- ☐ Ask what changes the plan and what does not.
- ☐ Learn the general stages of labor.
  - ☐ Ask what happens if contractions start, if your waters break, and when you should call or come in.
    - ☐ Ask your team, "*What are the most likely scenarios, and what would change the plan?*"

To supplement this, here is the kind of **birth knowledge** that can genuinely help, partially reiterated to paint a *crystal* clear picture.

- ☐ Birth can happen in different settings depending on location and your care situation, such as **hospital**, **birth center**, or **home birth** where appropriate.
  - ☐ First births often take longer than many people imagine.
  - ☐ Labor can begin with **contractions**, leaking fluid, or mucus discharge.
  - ☐ Women can often move and change positions during labor.
    - ☐ There are different pain relief options, both medical and non-medical.
- ☐ ***C-sections*** happen for specific reasons, ***not*** randomly.
- ☐ Having one C-section doesn't automatically mean all future births must also be C-sections.

☆ ***Fear Of Pain:*** *Tips And Tricks*

- ☐ Talk to your provider in advance about pain relief options.
  - ☐ Ask what **non-medical** methods are available.
  - ☐ Ask what **medical** pain relief options exist and when each can be used.
- ☐ Think in ***layers*** instead of extremes.
- ☐ Breathing, movement, position changes, massage, water, and **medication** can *all* be part of the same coping toolkit!
  - ☐ Replace *"What if I cannot handle it?"* with *"I will handle one contraction at a time."*

☆ ***Non-Medical Coping Tools*** *For Labor Fear*

- ☐ Slow breathing.
- ☐ Guided relaxation.
- ☐ Meditation.
- ☐ Yoga.
- ☐ Grounding practices.
- ☐ Massage or firm touch.
- ☐ Position changes.
- ☐ Walking or movement **if appropriate.**
- ☐ Shower or bath if available and permitted.
- ☐ Calm music, low lighting, or familiar comfort items.

☆ ***Fear Of Interventions:*** *Tips And Tricks*

- ☐ Learn what common interventions are and why they are used.
  - ☐ Ask what situations most often lead to **induction**, **epidural**, assisted delivery, or **C-section.**
- ☐ Ask what choices you usually still have if labor changes course.
- ☐ Ask how your team communicates if something needs to happen quickly.
- ☐ Go to **antenatal** / birth classes instead of relying only on online stories.

☆ *A Few More* ***Childbirth Facts***

- ☐ **Episiotomy** is not usually necessary by default just because someone is a first-time mother.
  - ☐ It may be used to prevent uncontrolled tearing and is generally performed only when ***medically necessary.***
- ☐ **Induction** may be recommended if continuing the pregnancy feels less safe than starting labor (e.g., ***7-14 days*** past due date, water breaking without labor, or complications).
  - ☐ **Epidural**, assisted delivery, or **C-section** may be used when extra support is needed for pain relief, labor progress, or safety.

☆ ***Fear Of Tearing Or Birth Injury:*** *Tips And Tricks*

- ☐ Ask your provider what tears are, how common they are, and how they are managed.
- ☐ Ask what support your team uses during pushing *and* birth.
- ☐ Ask what healing usually looks like if a tear happens.
  - ☐ Learn about postpartum pain relief and recovery support ahead of time.
    - ☐ Remind yourself that birth injury risk is taken seriously and managed, **not ignored**.

☆ ***Fear Of Pooping Or Peeing During Birth:*** *Tips And Tricks*

- ☐ This is *extremely* common. It can happen.
- ☐ Your care team has seen it ***many*** times before.
  - ☐ It is usually cleaned **discreetly**.
    - ☐ You may not even know it happened! (⌒-⌒)
- ☐ Plus, if it happens, it often means you are pushing in the right direction!

☆ ***Fear Of Not Making It To The Hospital In Time:*** *Tips And Tricks*

- ☐ ***Remember:*** first-stage labor often takes longer than people expect.
- ☐ Keep the delivery unit or maternity ward number saved in your phone.
- ☐ Ask in advance when they want you to call and when they want you to come in.

- ☐ Pack your hospital bag early.
- ☐ Know your route, backup route, parking situation, and who is driving.
    - ☐ If you live far away, ask your team *ahead of time* what to do if labor starts early.

Another way to stay afloat? A **birth plan**, hands down. It works best when it gives you a solid structure without making you feel like any sudden detour is a total failure!

- ☐ It can include who you want present, pain relief wishes, positions you want to try, and **what matters most to you.**
    - ☐ Keep it short and clear.
- ☐ To reiterate, think of it as ***preferences***, not rigid demands.

☆ ***Who To Have With You***

- ☐ Choose people who make you feel calmer, safer, and more respected.
    - ☐ Do ***not*** pick someone just because they *"should"* be there.
- ☐ Tell your support people what actually helps when you are anxious.
- ☐ Be specific about whether you want quiet presence, encouragement, hand-holding, advocacy, humor, massage, or reminders to breathe.
- ☐ **Avoid** people who make your stress spike.

Getting the right people in your corner is a big deal—especially when a whole **truckload** of extra anxiety can pile on if your pregnancy has already been a rocky ride. Without further ado, here are some practical steps you can take to manage fears surrounding a previous difficult birth:

- ☐ Tell your provider and midwife *early.*
- ☐ Name what was hardest last time.
- ☐ Write down what you do ***not*** want repeated if possible.
- ☐ Write down what would help you feel safer this time.
    - ☐ **Do not wait until the last minute to bring up trauma, panic, or feeling ignored.**

A huge part of fear reduction is not just learning facts, but learning **how to trust yourself inside the process**. That inner steadiness matters just as much as information does.

☆ *What Helps Fear The Most, **Emotionally***

- ☐ Becoming well informed.
- ☐ Attending **antenatal** / birth classes.
- ☐ Visiting the **maternity ward** if that is an option.
- ☐ Preparing mentally and physically ahead of time.
- ☐ Practicing relaxation techniques before labor.
- ☐ Talking to a trusted provider, counselor, midwife, or calm, supportive parent.
- ☐ Avoiding people and media that make birth sound only terrifying.

To tap into your **prefrontal cortex** (*the part of your brain responsible for calming your emotional responses, rationalizing fears, and overriding stress*), here are some **positive affirmations!** These kinds of phrases help because they lower the pressure by signaling to your nervous system that ***you are safe.*** (˘‿˘)

"I do not need to know everything to prepare well."

"I can make decisions one step at a time."

"Every contraction is one part of the process, not the whole story."

"Flexible does not mean powerless."

"My team can explain options as we go."

"I can be afraid and still be capable."

"I do not need to be fearless to give birth."

Conclusion ☆ · ₊ °

Childbirth can feel scary because it matters, because it is *powerful*, and because there is *so* much we are told about it without always being taught how to feel steady inside it. But fear does ***not*** have to run the whole show. When you understand what birth commonly looks like, learn the facts that actually matter, build a **flexible** plan, and practice calming your nervous system before labor begins, birth often starts to feel less like a cliff edge and more like something you can move through with support. :-) You do not need to be fearless. You just need to feel informed, held, and gently reminded that your body and your support system can work together.

Sources ☆ · ₊ °

Australia, H. (2021, May 12). *Fear of childbirth. Pregnancy, Birth and Baby.* https://www.pregnancybirthbaby.org.au/fear-of-childbirth

Calderdale and Huddersfield NHS Foundation Trust. (n.d.). *Induction of labour.* https://www.cht.nhs.uk/services/clinical-services/maternity-services/getting-ready-for-babys-arrival/induction-of-labour

National Health Service. (2023). *The stages of labour and birth.* https://www.nhs.uk/pregnancy/labour-and-birth/the-stages-of-labour-and-birth/

Rublein, L., & Muschalla, B. (2022). Childbirth fear, birth-related mindset and knowledge in non-pregnant women without birth experience. *BMC Pregnancy and Childbirth, 22(1)*, 249. https://doi.org/10.1186/s12884-022-04582-6

Postpartum Healing & Recovery

Chapter 8: Life After Birth

Tending to Postpartum Emotions

Postpartum emotions can be the internal equivalent of a category 5 hurricane. (๑/////๑ ") Unpredictable, random, and possibly ***intense.*** One minute you might feel like you're wrapped in a warm, fuzzy blanket—totally relieved, proud, *deeply* enshrouded by love. Next, you might feel overwhelmed, weepy, anxious, touched-out, or *very* unlike yourself. And it all checks out! Because becoming a parent is a huge physical, hormonal, emotional, *and* identity-level shift. (⊃ , -)

This era can hold joy *and* struggle at the same time, which is part of why it can feel so perplexing. **But know this:** *these emotional shifts are **common** and **understandable**, help is out there, and you don't have to go through it alone.* This section is here to help you understand what is normal, what deserves closer attention, and how to care for yourself without having a nagging storm cloud of shame over your head!

And, as always, ***this section is for education only, not medical advice.***

Main Content ☆ · ₊ °

The **postpartum period** isn't only a physical recovery. Nope. Not by a *long* shot. It is an emotional adjustment too! Hormone shifts, sleep disruption, body changes, feeding stress, and the *constant* responsibility of caring for a newborn can all hit at once, which is **a lot** for one nervous system to hold.

☆ *Why Postpartum Emotions Can Feel So Intense*

- ☐ Hormones shift **quickly** after birth.
  - ☐ Sleep often becomes broken, short, and unpredictable.
    - ☐ Your body is recovering while you are *also* learning how to care for a baby!
- ☐ **Body image changes** can feel emotionally tender.
  - ☐ Pressure to feel grateful, happy, and instantly confident can make harder feelings feel even **lonelier**.

You know, a lot of new mothers underestimate just how emotional they can get during this season! (つ ╥ ﹏ ╥)つ That surprise **alone** can make things feel far more worrisome than they need to.

☆ *What Emotional Changes Can Show Up Postpartum*

- ☐ **Joy.**
- ☐ **Stress.**
- ☐ **Anxiety.**
- ☐ **Sadness.**
- ☐ **Mood swings.**
- ☐ **Irritability.**
- ☐ Feeling **overwhelmed.**
- ☐ Crying more easily than usual.
- ☐ Feeling **disconnected** from yourself for a little while.

Please know that these feelings can exist ***together***. You can be full of love for your baby and still feel exhausted, emotional, frightened, or unlike yourself. Those things are ***not*** polar opposites.

Now, knowing the difference between a standard case of the **baby blues** and something more ***serious*** is very crucial. Here is how you can tell them apart!

- ☐ **Baby blues** usually involve tearfulness, mood swings, sadness, and emotional sensitivity that last for ***a few days*** up to about ***two weeks.***
  - ☐ More serious postpartum mental health conditions, such as **postpartum depression**, **postpartum anxiety**, or **postpartum psychosis**, are more intense, more persistent, and more likely to need professional care.
    - ☐ Duration matters.
    - ☐ Severity matters.
    - ☐ How much it affects daily functioning ***matters.***

☆ *What **Baby Blues** Can Look Like*

- ☐ Crying easily.
- ☐ Feeling extra sensitive.
- ☐ Mood swings that seem to come out of nowhere.
- ☐ Feeling overwhelmed or emotionally raw.
- ☐ Sadness that comes and goes.

☆ ***Signs It May Be More Than Baby Blues***

- ☐ Symptoms feel ***severe***.
- ☐ Symptoms last *longer* than a couple of weeks.
- ☐ You are struggling to function.
- ☐ Anxiety feels constant or hard to control.
- ☐ Sadness feels heavy, persistent, or numbing.
- ☐ You feel unable to care for yourself or bond in a way that worries you.
- ☐ You feel *frightened* by your thoughts or emotional state.

☆ ***Postpartum Depression, Anxiety,*** *And* ***Psychosis:*** *The Basic Difference*

- ☐ **Postpartum depression** can involve ongoing sadness, hopelessness, emptiness, guilt, low motivation, and difficulty feeling like yourself.
- ☐ **Postpartum anxiety** can involve racing thoughts, constant worry, panic, dread, or feeling unable to relax.
    - ☐ **Postpartum psychosis** is *much* more serious and urgent and requires immediate professional help.
        - ☐ Sitting and waiting for *any* of these conditions to disappear is ***not*** the way to go!(￣へ￣)

Alright, now that we've covered symptoms, let's jump right into what actually helps!

☆ *Build A **Strong Support Network***

- ☐ **Do not suffer in silence.**
- ☐ Talk to your partner, family, or trusted friends about how you are feeling.
- ☐ Join a **support group** with other new parents if that feels comforting.
- ☐ Let other people help you feel less alone.
- ☐ Use community spaces that feel safe and judgment-free.

Sometimes one of the most healing things postpartum is hearing, "*Me too.*" Not because it makes the struggle fun, obviously :,), but because it reminds you that **you are not broken or uniquely failing.**

☆ ***Practical Support** Counts Too*

- ☐ Ask for help with meals.
    - ☐ Ask for help with dishes, laundry, or tidying up.
- ☐ Ask someone to hold the baby while you shower, nap, or eat.
- ☐ Let people help with errands or childcare support if that is available.
- ☐ **Accept help without feeling like you need to earn it first.**

Emotional recovery gets harder when basic needs are constantly pushed to the bottom of the list. Practical help is mental health support too.

☆ *Seek **Professional Help** Early*

- ☐ Perinatal mental health conditions are serious, but ***treatable.***

- ☐ Talk to your doctor, midwife, therapist, or another qualified mental health professional.
- ☐ Bring up symptoms directly instead of minimizing them.
  - ☐ Ask for help recognizing what is normal adjustment and what may need treatment.
- ☐ Work with a provider to create a treatment plan that fits your needs!

☆ ***Treatment Options*** *Can Include*

- ☐ Talk therapy or counseling.
- ☐ Medication prescribed by a qualified healthcare professional.
- ☐ Support groups.
- ☐ Ongoing follow-up with a healthcare provider.

☆ ***Crisis*** *And* ***Support Lines*** *Matter*

- ☐ Keep information for postpartum and maternal mental health support lines somewhere easy to find.
  - ☐ E.g., the **National Maternal Mental Health Hotline** & **Postpartum Support International helpline**.
    - ☐ If there is immediate danger, thoughts of harm, or a crisis, call emergency services or **988** *right* away.
- ☐ Save support contacts before you need them if possible.
- ☐ Reach out immediately if symptoms feel urgent, frightening, or unsafe.

☆ *Self-Care*

- ☐ Self-care **postpartum** does ***not*** need to look pretty to count.
- ☐ It can be very basic and still be very potent! ᕕ(⌐■_■)ᕗ

☆ ***Self-Care*** *That Actually Helps*

- ☐ Prioritize ***rest*** as much as realistically possible.
- ☐ Eat regularly and keep meals *simple* if needed.
- ☐ Drink water throughout the day.
- ☐ Step outside for a short walk if that feels good.

- ☐ Make a little time for something that reminds you that **you are still a person, not only a caregiver.**

  Sometimes self-care is a nice hot shower. Sometimes it is ten quiet minutes. Sometimes it is asking someone else to take over while you lie down and stare at the ceiling. ***All of that counts.***

☆ ***Rest*** *And* ***Nutrition***

- ☐ **Sleep** matters, *even if it comes in short bursts.*
- ☐ **Balanced meals** can support energy and emotional steadiness.
- ☐ Skipping food and running on fumes can make emotional vulnerability feel **worse.**
  - ☐ Rest is ***not*** laziness.
  - ☐ Fuel is ***not*** optional.
    - ☐ **No one** feels emotionally regulated on empty, fragmented sleep and random leftover crackers alone!

☆ ***Gentle Activity*** *And* ***Mindfulness***

- ☐ Go outside for fresh air.
- ☐ Try a gentle walk if your body feels up for it.
- ☐ Return to simple hobbies you enjoy, like baking, drawing, or another calming activity.
- ☐ Use **mindfulness practices** if they help you feel more grounded.

☆ ***Self-Compassion***

- ☐ **Be kind to yourself.**
- ☐ Let go of the pressure to be perfect.
- ☐ Do not interpret every hard feeling as proof that something is wrong with you.
- ☐ Remind yourself that transition is ***hard***, even when it is wanted and beautiful.
- ☐ Refuse shame wherever possible.

☆ ***Set Realistic Expectations***

- ☐ New parenthood is a ***major*** adjustment.

- ☐ Some days will feel sweet and manageable.
- ☐ Some days will feel messy and hard.
    - ☐ Both can be true in the same week, **or even the same hour.**
- ☐ Progress does not have to look polished.

Realistic expectations are **protective**. A lot of postpartum suffering gets *worse* when women think they should already be handling everything better! Now, expecting some chaos doesn't mean you're going to be stuck feeling this way forever, of course. ^___^ It just means that going in with your eyes open is a *very* strong buffer.

☆ ***Tips** And **Tricks** For Coping Day To Day*

- ☐ Name what you are feeling instead of just saying *"I'm fine."*
- ☐ Tell one trusted person the honest version.
- ☐ Keep snacks and water near where you feed or rest.
- ☐ Make a short list of people you can text when you are having a rough day.
- ☐ Reduce pressure to host, perform, or respond quickly to *everyone*.
- ☐ **Let low-priority things stay low priority for a while.**
- ☐ Use online community spaces ***only*** if they genuinely feel supportive and safe for you.

☆ ***When To Speak Up Right Away***

- ☐ If sadness feels heavy and persistent.
- ☐ If anxiety feels relentless or panicky.
- ☐ If you feel emotionally unsafe.
- ☐ If you feel detached in a way that scares you.
- ☐ If you are having thoughts of harming **yourself** or **the baby.**
    - ☐ Seek ***urgent*** help.
- ☐ **If you feel like you cannot cope.**

Conclusion ☆ · ₊ °

Postpartum emotions can be tender, intense, confusing, and, overall, *very* human. Feeling joyful sometimes does not cancel out feeling overwhelmed at others, and struggling does ***not*** make you a bad mother. The biggest thing to remember is this: **you do not need to hide, minimize, or power through postpartum mental health changes**. With support, honesty, self-compassion, and *professional care when needed*, this time of your life can become much safer, warmer, and more manageable. (っ´Ω`)(ˆ ᵕ ˆ„) ♡

Sources ☆ · ₊ °

American College of Obstetricians and Gynecologists. (n.d.). *Postpartum depression.* https://www.acog.org/womens-health/faqs/postpartum-depression

National Alliance on Mental Illness. (n.d.). *Maternal and new parent mental health.* https://www.nami.org/your-journey/maternal-new-parent-mental-health/

Health Resources and Services Administration. (n.d.). *National Maternal Mental Health Hotline.* https://mchb.hrsa.gov/programs-impact/national-maternal-mental-health-hotline

Postpartum Recovery

Those first six weeks after giving birth are *such* a tender, completely upside-down kind of era! Your body is trying to heal, your hormones are resetting, and your normal routine? *Totally* out of the window! It's actually so wild that people act like the baby arriving means the hard part is over. It's *definitely* ***not*** over. You're just entering a different phase. And, of course, you deserve the utmost **support** and **recovery time** while you move through it. (˶ᵔ ³ ᵔ)♡

Postpartum healing is ***not*** one quick six-week checkpoint and a gold star for surviving. (˶ᵔ ᵕ ᵔ˶)ﾖ It is an ongoing recovery period that deserves rest, monitoring, nourishment, and early help when something feels **off**. In this section, we will tackle what is normal, what deserves attention, and what **small practical things** can make those first weeks feel more manageable. (b~_^)b

And, as always, ***this section is for education only, not medical advice.***

Main Content ☆ · ₊ °

The **postpartum period** begins right after birth and usually lasts about ***6–8 weeks***, though some parts of healing can take *longer*. In those early weeks, your body is recovering from pregnancy and birth while *also* adjusting to feeding, broken sleep, and huge hormonal shifts. That is **a lot** for one body to hold at once. (¬ ◬ ¬) ~ 3

☆ *What Is Normal In The First 6 Weeks*

- ☐ Vaginal bleeding and discharge called **lochia**.
- ☐ Uterine cramping called **afterpains**.
- ☐ Vaginal or **perineal** soreness after a vaginal birth.
- ☐ **Incision** tenderness after a **C-section**.
- ☐ Night sweats, temporary hair shedding, and hormonal emotional shifts.
- ☐ Breast fullness or **engorgement** as milk comes in.
- ☐ Constipation, **hemorrhoids**, bladder weakness, and deep fatigue.

Sore, swollen, tired, crampy, sweaty, tender, and emotionally all over the place can all be part of early healing. The best question to ask yourself mentally is *"Am I healing in the expected direction?"*

☆ ***Lochia***: *What Postpartum Bleeding Usually Looks Like*

- ☐ **Lochia** is the normal vaginal discharge that happens as the uterus sheds extra blood and tissue after pregnancy.
- ☐ It can last up to about ***6 weeks***.
- ☐ It changes *over time* instead of staying exactly the same.

☆ *Lochia Stages To Expect*

- ☐ **Lochia rubra**: first 3 to 4 days, dark or bright red, heavier like a period, sometimes with small clots.
- ☐ **Lochia serosa**: around days 4 to 10, thinner and more pinkish-brown.
- ☐ **Lochia alba**: by around day 12, and sometimes lasting up to ***6 weeks***, lighter and more yellowish-white.

☆ *Bleeding:* ***Tips*** *And* ***Tricks***

- ☐ Use sanitary pads or disposable underwear, ***not*** tampons.
- ☐ Avoid inserting *anything* into the vagina for at *least* ***6 weeks*** unless your provider says otherwise.
- ☐ Track whether bleeding is gradually lightening over time.
- ☐ Rest more if bleeding increases after activity, because that can be your body telling you to slow down!
    - ☐ **Call early if bleeding suddenly gets much heavier instead of better.**

    ☆ ***Urgent*** *Bleeding Red Flags*

    - ☐ Soaking through a pad in **1 hour,** or bleeding that feels suddenly heavy or hard to control.
    - ☐ Heavy bleeding that keeps going instead of easing up.
    - ☐ Feeling dizzy, faint, or like your **blood pressure** is dropping.
    - ☐ Foul-smelling discharge.
    - ☐ **Fever** with bleeding or uterine tenderness.
    - ☐ Severe headache that does not go away.
    - ☐ Vision changes.
    - ☐ Chest pain.
    - ☐ Trouble breathing.
    - ☐ Fever of **100.4°F** or higher.
    - ☐ Severe belly pain.
    - ☐ Extreme swelling of the hands or face.
    - ☐ Calf pain, redness, or swelling.

Now, a quick heads-up about **postpartum cramps**: they can *definitely* come out of left field if nobody warned you about them! While they *can* be pretty uncomfortable, they are a *normal* part of the process and usually settle down within ***a few days.*** Here's what you need to know about them!

- ☐ As the uterus shrinks back toward its pre-pregnancy size, it contracts.
- ☐ Those contractions are called **afterpains**.

- ☐ They can be *more noticeable* during breastfeeding because **oxytocin** is released, which makes the uterus contract more.

☆ ***Tips** For **Afterpains***

- ☐ Expect them to be strongest in the ***first few days***.
- ☐ Use approved pain relief if your provider says it is okay.
- ☐ Rest when you can instead of pushing through extra activity.
- ☐ Use a **heating pad** only if your provider says it is appropriate and safe for you.
    - ☐ *Remind yourself that these cramps usually mean **the uterus is doing its job**.*

☆ ***Perineal Healing** After A Vaginal Birth*

- ☐ The **perineum** is the area between the vagina and anus.
- ☐ It may feel sore, swollen, tender, or stingy after birth.
- ☐ If you had a tear or an **episiotomy**, healing can take longer.

☆ *Perineal Recovery **Tips** And **Tricks***

- ☐ Use **ice packs** in the early days for swelling and soreness.
- ☐ Try a **sitz bath**, which is a shallow warm bath for the perineal area.
- ☐ Use a **peri bottle** with warm water after using the bathroom.
- ☐ Pat gently instead of wiping harshly.
- ☐ Sit on a padded surface or ring if that feels better.
    - ☐ **Do not ignore severe or worsening pain.**

☆ ***C-Section Incision** Healing*

- ☐ If you had a ***C-section***, the incision will usually feel tender and sore at first.
- ☐ You may feel pulling, weakness, or discomfort with movement.
- ☐ Healing takes time, *even if* the incision looks small from the outside!

☆ *C-Section Recovery: **Tips** And **Tricks***

- ☐ Keep the incision *clean* and *dry*.
- ☐ Avoid lifting *anything* heavier than your baby for the first 6 weeks.

- ☐ Move carefully but regularly, because gentle movement can support circulation and recovery.
- ☐ Hold a **pillow** against your abdomen when coughing or laughing if that feels more supportive.
- ☐ Wear loose, comfortable clothing that does ***not*** rub the incision.
    - ☐ **Call if you notice redness, swelling, pus, or worsening pain.**

☆ ***Breast Engorgement*** *And Milk Coming In*

- ☐ A few days after birth, your milk may come in and your breasts may feel swollen, firm, warm, and painful.
- ☐ This is called **engorgement**.
    - ☐ It can happen whether you are breastfeeding or not, though it is managed a little differently depending on your feeding plan!

☆ *Engorgement Tips If* ***You Are Breastfeeding***

- ☐ Feed frequently.
- ☐ Offer both breasts regularly.
- ☐ Use a warm compress or warm shower before feeding to help milk letdown.
- ☐ Use *cool packs* between feeds for comfort.
- ☐ Ask someone to assess **latch**, swallowing, nipple condition, and positioning.

☆ *Engorgement Tips If* ***You Are Not Breastfeeding***

- ☐ Use cold packs.
- ☐ Wear a supportive bra.
- ☐ Use pain relief if approved.
- ☐ Relieve pressure carefully if your provider recommends it.

Now, as for **hormonal shifts**, your **estrogen** and **progesterone levels** take a sudden dive, which can throw your body for a bit of a loop! This sharp drop is the main culprit behind those random night sweats, and it can also cause some temporary hair shedding a few ***months*** down the road. Beyond the physical stuff, this huge hormonal shift can leave you feeling emotionally reactive or just a little *wobbly* while everything settles back down.

Okay, now let's jump right into some less-talked-about body changes that come with postpartum recovery!

☆ ***Constipation** And **Bowel Recovery***

- ☐ **Constipation** is common after delivery.
- ☐ It can be worse if you are sore, dehydrated, scared to push, taking iron, or using certain pain medications.
- ☐ **Hemorrhoids** can also show up or flare after labor and postpartum straining.

☆ *Constipation:* ***Tips** And **Tricks***

- ☐ Drink *plenty* of water.
- ☐ Eat more fiber, including **dried fruits**, fresh fruit, vegetables, and other high-fiber foods.
- ☐ Do ***not*** wait too long to respond to the urge to go.
- ☐ Try not to strain.
- ☐ Ask about stool softeners or mild laxatives if you have not had a bowel movement within a few days and are uncomfortable.

☆ ***Bladder Changes** And **Pelvic Floor Recovery***

- ☐ Frequent urination and some **bladder leakage** are common postpartum.
- ☐ The pelvic floor has been stretched and stressed by pregnancy and birth.
- ☐ **Incontinence** is common, but common does not mean untreatable.

☆ *Bladder And Pelvic Floor **Tips***

- ☐ Stay hydrated instead of cutting fluids too hard.
- ☐ Try not to hold urine for long stretches.
- ☐ Do **Kegel exercises** correctly and gently if they are appropriate for you.

- ☐ Do ***not*** practice Kegels while actually urinating.
- ☐ Ask for pelvic floor physical therapy if leakage is moderate, severe, or persistent.

☆ *Rest Is Not Optional*

- ☐ Rest is one of the biggest postpartum recovery tools.
- ☐ The early postpartum period is not the time to prove productivity.
- ☐ Your body is healing from pregnancy and delivery while also adjusting to feeding and disrupted sleep.

☆ *Rest:* ***Tips*** *And* ***Tricks***

- ☐ Sleep when the baby sleeps whenever you realistically can.
- ☐ Nap before ***3 p.m.*** if daytime sleep helps but does not ruin your nighttime rest.
- ☐ Lower household standards for a while.
- ☐ Ask friends and family for help with meals, chores, laundry, and holding the baby while you shower.
- ☐ Delegate ***before*** you get desperate.

☆ *Nutrition And Hydration For Healing*

- ☐ **Recovery needs fuel.**
- ☐ A balanced, varied diet supports tissue healing, hormones, milk production if breastfeeding, bowel regularity, and energy.
- ☐ Breastfeeding mothers generally need about ***500*** extra calories per day.

☆ *Nutrition:* ***Tips*** *And* ***Tricks***

- ☐ Eat regularly, *even if* meals are simple.
- ☐ Keep easy snacks near wherever you feed or rest.
- ☐ Hydrate throughout the day, *especially* if breastfeeding or constipated.
- ☐ Do ***not*** aggressively diet in the immediate postpartum period.

☆ *Exercise And Returning To Movement*

- ☐ Early postpartum recovery is ***not*** about jumping back into intense workouts.
- ☐ **Strenuous activity is generally something to avoid early on.**

- ☐ Rest is especially important in the first ***2–3 weeks***.
- ☐ *Gentle walking* and *low-impact movement* are usually the starting point!

☆ *Movement:* ***Tips*** *And* ***Tricks***

- ☐ Start with short, gentle walks.
- ☐ Increase slowly instead of trying to make up for lost time.
- ☐ **Stop** if bleeding gets heavier or pain ramps up.
- ☐ Use supportive clothing or a **belly binder** only if it feels comfortable and your provider says it is okay.

☆ ***Sex, Libido,*** *And* ***Contraception***

- ☐ Desire may be lower **postpartum**, especially with fatigue, soreness, hormonal changes, and breastfeeding.
- ☐ Lower **estrogen** during breastfeeding can affect *lubrication* and *libido*.
- ☐ Healing of the **perineal** area often takes about ***4–6 weeks***, sometimes *longer*.

☆ *Sex And Contraception* ***Tips***

- ☐ Wait until healing has happened and you feel ready!
- ☐ Do ***not*** compare your timeline to anyone else's.
- ☐ Use **lubricant** if dryness is an issue.
- ☐ Talk about contraception before resuming sex, ***not*** after.
- ☐ Remember that breastfeeding alone is ***not*** automatically reliable birth control.

☆ ***Postpartum Mood****: Baby Blues Vs. Something More Serious*

- ☐ **Baby blues** are very common in the first week after birth.
- ☐ They can include crying spells, irritability, anxiety, mood swings, and sleep difficulty.
- ☐ They usually improve within about ***2 weeks***.

☆ *Mood:* ***Tips*** *And* ***Tricks***

- ☐ Watch the duration, not just the presence, of symptoms.
- ☐ Tell someone if you feel emotionally off.
- ☐ Ask directly for **postpartum** mood screening if needed.

- ☐ Get help ***promptly*** if symptoms continue *beyond* ***2 weeks*** or make it hard to care for yourself or the baby.

  ☆ ***Mental Health Red Flags***

  - ☐ Symptoms that continue beyond ***2 weeks***.
  - ☐ Struggling to care for yourself.
  - ☐ Struggling to care for the baby.
  - ☐ Thoughts of harming yourself or the baby, which deserve **urgent help** right away.

☆ ***Medical Follow-Up*** *Matters More Than One 6-Week Visit*

- ☐ Postpartum care should be *ongoing*, not just one quick check.
- ☐ Early contact in the first few weeks *matters*.
- ☐ Ongoing care as needed *matters*.
- ☐ A comprehensive postpartum visit by ***12 weeks*** matters too!

☆ *Follow-Up:* ***Tips*** *And* ***Tricks***

- ☐ Set appointments up **early**.
- ☐ Do not wait until something feels like an emergency to reach out.
- ☐ Bring up blood pressure, bleeding, glucose follow-up, thyroid symptoms, pelvic floor problems, mood symptoms, breastfeeding issues, and contraception.
- ☐ Keep a note in your phone of questions as they come up.

☆ ***Other Important Postpartum Issues*** *Not To Miss*

- ☐ **Pregnancy-related high blood pressure** can still be dangerous after delivery.
- ☐ **Gestational diabetes** follow-up still matters after pregnancy ends.
- ☐ **Thyroid issues** can appear postpartum too.
- ☐ Persistent fatigue, palpitations, anxiety, unusual swelling, severe headaches, vision changes, or feeling very unwell **deserve evaluation.**

☆ ***Best Overall Postpartum Mindset***

- ☐ **Postpartum is a healing period.**
- ☐ Recovery is ***not*** linear.

- ☐ Support is part of care, ***not*** an extra luxury.
  - ☐ ***Remember:*** catching problems early is one of the kindest things you can do for yourself! (つ。> ᵕ <)つ ♡

Conclusion ☆ ･ ₊ °

The first six weeks after birth can feel raw, messy, emotional, and **deeply** physical all at once. That does not mean you are doing it wrong! It means your body is healing from something *major*. When you know what to expect, support your body *early*, rest more than you think you should, and **take red flags seriously**, **postpartum recovery** usually starts to feel just a bit more like a walk in the park! So, please take your time, be gentle with yourself, and heal with all the care you deserve. (´･ᵕ･)ﾉ(´ ᵕ `„)

Sources ☆ ･ ₊ °

American College of Obstetricians and Gynecologists. (2018). *Optimizing postpartum care.* https://www.acog.org/clinical/clinical-guidance/committee-opinion/articles/2018/05/optimizing-postpartum-care

Centers for Disease Control and Prevention. (2024, May 15). *Urgent maternal warning signs and symptoms.* https://www.cdc.gov/hearher/maternal-warning-signs/index.html

Cleveland Clinic. (n.d.). *Postpartum: Stages, symptoms & recovery time.* https://my.clevelandclinic.org/health/articles/postpartum

Lopez-Gonzalez, D. M., & Kopparapu, A. K. (2022). Postpartum care of the new mother. In StatPearls. *StatPearls Publishing.* https://www.ncbi.nlm.nih.gov/books/NBK565875/

Postpartum Nutrition

Think of your body right now as a house trying to rebuild itself right after a *major* storm. Your body is healing from pregnancy and birth, your energy is being pulled in about ***twelve*** directions at once, and if you are breastfeeding, you are also using extra energy and nutrients to make milk. Your physical resources are being stretched pretty thin, if I do say so myself! (° ◦ - ﹏ -)

That is exactly why **postpartum nutrition** is ***not*** about dieting, *"snapping back,"* or trying to eat as little as possible, even if part of you is tempted to rush back into shape. It is about **rebuilding, replenishing, and keeping yourself steady.** >___< This is all about helping you heal, keeping your energy levels from crashing, and making sure both you and your baby are well-nourished if you are breastfeeding.

And, as always, ***this section is for education only, not medical advice.***

Main Content ☆ · ₊ °

A lot of women get *very* clear nutrition messaging during pregnancy, then postpartum arrives and food support *gradually* comes to a halt. (`_´)ᕗ The ***fourth trimester*** is a time of high metabolic demand, which is just a *science-y* way of saying your body is working **overtime**. Even when you are sitting still, resting, or feeding your baby, recovery is *still* happening. So yes, **postpartum nutrition** deserves a *lot* more consideration than it usually gets!

☆ *Why Postpartum Nutrition Matters So Much*

- ☐ Your body is **repairing tissue** after pregnancy and birth.
- ☐ Blood loss during delivery can leave some women depleted.
- ☐ Hormonal shifts, and sleep disruption can make energy feel shaky.
- ☐ **Breastfeeding** increases calorie and nutrient needs.
- ☐ Regular nourishment helps support healing, stamina, and overall recovery.

☆ *The Overall Nutrition Mindset For Postpartum*

- ☐ The general principles of healthy eating still apply!
- ☐ What changes is that **certain nutrient needs become more important.**
- ☐ Postpartum eating should focus on recovery, consistency, and nourishment.

☆ *Extra Calorie Needs, Especially If Breastfeeding*

- ☐ **Breastfeeding mothers** need roughly ***2000 kilojoules*** more per day, which is about ***478*** extra calories.
  - ☐ This is about ***400–480*** additional calories above normal intake.
- ☐ These extra calories support **milk production**.
- ☐ **Non-breastfeeding mothers** generally return *closer* to their usual calorie needs, depending on activity level!

☆ *A Simple Calorie Picture*

- ☐ For breastfeeding mothers, think normal intake plus about ***400–480*** extra calories.
- ☐ For non-breastfeeding mothers, general intake may be around ***1800–2000*** calories if sedentary, ***2000–2200*** if moderately active, and ***2200–2400*** if active.
- ☐ Individual needs vary, so these are general guides rather than exact rules.
- ☐ Appetite may also vary day to day.

With the general overview out of the way, we can now dive into the ***exact*** nutrients that'll bolster your healing process and help you make **nutrient-rich milk** if you are nursing! (/^ω^)/

☆ ***Protein*** *For Healing And Rebuilding*

- ☐ **Protein** is essential for tissue repair and healing.
  - ☐ This is especially important after a **C-section**, tearing, or any physically demanding recovery.
- ☐ Good protein sources include lean meats, poultry, fish, eggs, beans, and lentils.
- ☐ Including protein regularly can also help meals feel more satiating.

☆ ***Iron*** *To Replenish After Blood Loss*

- ☐ Postpartum women may be at risk of **anemia** because of blood loss during birth.
  - ☐ **Iron** helps rebuild stores and supports energy.
    - ☐ Good **iron-rich foods** include red meat, dark leafy greens, and legumes.
- ☐ Iron matters even more if you are feeling especially depleted, weak, or drained.

☆ ***Iodine*** *For Thyroid Health And Baby's Brain Development*

- ☐ **Iodine** supports the mother's thyroid function.
  - ☐ It also supports infant brain development through **breast milk**.

- ☐ The recommended intake for breastfeeding women is **290 micrograms per day**.
- ☐ Good sources include seafood, dairy products, and iodized salt.

☆ ***Vitamins B12 And D For Energy And Healthy Function***

- ☐ **Vitamin B12** supports energy and healthy body function.
  - ☐ It also matters for infant growth.
  - ☐ **B12** is found in meat, fish, eggs, and dairy.
    - ☐ Vegetarians and vegans may need supplementation.
- ☐ **Vitamin D** also supports healthy function and infant growth.
  - ☐ Sources include fatty fish, fortified dairy products, and sunlight exposure.
    - ☐ Some women may still need individualized guidance depending on diet and levels.

☆ ***Water Is Not Optional***

- ☐ **Hydration** is essential for energy.
  - ☐ It also helps support milk production for breastfeeding mothers.
- ☐ Try to drink about **8 glasses of water**.
  - ☐ Drinking regularly throughout the day is often easier than trying to chug large amounts at once!

Okay, that wraps up the key nutrients you need to know about! Now, to make this easier to remember, let us group these into **simple categories**. I have also included a **quick plate visual** to help you meal prep!



☆ ***Food Groups*** *To Emphasize Postpartum*

- ☐ Vegetables and legumes.
- ☐ Fruit.
- ☐ Grains and cereals.
- ☐ Lean meats, or other **protein-rich foods.**
- ☐ Dairy, or other appropriate **calcium-containing options.**

☆ ***Daily Serving Guide***

- ☐ Vegetables and legumes: about **7.5 serves** if breastfeeding, about **5** if not breastfeeding.
- ☐ Fruit: about **2 serves** whether breastfeeding or not.
- ☐ Grains and cereals: about **9 serves** if breastfeeding, about **6** if not breastfeeding.

- ☐ Lean meats or poultry: about **3.5 serves** if breastfeeding, about **2.5** if not breastfeeding.
- ☐ Dairy: about **2.5 serves** if breastfeeding, about **2** if not breastfeeding.

☆ ***What To Actually Eat For Healing And Energy***

- ☐ Build meals around a **protein**, a **carbohydrate**, and some color when possible.
  - ☐ E.g., eggs with toast and fruit, yogurt with oats and berries, lentils with rice, chicken with vegetables and potatoes, or salmon with grains and greens.
- ☐ Keep simple snacks around so you are not waiting until you are shaky to eat.
- ☐ Think easy, frequent, nourishing, and realistic.

☆ ***Helpful Foods By Goal***

- ☐ For healing: **protein-rich foods** like eggs, poultry, beans, lentils, fish, and lean meats.
- ☐ For **iron** repletion: red meat, legumes, and dark leafy greens.
- ☐ For thyroid and breastfeeding support: seafood, dairy, and iodized salt.
- ☐ For steady energy: grains, fruit, dairy, beans, and balanced meals rather than random snacking alone.
- ☐ For **hydration**: water, plus water-rich foods and regular fluids throughout the day.

☆ ***Tips And Tricks To Make Postpartum Eating Easier***

- ☐ **Eat before you get ravenous.**
- ☐ Keep one-handed snacks nearby for feeding sessions.
- ☐ Accept meal help from friends and family.
- ☐ Batch simple staples if you can, like boiled eggs, cut fruit, yogurt cups, soups, or grain bowls.
- ☐ Do grocery delivery or ask someone else to shop if possible.

- ☐ Pair **iron-rich foods** with **vitamin C foods** when you can for better absorption.
    - ☐ Do ***not*** shame yourself for repeating easy meals.

☆ If You Are Breastfeeding

- ☐ Expect hunger to increase.
- ☐ Make space for extra calories rather than fighting them.
- ☐ Prioritize hydration *consistently.*
- ☐ Include **iodine**, **protein**, and overall balanced meals regularly.
    - ☐ *Remember that feeding a baby through breast milk also means* ***feeding yourself well.***

☆ If You Are Not Breastfeeding

- ☐ Recovery nutrition still matters.
- ☐ You still need enough **protein**, **iron**, hydration, and overall balanced meals.
- ☐ Postpartum healing does ***not*** only apply to breastfeeding mothers.
    - ☐ Your calorie needs may be lower than if you were breastfeeding, but nourishment is still a priority! :-)

Conclusion ☆ ⋅ ₊ °

Postpartum nutrition is about much more than calories on a page! It is about helping your body heal, protecting your energy, supporting milk production *if you are breastfeeding*, and giving yourself the nutrients needed for this intense transition. Forget about a perfect meal plan. *Seriously.* All your body really needs right now is a **consistent, gentle commitment** to keeping yourself fed, hydrated, and cared for. ◠ ‿ ◠

Sources ☆ · ₊ °

American College of Obstetricians and Gynecologists. (2018). Optimizing postpartum care (*Committee Opinion No. 736*). https://www.qualityhealth.org/bree/wp-content/uploads/sites/8/2019/05/ACOG-optimizing-postpartum-care-2016.pdf

Royal Australian College of General Practitioners. (2022). Postpartum nutrition: Guidance for general practitioners to support high-quality care. *Australian Journal of General Practice, 51(3),* 136-141. https://www1.racgp.org.au/ajgp/2022/march/postpartum-nutrition-guidance-for-gps

Breastfeeding Help For First-Time Moms

If you took a quick glimpse at a **parenting magazine**, you would probably think that breastfeeding is a picture-perfect image of instant bonding. But, in real life, it is a highly coordinated, ***learned*** skill. *Definitely* not a magical reflex that triggers the moment you hold your baby! (つ ﹏ <) These kinds of things typically have **learning curves.** And that gap between *"this is supposed to be natural"* and *"wait, why is this so hard?"* can make **first-time mothers** feel rattled, discouraged, or like they are somehow at fault when they absolutely are ***not.***

This is why good support is such an integral part of **breastfeeding**. It is ***not*** just about milk. It is also about recovery, comfort, confidence, bonding, nourishment, and having the right help close by when something feels unclear. And truly, **early support can be a real game changer**. (づ￣ ³￣)づ

*And, as always, **this section is for education only, not medical advice.** If your baby has fewer wet diapers than expected, seems unusually sleepy, is not gaining weight well, or feeding feels painful or ineffective, contact your pediatrician, provider, or **lactation consultant** as soon as possible.*

Main Content ☆ · ₊ °

Before we get into the specifics, **remember this**: your ability to breastfeed is ***not*** a reflection of your willpower or how much you love your baby. It is shaped by information, positioning, latch, recovery, stress, maternal nourishment, and whether you have people you can turn to when something feels off. In other words, this isn't some solo performance. It is a skill that tends to go *much* more smoothly when support is built around it!

☆ *Why Breastfeeding Matters*

- ☐ **Breastfeeding** supports infant growth, immune protection, and neurological development.
  - ☐ For many infants, breast milk provides complete nutrition for the first ***6 months*** of life.
    - ☐ *Continued* **breastfeeding** can support infant health and development beyond the newborn stage.
- ☐ For mothers, **breastfeeding** is associated with lower risk of **breast cancer**, **ovarian cancer**, and **type 2 diabetes**.
  - ☐ **Breastfeeding** also supports uterine recovery after birth, and **breastfeeding support** may help lower the risk of **postpartum depression**.

Now, that said, benefits should never be used as pressure! **A supported mother matters too, always.** d(- _ ☆)

☆ *What The Research Says About Support*

- ☐ In a study of **3,006** first-time mothers, access to breastfeeding advice made a ***major*** difference in whether mothers started breastfeeding and whether they continued.

- Mothers with *limited* access to advice were much more likely to never start or to stop early.
- Mothers with *stronger* access to advice were significantly more likely to still be breastfeeding at ***1 month*** and at ***6 months***.

- After accounting for demographic factors, women with some access to advice were **3.45 times** more likely to establish breastfeeding at ***1 month*** and **2.28 times** more likely to continue for at least ***6 months***.
- Women with high access to advice were **5.37 times** more likely to establish breastfeeding and **4.04 times** more likely to continue for ***6 months***.

This hits **first-time mothers** the hardest, as they are already juggling the *enormous* learning curve of a newborn.

☆ *Why **First-Time** Mothers Often Need Extra Help*

- **Breastfeeding** is physiological, but it is still a ***learned*** skill.
- Many mothers need reassurance, demonstration, correction, and encouragement.
  - Early challenges can shake confidence fast.
- Common problems like **latch** issues, **engorgement**, nipple pain, or worries about supply often feel scary in the moment, but many can improve with timely guidance.
  - Trying to do it all alone can make normal learning bumps feel *much* heavier than they need to.

A lot of mothers get through birth, go home, and then the real questions start to kick in. "*Am I doing this right?*" "*What should I be eating to make quality milk?*" (ó ﹏ ò ｡) That sudden rush of uncertainty is exactly why a **solid support system** can mean the world. In fact, when you look at what actually helps breastfeeding succeed, almost *every* road leads right back to having the right support.

☆ ***What Makes Breastfeeding More Likely To Get Established***

- **Early skin-to-skin contact** helps support bonding, temperature regulation, and early feeding cues.

- **Breastfeeding** ideally begins within the ***first hour after birth*** when possible.
- Early suckling helps stimulate **oxytocin** release, which supports milk flow and uterine contraction.
- Frequent feeding helps signal the body to keep producing milk.
- Ongoing check-ins *after* discharge matter because many issues show up after the hospital period, ***not*** just during it.

As any new parent quickly learns, tiny babies eat **a lot**! (¯¬¯) With that in mind, let's go ahead and clear up a foundational term you will hear a lot: **exclusive breastfeeding**.

- **Exclusive breastfeeding** means breast milk ***only***, with no extra foods, water, or other liquids.
  - It is recommended for the first ***6 months***.
- Breast milk alone meets both hydration and nutrition needs during that period.
  - Feeding may happen up to about ***8 times a day***, and sometimes even more in the early days depending on the baby.
- Milk production responds to *demand*, so frequent feeding helps build and maintain supply!

So, you may be wondering, **what does a good latch and successful feeding actually look like?** Simply put: if nursing causes intense pain, cracked skin, or constantly feels wrong, that is a big sign to seek support *early* rather than just gritting your teeth through it. On the flip side, here are the key signs that things are on the right track, paired with a helpful **diagram** below (**VectorStock, n.d.**):



☆ *Signs Of A **Good Latch** And **Effective Feeding***

- ☐ The baby's **head** and **body** should face the mother directly.
- ☐ The ear, shoulder, and hip should stay aligned.
- ☐ The baby should be held close with ***full-body support.***
- ☐ A good attachment usually includes a wide-open mouth, chin touching the breast, and most of the areola inside the baby's mouth.
- ☐ Effective suckling often looks like slow, deep, rhythmic sucks with pauses.
- ☐ You may hear swallowing.
- ☐ The baby often looks satisfied and relaxed after feeding.
- ☐ There should ***not*** be significant ongoing nipple pain.

Now, knowing what to do in theory is only half the battle! It takes time for both you *and* your baby to find your rhythm. Here are the **typical early challenges** you might encounter:

- ☐ Common reasons mothers stop early include feeling like there was not enough milk, the baby being unable to **latch** properly, and breastfeeding feeling too difficult overall.
- ☐ **Engorgement** can happen when milk builds up and the breasts become full, firm, and tender.
- ☐ Cracked nipples often happen because of poor attachment.
- ☐ A strong **let-down reflex** can feel uncomfortable *or* surprising at first.
- ☐ Stress can make the feeding experience feel harder, even when the body is capable of feeding well.
    - ☐ Many of these issues can improve with technique correction and ***support.***

    ☆ ***Breastfeeding Help*** *That Is Actually Useful*

    - ☐ **International Board-Certified Lactation Consultants**, or **IBCLCs**, can help with **latch**, positioning, pain, and supply questions.
    - ☐ Prenatal breastfeeding classes can make the first days feel less overwhelming.
    - ☐ **Healthcare providers** can check whether feeding is going well and whether the baby seems to be transferring milk effectively.
    - ☐ Friends and relatives with positive breastfeeding experience can offer emotional support and practical encouragement.
    - ☐ Peer groups, community groups, apps, and online support spaces can also help.

    ☆ *Build A* ***Breastfeeding Support Plan*** *Before Birth*

    - ☐ Do ***not*** wait until you are exhausted and crying at 2 a.m. to figure out who to call!
    - ☐ Make a short list of people and resources ahead of time.
    - ☐ Include a **lactation consultant** if possible.

- ☐ Include your pediatrician or postpartum care provider.
- ☐ Include one or two calm people you can text when you need encouragement.
- ☐ Save local breastfeeding groups, helplines, or trusted online communities.
- ☐ If your hospital offers lactation follow-up after discharge, write down ***exactly*** how to access it.

With the basics out of the way, here are some tips and tricks to guide you through those first seven days postpartum!

☆ *Tips For The First Week Postpartum*

- ☐ Feed early and often.
- ☐ Ask for latch help before leaving the hospital if anything feels off.
- ☐ Watch for **deep sucking** and swallowing rather than just time spent on the breast.
- ☐ Do ***not*** ignore severe nipple pain, bleeding, or a baby who seems frustrated at every feed.
- ☐ Bring up concerns about milk supply early instead of waiting until panic builds.
- ☐ Keep water and easy food nearby because feeding can be shockingly time-consuming.

☆ *If Breastfeeding Feels Difficult*

- ☐ Ask for help as soon as **latch**, pain, or milk supply concerns show up.
- ☐ Do ***not*** assume pain is just something you are supposed to endure.
- ☐ Do ***not*** assume low confidence means low ability.
- ☐ Reassurance, positioning changes, and technique adjustments often solve a lot.
- ☐ Support should continue *beyond* the newborn stage, because issues can pop up later too.

☆ ***Breastfeeding Nutrition*** *For The Mother*

- ☐ **Maternal diet** during breastfeeding may influence the ***fatty acid quality*** of breast milk more than the overall **protein**, lactose, or calorie content.
  - ☐ The clearest diet-related links in the study involved **omega-3 fats** in milk, including **DHA**, **EPA**, **DPA**, and **ALA**.
- ☐ Diets richer in vegetables, fruit, olive oil, soups, fiber, and fish were associated with a more favorable milk fat profile.
- ☐ **Fish-rich** and **plant-rich** patterns were especially linked with higher **omega-3-related** milk components.
- ☐ Diets heavier in saturated fat and more animal-product-heavy patterns were linked with a *less* favorable fat profile in milk.

☆ ***Foods*** *That Are Especially Helpful During Breastfeeding*

- ☐ Fish
- ☐ Olive oil
- ☐ Raw vegetables
- ☐ Cooked vegetables
- ☐ Fruit
- ☐ Soups
- ☐ Fiber-rich foods
- ☐ **Vitamin**- and mineral-rich foods

- ☐ Maternal diet does ***not*** seem to dramatically change milk protein, total milk fat amount, milk energy, or most major **macronutrients**.
  - ☐ The stronger link is with **milk fat quality**, especially **omega-3-related fats**.
- ☐ So the message is that overall dietary patterns matter over time, **not that one bad meal ruins your milk.** (= ^ _ ^ =)

☆ ***Emotional Support*** *Matters Just As Much As Technique*

- ☐ Maternal confidence strongly influences feeding success.
- ☐ Encouragement can improve persistence.
- ☐ Partner and family support can make breastfeeding feel more manageable.

- ☐ Feeling ***emotionally supported*** often helps mothers stay with the learning process instead of quitting in isolation.

☆ ***Special Situations*** *That Still Deserve Support*

- ☐ **Preterm** or **low-birth-weight** babies may benefit from expressed breast milk and may need more frequent feeding support.
  - ☐ **Donor milk** may be used in some situations.
- ☐ Mothers of twins can physiologically produce enough milk for multiples, though feeding support may be especially helpful!
- ☐ If breastfeeding is not possible or not chosen, mothers still deserve respectful care, safe formula guidance, and emotional support.
- ☐ **All feeding decisions should be supported, not shamed.**

☆ ***A Realistic First-Time Mother Checklist***

- ☐ **Set up help before birth.**
- ☐ Take a breastfeeding class if one is available.
- ☐ Learn the basics of **latch** and positioning.
- ☐ Plan for **skin-to-skin contact** if possible.
- ☐ Save contact information for a **lactation consultant** or breastfeeding support resource.
- ☐ Ask for help early with **latch**, pain, supply concerns, or difficulty.
- ☐ Keep support available ***beyond*** the first few days.
- ☐ Nourish yourself with balanced meals, hydration, and rest whenever you can.

Conclusion ☆ · ₊ °

Breastfeeding is not supposed to be something a new mother figures out in total isolation. It is a skill, a relationship, and a recovery process all at once, which is exactly why **support** matters so greatly. The gentlest and smartest approach is not to expect perfection straight out of the gate. It is to prepare, ask early, nourish yourself well, and let other people help you. ***Remember:*** asking for help is a sign of **strength** and **wisdom**, not weakness. ♡

Sources ☆ · ₊ °

Massare, B. A., Hackman, N. M., Sznajder, K. K., & Kjerulff, K. H. (2023). Helping first-time mothers establish and maintain breastfeeding: Access to someone who can provide breastfeeding advice is an important factor. *PLoS One, 18(6)*, e0287023. https://doi.org/10.1371/journal.pone.0287023

Bravi, F., Di Maso, M., Eussen, S. R. B. M., Agostoni, C., Salvatori, G., Profeti, C., Tonetto, P., Quitadamo, P. A., Kazmierska, I., Vacca, E., Decarli, A., Stahl, B., Bertino, E., Moro, G. E., Ferraroni, M., & On Behalf Of The MEDIDIET Working Group. (2021). Dietary patterns of breastfeeding mothers and human milk composition: Data from the Italian MEDIDIET Study. *Nutrients, 13(5)*, 1722. https://doi.org/10.3390/nu13051722

World Health Organization. (2013). *Counselling for maternal and newborn health care: A handbook for building skills.* Geneva, Switzerland: World Health Organization.

VectorStock. (n.d.). *Proper latch in breastfeeding* [Stock infographic].

Healing From Pregnancy Loss

Of all the things we talk about during pregnancy, this is the one that deserves **pure, unadulterated kindness**. (´··)ﾉ(._.`) **Losing a baby** or going through a **miscarriage** is shattering, lonely, and very unfair. And, it is *so* disheartening how much heavier that pain gets because society does not know how to talk about it, or worse, because of that awful habit people have of trying to point fingers or figure out what *"went wrong"* when a mother is already drowning in grief.

So let's start with the most important truth first: ***this is not your fault.*** In *most* cases, **pregnancy loss** is ***not*** caused by one ordinary thing you did or did not do. Not because you worked too much. Not because you were stressed one day. Not because you moved wrong, ate wrong, hoped too hard, or did not *"protect"* the pregnancy to the best of your ability. Loss can happen even when someone does *everything* right, and that reality is heart-wrenching, but it also ***matters.*** And understanding the causes, the risk factors, and the recovery process can make this experience feel a little less shrouded in guilt and fear.

And, as always, ***this section is for education only, not medical advice.***

Main Content ☆ · ₊ °

Miscarriage is usually defined as a spontaneous pregnancy loss before ***20 weeks*** of gestation. **Stillbirth** refers to pregnancy loss after ***20 weeks***, and **infant loss** includes losses after birth. These are different experiences medically, but emotionally, all of them can be **profound** losses. Let's begin by gently opening the conversation around **miscarriage**.

☆ ***How Common Miscarriage Really Is***

- ☐ About ***10–20%*** of known pregnancies end in **miscarriage**.
  - ☐ The true number is likely higher because some *very* early losses happen before a woman even realizes she is pregnant.
- ☐ Miscarriage is ***common***, even though it is often talked about in whispers.
  - ☐ **But common doesn't mean small, and common doesn't mean easy.**

A lot of women feel blindsided because **miscarriage** is so often hidden from everyday conversation. But hidden is ***not*** the same as uncommon. Not even *close!*

☆ *The Most Important Message:* ***It Is Not Your Fault***

- ☐ Many early miscarriages happen because of **random chromosomal abnormalities**.
- ☐ These genetic errors account for roughly ***50–60%*** of early miscarriages.
  - ☐ In many cases, this is a chance biological event, ***not*** a sign that you caused the loss.
    - ☐ It also does ***not*** automatically mean you will have trouble with future **fertility**.

Guilt *loves* to rush in and fill the silence. But in many losses, there was ***nothing*** a woman could have done differently to stop what happened, which is *very* important to recognize.

☆ ***Common Biological Causes*** *Of Miscarriage*

- **Chromosomal abnormalities** can prevent the embryo from developing normally.
- Hormonal imbalances, such as low **progesterone** or thyroid dysfunction, can affect the uterus's ability to support pregnancy.
- Structural issues, like a uterine septum, **fibroids**, or scarring, can interfere with implantation or growth.
- Infections and **autoimmune conditions** can also increase risk.
    - For instance, **listeria**, **toxoplasmosis**, **antiphospholipid syndrome**, poorly controlled **diabetes**, and **lupus**.

      Some causes are random. Some are treatable. Some need further evaluation. That is why follow-up matters, especially after *repeated* losses.

☆ ***Risk Factors*** *That Can Raise The Chance Of Loss*

- Age over **35** is associated with higher **miscarriage** risk, in part because egg quality tends to decline with age.
    - A history of previous pregnancy loss, especially **two or more miscarriages**, may point to an underlying issue worth investigating.
- Certain medical conditions, such as **obesity**, uncontrolled **diabetes**, thyroid disorders, and clotting disorders, can raise risk.
    - Lifestyle factors like smoking, alcohol use, high caffeine intake, and extreme stress have also been associated with increased miscarriage risk.
        - ***Side note:*** *extreme stress refers to high, ongoing stress, which is* ***not*** *the same as saying one stressful day caused a miscarriage.*

With that foundation in place, we can now turn to **what can actually be done *before* a future pregnancy**. It is important to note, though, that prevention is about reducing **avoidable** risks, ***not*** creating the false promise that every loss is preventable. d(>_･) With that being said, here are the main suggestions to focus on:

- ☐ Hone in on **preconception care** before trying again, if possible.
  - ☐ Work toward a healthy weight in a gentle, sustainable way.
  - ☐ Manage chronic conditions like **diabetes**, thyroid disorders, **lupus**, or clotting issues with a healthcare professional.
  - ☐ Take **prenatal vitamins**, especially those including **folate**, and support **vitamin D** and **B12** intake as appropriate.
  - ☐ Avoid smoking and alcohol.
  - ☐ Be mindful of caffeine intake rather than assuming more is harmless.
  - ☐ Ask about any medications or supplements you are taking *before* conception.

☆ *When **Medical Evaluation** May Be Especially Important*

- ☐ If you have had **two or more miscarriages**, it is reasonable to ask for a deeper evaluation.
- ☐ Hormone levels, especially **progesterone** and **thyroid function**, may need review.
- ☐ Uterine structure may need imaging if a septum, **fibroid**, or scarring is suspected.
- ☐ **Autoimmune**, clotting, or metabolic conditions may need investigation.
- ☐ **Genetic counseling** may be helpful for recurrent pregnancy loss.
- ☐ **Karyotyping** of parents or products of conception can sometimes provide useful answers!

  To be clear, answers do ***not*** erase grief. But they can help women make more informed decisions about future pregnancies and reduce some of the painful self-blame!

☆ ***Medical Treatments That May Help In Some Situations***

- ☐ **Progesterone supplementation** may be considered in specific situations, such as some cases of recurrent early pregnancy loss or bleeding in early pregnancy, depending on a clinician's guidance.

- ☐ Thyroid disorders, **diabetes**, **autoimmune conditions**, and clotting-related problems may be treated *medically*.
- ☐ Structural uterine issues may sometimes be treated *surgically*.
- ☐ **Genetic counseling** can help clarify whether inherited factors may be involved.

Alongside the physical care, the **emotional** side of healing deserves just as much gentleness and consideration. (‴´ ˘ `‴)

☆ *What **Emotional Recovery** Can Look Like*

- ☐ Grief after miscarriage or infant loss can include sadness, numbness, guilt, anxiety, anger, depression, and post-traumatic stress symptoms.
- ☐ Some women cry constantly.
- ☐ Some feel strangely empty or detached.
- ☐ Some feel okay at first and fall apart later.
- ☐ Some want to talk about the loss constantly, while others need quiet.
- ☐ Whatever your emotional healing looks like, it is valid and *real*.

☆ ***Tips** And **Tricks** For Getting Through The Early Emotional Aftermath*

- ☐ Let yourself name the loss in whatever language feels right to you.
- ☐ Rest more than you think you should.
- ☐ Eat & hydrate even if your appetite disappears.
- ☐ Reduce pressure to answer messages or perform normality.
- ☐ Ask one trusted person to help filter logistics if you feel overwhelmed.
- ☐ Keep your world *very* small for a little while if that feels safer.
- ☐ Do ***not*** force gratitude, positivity, or closure before you are ready.

☆ *How To Cope **Without Shaming Yourself***

- ☐ **Remind yourself often:** *this is **not** a punishment, and it is **not** proof that your body failed you.*
- ☐ Be careful with the urge to replay every detail looking for the reason.

- ☐ Limit exposure to people who minimize the loss or say careless things.
- ☐ Write your feelings down if they are too heavy to carry silently.
- ☐ Let yourself step away from baby announcements, pregnancy content, or triggering events for a while.
- ☐ Lower expectations for productivity, socializing, and emotional availability.

☆ *Why Support Matters So Much*

- ☐ **Social stigma** can make women feel isolated after miscarriage or infant loss.
  - ☐ Sharing experiences with other women who have been through it can reduce that isolation.
    - ☐ Validation helps.
    - ☐ Being witnessed helps.
    - ☐ Not having to explain why it hurts so much helps.

☆ *Therapy And Mental Health Support*

- ☐ Structured therapy can help process grief and reduce anxiety or depression.
- ☐ **Cognitive-behavioral therapy**, or **CBT**, can be helpful.
- ☐ **Trauma-focused counseling** may be especially helpful after infant loss, stillbirth, or a medically traumatic loss.
- ☐ Professional support is important if you feel stuck in panic, despair, numbness, or intrusive thoughts.

☆ *Gentle Coping Tools That May Help Alongside Professional Care*

- ☐ **Journaling** can help put shape around overwhelming feelings.
- ☐ **Meditation** can help settle the nervous system, even in very small doses.
- ☐ Gentle yoga may help some women reconnect with their bodies after feeling betrayed by them.
- ☐ Breathing exercises, warm showers, walks, and time outdoors can help soften acute stress.

- ☐ Rituals, memory boxes, letters, or private remembrance practices can also be meaningful.

Healing physically after a **miscarriage** is a real journey, and your body simply needs time to get through it.

- ☐ Bleeding and cramping can happen as the uterus empties and recovers.
- ☐ **Fatigue** is common.
- ☐ Hormonal shifts can intensify emotional symptoms.
- ☐ Follow-up with a healthcare provider may be needed to confirm the pregnancy tissue has passed fully or to discuss treatment if it has not.
  - ☐ *If you are soaking through pads quickly, passing **very large clots**, feeling faint, having severe one-sided pain, shoulder pain, fever, foul-smelling discharge, or **heavy bleeding** with weakness, seek medical care **promptly.***

We should also pause to acknowledge another profoundly significant topic: **infant loss** and **stillbirth**.

- ☐ **Stillbirth** refers to loss after ***20 weeks*** of gestation.
- ☐ **Infant** or **neonatal loss** after birth brings additional medical and emotional challenges.
- ☐ In these cases, evaluation may include **autopsy**, **placental pathology**, and genetic testing.
- ☐ These evaluations can sometimes help identify causes and guide future pregnancy care.

So, yes, moving on from **pregnancy loss** can feel utterly **destabilizing** physically, mentally, and emotionally. It is ***not*** something to rush. If or when you do decide to try again, please keep these things in mind:

- ☐ **You do not need to decide that immediately.**
- ☐ Future pregnancy planning after loss should happen on your timeline, with medical guidance where needed.
- ☐ **Preconception care** can help optimize health before trying again.
- ☐ **Recurrent loss** deserves evaluation rather than dismissal.

- ☐ A future pregnancy can bring hope and fear at the same time, and ***both*** feelings are valid.

  ☆ *Practical **Tips** And **Tricks** For Future Pregnancy Preparation*

  - ☐ Schedule a **preconception visit** if you feel ready to try again.
    - ☐ Review medications, supplements, and chronic conditions ahead of time.
    - ☐ Ask whether thyroid testing, **diabetes** screening, clotting evaluation, **progesterone** review, or uterine imaging make sense for your history.
    - ☐ Start prenatal vitamins *before* conception if possible.
    - ☐ Reduce smoking, alcohol, and excessive caffeine.
    - ☐ Ask about **genetic counseling** if you have had recurrent losses.

  ☆ ***Red Flags** That Deserve Professional Help Sooner Rather Than Later*

  - ☐ Persistent depression or anxiety that interferes with daily life.
  - ☐ Panic, intrusive thoughts, or **trauma** symptoms.
  - ☐ Feeling emotionally numb for a prolonged period and unable to function.
  - ☐ Thoughts of **self-harm**.
  - ☐ Severe bleeding, severe pain, fever, or faintness physically.
  - ☐ Repeated losses without evaluation.

Conclusion ☆ ⋆ ｡ ˚

If you are carrying this kind of loss, I want to say it again *very* clearly: ***this was not your fault.*** You do not have to earn the right to grieve, explain why it still hurts, or rush yourself into being okay. Healing after **miscarriage** or **infant loss** is not about forgetting. It is about being supported enough, informed enough, and gently cared for enough that your body and heart can begin to carry the loss with a little less emptiness and a little less blame. (And here's a virtual hug from @fruitsoflife.xo to you (づ￣ U ￣)づ).

Sources ☆ · ₊ °

Rossen, L. M., Ahrens, K. A., Branum, A. M., & MacDorman, M. F. (2022). Trends in risk factors for and prevalence of miscarriage in the United States, 1990–2018. *Paediatric and Perinatal Epidemiology, 36(3)*, 366–377. https://doi.org/10.1111/ppe.12869

Practice Committee of the American Society for Reproductive Medicine. (2020). Evaluation and treatment of recurrent pregnancy loss. *Fertility and Sterility, 113(3)*, 485–493. https://doi.org/10.1016/j.fertnstert.2019.11.020

Black, M. H., & Funai, E. F. (2021). Miscarriage: Epidemiology, causes, and clinical management. *Obstetrics & Gynecology Clinics of North America, 48(1)*, 1–18. https://doi.org/10.1016/j.ogc.2020.09.001



Midlife, Menopause, Aging

Chapter 9: Hormone Changes Across Life

Cycle Changes ; Perimenopause

Notice your periods taking a strange detour lately? If you're in your **40s** or around there, no need to ruffle your feathers! Usually, nothing is necessarily *"wrong."* It's just a matter of **perimenopause** doing its thing. Think of it as a bridge to **menopause**. Granted, it can feel a little hectic because the shifts *definitely* make themselves heard and sometimes they're all over the place, which isn't exactly the vibe we want in the studio. (˘ ^ ˘)

Thankfully, there's still a logic behind it all, even on the out-of-whack days. Understanding what's normal, what causes these fluctuations, and when a **heavier flow** deserves a quick pop-in at the doctor's can make this entire transition feel like less of a burden.

*As always, **this section is for education, not medical advice.** While cycle irregularities are expected during this stage, you should always consult a healthcare provider to rule out other causes and discuss a personalized care plan.*

Main Content ☆ · ₊ °

Perimenopause does ***not*** happen overnight. It is a gradual hormonal transition, and **menstruation** is often one of the first places women notice the shift!

- ***☆ What Perimenopause Actually Is***
  - ☐ **Menopause** is officially diagnosed after ***12 consecutive months*** without a period.
  - ☐ **Perimenopause** is the transition period before that final menstrual period.
    - ☐ During this time, the ovaries age, ovulation becomes less predictable, and hormone levels become more unstable.
    - ☐ That **hormonal fluctuation** is what drives many of the cycle changes women catch first.
      - ☐ The body is still working, but it is no longer following the same steady rhythm it did in earlier reproductive years!

And yes, one month you may get a short cycle, then a long gap, then a *weirdly* heavy period that makes you side-eye your underwear. Unfortunately, that kind of *drastic* inconsistency can be part of the process.

- ☐ In the reproductive years, especially from about ages **20–40**, cycle variability often becomes more stable.
- ☐ In **perimenopause**, variability increases again.
  - ☐ Both shorter and longer cycles can happen.
    - ☐ Later in the transition, long cycles and skipped periods become more common.
- ☐ Eventually, **menstruation *stops completely*** with **menopause**.

For a lot of women, **early perimenopause** is the point where they start thinking, *"Hmm … my cycle is not doing what it used to."* That observation is ***important.*** Subtle changes are often noticed by the woman herself before they are obvious to anyone else.

- ***☆ Early Perimenopause***

- ☐ Early transition is defined by a persistent difference of ***7 days or more*** between consecutive cycles.
  - ☐ On average, it begins about ***6–8 years*** before the final menstrual period.
    - ☐ Common changes include shorter cycles, irregular timing, and more noticeable unpredictability.
- ☐ Ovulation may start becoming less consistent during this stage.

Then there is **late perimenopause**, the stage that can feel especially unpredictable because there may be longer stretches of no bleeding followed by a period that feels heavier, longer, and *possibly* more crampy.

☆ ***Late Perimenopause***

- ☐ **Late transition** is defined by ***60 days*** or more without a period.
- ☐ On average, it begins about ***2 years*** before the final menstrual period.
- ☐ Long cycles, skipped cycles, and *much* stronger hormonal fluctuations become more common.
- ☐ Ovulation happens less often.

Another twist in the **perimenopause** journey that can *really* throw you for a loop is the change in your flow itself. At this stage, it's less about cycle tracking and more about *"what kind of period am I getting today?"*

- ☐ During the menopause transition, the duration of bleeding can change.
- ☐ The heaviness of flow can also change.
- ☐ **Heavy bleeding** becomes more common closer to the final menstrual period.
- ☐ Spotting and prolonged bleeding, especially episodes longer than about ***8–10 days***, are often linked to cycles where ovulation did not happen normally.
  - ☐ Some women also experience very short bleeding episodes of only ***1–3 days***.

☆ ***Heavy Bleeding:*** *Common, But Still Important*

- ☐ **Heavy bleeding** near menopause is common.
- ☐ It can be linked to high estradiol levels, uterine fibroids, and obesity.

- ☐ **High BMI** is associated with heavier bleeding and more flooding episodes.
- ☐ **Fibroids** can also make bleeding heavier and more prolonged.

However, common does ***not*** mean ignorable. **Heavy bleeding** may be part of the transition, but it is still ***clinically relevant***, especially if it is intense, disruptive, or *far* outside your normal.

☆ ***Ovulatory** And **Anovulatory Cycles***

- ☐ An **ovulatory cycle** is a cycle where ovulation happens.
- ☐ An **anovulatory cycle** is one where ovulation does not happen.
- ☐ Early in the transition, **anovulatory** cycles become more common.
- ☐ Later in the transition, **ovulatory** cycles may sometimes produce greater blood loss.
- ☐ Both very short bleeding and long bleeding episodes can reflect ovulatory dysfunction.

Now, if you're trying to figure out what your **hormones** are doing in the background, here is how it all breaks down:

- ☐ **Follicle-stimulating hormone**, or **FSH**, rises progressively during the transition.
  - ☐ FSH often begins increasing about ***7 years*** before menopause.
- ☐ **Inhibin-B** declines early.
- ☐ **Anti-Müllerian hormone**, or **AMH**, declines as ovarian reserve decreases.
- ☐ **Estradiol** can swing widely during perimenopause.
  - ☐ Main idea? Your hormone levels become more erratic, and your cycle reflects that instability. (@ ﹏ @)

It's also worth saying that there is no single *'standard'* roadmap for **perimenopause**; everyone experiences a *slightly* different pattern.

- ☐ About ***15–25%*** of women have very little noticeable menstrual change before menopause.
- ☐ Some women experience **abrupt amenorrhea**, meaning periods seem to stop rather suddenly.

- About ***12%*** experience this more abrupt pattern.
  - Women who reach **menopause** later often had longer cycles throughout their reproductive years.

☆ ***Factors*** *That Can Shape Menstrual Changes*

- Low BMI is associated with longer cycles and longer bleeding duration.
- High BMI is associated with heavier bleeding.
- Smoking is associated with earlier menopause and a shorter transition.
- **Diabetes** is associated with earlier menopause and longer cycles.
- Thyroid disorders can change bleeding patterns.
  - **Hypothyroidism** is associated with heavier bleeding.
  - **Hyperthyroidism** is associated with lighter flow.
- **PCOS** may be associated with later menopause because of higher ovarian reserve.
- **Fibroids** can make bleeding heavier and longer.

☆ ***Ethnic And Population Differences***

- Some research shows earlier transition in women of color.
- Some studies show longer cycles in certain **Asian** populations.
- After adjusting for health factors, bleeding characteristics appear generally similar across groups.

☆ ***Why These Cycle Changes Matter Clinically***

- **Menstrual changes** are one of the main ways clinicians stage the menopause transition.
  - Women often notice *early* changes before they are obvious in a clinical setting.
- **Chronic illness** and certain medical treatments can make menopausal timing harder to interpret.
- Accurate staging helps with symptom management, reproductive counseling, and hormonal treatment decisions.

So, **perimenopause** is not just a label. It can shape decisions about contraception, symptom treatment, and whether **abnormal bleeding** needs more evaluation. d(> _ <)

☆ ***What Is Usually Normal To Expect***

- ☐ More cycle variability.
- ☐ Shorter cycles early on.
- ☐ Longer cycles and skipped periods later on.
- ☐ Changes in bleeding length.
- ☐ Changes in bleeding heaviness.
- ☐ Hormonal unpredictability that makes the whole thing feel inconsistent.

☆ ***When To Pay Closer Attention***

- ☐ Bleeding that feels much *heavier* than usual.
- ☐ Flooding episodes.
- ☐ Very prolonged bleeding.
- ☐ Bleeding patterns that seem extreme for you.
- ☐ Bleeding changes in the setting of **fibroids**, thyroid disease, **obesity**, or **diabetes**.

Sometimes the most reassuring thing during this stage is simply knowing that your body is not acting differently for no reason. There is **physiology** behind the chaos, even when it feels messy.

- ☐ **Perimenopause** is a biologically patterned transition, ***not*** a body failure.
  - ☐ Your period may become less predictable years before menopause actually happens.
    - ☐ Irregularity during this stage is often normal.
    - ☐ Variability between women is also normal.
- ☐ Not every strange cycle means something catastrophic is happening.

☆ ***Practical Ways To Support Yourself Through The Transition***

- ☐ Start tracking your cycles if they become noticeably irregular.
- ☐ Pay attention to timing, heaviness, duration, and skipped months.

- ☐ Note any flooding or *unusually* prolonged bleeding.
- ☐ Keep a record of health conditions that may affect bleeding, like thyroid issues, **fibroids**, **diabetes**, or major weight changes.
- ☐ Bring your observations to a healthcare provider if changes feel significant or disruptive.
    - ☐ **Tracking** is especially helpful here because memory gets fuzzy fast. After three weird periods, they all start blending together a little!

Conclusion ☆ ⋅ ₊ °

The **menopause transition**, also known as **perimenopause**, can absolutely make periods feel confusing, inconvenient, and sometimes a bit … much. (._.)" But it is not random, and it is ***not*** just in your head. **Menstrual** changes during this stage follow a **real** biological pattern, even if that pattern looks different from woman to woman. The most grounding thing to remember is this: irregularity is often normal in perimenopause, but your experience still deserves attention, care, and clarity. (ㅅ´ ˘ `)

Source ☆ ⋅ ₊ °

Harlow, S. D., & Paramsothy, P. (2011). Menstruation and the menopausal transition. *Obstetrics and Gynecology Clinics of North America, 38(3),* 595–607. https://doi.org/10.1016/j.ogc.2011.05.010

Menopause

It's funny how people talk about **menopause** like it's just a couple of **hot flashes** and then—boom—it's over! Like … no. (#`Λ´) It's *way* more than that. In actuality, it is a **huge** full-body hormonal shift that can mess with your sleep, your mood, your sex life, your metabolism, and even how comfortable you feel in your own skin. So, if you ever feel flooded with emotion or like nobody ever explained this to you well enough, it's ***not*** all in your head. It truly is **a lot** to carry!

The **good news?** You don't have to just sit there and take it with a plastered smile! There is real science behind what's happening, and there are so many great ways to support yourself through it. Now, let's pull back the curtain on this phase so it feels a whole lot more manageable and ***clear!*** (¯—¯)b

As always, ***this section is for education only, not medical advice.***

Main Content ☆ · ₊ °

Menopause is a ***transition***, not a personality change, not a personal failure, and definitely ***not*** the end of femininity, beauty, sexuality, or vitality. It's a perfectly normal milestone and, as the other parts of this guide show, normal doesn't give you a free pass on symptoms. (;´∀`)

☆ *What Menopause Actually Is*

- ☐ **Menopause** is clinically defined as going ***12 consecutive months*** without a **menstrual period**, when there is no other cause for the absence of periods.
- ☐ At this stage, the ovaries have *largely* stopped releasing eggs and produce much lower levels of **estrogen** and **progesterone**.
- ☐ Natural menopause most often happens between ages **45 and 55**, though timing can vary quite a bit.
  - ☐ The years *leading up to* menopause are called **perimenopause**.
  - ☐ The years *after* menopause are called **postmenopause**.

☆ *What Can Influence When Menopause Happens*

- ☐ Timing varies naturally.
  - ☐ **Genetics** play a role.
  - ☐ Lifestyle and environmental factors also contribute.
  - ☐ Smoking is one factor that can affect timing.
  - ☐ Medical history matters too.

☆ *The Stages And What To Expect*

- ☐ **Perimenopause** is the transition phase before menopause.
  - ☐ During perimenopause, hormones begin fluctuating more unpredictably.
  - ☐ Periods often become irregular during this time.
  - ☐ Symptoms often begin in perimenopause, sometimes *years* before periods stop completely.

- ☐ Menopause is the point reached after ***12 straight months*** without a period.
  - ☐ **Postmenopause** is the phase after that, when hormone levels stay lower and more stable.

    You know, a lot of women tend to think, *"I still have periods, so this cannot be **menopause**-related."* But **perimenopause** is *exactly* the stage where symptoms often sneak in first, while cycles are still technically happening.

Now, let's tackle a few of the **most common misconceptions** about menopause and get down to what's *actually* true!

☆ ***Myth #1:*** *Menopause Is Just About Hot Flashes*

- ☐ **Not true.**
- ☐ **Hot flashes** are very common, and more than ***80 percent*** of women experience them.
- ☐ But menopause can also affect vaginal comfort, sleep, mood, memory, sexual function, bones, metabolism, skin, hair, and body composition.
- ☐ Looking at menopause only through the hot-flash lens misses a huge part of the picture.

  This myth is genuinely *such* a disservice because it makes women feel caught off guard when other symptoms show up. If your main complaint is insomnia, brain fog, dryness, or joint discomfort, that still "counts."

☆ ***Myth #2:*** *Everyone Goes Through Menopause The Same Way*

- ☐ Also **not true.**
- ☐ Timing varies between women.
- ☐ Symptom type, symptom severity, and symptom duration also vary widely.
- ☐ **Genetics**, lifestyle, smoking status, environment, and medical history can all influence the experience.

So if your friend breezed through it and you are *not* breezing at all, that does not mean you are doing something wrong. Everyone's body is different!

☆ ***Myth #3:*** *Menopause Only Lasts A Few Years*

- ☐ Eh, not *necessarily*.
- ☐ Some symptoms begin in **perimenopause** and continue well into **postmenopause**.
- ☐ For some women, symptoms can last a decade or *longer*.
  - ☐ The timeline is *very* individual.

☆ ***Myth #4:*** *You Just Have To Put Up With It*

- ☐ **False.**
- ☐ There are evidence-based ways to manage symptoms.
- ☐ Options can include **hormone therapy**, **nonhormonal medications**, **vaginal therapies**, pelvic floor support, and lifestyle *or* behavioral approaches.
  - ☐ Treatment should be ***individualized*** rather than one-size-fits-all.

Moving right along, let's look at the actual **symptoms of menopause** to show how it goes way beyond just **hot flashes**! (⌒ - ⌒)

☆ ***Vasomotor Symptoms***

- ☐ **Vasomotor symptoms** are the classic hot-flash family of symptoms.
- ☐ They include **hot flashes**, night sweats, flushing, and chills.
- ☐ These are among the most common *and* bothersome symptoms of **menopause.**
  - ☐ Night sweats can be *especially* disruptive because they can wreck **sleep quality**.

☆ ***Sleep Changes***

- ☐ **Menopause** can bring insomnia, frequent waking, or lighter, more disrupted sleep.
- ☐ Night sweats can make this worse.

- ☐ **Poor sleep** can then intensify irritability, low mood, fatigue, and concentration problems.
  - ☐ Sometimes women at this stage think they have *"just become bad sleepers"* due to life and whatnot, when it's actually **hormones** that are part of the picture.

☆ ***Mood And Cognition***

- ☐ Some women notice irritability, anxiety, low mood, or depressive symptoms.
- ☐ Others notice brain fog, forgetfulness, or feeling mentally slower than usual.
- ☐ **Memory lapses** and concentration changes can happen during the transition.
  - ☐ These changes typically get brushed off, but they are **just as real** as the others!

☆ ***Vaginal And Urinary Changes***

- ☐ Lower **estrogen** can lead to vaginal dryness and thinning of tissues.
- ☐ Sex may become painful or more irritating.
- ☐ Some women experience urinary urgency or more frequent **urinary tract infections.**
  - ☐ These symptoms are often grouped under **genitourinary** changes of menopause.

☆ ***Sexual Changes***

- ☐ **Libido** may decrease.
- ☐ Arousal may feel different.
- ☐ Discomfort during sex may increase if dryness or tissue changes are present.
  - ☐ **Sexual changes** during menopause are ***common*** and not a character flaw, relationship failure, or evidence that desire is *"gone forever."*

☆ ***Bone, Metabolic, And Body Changes***

- ☐ Lower **estrogen** increases the risk of bone loss and **osteoporosis**.
- ☐ Menopause can also affect fat distribution, lipid levels, and insulin sensitivity.
    - ☐ Some women notice more **central weight gain**, meaning weight gathers more around the abdomen.
- ☐ Skin and hair changes can happen too.
- ☐ Joint discomfort may also become more noticeable.

When it comes to managing all of this, **you've got options!** Everything is tailored to whatever you're dealing with. Whether your biggest hurdle is **hot flashes**, terrible sleep, or something else entirely, there's a path forward for you! Let's take a look at what works. ^ ‿ ^

☆ ***Hormone Therapy:*** *The Most Effective Option For Hot Flashes*

- ☐ **Hormone therapy**, also called **HT** or **MHT**, is the most effective treatment for **hot flashes** and night sweats.
    - ☐ It can also help with **vaginal atrophy** and related symptoms.
    - ☐ It comes in different forms, including pills, patches, gels, and vaginal rings.
- ☐ Treatment should be ***individualized*** based on symptoms and health history.
- ☐ Risk and benefit discussions matter, especially with a family or personal history of **breast cancer**, **cardiovascular disease**, or other major conditions.
    - ☐ It is generally used at the ***lowest*** effective dose for the ***shortest*** time needed for the individual situation.

☆ ***Nonhormonal Medication Options***

- ☐ Some **nonhormonal medications** can help manage **vasomotor symptoms**.
- ☐ **SSRIs** and **SNRIs**, such as low-dose **paroxetine**, have shown benefit for **hot flashes** in some women.
- ☐ **NK3 receptor antagonists**, such as fezolinetant, are used for moderate to severe hot flashes in some women.

- These options can be especially useful for women who cannot use **hormones** or prefer not to.

☆ *Lifestyle Strategies For **Hot Flashes** And Day-To-Day Symptom Relief*

- Keep the environment cool when possible.
- Dress in layers so you can adjust quickly.
- Use breathable fabrics.
- Keep a fan nearby if that helps.
- Pay attention to possible triggers like spicy foods, hot drinks, caffeine, and alcohol.
- Regular physical activity may help overall well-being and symptom burden.
    - **Weight management** can also support symptom control in some women.

☆ ***Stress Reduction** And **Nervous-System** Support*

- **Mindfulness** may help some women cope with symptoms.
- **Cognitive behavioral therapy**, or **CBT**, can be useful, especially when menopause symptoms are affecting sleep or distress levels.
- **Yoga** and paced breathing may also help reduce the stress load around symptoms.
    - Stress does ***not*** cause menopause, of course, but it *can* make symptoms feel harder to carry.

☆ ***Sleep** Support Strategies*

- Keep a consistent sleep schedule when possible.
- Aim for a cool, dark, quiet sleep environment.
- Address night sweats if they are waking you repeatedly.
- Supportive sleep habits can reduce the spiral between poor sleep, mood changes, and daytime exhaustion.

☆ ***Vaginal** And **Genitourinary** Treatments*

- ☐ Vaginal moisturizers and **lubricants** can help relieve dryness and friction.
- ☐ **Local low-dose estrogen therapy**, such as creams or rings, can help support vaginal tissues in some women.
- ☐ Local therapies may improve dryness, irritation, and painful sex.
- ☐ Pelvic floor physical therapy may also help with sexual discomfort and pelvic symptoms.

☆ ***Bone** And **Heart Health** During And After Menopause*

- ☐ **Calcium** and **vitamin D** remain important.
- ☐ Weight-bearing exercise supports bone health.
- ☐ **Bone density monitoring** may be appropriate for some women.
- ☐ Cardiovascular risk should also be monitored.
  - ☐ Blood pressure, lipid levels, glucose, diet, and activity all matter during this life stage.

☆ *A Good **Mindset** Around Menopause*

- ☐ **Menopause** is a *biological* transition, ***not*** a personal decline.
- ☐ Symptoms are common, but treatment and support are available.
- ☐ The experience can affect the **whole body**, not just temperature regulation.
- ☐ Some women have milder transitions, while others need much more support.
  - ☐ Please know that needing help does ***not*** mean you are weak. **It simply means your body is asking for care.**

☆ ***Practical Questions To Bring To A Healthcare Provider***

- ☐ *"Are my symptoms more consistent with **perimenopause** or **postmenopause**?"*
- ☐ *"What treatment options make sense for my specific symptoms?"*
- ☐ *"Am I a reasonable candidate for **hormone therapy**?"*

- ☐ *"What nonhormonal options are available for **hot flashes** or mood-related symptoms?"*
- ☐ *"What can help with vaginal dryness or painful sex?"*
- ☐ *"Should I be thinking about bone density, cholesterol, blood pressure, or glucose screening right now?"*

Conclusion ☆ ⋅ ₊ °

Menopause is a ***major*** transition, but it does not have to stay vague or wildly misunderstood. When women know the stages, recognize the **broader symptom picture**, and understand that relief options exist, the whole experience becomes less isolating and much more simple to deal with. In short, the overarching objective is to recognize that this phase is real, common, treatable, and ***absolutely*** worthy of thoughtful care. (っ´ω`c)♡

Source ☆ ⋅ ₊ °

Pinkerton, J. V., & Caron, K. (2023). Menopause: Biology, pathophysiology, and management. *Journal of Clinical Endocrinology & Metabolism, 108(9),* 2155–2175. https://doi.org/10.1210/clinem/dgad177

Aging Gracefully

Aging beautifully has so little to do with trying to look like you're in your twenties again. While it's tempting to want to erase the clock and start fresh with a blank slate, the focus should be on protecting your strength, your skin, your energy, your focus, and that deep-down **vigor** that makes you feel like you. That's a ***major*** distinction to make, especially since the whole **anti-aging industry** tries to sell us shallow, quick-fix ideas all for a buck or two. 〃(* ¯ ³¯) In actuality, **graceful aging** has to do with what's happening across your ***entire*** body.

The best part about it is that so much of what speeds up the aging process is *completely* at our fingertips! >___< Sure, some of it is **intrinsic**, like genetics, hormones, and the influence of time. But a huge piece of the puzzle is **extrinsic**, shaped by everyday stuff like sun exposure, stress levels, inflammation, and what we eat and drink. So while we can't exactly pause the clock, we can definitely help our bodies age with an abundance of **joy** and **strength**.

And, as always, ***this section is for education only, not medical advice.***

Main Content ☆ · ₊ °

Beautiful, **healthy aging in women** deserves a much more intelligent lens than *"fight every wrinkle."* Women age through a *very* specific biological reality, especially around **menopause**, bone loss, muscle loss, oxidative stress, and skin changes. So, let's shift our priority from youth-restoration to preservation, resilience, and **glow** that comes from *real* physiological support. ٩(ˆ ▽ ˆ)۶

☆ ***What "Aging Gracefully" Should Actually Mean***

- ☐ Healthy aging in women means preserving strength, resilience, mobility, skin integrity, metabolic health, cognitive function, and confidence.
  - ☐ **Beauty** reflects underlying physiologic health, ***not*** just surface appearance.
- ☐ *Aging well is less about chasing youth and more about* **reducing unnecessary damage.**

Up to this point, this might just sound like the standard, everyday health advice you'd hear for anyone. But the truth is, **women** and **people with a uterus** tend to age differently than men.

- ☐ **Women** and **people with a uterus** generally live longer than men, but they also tend to have higher rates of frailty, disability, and certain **chronic conditions** later in life.
  - ☐ This is influenced by **menopause**, estrogen decline, lower baseline bone mass, lower baseline muscle mass, and higher risk of **osteoporosis**, **sarcopenia**, and autoimmune disease.
- ☐ Women also face heavier **social pressure** around appearance and aging.
  - ☐ *Aging strategies for women need to be built around* ***female biology****, not generic one-size-fits-all advice.*

☆ ***Frailty Vs. Resilience***

- ☐ **Frailty** means the body has less reserve and is less able to recover from stress.

- ☐ Common signs include weakness, fatigue, weight loss, slower walking speed, and low physical activity.
- ☐ Women tend to have higher frailty rates after age **65**.
- ☐ At the same time, women often show strong **resilience** and longer survival.
    - ☐ A **graceful-aging** strategy should aim to reduce frailty while preserving muscle, bone, mobility, and metabolic stability.

The body carries a kind of cellular wear-and-tear history, and **telomeres** are one part of that story!

- ☐ **Telomeres** are protective caps at the ends of chromosomes.
- ☐ They help preserve DNA integrity and genomic stability.
    - ☐ Each time a cell divides, **telomeres** shorten slightly.
        - ☐ Because of that, **telomere length** is considered a ***major*** marker of biological aging.
- ☐ When **telomeres** become too short, cells can enter **senescence**, meaning they stop dividing and function less efficiently.

☆ *Why **Telomeres** Matter For Beautiful Aging*

- ☐ Shorter **telomeres** are associated with faster biological aging and greater risk of age-related disease.
    - ☐ Critically short **telomeres** contribute to **cellular senescence** (as mentioned above), chronic inflammation, tissue dysfunction, and lower regenerative capacity.
- ☐ **Senescent cells** can release inflammatory signals that worsen aging internally and externally.
- ☐ This matters for beauty because skin elasticity, healing, tone, and vitality all depend on healthy cellular function.

☆ ***Why Women May Have A Telomere Advantage***

- ☐ Women generally have longer telomeres than men, even from birth.

- **Estrogen** may help protect telomeres by lowering **oxidative stress**, supporting antioxidant defenses, supporting DNA repair, and stimulating **telomerase**, the enzyme that helps maintain telomere length.
- Women also tend to have lower reactive oxygen species levels than men.
- After menopause, though, hormonal shifts can increase **oxidative stress**, inflammation, and visible aging signs.

Now, aging is ***not*** only *"getting older."* A lot of the most frustrating acceleration comes from repeated exposure to stressors the body doesn't handle well over time.

☆ *What Speeds Up "Bad" Aging*

- **Oxidative stress** damages **telomeres** and skin structures.
- Chronic inflammation accelerates both internal aging and visible aging.
- Psychological stress raises **cortisol** and is linked to faster telomere shortening.
- Smoking is strongly linked to shorter telomeres and worse aging outcomes.
- Excess alcohol increases oxidative stress and inflammatory damage.
- **Obesity** is associated with worse telomere dynamics and metabolic aging.
- Poor diet, especially a processed-food-heavy diet, is associated with shorter telomeres.
- **Thyroid dysfunction** can worsen oxidative stress and inflammation.
- Sun exposure and UV damage are some of the ***biggest*** drivers of premature skin aging.

☆ *Intrinsic Aging Vs. Photoaging*

- **Intrinsic aging** is the natural aging process driven by time, genetics, and internal biology.
  - *Intrinsically* aged skin tends to be thinner, drier, more finely wrinkled, and less elastic.
- **Photoaging** is aging caused by sun exposure.

- ☐ *Photoaged* skin is more likely to show deep wrinkles, rough texture, pigment irregularity, **laxity** (also known as *sagging*), dullness, and **solar elastosis.**
  - ☐ **UV damage** drives DNA injury, reactive oxygen species formation, collagen breakdown, and uneven pigmentation.
- ☐ ***Extrinsic*** skin aging (such as **photoaging**) is *much* more preventable than intrinsic aging.

And that leads us to a topic that's on a *lot* of women's minds: **skin care** as we age. Since it's our largest organ, the changes are front and center. As briefly mentioned above, aging skin can feel thinner, drier, slower to recover, and less springy. And here's why:

- ☐ **Collagen** declines by about ***1%*** *per year.*
  - ☐ Existing **collagen** becomes more irregular and disorganized.
    - ☐ There is loss of **fibrillin** and **collagen** type VII, which weakens the connection between skin layers.
- ☐ Epidermal **hyaluronic acid** decreases, which contributes to dehydration, less bounce, and slower wound healing.
- ☐ Skin turnover also slows, so repair and renewal become less efficient over time.

Okay, I know all of the information above was a lot to take in. **Telomeres**, **oxidative stress**, **collagen**… it's a ***ton*** of heavy terminology, and you may be thinking that you have a lot to worry about. (ᵕ — ᵕ —) But seriously, don't sweat it! We're over the heavy hill, so now it's time to delve into all of the **real, actionable things** you can do to support your body and age beautifully! Let's start with one of the big kahunas: **nutrition**.

- ☐ **Nutrition** is one of the most modifiable anti-aging strategies.
- ☐ A nutrient-rich diet supports lower **oxidative stress**, lower inflammation, DNA protection, telomere stability, skin barrier function, and healthier **collagen** biology.
- ☐ The goal is eating in a way that ***consistently*** lowers inflammatory and oxidative burden.

☆ *The Mediterranean Diet*

- ☐ One of the strongest dietary patterns linked to longer telomeres is the **Mediterranean diet,** which is depicted in the image below. (**Pavasovic, 2024**).



- ☐ This pattern emphasizes fruits, vegetables, whole grains, legumes, fish, olive oil, fiber, **polyphenols**, and **omega-3 fats**.
- ☐ Greater adherence to this way of eating has been associated with longer **telomeres** in women.
  - ☐ Some intervention data suggest it may help slow telomere shortening over time.
- ☐ This likely works through lower inflammation and lower **oxidative stress**.

☆ ***Nutrients*** *Linked To* ***Telomere*** *And Skin Protection*

- ☐ **Vitamin C**, **vitamin E**, **folate**, **beta-carotene**, **polyphenols**, **omega-3 fatty acids**, **selenium**, and **copper** are all regarded as helpful here.
- ☐ These nutrients may help neutralize free radicals.

- They may also support **collagen** production, DNA repair, and preservation of **telomere** integrity.
- In other words, they help the body defend itself better against *wear and tear.*

☆ ***Superfoods*** *For Anti-Aging Support*

- **Blueberries**: provide anthocyanins that help defend cells against oxidative damage.
- **Nuts**: provide healthy fats and **vitamin E**, which support cell membranes and lower inflammation.
- **Green Tea**: provides **EGCG**, a **polyphenol** linked to antioxidant protection and telomere stability.
- **Spinach**: provides **folate**, which supports DNA synthesis and repair.
- **Salmon**: provides omega-3 fats, which help reduce inflammation.
- **Avocado**: provides monounsaturated fats plus **vitamins *C*** and **E.**
- **Broccoli**: provides sulforaphane, which activates protective antioxidant pathways.
- **Pomegranates**: provide ellagic acid, which may help defend against oxidative injury.
- **Turmeric**: provides curcumin, which helps lower chronic inflammation.
- **Dark Chocolate**: provides flavonoids that may help protect cells and DNA from chronic damage.
    - Overall, these foods provide antioxidants, healthy fats, **folate**, polyphenols, and anti-inflammatory compounds that may help lower oxidative stress.

☆ *What Worsens Aging From A* ***Food*** *And* ***Lifestyle*** *Angle*

- Diets high in processed foods, refined sugars, unhealthy fats, and low-quality calories are linked to worse aging patterns and shorter telomeres.

- ☐ Smoking damages skin, accelerates telomere attrition, and increases oxidative stress.
- ☐ Excess alcohol adds oxidative and inflammatory strain.
- ☐ Low access to **nutrient-dense food** can also worsen biologic aging through more inflammatory eating patterns.

Now let's talk more about **skin** and what to do about it, starting with why your **skin barrier** is such a big deal. Think of it as your body's ***ultimate*** shield because when it's healthy, it keeps the good stuff like moisture locked in while keeping out dryness, irritants, and daily pollution. Taking care of this barrier isn't just about looking glowy right here and now, it's about giving your skin the tools to bounce back, stay smooth, and protect the collagen you already have. d(-_ ☆)

☆ ***Sun Protection***

- ☐ **Photoprotection** is one of the clearest evidence-based anti-aging strategies.
- ☐ Chronic **UV exposure** causes wrinkling, pigment changes, **collagen** breakdown, and premature **photoaging.**
- ☐ Helpful protection includes sun avoidance when possible, ***consistent*** sunscreen use, topical antioxidants, and **retinoids** when appropriate.
    - ☐ Daily UV protection is one of the most effective habits a woman can build.

☆ ***Antioxidants*** *For Skin Aging*

- ☐ Both topical and systemic antioxidants can be useful tools.
- ☐ **Antioxidants** help by scavenging free radicals, reducing **oxidative damage**, helping repair oxidized membranes, and supporting photoprotection.
- ☐ Important antioxidants here include **vitamin C**, **vitamin E**, **carotenoids**, **selenium**, **copper**, and **polyphenols.**
- ☐ Combinations may work better than single antioxidants alone.

☆ ***Topical Ingredients*** *With Strong Support*

- ☐ Two major topical anti-aging categories are **antioxidants** and **cell regulators**.
  - ☐ **Vitamin C** has evidence for supporting **collagen** production and reducing **collagen** breakdown.
  - ☐ **Niacinamide** can help support skin metabolism, elasticity, redness, and pigment irregularities.
  - ☐ **Vitamin E** helps with anti-inflammatory effects, barrier support, moisture retention, and photoprotection support.
  - ☐ **Retinoids** such as **retinol** and **tretinoin** are among the most strongly supported anti-aging ingredients because they can improve wrinkles, elasticity, and pigmentation while supporting **collagen** synthesis.
  - ☐ **Green tea polyphenols** also show **antioxidant** and photoprotective benefits.

☆ ***Collagen, Elastin, And Hydration***

- ☐ Skin aging is strongly tied to changes in **collagen**, **elastin**, glycosaminoglycans, and **hyaluronic acid**.
- ☐ Supporting these structures can improve firmness, hydration, resilience, and texture.
  - ☐ **Hyaluronic acid** is especially important because it helps with hydration, space filling, tissue repair, and shock absorption.
- ☐ When hydration and structural proteins decline, skin often looks duller, rougher, and less bouncy.

As a little cherry on top of the sundae, let's look at a few **extra steps** you can take to support your body as you get older! ∠(ᐛ 」∠)＿

☆ ***Movement And Exercise***

- ☐ **Physical activity** helps protect against frailty, muscle loss, bone loss, and metabolic decline.

- This is *especially* important for women because maintaining muscle and bone is one of the strongest graceful-aging strategies available.
- Exercise is regenerative *and* preventive medicine, not just weight control.
- **Resistance training** is especially valuable for preserving function and resilience.

☆ ***Stress And Emotional Well-being***

- Psychological stress is linked to faster **telomere** shortening and worse aging outcomes.
  - Stress also worsens inflammation, sleep, skin quality, and overall resilience.
- Beautiful aging therefore includes **mental health care**, emotional regulation, social support, and nervous-system support.
- In other words, **protecting your peace is not just emotional. It is biologic.**

☆ ***Hormones And Women's Aging***

- Declining hormones with age can affect skin thickness, bone density, muscle mass, sleep, mood, sexual well-being, and overall vitality.
  - **Estrogen** appears to have protective effects against oxidative stress.
  - **Hormone replacement therapy**, or **HRT**, may have some benefits for some women, especially around **osteoporosis** prevention.
    - But **HRT** is not a universal beauty solution and has important risks and individual considerations. Hormonal support should be medically guided and ***individualized.***

☆ ***Procedures And Cosmetic Treatments***

- In-office options can include chemical peels, lasers, **IPL**, radiofrequency, hyaluronic acid fillers, **PRP**, and botulinum toxin.

- ☐ These can improve some visible signs of aging, especially **photoaging**, wrinkles, **laxity**, and pigment changes.
- ☐ But they work best when built on prevention and good systemic health.
- ☐ Procedures should ***complement*** healthy aging, not replace it.

☆ A Practical Graceful-Aging Framework

- ☐ Eat a **Mediterranean**-style, **antioxidant-rich** diet.
  - ☐ Prioritize fruits, vegetables, legumes, fish, olive oil, nuts, fiber, and whole foods.
    - ☐ Keep protective foods like berries, leafy greens, salmon, broccoli, turmeric, avocado, green tea, and nuts in regular rotation.
- ☐ Use ***daily*** sun protection.
- ☐ Support the **skin barrier** with consistent, appropriate skin care.
  - ☐ Use evidence-based topicals such as **vitamin C**, **niacinamide**, **vitamin E**, and **retinoids** when tolerated.
- ☐ Maintain regular movement, especially **resistance training** and weight-bearing exercise.
- ☐ Avoid smoking.
- ☐ Avoid excessive alcohol.
- ☐ Support sleep, stress regulation, and social connection.
- ☐ Keep up with preventive healthcare and hormone-aware care when relevant.

Conclusion ☆ ･ ₊ °

Aging gracefully is not about trying to restore your twenty-five-year-old self. (´U ` *) It is about helping the body stay strong, nourished, protected, and vibrant for **as long as possible**. When women support their skin, **telomeres**, hormones, muscles, bones, stress levels, and daily habits, aging starts to feel much less like a battle and much more like a well-tended process. That is the real beauty of it: ***not*** worry, ***not*** perfection, just lending your body a helping hand as time passes by. ⁘

Sources ☆ · ₊ °

Boccardi, V., & Polom, J. (2024). Searching for beauty and health: Aging in women, nutrition, and the secret in telomeres. *Nutrients, 16(18)*, 3111. https://doi.org/10.3390/nu16183111

Ganceviciene, R., Liakou, A. I., Theodoridis, A., Makrantonaki, E., & Zouboulis, C. C. (2012). Skin anti-aging strategies. *Dermato-Endocrinology, 4(3)*, 308–319. https://doi.org/10.4161/derm.22804

National Institute on Aging. (n.d.). *Exercise and physical activity.* https://www.nia.nih.gov/health/exercise-and-physical-activity

Pavasovic, V. (2024, October 4). *Mediterranean diet* [Blog post]. Victoria Pavasovic. https://www.victoriapavasovic.com/blog/mediterranean-diet

Midlife, Menopause, Aging

Chapter 10: Strength, Health, Longevity

Healthy Weight in Midlife Women

Gaining unwanted weight or seeing your body change in ways you don't want is never a fun experience, especially during **postpartum** or **midlife**, and it makes *total* sense why! These are two ***major*** chapters where your hormones, sleep, stress, appetite, and daily routine all decide to switch up at the exact same time. (@ ˷ @) So, if you've been feeling a bit more sensitive, more hungry, or less like yourself lately, please know that it doesn't mean you lack discipline or are necessarily doing anything wrong.

Getting to a healthy weight does ***not*** have to involve heavy restriction, extremes, or any of that *tiresome* **diet-culture** nonsense. (ᵕ — _ —) The best approach is merely setting realistic goals, eating enough of the good stuff, and focusing on adopting habits that actually support your body instead of fighting it. And, even though we are honing in on **postpartum** and **midlife** specifically here, these same habits can help women feel their best at pretty much ***any*** stage of life!

*As always, **this section is for education only, not medical advice.** Please always talk with your doctor, a **registered dietitian**, or your trusted healthcare team before making any big changes to your diet or health routine.*

Main Content ☆ · ₊ °

Weight management is not just about the number that pops up on the scale. (´ ᵕ `) It is also about protecting **blood sugar, blood pressure, cholesterol,** energy, hormones, muscle, and long-term health. An efficient, more structured approach usually works better than severe restriction, especially in bodies already moving through ***major*** transitions!

☆ *Why Weight Changes Often Happen In Postpartum And Midlife*

- ☐ **Postpartum** and **midlife** are both periods where weight retention or weight gain can become more common.
  - ☐ This is influenced by hormonal, biologic, psychological, and lifestyle changes.
- ☐ In **postpartum** life, sleep disruption, recovery, feeding demands, and routine changes can all affect eating and movement.
- ☐ In **midlife**, hormonal shifts, changes in body composition, and metabolic risk can make weight feel more stubborn.
  - ☐ Excess weight during these stages may increase risk for **type 2 diabetes, hypertension, dyslipidaemia, stroke,** and some cancers, including **breast** and **ovarian cancers**.

Now, when it comes to managing what you eat, there is genuinely ***no need*** for a perfect super-strict meal plan to see real progress. That'll only serve to burn you out. (｡ᵕ ˎ _ˋ) What you *actually* need is just a realistic rhythm and a flexible pattern that you can easily live with day in and day out.

- ☐ **Dietary management** is one of the most effective strategies for achieving and maintaining a healthy body weight.
- ☐ Nutrition affects energy balance, metabolism, and body composition.
- ☐ Dietary advice should be realistic and personalized.

- ☐ It should take into account **BMI**, activity level, breastfeeding status, lifestyle, and eating habits.
  - ☐ In real life, not everyone has easy access to a dietitian, so basic, practical nutrition guidance matters ***a lot.***

☆ ***A Smart Stepwise Approach Works Best***

- ☐ Helpful steps include setting realistic weight goals, estimating calorie needs, balancing **macronutrients**, meeting **micronutrient** needs, and considering culture, routine, and food preferences.
- ☐ This kind of approach tends to be more sustainable than copying someone else's diet from the internet.
- ☐ It also helps women make choices based on their body's needs instead of panic.

Alright, let's switch gears slightly and talk about what **healthy, sustainable weight loss** in women actually looks like in real life!

- ☐ Women who are overweight or **obese** are encouraged to pursue gradual weight loss.
  - ☐ Even women with a normal **BMI** may still benefit from weight management if they have a waist circumference above **80 cm**, body fat above about ***30–38%***, or postpartum weight retention of at least **4.5 kg**.
- ☐ A ***5—10%*** reduction in body weight is considered clinically meaningful.
- ☐ That level of change can improve **blood glucose, blood pressure,** and **blood lipid levels**.

☆ *The **Safest Pace** Is Usually The **Most Effective** One*

- ☐ A recommended rate of weight loss is about **0.5—1 kg** per week.
- ☐ This gradual pace helps preserve lean muscle mass.
- ☐ It also supports fat loss while lowering the risk of under-eating or burning out.
  - ☐ Slower progress is ***not*** failed progress. It is often the kind that actually lasts.

Speaking of making things last, let's talk about **calories** for a second. Figuring out how to fuel your body properly can really help you understand what your system actually needs to get through the day!

- ☐ Calorie needs depend on **basal metabolic rate**, physical activity level, and **total energy expenditure**.
  - ☐ Basal metabolic rate, or **BMR**, is the energy your body uses for basic functions like breathing, circulation, and cellular activity.
  - ☐ **Total energy expenditure** is the broader estimate of how much energy you need in a day.
- ☐ Activity level changes this a lot, which is why one person's intake will ***not*** automatically fit another person's body.

☆ *Special Calorie Needs In **Postpartum Life***

- ☐ **Breastfeeding women** need additional calories.
  - ☐ During the first ***6 months*** postpartum, needs may increase by about **600 kcal** per day.
  - ☐ From ***7–12 months*** postpartum, needs may increase by about **520 kcal** per day.
- ☐ If a postpartum woman is overweight, intake may still be reduced by around **500 kcal** per day to support gradual weight loss while maintaining nutrition.
- ☐ The key word here is ***gradual***. Postpartum bodies still need fuel, especially when healing and possibly producing milk.

☆ *Energy Reduction For **Midlife Women***

- ☐ For weight loss in **midlife**, a **500–1000 kcal** per day deficit is commonly used by clinicians.
- ☐ This typically supports about **0.5–1 kg** of weight loss per week.
- ☐ The goal is to reduce energy intake enough to create progress without making eating feel obsessive or nutritionally thin.
  - ☐ More restriction is ***not*** always better. Often it is just **harder to sustain**.

It's important to remember that it's not just about numbers. To avoid feeling totally depleted, you need the **right mix of fuel**.

- ☐ A balanced eating pattern should generally include **carbohydrates, protein,** and **fat**.
- ☐ A common distribution is about ***50–60%*** of energy from **carbohydrates,** ***15–25%*** from **protein,** and *less than* ***30%*** from **fat**.
- ☐ The goal is to choose better-quality versions of each and keep the overall pattern balanced.

☆ ***Carbohydrates*** *Are Not The Enemy*

- ☐ **Complex carbohydrates** are preferred over simple sugars.
- ☐ They tend to provide more fiber, lower **glycemic** impact, slower digestion, and better blood sugar control.
- ☐ Helpful sources include **whole grains**, **millets**, **fruits**, **vegetables**, and **legumes**.
- ☐ Foods to limit include refined flour products, sugary beverages, and heavily processed snacks.
  - ☐ *Not all* ***carbohydrates*** *need to be avoided. Some can be very good for you!*

☆ ***Protein*** *Helps With More Than Muscle*

- ☐ **Protein** supports muscle maintenance, satiety, metabolic health, and recovery.
- ☐ This is especially important in **postpartum healing** and in **midlife**, when preserving lean mass becomes even more valuable.
- ☐ During **lactation**, protein needs also rise.
- ☐ Protein needs may increase by about **16.9 g** per day during the ***first 6 months*** postpartum and about **13.2 g** per day during months ***7–12.***
  - ☐ Helpful sources include **low-fat dairy**, **eggs**, **fish**, **lean chicken**, **soy foods**, **nuts**, and **legumes**.

☆ ***Fat Quality*** *Matters Too*

- ☐ Recommended fat intake is about ***20–30%*** of total calories.
- ☐ **Saturated fat** should stay below ***10%*** of calories.

- ☐ **Trans fat** should stay below ***1%.***
- ☐ **Cholesterol** intake is often suggested at around **200–300 mg** per day.
  - ☐ Better fat choices include **monounsaturated** and **polyunsaturated fats** from **olive oil**, **nuts**, **seeds**, and **fatty fish**.

☆ ***Micronutrients*** *Women Especially Need*

- ☐ Certain nutrients are especially important during **postpartum** and **midlife**.
  - ☐ **Iron** matters for preventing *anemia*.
  - ☐ **Calcium** matters for bone health and lactation.
  - ☐ **Vitamin A** supports immunity, vision, and breast milk **nutrient** content.
  - ☐ **Vitamin C** supports immune function, **antioxidant** protection, and **iron** absorption.
  - ☐ **Vitamin D** supports **calcium** absorption and bone health.

☆ ***Iron*** *Support*

- ☐ Iron targets may be around **23 mg** per day in **postpartum** women and **29 mg** per day in **midlife** women.
- ☐ Food sources include **poultry**, **fish**, **legumes**, **green leafy vegetables**, **nuts**, and **seeds**.
  - ☐ Iron matters even more if fatigue is an issue or blood loss has been significant.
- ☐ *Pairing **iron-rich** foods with **vitamin C sources** can help absorption!*

☆ ***Calcium*** *And* ***Vitamin D*** *Support*

- ☐ **Calcium** needs are often around **1000–1200 mg** per day.
  - ☐ Good sources include **milk**, **yogurt**, **paneer**, **leafy greens**, and **fish**.
- ☐ **Vitamin D** supports **calcium** absorption and bone health.
  - ☐ Sources include **sunlight** exposure, **fortified foods**, and **fatty fish**.
    - ☐ This is especially important in **midlife**, when bone density protection becomes more urgent.

Once you have those **core nutrients** locked in, the next big building block is how you actually space out your food. Proper meal preparation helps reduce both overeating and undereating, making you feel more satisfied from morning to night!

- ☐ A helpful pattern is **3 main meals** with **2–3 smaller snacks**.
- ☐ This structure can help stabilize **blood sugar**.
- ☐ It may also reduce cravings and lower the chance of arriving at meals *absolutely* starving.
    - ☐ For many women, this feels *much* more manageable than skipping meals and hoping for the best.

☆ ***The Healthy Plate Method***

- ☐ A practical plate method is:
- ☐ **1/2** plate **vegetables**
- ☐ **1/4** plate **protein**
- ☐ **1/4** plate **complex carbohydrates**
- ☐ This can support fullness, balance, and portion awareness without obsessive tracking.
- ☐ It is also flexible enough to work across many cuisines and routines.

☆ ***Hypocaloric Diets***

- ☐ A **hypocaloric diet** usually reduces intake by about **500–750 kcal** per day.
- ☐ Typical ranges may be about **1200–1500 kcal** per day for midlife women and **1200–1800 kcal** per day for overweight postpartum women.
- ☐ These are structured ranges, not a reason to under-eat recklessly.
- ☐ Food quality still matters just as much as total calories.

☆ ***Managing Cravings And Emotional Eating***

- ☐ Hormonal shifts during **postpartum** and **midlife** can increase mood changes, cravings, and stress eating.
    - ☐ Helpful strategies include small frequent meals, high-**fiber** foods, and nutrient-dense snacks.

- ☐ Better snack examples include **sprouts**, **roasted nuts**, **vegetable soups**, and **fruit yogurt**.
- ☐ This can help reduce the cycle of restriction, craving, and rebound overeating.

☆ ***Cooking Methods*** *Can Make All The Difference*

- ☐ Preferred cooking techniques include **steaming, boiling, grilling, baking,** and **sautéing**.
- ☐ Deep frying and heavy-oil cooking are better used *less* often.
  - ☐ This does ***not*** mean food has to become bland or joyless. It simply means the everyday baseline can be made lighter and more supportive.

☆ ***Food Labels*** *Are Worth Learning*

- ☐ Women are encouraged to look at **calorie** content, added sugars, fat levels, **sodium**, and portion size.
- ☐ This helps make packaged foods feel less misleading.
- ☐ It also helps women notice when a *"healthy"* product is mostly marketing.
  - ☐ Label reading is ***not*** obsessive. It is informed.

Okay, now that we've established the facts, let's look at a few **common myths** that deserve to be debunked so you don't waste your energy on things that don't actually work.(￣へ￣)

- ☐ **Myth #1:** Eating very high-fat foods improves milk production.
  - ☐ *Fact:* Milk production depends on nutrient-dense eating, not excess fats or sugars.
- ☐ **Myth #2:** Weight gain after pregnancy is unavoidable.
  - ☐ *Fact:* Healthy lifestyle practices can support **postpartum** weight loss and recovery.
- ☐ **Myth #3:** Skipping meals helps with weight loss.
  - ☐ *Fact:* Skipping meals often leads to overeating later and can make energy regulation *worse.*
- ☐ **Myth #4:** All carbohydrates should be cut out.

- ☐ *Fact:* **Complex carbohydrates** support energy, satiety, and better blood sugar control.

It's also important to note that taking care of your weight actually pays off across your *whole* body! (∩ > ᵕ < ∩)

- ☐ In **diabetes**, even ***2–5%*** weight loss can improve **blood glucose** control.
- ☐ In **dyslipidaemia**, ***5–10%*** weight loss can improve **cholesterol** and **triglycerides**.
- ☐ In **hypertension**, helpful eating patterns include fruits, vegetables, whole grains, and low-fat dairy, while **sodium** is ideally limited to about **1500–2000 mg** per day.
- ☐ In **PCOS**, ***2–10%*** weight loss may improve **ovulation** and hormonal balance.
- ☐ In **hypothyroidism**, balanced meals, adequate **fiber**, and lean **protein** can help, and **calcium** and **iron supplements** should be spaced away from thyroid medication.

☆ ***Midlife Women*** *Need Special Attention To Prevention*

- ☐ **Midlife** often brings increased metabolic risk, hormone changes, and bone density loss.
- ☐ Preventive strategies include adequate **calcium**, adequate **vitamin D**, regular **physical activity**, and **sunlight** exposure.
- ☐ Weight management during this stage should support both metabolic health and long-term strength.

☆ ***A Realistic Mindset*** *Makes The Whole Thing Work Better*

- ☐ Sustainable dietary prescriptions should be realistic, personalized, culturally appropriate, and workable long-term.
- ☐ Women do better when the plan fits their **real life.**
- ☐ Perfection is not required for meaningful progress.
- ☐ ***Consistency*** matters much more than intensity.

☆ ***Practical Weight-Management Tips That Actually Help***

- ☐ Aim for gradual, not rushed, change.
- ☐ Build meals around **vegetables, protein,** and **complex carbohydrates**.

- ☐ Keep regular meal timing instead of skipping meals.
- ☐ Include enough **protein** to support fullness and muscle.
- ☐ Choose **higher-fiber** foods more often.
- ☐ Use simple cooking methods most of the time.
- ☐ Keep healthy snacks visible and easy to reach.
- ☐ Read ***labels*** instead of trusting front-of-package wellness language.
- ☐ Adjust intake thoughtfully if breastfeeding rather than aggressively slashing calories.
- ☐ Think in ***patterns***, not extremes.

Conclusion ☆ · ₊ °

Weight management does not have to be extreme to be effective. Especially in **postpartum** and **midlife**, the body usually needs stability more than severity. When women focus on realistic goals, balanced meals, enough **protein** and **fiber**, thoughtful calorie support, and long-term health instead of short-term panic, progress becomes much more ***sustainable.*** That is the heart of it: letting go of restriction and perfection, and instead giving yourself the kind of smart support a *real* woman can actually live with. (´ ▽ ` ʃ♡ɭ)

Source ☆ · ₊ °

Malhotra, A., Verma, A., Kaur, D., Ranjan, P., Kumari, A., & Madan, J. (2022). *A stepwise approach to prescribe dietary advice for weight management in postpartum and midlife women. Journal of Obstetrics and Gynaecology of India, 72(2),* 114–124. https://doi.org/10.1007/s13224-022-01643-w

Bonus

More **Tips** & **Tricks**, Just For You (☆´з`)

Fluid Balance ; Lymphatic System

If you've ever woken up thinking that you feel heavy, puffy, or just completely waterlogged in your own body, you are definitely ***not*** getting in your own head. So many women deal with this, whether it's right before their period, after a *long* flight, on a *smotheringly* hot day, during **pregnancy**, or just when life gets incredibly stressful and **perimenopause hormones** start causing a scene. And, yes, you can get that tight, full feeling even if you are *completely* healthy and nothing is medically wrong.

This is where your **lymphatic system** chimes in, and it's pretty interesting how it works! (⌒ ‿ ⌒) It essentially keeps your fluids balanced and supports your immune system by moving **lymph** around to clear out waste and **proteins**. Giving yourself a gentle **lymph drainage massage** is a great, relaxing way to get things moving and knock down that temporary puffiness, but it works ***best*** when you have a clear idea of what it actually can and cannot do. And that is exactly what this section is all about! (´ ∀ `)b

*And, as always, **this section is for education only, not medical advice.** If you are **pregnant**, breastfeeding, recently **postpartum**, or recovering from a procedure, ask a provider before using more intensive facial or body drainage routines.*

Main Content ☆ · ₊ °

The **lymphatic system** is separate from the **blood vessel system**, and unlike blood circulation, it does ***not*** have a heart pumping it forward. Its movement depends much more on things like muscle activity, breathing, hydration, and the state of the **nervous system**. That is one reason you may feel more **fluid retention** when you are stressed, sedentary, hormonal, overheated, or under-rested.

☆ *What The Lymphatic System Actually Is*

- ☐ The **lymphatic system** is a **fluid-circulation network** that is separate from blood vessels.
  - ☐ It moves **lymph**, which contains fluid, **proteins**, **immune cells**, and waste products.
  - ☐ It helps support **immune function**, **fluid balance**, and inflammation regulation.
- ☐ **Lymph** movement depends on muscle movement, breathing, hydration, and nervous-system regulation rather than a central pump like the heart.

Okay, now that we know how it functions behind the scenes, let's look at a popular tool people use to get that fluid moving again: **lymphatic drainage massage**. >___<

- ☐ **Lymphatic drainage massage** is a gentle manual technique designed to encourage **lymph** movement.
  - ☐ It uses slow, rhythmic, superficial strokes.
  - ☐ It is intended to guide flow toward drainage areas.
  - ☐ It is ***not*** supposed to feel like deep tissue work.
  - ☐ It should ***not*** feel harsh or painful.

Fluid sluggishness can hit at the most inconvenient times, so it is *super* helpful to know what this looks like in your day-to-day life so you can spot it early!

- ☐ Many women describe feeling puffy or swollen.
- ☐ Others notice heavy legs, body fatigue, cyclical **water retention**, bloating, or morning facial swelling.

- ☐ Hormonal shifts can make fluid changes feel more noticeable.
- ☐ These sensations may become *especially* obvious during the **luteal phase**, **pregnancy**, **postpartum**, or **perimenopause**.

☆ *The **Hormonal** Connection*

- ☐ **Estrogen** influences **fluid retention** and **vascular permeability**.
- ☐ **Progesterone** also affects smooth muscle tone and circulation.
- ☐ Because of this, fluid shifts can feel more noticeable during the **luteal phase**, **pregnancy**, and **perimenopause**.
- ☐ Hormonal states do not create the same experience in every woman, but they can absolutely change how swelling and **retention** feel.

Giving your **lymphatic system** a little extra love can bring some seriously welcome relief! Here are the **common benefits:**

- ☐ Women commonly report feeling *lighter* in the body.
- ☐ Many notice less sensation of swelling or heaviness.
- ☐ Some feel a temporary reduction in heaviness, tightness, or **bloating** sensation.
  - ☐ Others experience more comfort during **PMS**, after long sitting periods, after travel, or after workouts.
- ☐ Relaxation and **nervous-system** calming are also commonly reported.
- ☐ Facial work may also temporarily support a more *defined* or less puffy appearance.

☆ *What Lymphatic Drainage Does **Not** Do*

- ☐ It does ***not*** melt fat.
- ☐ It does ***not*** permanently change body size.
- ☐ It does ***not*** make organs detox faster than they already do.
- ☐ It does ***not*** replace medical treatment.
- ☐ It does ***not*** fix **endocrine disorders**.
- ☐ It is ***not*** a cure for **chronic edema conditions**.

☆ ***Who May Benefit The Most***

- ☐ Women with sedentary routines may feel more benefit.

- ☐ Women who notice *hormonal* **water retention** may also find it helpful.
- ☐ It may feel especially supportive for high-stress women, because stress can affect both perceived swelling and **nervous-system** tone.
- ☐ Mild post-travel swelling, long sitting days, PMS-related bloating, and general recovery routines are also common use cases.
- ☐ It can be a comfort tool, ***not*** just an aesthetic one!

☆ *When Results May Feel **Strongest***

- ☐ During the **luteal phase**.
- ☐ After long sitting periods.
- ☐ During high-salt periods.
- ☐ In heat or humidity.
- ☐ In **postpartum recovery**.
- ☐ In **perimenopause**, when fluid variability may feel more noticeable.

Now, it's important to note that there is **no such thing** as a tool that works identically on every face or body. We all get different results, and here's the real reason why:

- ☐ Hormonal state matters.
- ☐ Hydration status matters.
- ☐ Body composition and **vascular tone** matter.
- ☐ Baseline **lymphatic efficiency** may differ.
- ☐ **Nervous-system regulation** matters.
- ☐ Underlying medical conditions matter.

While these medical and biological details are integral, your **daily habits** matter just as much!

☆ *The **Nervous-System**'s Influence*

- ☐ **Lymph flow** is influenced by **parasympathetic**, or *relaxed*, nervous-system activity.
- ☐ **Relaxation** may support better fluid movement.
- ☐ Chronic stress can worsen the feeling of swelling and heaviness.
- ☐ Some women report emotional release after lymphatic-style sessions.

☆ ***Lifestyle Habits*** *That Support Lymph Flow Naturally*

- ☐ Walking.
- ☐ Deep **diaphragmatic** breathing.
- ☐ Good hydration.
- ☐ Stretching.
- ☐ Gentle bouncing or rebounding.
- ☐ Adequate sleep.
- ☐ Lowering chronic stress.
- ☐ Avoiding long periods of immobility.

☆ ***Safety Matters***

- ☐ **Lymphatic-style massage should be avoided or medically cleared in cases of active infection.**
  - ☐ It also deserves medical clearance with uncontrolled heart conditions, **kidney disease**, **untreated cancer**, or severe **vascular disease.**
- ☐ If swelling is sudden, one-sided, painful, or medically unexplained, that is ***not*** a casual spa issue.
- ☐ Remember, supportive wellness tools should ***never*** override clinical common sense!

☆ ***The Most Realistic Takeaway On Body Lymphatic Drainage***

- ☐ **Lymphatic drainage** is best understood as a *supportive* comfort tool.
  - ☐ It may help women feel lighter, less puffy, and more regulated.
  - ☐ It works best alongside movement, hydration, rest, and **nervous-system** support.
- ☐ For many women, the results are subtle but meaningful.

There is also a **facial** version of this conversation, which is where **facial rollers** and **gua sha** come in. (· o ·) These tools are often thrown into the same little de-puffing bucket online, but they may help in slightly different ways!

- ☐ Research comparing **facial roller massage** and **gua sha massage** over **8** weeks found meaningful improvement in facial contour.
- ☐ Women ages **20 to 50** used a tool for ***10 minutes***, **5** times per week, for **8** weeks.
  - ☐ Both approaches showed significant improvement in facial contour measurements.
- ☐ The important nuance is that they appear to work through ***different mechanisms.***

☆ *What The **Facial Roller** Seemed To Do Best*

- ☐ The **roller** is more ***directly*** connected with gentle rolling motions, improved circulation, and **lymphatic drainage**.
  - ☐ It shows greater improvements in **gross elasticity** and biological elasticity.
  - ☐ That suggests a stronger effect on superficial tissue quality and skin elasticity.
- ☐ If the goal is gentle de-puffing, superficial support, or a light preventive routine, the **roller** may make more sense.

So, basically, if a woman mainly wants that fresh, less-puffy, lightly sculpted look, the **roller** is the cleaner choice.

☆ *What **Gua Sha** Seemed To Do Best*

- ☐ **Gua sha** is more strongly connected with deeper tissue manipulation, reduced muscle tone, and reduced dynamic stiffness.
  - ☐ It improves facial contour too, but that seems to happen more through muscle and deeper soft tissue effects.
  - ☐ It seems especially relevant for facial tension, **masseter tightness**, and lower-face heaviness related to muscle tone.
- ☐ It may be a better match when facial fullness is tied more to ***tension*** than to simple puffiness.

Essentially, if a woman clenches her jaw, carries a lot of **masseter tension**, or feels like her lower face looks heavier when she is tense, **gua sha** may be the more useful option.

When you look at the actual benefits, both tools do a pretty good job of giving your face a beautiful, sculpted lift. The main difference is that a **roller** is your go-to for gentle **lymphatic drainage** and moving fluid, while **gua sha** reaches a bit deeper to ease muscle tension and work out those tight, stubborn spots in your face. So, if you're just trying to de-puff, the **roller** might be the way to go!

☆ *What **Facial Gua Sha** May Help With*

- ☐ Improving facial contour.
- ☐ Supporting jawline definition.
- ☐ Improving the appearance of areas around the mid-face.
- ☐ Reducing facial muscle tone.
- ☐ Reducing facial muscle stiffness, especially in the **masseter region**.
- ☐ Supporting deeper soft tissue release.
- ☐ Providing a ***non-invasive*** aesthetic support option.

☆ ***What Kind Of Person May Prefer Gua Sha***

- ☐ Someone with facial tension.
- ☐ Someone with **masseter** tightness.
- ☐ Someone with a bulkier lower-face appearance linked to muscle tone.
- ☐ Someone wanting contour support through deeper tissue work rather than just superficial rolling.

☆ ***What Kind Of Person May Prefer A Roller***

- ☐ Someone more focused on skin elasticity.
- ☐ Someone with early superficial puffiness.
- ☐ Someone wanting a quick, gentle, low-intensity routine.
- ☐ Someone who mainly wants de-puffing and skin-supportive rolling ***without*** deeper tissue work.

★˙◇ ★.˚ ⊹₊◇ ★ Gua Sha / Roller Facial ☆ · ₊ ˚

☐ I made two ***custom illustrations*** to showcase how to use the tools for a proper facial massage! Please feel free to take a look!





☆ *How To Do **Gua Sha Pressure** Correctly*

- ☐ Moderate pressure is ideal for **gua sha**.
  - ☐ That means firm enough to move superficial tissue.
  - ☐ But not so firm that it causes discomfort or bruising.
    - ☐ There should be visible skin displacement, ***not*** aggressive scraping.
- ☐ **No bruising should happen.**

☆ *What Facial Massage Pressure Should **Not** Be*

- ☐ Not painful.

- ☐ Not harsh scraping.
- ☐ Not aggressive dragging.
- ☐ Not done on dry skin.
- ☐ Not forceful enough to inflame the face.

☆ ***Consistency Matters***

- ☐ Changes come from ***repeated*** practice.
- ☐ Remember, participants in the cited study did the massage **5** times per week for **8** weeks.
  - ☐ This supports routine use more than one-time miracle expectations.

☆ ***Important Facial Safety Notes***

- ☐ The study excluded people with **eczema**, severe acne, **rosacea**, recent facial procedures, material allergies, **pregnancy** or **lactation**, certain topical medications, and interfering piercings.
  - ☐ That means the findings do ***not*** automatically apply to every face.
- ☐ Reactive, inflamed, or highly sensitive skin deserves extra caution.
  - ☐ If someone has active irritation, more rubbing is ***not*** automatically better.

☆ ***A Realistic Facial Takeaway***

- ☐ **Both facial roller and gua sha improved contour in the study.**
- ☐ The **roller** had the clearer lymphatic-drainage framing and stronger elasticity findings.
- ☐ **Gua sha** had the clearer muscle-tone and deeper-tissue findings.
- ☐ So the best choice depends on the goal:
  - ☐ For gentle de-puffing and skin support, the **roller** may be the better fit.
  - ☐ For jaw tension and deeper contour support, **gua sha** may be the better fit.

☆ ***Simple Fluid-Balance Tips And Tricks***

- ☐ Walk after long sitting periods.

- ☐ Use **deep diaphragmatic breathing** when you feel puffy or heavy.
- ☐ Stay hydrated instead of trying to dry yourself out.
- ☐ Support sleep, because poor sleep can worsen fluid sensations.
- ☐ Lower salt-heavy, ultra-processed eating when you notice more retention.
- ☐ Use gentle **lymphatic drainage** massage for comfort, ***not*** as a miracle cure.
- ☐ During the **luteal phase** or high-stress weeks, expect more fluid fluctuation and be kinder to your body.
- ☐ Choose the **roller** more for de-puffing and superficial support.
- ☐ Choose **gua sha** more for jaw tension and deeper facial release.
- ☐ Stop if skin becomes irritated, painful, or *unusually* inflamed.

Conclusion ☆ · ₊ °

The **lymphatic system** is one of those body systems that women often feel before they fully understand. Puffiness, heaviness, bloating, and facial swelling can be influenced by hormones, stress, heat, immobility, and fluid shifts, so there is nothing silly or vain about wanting support in that area. **Gentle lymphatic system care, facial rollers,** and **gua sha** can *all* have a place, as long as we keep things realistic: they are supportive tools, not cure-alls. Used well, they can help a woman feel lighter, calmer, more comfortable, and a little more at home in her body. ⊂(·‿· ⊂)

Sources ☆ · ₊ °

Alves, B. L., Tacani, R. E., Júnior, N. C., Masson, I. F. B., Farcic, T. S., & Machado, A. F. P. (2020). Immediate effects of manual lymphatic drainage in healthy women. *Manual Therapy, Posturology & Rehabilitation Journal, 18*, 1-7. https://submission-mtprehabjournal.com/revista/article/view/771

Ahn, S. H., Hwang, U. J., Han, H. S., Kim, J. H., Lee, H. J., Jeon, Y. R., Lee, H. H., & Hwang, A. H. (2025). Comparative effects of facial roller and gua sha massage on facial contour, muscle tone, and skin elasticity: Randomized controlled trial. *Journal of Cosmetic Dermatology, 24(6),* Article e70236. https://doi.org/10.1111/jocd.70236

Cleveland Clinic. (2024, April 11). *Lymphatic system: Function, conditions & disorders.* https://my.clevelandclinic.org/health/body/21199-lymphatic-system

Health Benefits of Yoga & Pilates

Movement is *so* much more than just **burning calories** or stretching a tight muscle. The right kind of **movement** can actually protect your **bones**, fix your **balance**, support your **pelvic floor**, and simply help you feel like you can trust your body again. That is a *big* deal, especially if you are moving through **postpartum recovery**, **midlife**, or the **postmenopausal years**. Those are the core life stages when things like **bone loss**, weird pressure, **leakage**, and out-of-the-blue physical changes can turn your world upside down! (˘ ^ ˘)

You know that old saying *"work smarter not harder?"* Well, it applies perfectly to workouts too! (⌒▽⌒) Things like **Pilates**, **yoga**, and **pelvic floor-friendly exercises** are the perfect example of movement that is incredibly effective ***without*** needing to wear you out. However, the real magic comes down to how you do them: with consistency, breathing, coordination, and a sprinkle of patience.

*And, as always, **this is for education only, not medical advice.** If you have significant pelvic symptoms, pain, **prolapse** concerns, or **osteoporosis-related** medical restrictions, it is important to check in with your healthcare provider or a **pelvic floor physical therapist**.*

Main Content ☆ · ₊ °

When you hear about **bone health**, you may instantly think **calcium** and maybe **vitamin D**, which are important, yes. But bones also respond to mechanical stress, meaning they need regular physical loading and ***movement*** to stay stronger. At the same time, the **pelvic floor** needs a very different approach: ***not*** constant squeezing, but coordinated strength and release, as we discussed in earlier sections.

☆ *How **Exercise** Helps **Bones** In The First Place*

- ☐ **Exercise** creates mechanical strain on **bone tissue**, which triggers bone-building, or **osteogenic**, effects.
- ☐ It also increases blood flow to bone tissue, which supports the creation of new bone cells.
  - ☐ **Bone** is *constantly* remodeling, meaning old bone is being replaced by new bone.
    - ☐ That remodeling cycle is slow and usually takes about ***4–6 months.***
- ☐ Because of this, exercise needs to be maintained for at least about **1 year** to show substantial measurable benefits in bone mass.

Since bone density is a long-term project, you'll want a routine that actually feels good to stick with. And that is exactly where **Pilates** makes a grand entrance. ٩(ˊᗜˋ)و♡

- ☐ **Pilates** may be slightly more effective than **Yoga** for **bone mineral density**.
  - ☐ One reason is that **Pilates** emphasizes co-contraction of the **lumbo-pelvic** and **trunk stabilizer** muscles.
    - ☐ That core co-contraction creates direct mechanical forces on the spine.
- ☐ Stronger core stabilizers are directly correlated with higher bone density in the vertebrae.
- ☐ **Mat Pilates** is *especially* helpful for body composition and physical performance.

- ☐ Research shows Pilates significantly improves bone mineral density in the **lumbar spine** and the **trochanter**, which is the upper part of the thigh bone.
  - ☐ It also improves reaction time and muscle strength in women **over age 65**.

While **yoga** sometimes shows a smaller effect on bone mineral density compared to **Pilates**, that does ***not*** make it unimportant! > ᴗ <

- ☐ **Yoga** uses weight-bearing postures and balance-focused movement, which create a *different* type of strain on the body.
  - ☐ A standard routine often includes **Ashtanga-based Yoga** and **Yogasanas**.
- ☐ Evidence indicates that a consistent ***12-minute*** daily Yoga routine can be enough to reverse **osteoporotic** bone loss in the spine, hips, and femur. However, the evidence is promising, ***not*** conclusive.
- ☐ Yoga is also associated with a reduced risk of hip and lower-limb fractures because it improves ***balance***, helping women stay upright and avoid falls!

☆ ***The Dosage Of Movement*** *That Seems To Work Best*

- ☐ Most successful routines use **2–4 sessions** per week.
- ☐ Sessions usually last about ***45–60 minutes***.
- ☐ Shorter programs may help balance and function, but routines longer than **24 weeks** are much more effective for real tissue adaptation.
- ☐ Long-term commitment matters *far* more than intensity spikes.

Now, building strong bones won't matter much if you can't stay on your feet. (ᵕ — ᴗ —) Therefore, balance training ***cannot*** be treated as optional fluff!

- ☐ Most fragility fractures happen because of falls.
- ☐ **Balance training** is one of the main ways to reduce that risk.
- ☐ Experts recommend **multicomponent training**, meaning movement that combines **strength** and **balance**.
- ☐ These programs also support **independence**, **self-management**, and **active aging**.
- ☐ There are psychological and social benefits too, not just physical ones.

Drumroll, please… we're bringing the **pelvic floor** back into the spotlight! (꒪ ˙Ʊ˙) Once again, if you're dealing with **postpartum recovery**, leaking, heaviness, or tension, this is a ***major*** puzzle piece. It really comes down to how these movements impact your core, which is *exactly* why **pelvic floor-friendly yoga** & **Pilates** come in clutch!

- ☐ The **pelvic floor** works together with the diaphragm, deep abdominals, and back muscles.
- ☐ Together, these form the body's ***internal core support system.***
- ☐ When this system is balanced, movement tends to feel more fluid, stable, coordinated, and powerful.
- ☐ You are ***not*** aiming for anything along the lines of constant gripping.
- ☐ **The goal is coordinated support.**

☆ ***Why This Approach Feels Different From Traditional Fitness Cues***

- ☐ Many workouts overemphasize gripping, tucking, and holding everything in.
- ☐ That can increase **pelvic floor tension**.
- ☐ It can also worsen leaking, discomfort, pelvic heaviness, and pain.
- ☐ **Pelvic floor-friendly movement** focuses more on breath, coordination, gentle activation, and release when needed.
- ☐ It teaches the body to respond well, ***not*** to brace nonstop.

☆ ***The Breath And Pelvic Floor Connection***

- ☐ On the inhale, the **diaphragm** moves down and the **pelvic floor** should lengthen and soften slightly.
- ☐ On the exhale, the **diaphragm** rises and the **pelvic floor** gently recoils and lifts.
- ☐ Many people accidentally **hold their breath**, **push downward**, or **reverse this pattern**.
  - ☐ That can increase downward pressure on the **pelvic organs**.
- ☐ Learning this breath pattern can reduce strain and improve pressure management.

☆ *Major Benefits Of **Pelvic Floor-Friendly Yoga** And **Pilates***

- ☐ Improves core support without over-bracing.
- ☐ Helps reduce excess **pelvic floor** tension.
- ☐ Supports better breath mechanics.
- ☐ May help with urinary leakage during exercise when symptoms are related to poor coordination or pressure management.
- ☐ May reduce pelvic heaviness or pressure.
- ☐ Can help with **pelvic** pain or low back pain.
- ☐ Improves flexibility and mobility in the spine, hips, and pelvis.
- ☐ Can support **postpartum recovery**.
- ☐ Builds confidence in movement.
- ☐ Teaches both strength and relaxation.

Now that we know why these practices work wonders, let's look at **how to actually do them!** To help you picture everything, I've put together a useful little **diagram** of all the poses below!

☆ *Exercise 1:* ***Diaphragmatic Breathing***

- ☐ **Goal:** coordinate and relax the **pelvic floor** with the **diaphragm**.
- ☐ **Benefits:** calms the system, improves breathing mechanics, teaches pelvic floor softening on inhale and gentle recoil on exhale, and reduces unnecessary tension.

- ☐ **How to do it:** lie on your back with knees bent. Place one hand on your chest and one on your belly. Inhale through your nose and let your ribs and abdomen expand. Imagine your pelvic floor gently widening or blooming. Exhale through your mouth, feel the ribs close, and **let the pelvic floor lift naturally**.
- ☐ Repeat ***1–2 minutes***.
    - ☐ **Important cue:** do ***not*** force a hard pelvic floor lift. Think gentle recoil.

☆ *Exercise 2:* ***Supine Bridge***

- ☐ **Goal:** strengthen the glutes and core ***without*** bearing down.
- ☐ **Benefits:** activates glutes, supports hip and **pelvic** stability, trains core support without excess strain, and reduces overreliance on the pelvic floor itself.
- ☐ **How to do it:** lie on your back with knees bent and feet hip-width apart. Inhale to prepare. Exhale and gently roll your hips off the mat one vertebra at a time. Pause at the top and keep breathing steadily. Inhale to lower slowly back down.
    - ☐ **Modification:** place a small yoga block between the knees for gentle inner-thigh and core connection.
        - ☐ **Important cue:** lift with **control**, not with *gripping*.

☆ *Exercise 3:* ***Cat-Cow***

- ☐ **Goal:** improve spinal mobility and **pelvic floor** rhythm.
- ☐ **Benefits:** improves spinal movement, helps coordinate breath with pelvic floor lengthening and lifting, reduces torso and pelvic rigidity, and helps the core system move more naturally.
- ☐ **How to do it:** start on hands and knees. Inhale as you drop the belly and lift the chest into **Cow**. Let the pelvic floor lengthen. Exhale as you round into **Cat** and gently lift through the lower abdominals.
- ☐ Repeat ***5–8 times***.
    - ☐ **Important cue:** move with the **breath** rather than rushing through the positions.

☆ *Exercise 4:* ***Child's Pose***

- ☐ **Goal:** encourage release and lengthening.
- ☐ **Benefits:** promotes **pelvic floor** relaxation, reduces guarding and tension, encourages deep breathing into the back and side ribs, and helps calm the **nervous system**.
- ☐ **How to do it:** kneel with big toes touching and knees apart. Fold forward and rest your forehead on the mat or on a pillow. Inhale deeply into the back and side ribs and let the pelvic floor soften downward.
- ☐ Stay for ***5–10 slow breaths***.
- ☐ **Modification:** place a bolster between the thighs and torso for comfort.
    - ☐ **Important cue:** this is a ***release*** pose, not a force-the-stretch pose.

☆ *Exercise 5:* ***Tabletop Leg Lifts***

- ☐ **Goal:** train lower abdominals with controlled breath.
- ☐ **Benefits:** strengthens the deep core without over-bracing, improves single-leg control, supports **pelvic** stability, and teaches engagement without flattening or gripping.
- ☐ **How to do it:** lie on your back with knees bent and feet flat. Inhale to prepare. Exhale and lift one leg to tabletop so the hip and knee are each around **90°**. Inhale and lower it back down. Alternate sides.
- ☐ Repeat ***8–10 times*** each side.
    - ☐ **Important cue:** avoid flattening your back hard into the mat and avoid gripping your abs. Think light, connected lift.

☆ *Exercise 6:* ***Supported Deep Squat***

- ☐ **Goal:** encourage **pelvic** mobility and opening.
- ☐ **Benefits:** helps the **pelvic floor** lengthen, improves hip and pelvic mobility, and supports coordination between relaxation on inhale and activation on exhale.
- ☐ **How to do it:** stand with feet wider than hips and toes slightly turned out. Hold onto a sturdy surface or doorframe. Lower into a squat with the spine tall and chest lifted. Inhale to relax the pelvic floor and exhale to gently rise.
- ☐ **Modification:** place a yoga block or folded towel under the heels if needed.

- ☐ **Important cue:** do ***not*** force depth if it causes pressure or discomfort.

Now, unnecessary struggle is a big *no-no* in movement, especially when it comes to exercising your **pelvic floor muscles**. So, to keep things feeling good, here is a quick guide on what to watch out for, how to move safely, and who benefits the most.

☆ Movements To Be Cautious With

- ☐ Deep abdominal crunches or roll-ups.
- ☐ **Double leg lifts.**
- ☐ Long breath holds or heavy bracing.
- ☐ **Inversions.**
- ☐ Heavy **bearing down.**
- ☐ High-impact movements without proper exhalation control.
  - ☐ These can increase pelvic pressure or strain.
    - ☐ The issue is ***not*** that strength is bad for you. It's more so that **pressure management** is crucial.

***☆ Main Technique Rules** For All Pelvic Floor-Friendly Movement*

- ☐ Breathe *continuously.*
- ☐ Do ***not*** hold your breath.
- ☐ Exhale on effort, especially when lifting, standing, or working against gravity.
- ☐ Avoid **bearing down**.
- ☐ Do ***not*** over-grip the **abs**, **glutes**, or **pelvic floor**.
- ☐ Strengthen ***and*** release. Both matter.

☆ Who This Kind Of Movement May Help Most

- ☐ Women with mild **pelvic floor** dysfunction.
- ☐ **Postpartum women** easing back into movement.
- ☐ Women with chronic **pelvic floor** tension.
- ☐ Women who leak with exercise.
- ☐ Women who feel **pelvic heaviness**.

- ☐ Women with **pelvic** or low back discomfort.
- ☐ These are often safe starting points, but more specific symptoms deserve ***individualized*** support.

☆ *When To Seek **Extra Guidance***

- ☐ If you are not sure whether your **pelvic floor** is too tight, too weak, or poorly coordinated.
- ☐ If you have pain, persistent leakage, heaviness, **prolapse** symptoms, or pressure that worsens with movement.
- ☐ If you want help with breathing mechanics, posture, or pressure management.
  - ☐ A **pelvic floor physical therapist** can assess what your body actually needs rather than guessing.

Conclusion ☆ · ₊ °

Pilates, **Yoga**, and **pelvic floor-friendly** movement can be such wonderful tools for women because they support more than one thing at once. They can help protect bones, improve balance, build core support, reduce excess tension, and make movement feel *safer* and more *empowering* again. The real secret is ***not*** intensity. It is consistency, breath, and thoughtful technique. Done that way, these practices become less about working out and more about helping the female body feel **strong, supported,** and **at ease**. :-)

Sources ☆ · ₊ °

Fernández-Rodríguez, R., Alvarez-Bueno, C., Reina-Gutiérrez, S., Torres-Costoso, A., Núñez de Arenas-Arroyo, S., & Martínez-Vizcaíno, V. (2021). Effectiveness of Pilates and yoga to improve bone density in adult women: A systematic review and meta-analysis. *PLOS ONE, 16(5)*, e0251391. https://doi.org/10.1371/journal.pone.0251391

Magic City Pelvic Floor Physical Therapy. (2025, December 8). *Pelvic floor-friendly yoga & Pilates: Safe, supportive movements for core and confidence.* https://magiccitypt.com/pelvic-floor-friendly-yoga-pilates-safe-supportive-movements-for-core-and-confidence/



Makeup / Beauty Presentation

You know, I'll never forget the day I got my first eyeshadow palette. I mean, I'm pretty sure it was a cheap one from a retail store that chipped within two days, but I treasured it with all my heart … for the time being. (^ v ^) **Makeup** is one of those things that can be fun, expressive, polished, soft, glamorous, corrective, or all of the above. But underneath the products, trends, and tiny little *"wait, what even is **contour** and where does it actually go?"* moments, the real underlying message is much simpler: ***makeup changes how the eye reads the face.***

It can bring certain features forward, soften others, create balance, add warmth, and return life to the skin after coverage. The best makeup does not just sit on top of the face. It works with **facial structure, undertone, light, shadow, texture, and proportion.**

There is also a true **psychological layer** here. Research on makeup and face perception found that makeup-enhanced faces were rated as more attractive and pleasant, while also triggering stronger **attention-** and **reward-**related brain responses. So yes, makeup can be playful and artistic, but it can also vividly shape **self-perception**, confidence, and visual impact. (^ ‿ ^)b

Main Content ☆ · ₊ °

☆ ***Makeup** Is Really The Art Of Visual Illusion*

- ☐ The smartest way to think about makeup is ***not*** product-first. It is face-first.
- ☐ **Beauty makeup** works by asking what should come forward, what should recede, what needs more width, what needs more length, and what needs more ***balance.***
  - ☐ **Shadow** makes an area visually recede.
  - ☐ **Highlight** makes an area visually advance.
- ☐ **Contrast** can make features look stronger, larger, softer, or more defined.
  - ☐ *Product placement can change **how facial proportions are perceived**, not just add color, which is why **contour**, **bronzer**, **highlight**, **brow shaping**, **lip shaping**, and **corrective eye placement** can make such a noticeable difference.*

Alright, let's tap into a little bit of **brain science** to figure out why makeup has such an influence on how we perceive others!

- ☐ In the cited research, **self-applied makeup increased perceived attractiveness.**
  - ☐ Faces with makeup were rated as more pleasant.
  - ☐ Faces with makeup produced stronger **neural signals** linked to attention and emotional engagement.
- ☐ These effects happened for both a woman's own face and other women's faces.
- ☐ The brain responded even when makeup was not relevant to the task, meaning the effect was ***automatic.***

☆ ***Why Makeup Often Enhances Attractiveness***

- ☐ Makeup can increase facial contrast, especially around the eyes and lips.
- ☐ It can smooth the appearance of uneven tone or texture.
- ☐ It can create visual cues associated with youthfulness, health, and femininity.
- ☐ It can make features look more balanced.
- ☐ It can add color back into the face after **foundation**, **concealer**, or **powder**.

Now, this does ***not*** mean a woman needs makeup to be beautiful. Obviously. You are already beautiful through and through in your **own special way**. (つ≧▽≦)つ All it means is that makeup is a powerful visual **tool** when it is used *intentionally*, instead of randomly piled on because a **Youtube** tutorial said so. I included various customized images to help you find your makeup *"groove"*, all of which are inspired by **Pinterest** boards.



Let's start with the **golden rule** that applies to every single makeup look, whether it's natural, glam, or something you found on **Pinterest**!

- ☐ ***Study the face first.***
- ☐ Check face shape.
- ☐ Check eye spacing, eye size, and eye depth.
- ☐ Check lip balance.
- ☐ Check cheekbone prominence.
- ☐ Check jaw width and forehead width.

- ☐ Check the nose bridge, tip, and nostril width.
- ☐ Check undertone, skin texture, and skin finish.
    - ☐ ***Do not place product randomly***.

Okay, now let's delve into the specifics of different **makeup products** and how they best complement various face shapes, skin tones, and proportions.

☆ ***Undertones:*** *Warm Vs. Cool*

- ☐ **Warm-toned** skin has more golden, yellow, peachy, or olive warmth.
- ☐ **Cool-toned** skin has cooler, pinker, rosier, or bluish undertones.
- ☐ The easiest way to assess undertone is in bright natural daylight.
- ☐ Hold warm and cool colors near the face and notice which family makes the skin look healthier, clearer, and more vibrant.
    - ☐ If the color family is wrong, the skin may look gray, dull, muddy, orange, or washed out.

☆ ***General Color Families That Often Work:***

- ☐ **Warm undertones** usually suit golds, warm peaches, yellow-based beiges, bronze, copper, and warm browns.
- ☐ **Cool undertones** usually suit taupes, rosy pinks, mauves, red-violets, plums, and cooler browns.

☆ ***Foundation:*** *How To Make It Look Like Skin*

- ☐ Match **foundation** at the jawline, not only the cheek.
    - ☐ Blend below the jaw and slightly under the chin.
        - ☐ Choose **foundation** by both depth and undertone.
- ☐ Use the ***thinnest*** layer that gives the effect you want, then build only where needed.
- ☐ Full coverage usually works better for glamorous, polished, or camera-ready looks.
- ☐ Lighter, thinner application usually looks better for natural makeup.

Foundation should even the complexion, ***not*** erase the face. Once the skin is evened out, the face often needs color and dimension added back in through blush, lips, brows, bronzer, or subtle eye definition.

☆ ***Custom-Correcting Complexion Color***

- ☐ If the base needs more gold, add **yellow**.
- ☐ If the base needs less yellow, add **violet**.
- ☐ If the skin needs less pink or has visible rosiness, add **green**.
- ☐ If the skin needs less peach, add **mint** first, then **violet**.
    - ☐ This same corrective color logic can also apply to powders.
        - ☐ *A "wrong shade" is not always too light or too dark. Sometimes the depth is right, but the **undertone** is off.*

☆ ***Concealer Tips** That Make A Difference*

- ☐ Use **concealer** only where it is *actually* needed, especially for dark circles, blemishes, redness, and discoloration.
- ☐ **Avoid over-powdering corrected areas.**
    - ☐ Too much powder can make concealed areas look dry, heavy, creased, or more textured.
- ☐ After concealing, add life back with **blush** or **lip color** if the face looks flat.
- ☐ Concealer can visually flatten the face if nothing else is added afterward!

☆ ***Powder** And Finish Control*

- ☐ **Powder** helps set makeup, control movement, and reduce shine.
- ☐ Use ***only*** as much as needed.
- ☐ Too much powder can make skin look dry, flat, or lifeless.
- ☐ Powder is especially useful when reshaping lips, setting concealer, **or** creating a more glamorous base.
    - ☐ **Anti-shine products** can help when certain areas are catching light in a way you do not want.

        ☆ ***A Helpful Way To Think About Finish:***

        - ☐ **Matte** or satin gives more control and often photographs cleaner.
        - ☐ Soft **dew** can look fresh, healthy, and youthful.

- ☐ **Gloss** and shine work best when used intentionally, ***not spread everywhere with no plan.***

☆ ***Matte Vs. Dewy:*** *How To Choose*

- ☐ **Matte** works well when you want cleaner structure, less shine, longer wear, and a more controlled finish.
- ☐ **Dewy** or **glossy** finishes work well when you want softness, fullness, glamour, freshness, or a more stylized look.
  - ☐ **Oily** or **textured** skin often does better with **matte** or satin finishes.
  - ☐ **Drier** skin or more glamorous looks can usually handle more **dew** or **gloss.**
- ☐ The whole face does ***not*** need to be shiny for the skin to look healthy.

☆ ***Contour Vs. Bronzer Vs. Highlight***

- ☐ **Contour** changes shape.
- ☐ **Bronzer** changes warmth.
- ☐ **Highlight** changes projection.
  - ☐ **Contour** should mimic *shadow.*
  - ☐ **Bronzer** should mimic *warmth from the sun.*
  - ☐ **Highlight** should mimic *light hitting a raised plane.*

The *easiest* mistake is using **bronzer** as **contour**. Bronzer is usually too warm to create a believable shadow, which can make the face look ***orange*** instead of sculpted.

☆ ***Face Shape Guide:*** *Placing Product With Intention*



- ☐ **Oval faces** usually need balance maintained rather than dramatically corrected.
- ☐ **Round faces** often benefit from added length and gentle structure.
- ☐ **Square faces** often benefit from softened angles and reduced visual width.
- ☐ **Heart faces** often need the wider upper face balanced with the narrower lower face.
- ☐ **Diamond faces** often need cheek width softened while the forehead and chin are brought into harmony.

☆ *Nose Shaping Basics*



- ☐ **Contour** the outer sides of the nose if the nose appears **wider** than desired.
- ☐ Keep the center highlight ***slim*** if you want a narrower effect.
- ☐ If the nose is **long**, contour the tip and keep the highlight *shorter*.
- ☐ If the nose is **short**, use a *longer* center highlight and keep tip contour ***minimal.***
- ☐ Shade around the nostrils if they look wider than desired.
- ☐ Use light and shadow ***subtly.***

☆ ***Blush:*** *The Step That Brings The Face Back To Life*

- ☐ **Blush** restores healthy-looking color *after* **foundation** and **concealer.**
  - ☐ Pinks and roses often flatter **cool** undertones.
  - ☐ Peaches and apricots often flatter **warm** undertones.
    - ☐ **Deeper skin tones** can look beautiful with ***tiny*** amounts of richer reds, berries, corals, or warm terracotta shades.
  - ☐ *Cream* blush often looks especially natural on the skin.

- ☐ *Powder* blush layered over cream can improve longevity.

Blush placement can also help shape the face:

- ☐ **Round face:** pull blush slightly up and out.
- ☐ **Square face:** use a rounder placement to soften.
- ☐ **Heart face:** keep blush slightly lower to balance the forehead.
- ☐ **Diamond face:** avoid exaggerating the outer cheek width.

☆ ***Brows:*** *Framing The Face Softly*

- ☐ Groom **brows** first, then fill only where needed.
- ☐ Use short strokes that mimic real hair.
  - ☐ Taupes and soft browns often photograph softer than overly dark brow colors.
- ☐ A soft arch adds lift.
- ☐ A straighter brow can look calmer, broader, or more youthful.
- ☐ A *fuller* tail can help elongate the eye area.
- ☐ A *lifted* tail can open the eye visually.

☆ ***Eye Makeup:*** *Corrective Logic That Actually Helps*

- ☐ Light shades **advance**.
- ☐ Dark shades **recede**.
- ☐ Medium shades help **transition**.
- ☐ Eye makeup should be adjusted to eye shape, ***not*** copied exactly from every trend.

☆ ***Wide-Set Eyes***

- ☐ Use more depth toward the inner corner to visually bring the eyes closer together.
- ☐ Avoid **over-highlighting** the inner corners if the goal is balance.

☆ ***Deep-Set Eyes***

- ☐ Keep the lid ***lighter.***
- ☐ Use medium tones softly in the crease.
- ☐ Avoid very dark crease work that pushes the eyes back even further.

☆ ***Large Eyes***

- ☐ Darker lid and crease shades can help contain size.
- ☐ **Smokier** placement usually works beautifully.

☆ ***Round Eyes***

- ☐ Emphasize the outer corners to create more ***elongation.***
- ☐ Avoid very circular liner if the goal is a more **almond shape**.

☆ ***Small Eyes***

- ☐ Keep the lid ***lighter*** and more open.
- ☐ Define softly rather than heavily.
- ☐ Avoid dark, heavy shadow if it makes the eyes look smaller.

☆ ***Eyeliner*** *Tips*

- ☐ For **natural** makeup, softer browns, taupes, and grays often look gentler than harsh black liquid liner.
  - ☐ **Keep the liner close to the lash base.**
  - ☐ Dotting color into the lash line can define the eyes ***without*** creating an obvious stripe.
  - ☐ Outer lift can make the eyes look more **almond-shaped.**
- ☐ Thick all-around liner tends to make the eyes look smaller.
- ☐ *Softer* smudging usually looks more natural.

☆ ***Eyeshadow*** *Tips*

- ☐ **Cool undertones** often suit taupes, mauves, cool browns, and plums.
- ☐ **Warm undertones** often suit bronze, warm brown, peach, copper, and gold.
- ☐ For **natural makeup**, soft creams, beiges, pinks, taupes, and browns usually work *beautifully.*
- ☐ For **glamour**, stronger shape, stronger contrast, and bolder color can make sense.
  - ☐ Choose shadow based on what the eye shape needs, ***not*** just what is trending.

☆ *Lash Tips*

- ☐ **Individual lashes** are often the softest and most natural-looking.
- ☐ **Half lashes** can create a lifted soft-**glam** effect.
- ☐ **Outer-corner lash** focus lifts and elongates the eyes.
- ☐ **Center-heavy lashes** create more of a doll-eye look.
- ☐ *Brown-black* can look softer than *jet black*.
- ☐ For natural looks, curled lashes and light mascara may be enough.

☆ *Lip Reshaping Tips*



- ☐ To make lips look smaller, line just **inside** the natural lip border.

- ☐ To make lips look fuller, line just ***outside*** the natural border very carefully and symmetrically.
  - ☐ A thin **upper lip** can be balanced by lining slightly above the top lip only.
  - ☐ A thin **lower lip** can be balanced by slightly enlarging the bottom lip instead.
- ☐ Light to medium lip colors and classic reds can make lips look *fuller.*
- ☐ Medium to deeper tones can make lips look *smaller* or more contained.
  - ☐ When changing lip shape, **setting with powder** can help the new line last better.

☆ ***Highlight*** *Rules*

- ☐ **Highlight** goes where you want the face to come forward.
- ☐ Good zones often include the tops of cheekbones, cupid's bow, parts of the brow bone, and sometimes the nose bridge.
- ☐ More shimmer means more *attention.*
  - ☐ Strong shimmer can emphasize texture, acne, or enlarged pores.
- ☐ Use highlight with ***purpose***, not everywhere all at once.

☆ ***Bronzer*** *Rules*

- ☐ **Bronzer** adds ***warmth***, not shadow.
- ☐ Good bronzer zones include the forehead perimeter, temples, upper cheek perimeter, and sometimes lightly along the jaw.
- ☐ Warm skin often handles **golden** bronzers well.
- ☐ Cool skin often looks better in **neutral** bronzers rather than orange tones.
- ☐ Use bronzer to warm the skin, ***not*** carve out hollows.

Now that we're past the general rules, let's settle this right here and now. **Natural or glam?** Well, neither one is *"better"* than the other. ┐(￣▽￣"")┌ They're just completely different design choices. Natural makeup keeps things on the down low with soft edges, light coverage, and subtle definition. Glamour makeup goes all out with more coverage, sculpting, stronger contrast, bold lashes, and defined lips. The right move depends solely on the occasion, the lighting, your outfit, and whatever mood you're in!

☆ ***Natural Makeup***

- ☐ **Lighter base**.
- ☐ Minimal visible liner.
- ☐ Softer lids.
- ☐ Subtle cheek color.
- ☐ Groomed brows with only a *little* fill.
- ☐ Fresh-looking lips rather than obviously overdrawn lips.
- ☐ Less gloss and less shine.
- ☐ Softer edges overall.

☆ ***Glamour Makeup***

- ☐ **Fuller coverage base**.
- ☐ Stronger contour and highlight.
- ☐ Bolder brows and eyes.
- ☐ False lashes.
- ☐ More sculpting.
- ☐ More defined lips.
- ☐ Shine or gloss can be part of the look.
- ☐ ***Strong blending matters.***

☆ ***Beginner Mistakes*** *That Make Makeup Look Heavier*

- ☐ Choosing the wrong undertone.
- ☐ Using **too much powder**.
- ☐ Making brows too dark.
- ☐ Using bronzer as contour.
- ☐ Overlining lips without symmetry.

- ☐ Making small or deep-set eyes too dark.
- ☐ Leaving an unblended foundation line at the jaw.
- ☐ Forgetting to add color and life back in after base makeup.

☆ *A Simple Makeup **Cheat Sheet***

- ☐ Want something to look slimmer or farther back? Use **shadow**.
- ☐ Want something to look fuller or more forward? Use **light**.
- ☐ Want the face to look healthier? Add **cheek** and **lip color** back in.
- ☐ Want **natural makeup?** Use softer edges, softer browns, lighter coverage, and less shine.
- ☐ Want **glamour?** Use fuller coverage, more sculpting, lashes, gloss, and stronger definition.
- ☐ **Warm undertone?** Think gold, peach, bronze, copper, and **warm** browns.
- ☐ **Cool undertone?** Think taupe, rose, mauve, plum, and **cooler** browns.
- ☐ **Small eyes?** Keep the lid lighter.
- ☐ **Large eyes?** Darker lid and crease can help.
- ☐ **Wide-set eyes?** Add more depth toward the inner corner.
- ☐ **Deep-set eyes?** Use a light lid and softer crease.
- ☐ **Thin lips?** Slight overline with careful setting.
- ☐ **Full lips** too dominant? Line slightly inside.

Conclusion ☆ ⋅ ₊ °

The most flattering **makeup** is rarely the heaviest *or* the trendiest. It is the makeup that understands the face in front of it. When you learn how **undertone,** placement, **shadow, light,** finish, **and** proportion work together, makeup starts to feel much less like smearing on random products and hoping they blend, and much more *fulfilling*. Not because you are covering the face up, but because you are learning how to enhance what is *already* there with **intention, balance,** and a hint of **artistry**! ☆～(ゝ 。 ∂)

Sources ☆ · ₊ °

Arai, T., & Nittono, H. (2022). Cosmetic makeup enhances facial attractiveness and affective neural responses. *PLOS ONE, 17(8)*, e0272923. https://doi.org/10.1371/journal.pone.0272923

The Makeup Artist Handbook. (n.d.). https://dn790008.ca.archive.org/0/items/The_Make_Up_Artist_Handbook/The_Make_Up_Artist_Handbook.pdf



For Surrogates

A **Glimpse** Into the World of Surrogacy (つ^‿^)つ

Surrogate Handbook

Surrogacy might not start out as this big, world-shattering lightbulb over your head. Instead, it could be more of a *whisper* that just hangs out at the back of your mind for a while. Maybe you heard a story years ago, or saw a family built in this way and thought, *"I wonder what that's actually like for the* ***surrogate****?"* Well, the answer to that is: It can feel quite **fulfilling**, but also huge, layered, and, let's be real, a little *intimidating*. Which is completely fair! ^ ◡ ^

Gestational surrogacy is one of those topics everyone talks about, yet the most important parts always seem to get left out somehow! The medical side gets oversimplified, the emotional side gets turned into a soap opera, and the legal stuff just gets glossed over. It leaves people totally misunderstanding what a **surrogate** *actually* goes through. That is exactly why this **mini handbook** is here! In this section, we will clear up the noise and shine a light on the facts, so that the whole picture feels ***a lot*** steadier and easier to navigate. (¯ ▽ ¯) b

In short, we'll walk through what **gestational surrogacy** really is, why families look into it, and how the whole process flows. Additionally, we'll delve into why the screening steps matter *so* much, what to expect **emotionally** and **physically**, how the relationships usually work, and even how to bring it up with a partner or explain it to your own kids!

This section is for education only, not medical advice, legal advice, or a substitute for individualized medical, psychological, or legal guidance. ***Surrogacy*** *is a major medical, emotional, and legal decision, so any next steps should always be discussed with qualified professionals who can evaluate your specific situation.*

Main Content ☆ ⋅ ₊ °

No matter where you are coming from or how much you already know about this topic, **everyone is welcome in this conversation**! (つ ＞ ▽ ＜ つ) Whether you're totally new and just want the facts ***without*** the medical fluff, a candidate trying to figure out if this is the right move for your family, or an **experienced surrogate** looking for a resource that actually matches your reality, **this section is for you.** With that out of the way, let's start with how this process actually works, starting with the absolute basics!

☆ *What Gestational Surrogacy Actually Is*

- ☐ The word **surrogacy** comes from **subrogare**, a Latin root meaning *"to substitute."*
  - ☐ In modern reproductive medicine, **surrogacy** means that a woman carries a pregnancy for another person or couple.
- ☐ **There are 2 main forms:**
  - ☐ **Traditional surrogacy.**
    - ☐ The surrogate's **own egg** is used.
    - ☐ She *is* genetically related to the child.
    - ☐ Conception usually involves sperm from the intended father or a donor.

- **Gestational surrogacy.**
  - The surrogate does ***not*** provide the egg.
  - The embryo is created through **IVF** using the intended parents' gametes, donor gametes, or a combination of the two.
  - The **gestational carrier** has ***no*** genetic connection to the baby.

    This part is key! In **gestational surrogacy**, the carrier is carrying the pregnancy, but she is ***not*** the genetic mother of the child. That is exactly why the phrase *"paid to give up her own baby"* does not accurately describe gestational surrogacy ***at all.***

☆ *Why People Pursue Gestational Surrogacy*

- **Gestational surrogacy** is often used when pregnancy would be impossible, medically unsafe, or *repeatedly* unsuccessful.
  - Common reasons include:
    - Absence of the uterus.
    - Uterine abnormalities or malformations.
    - Prior **hysterectomy** (surgical procedure to remove the uterus or *womb*).
    - Recurrent pregnancy loss.
    - Repeated failed IVF attempts.
    - Medical conditions that make pregnancy dangerous.
      - Higher-risk situations can include **severe cardiac disease**, **pulmonary hypertension**, **systemic lupus**, major reproductive disorders, and other serious health conditions where carrying a pregnancy would place the intended mother at ***substantial*** risk.
- Gestational surrogacy can also be part of family-building for **single men**, **same-sex male couples**, and intended parents using donor eggs or donor sperm.

For many **intended parents**, surrogacy is not some casual *"easier"* route. It is often a ***deeply*** considered option after other paths were closed off, medically unsafe, or painfully unsuccessful.

☆ *Surrogacy Can Be **Altruistic** Or **Compensated***

- ☐ Some arrangements are **altruistic**, meaning the surrogate is reimbursed for expenses but ***not*** paid beyond that.
- ☐ Others are **compensated**, meaning the surrogate receives **financial compensation** in addition to expense coverage.
  - ☐ Different countries and legal systems regulate these arrangements differently.
- ☐ **Compensation** and **altruism** are ***not*** automatically opposites.
- ☐ Many surrogates describe both a genuine desire to help and a practical appreciation for fair compensation.

☆ *A Little **Historical Context***

- ☐ **Surrogacy** is ***not*** a brand-new concept, even though modern gestational surrogacy depends on **IVF** and newer legal frameworks.
  - ☐ Historical references to surrogate-type arrangements appear in ancient religious and cultural texts, such as **The Book of Genesis**.
- ☐ In modern law, **2 major U.S. cases** helped shape public understanding:
  - ☐ **Baby M** in 1986 highlighted the legal and emotional complications of **traditional surrogacy**, especially when the surrogate is also genetically related to the child.
  - ☐ **Calvert v. Johnson** in 1990 became a ***major*** precedent for gestational surrogacy by emphasizing intended parenthood when the carrier has ***no*** genetic connection to the baby.

Okay, now that we've covered what **gestational surrogacy** is and why families may pursue it, let's move into the part that makes the process feel a lot less obscure: the ***structure.*** Because surrogacy is not meant to be a rushed *"yes or no"* decision. It is a ***layered*** process with medical, legal, emotional, and practical safeguards built in to protect everyone involved, especially the **gestational carrier**.

- ☐ A **gestational surrogacy journey** is usually a long, multi-step process, not a quick yes or no decision.
- ☐ From start to finish, the overall timeline commonly falls around 18 to 24 months.
- ☐ A general flow often includes:
    1. Initial pre-screening.
    2. Matching.
    3. Comprehensive legal and medical screening.
    4. Embryo transfer preparation.
    5. Embryo transfer.
    6. Pregnancy.
    7. Birth.
    8. Postpartum and legal follow-through.

☆ ***Screening Comes First For A Reason***

- ☐ **Gestational carriers** are generally screened medically, psychologically, and practically before moving forward.
- ☐ ***Common criteria often include:***
    - ☐ Roughly 21 to 45 years old.
    - ☐ At least ***1*** prior healthy pregnancy.
    - ☐ No major history of **serious obstetric complications**.
    - ☐ No significant uncontrolled **psychiatric condition**.
    - ☐ A stable support environment.
    - ☐ Screening can include:
        - ☐ Review of pregnancy history.
        - ☐ Infectious disease testing.
        - ☐ Uterine assessment.
        - ☐ Psychological evaluation.
        - ☐ Conversations about motivation, boundaries, and support.

- ☐ **Legal counseling and contracts.**

  Surrogates are ***not*** selected randomly. The process is designed to favor women with **proven fertility**, prior pregnancy experience, and enough practical stability to move through the journey more safely.

It is also important because newer population-level research reminds us that **surrogacy** should ***never*** be treated as casual or automatically low-risk. Even when many outcomes are reassuring, a **gestational carrier** is still taking on a real pregnancy, and some newer data suggest higher rates of certain complications compared with women carrying their own pregnancies. That does ***not*** mean the process should be feared. It means screening, strong requirements, single embryo transfer when appropriate, good prenatal care, and **postpartum** follow-up are not just formalities. They are safeguards.

And this is exactly why **structure** matters so much. Once you understand why all those safeguards are there, the difference between an **agency-supported journey** and a **private arrangement** starts to clear up! ꒰(_ _) Both paths can exist, of course, and both can be valid. But the amount of **guidance, organization, and built-in support** around each journey can look *very* different, and that difference can matter a lot once real-life questions, emotions, and decisions start showing up.

☆ ***Agency-Supported Vs. Private Arrangements***

- ☐ In **agency**-supported surrogacy, **agencies** often help with:
  - ☐ Matching.
  - ☐ Coordination.
  - ☐ Screening.
  - ☐ Legal referrals.
  - ☐ Financial organization.
  - ☐ Communication structure.
  - ☐ Emotional support.
  - ☐ Problem-solving if conflict comes up.
- ☐ In **private or independent arrangements**, the intended parents and surrogate manage the process more directly themselves.

- ☐ **Private arrangements** are more common when the parties already know each other.
  - ☐ That can feel warmer and more personal, but it can also leave more room for unclear expectations, weak structure, **legal gaps**, or conflict without a neutral framework.
- ☐ **Agency**-supported arrangements often create **more predictability** because there is a defined process to fall back on if something becomes confusing, tense, or emotionally messy.

☆ ***Matching Is About Fit, Not Just Availability***

- ☐ A thoughtful match tries to account for both the intended parents' and the surrogate's preferences, needs, communication style, location, and expectations.
- ☐ The matching process through an agency often includes:
  1. An initial discussion about preferences and expectations.
  2. **Surrogate pre-screening.**
  3. A video or in-person **match meeting.**
  4. A final mutual decision to move forward.
- ☐ Good matching is ***not*** just about who is eligible. It is about whether the relationship feels workable, respectful, and emotionally sustainable.

Okay, now for my favorite part: the ***science*** behind the process! **Gestational surrogacy** relies on a pretty cool biotechnology tool called **IVF**, so let's break down what that actually means.

- ☐ **IVF** is a type of assisted reproductive technology in which eggs are collected, fertilized with sperm in a laboratory, and grown into embryos before transfer into the uterus.
- ☐ A full IVF cycle often takes around 2 to 3 weeks and usually includes **5 broad steps**:
  1. **Ovarian stimulation.**
     - ☐ Medications are used so the ovaries mature ***multiple eggs*** rather than just 1.

- ☐ Common medication categories can include **FSH**, **hMG**, **GnRH agonists**, **GnRH antagonists**, **progestins**, and ovulation-trigger medications such as **hCG** or a **GnRH agonist**.

2. **Egg retrieval.**
   - ☐ About ***36 hours*** after the final trigger medication, eggs are retrieved in a minor procedure.
   - ☐ A needle is guided by ultrasound through the vagina to the ovaries.
     - ☐ The procedure often takes around ***15–30 minutes*** and is commonly done under **anesthesia.**
3. **Fertilization.**
   - ☐ Retrieved eggs are fertilized with sperm in the lab.
   - ☐ Sometimes eggs and sperm are mixed together conventionally.
     - ☐ Other times **ICSI** is used, where a single sperm is injected directly into the egg.
4. **Embryo culture.**
   - ☐ Embryos are monitored and grown in the laboratory for about 2 to 5 days.
5. **Embryo transfer.**
   - ☐ A doctor places the selected embryo into the uterus using a **thin catheter** through the cervix.
   - ☐ Transfer may be fresh or frozen for later use.

☆ ***The Role Of Embryo Transfer***

- ☐ **Embryo transfer** is timed to the **implantation window**, when the uterine lining is most receptive.
  - ☐ Transfers are commonly done around **day 3** or **day 5** of embryo development, depending on the clinical plan.
- ☐ The uterine lining is prepared with hormonal support, especially **progesterone**.
- ☐ The highest-quality embryo or *embryos* are selected for transfer based on developmental features and overall viability.

- **Single embryo transfer** is generally preferred because it lowers the risk of **multiple pregnancy** and all the extra obstetric complexity that can come with it.

  Embryo transfer sounds tiny in a technical description, but emotionally it can feel *huge*. It is one of those moments where the science is precise and the feelings are anything but small. (˃ > ∇ < ˂). It is usually relatively painless, with the main discomfort being a **full bladder**, which helps the doctor see the uterus clearly on abdominal ultrasound.

  ☆ The Baby Is Not Genetically Related To The Gestational Carrier

  - In **gestational surrogacy**, the baby's DNA comes from the egg and sperm used to create the embryo.
  - The **gestational carrier** provides the uterine environment for development, but does ***not*** contribute her own genetic material.
  - That is the primary biological difference from **traditional surrogacy**.

☆ Not Every Transfer Works*, And That Is Still Normal Biology*

- Not every **embryo transfer** results in pregnancy.
  - Pregnancy rates in **gestational surrogacy** have been reported in the rough range of ***24%*** to ***61%.***
  - Live birth rates have been reported around ***15.8%*** to ***55.5%.***
- Success can be affected by:
  - Embryo quality.
  - Surrogate health.
  - Egg age.
  - IVF protocol.
  - Uterine receptivity.
- Some cycles do not work because:
  - The embryo does not implant.

- ☐ The embryo stops developing early.
- ☐ **Chromosomal abnormalities** are present.
- ☐ The uterine environment is not receptive enough in that cycle.

  Many intended parents go through more than **1 embryo transfer** before achieving pregnancy. That can be emotionally *exhausting*, but it is also a familiar part of **IVF** in general, ***not*** some sign that the surrogate necessarily did something wrong.

So, with the transfer side of things in mind, let's talk ***outcomes!*** The overall picture is often more reassuring than people expect, but **this is still a real pregnancy we're talking about**, so the risks deserve clear, wholehearted consideration as well.

☆ ***Early Losses Can Still Happen***

- ☐ Some pregnancies end very early after transfer.
- ☐ This can include:
  - ☐ **Biochemical pregnancy.**
  - ☐ Early first-trimester miscarriage.
- ☐ Early losses in surrogacy are generally understood within the larger reality of **IVF** and human reproduction overall.
- ☐ Many early losses are caused by **chromosomal abnormalities** in embryos.

☆ *Pregnancy Outcomes Can Be Reassuring,* ***But Risk Still Matters***

- ☐ Many **gestational surrogacy** outcomes are ***reassuring***, especially when carriers are carefully screened and singleton pregnancy is prioritized.
  - ☐ Older outcome studies and reviews often found ***favorable results*** overall, particularly among healthy, medically screened carriers with **proven fertility.**
  - ☐ **Singleton surrogate pregnancies** have sometimes shown outcomes comparable to, or sometimes even *better than*, other **IVF** pregnancies.
  - ☐ One likely reason is that carriers are often younger, medically screened, and have already had at least ***1*** successful pregnancy.
- ☐ However, newer population-level research has added an **important layer of caution.**

- Some newer data suggest gestational carriers may have higher rates of certain maternal complications, including hypertensive disorders and **postpartum hemorrhage**.
  - This does ***not*** erase the reassuring findings from earlier research.
  - It simply means the safest journeys are usually the ones handled with care from the very beginning: **thoughtful screening**, **steady support**, **good medical monitoring**, and a clear plan from *start* to *finish.*

    So, the takeaway is not *"surrogacy is dangerous,"* and it is not *"surrogacy is no big deal."* The truth sits in the middle: **Gestational surrogacy can have very positive outcomes**, but it still deserves the same thoughtful care and full consideration we would give any real pregnancy.

☆ ***Gestational Age** And **Delivery Timing***

- Average gestational ages have been reported around:
  - **38.7 weeks** for singletons.
  - **36.2 weeks** for twins.
  - **35.5 weeks** for triplets.
- *That pattern is consistent with the broader reality that **multiples** are more likely to deliver earlier.*

☆ ***Birth Weight** And **Preterm Birth***

- Average birth weight has been reported around:
  - **3.5 kg** for singleton births.
  - **2.7 kg** for twin births.
- Low birth weight rates have been reported around:
  - ***3.3%*** for singletons.
  - ***29.6%*** for twins.
  - ***33.3%*** for triplets.
- Preterm birth under 36 weeks has been reported around:
  - ***11.5%*** for singleton surrogate pregnancies.
  - ***20.4%*** for twin pregnancies.

- ☐ In some comparisons, **singleton surrogate pregnancies** showed slightly *lower* prematurity rates than **standard IVF pregnancies.**

  The biggest dividing line is often singleton versus multiple pregnancy, ***not*** surrogacy versus no surrogacy in the grand scheme of things. This is why many modern programs *strongly* prefer **single embryo transfer** when suitable. Reducing the chance of twins or higher-order multiples can lower avoidable risk for both the **gestational carrier** and the **baby.**

☆ ***Neonatal Outcomes***

- ☐ Many babies born through **gestational surrogacy** are appropriate for gestational age.
  - ☐ **NICU admissions** can still happen, but often involve *short stays* rather than catastrophic outcomes.
- ☐ **No perinatal mortality was reported in one major older outcome series.**
- ☐ Congenital malformation rates have generally appeared similar to those in the general population.
  - ☐ Reported examples such as **cleft lip or palate** and **gastrointestinal atresia** were treated surgically and did ***not*** suggest some uniquely alarming surrogacy-specific pattern.
- ☐ Longer-term child outcomes have generally been reassuring overall.

☆ ***Maternal Health Outcomes*** *For Gestational Carriers*

- ☐ Major pregnancy complications are not absent, but many studies report relatively reassuring outcomes when carriers are *carefully* selected and pregnancies are *well monitored.*
- ☐ Reported rates in older outcome research have included approximately:
  - ☐ ***4.9%*** pregnancy-induced hypertension.
  - ☐ ***1.6%*** gestational diabetes.
  - ☐ ***4.9%*** placental complications.
  - ☐ Postpartum complications have been reported around ***6.3%.***
    - ☐ Examples can include postpartum bleeding or infection.
  - ☐ Cesarean delivery rates have been reported around:

- ☐ ***21%*** in singleton pregnancies.
- ☐ ***59%*** in twin pregnancies.

These numbers are helpful, but newer research adds some nuance. Some complications, especially **postpartum hemorrhage** and **hypertensive disorders**, may be more common among gestational carriers, which is why strong screening and follow-up care are so important!

☆ ***The Main Medical Risks***

- ☐ A **gestational carrier** still faces many of the same possible risks as any pregnant woman.
  - ☐ These can include:
    - ☐ High blood pressure.
    - ☐ **Preeclampsia.**
    - ☐ **Gestational diabetes.**
    - ☐ Preterm labor.
    - ☐ Premature rupture of membranes.
    - ☐ **Postpartum hemorrhage.**
    - ☐ Placental complications.
    - ☐ Infection.
    - ☐ **Cesarean delivery.**
    - ☐ **Miscarriage** and pregnancy loss.
  - ☐ Risk rises significantly with multiple pregnancies.
  - ☐ **IVF**-related factors can also add *complexity.*

☆ ***Emotional Outcomes*** *Are Not As Black And White As People Think*

- ☐ Many studies have found generally reassuring psychological outcomes for surrogates, especially when the arrangement is stable, supported, and well structured.
- ☐ Emotional outcomes are often positive overall, but they are ***not*** emotionless.
  - ☐ Some women report temporary emotional tenderness, grief, doubt, or adjustment after birth.

- Negative **IVF** outcomes, transfer failure, **miscarriage**, conflict, criticism, secrecy, or poor support can also be emotionally stressful.
- Some women describe the overall experience as meaningful, rewarding, and ***deeply*** significant while still acknowledging that parts of it were hard.
- Newer research also suggests gestational carriers may have a higher rate of **new-onset mental health diagnoses** during or after pregnancy compared with some other pregnancy groups.
- That does ***not*** mean surrogacy is guaranteed to harm mental health.
- It means **mental health screening**, counseling, honest preparation, and **postpartum** support should continue *after* birth rather than disappearing once delivery is over.

Okay, now that we've covered outcomes, let's move into the interpersonal side of things: **surrogacy relationships**. Because while the medical process is important, the people around the journey matter too, including **intended parents**, **partners**, **children**, *and* the surrogate herself. The steadier those relationships, expectations, and support systems are, the better!

- **Surrogacy** is not only a medical arrangement. It is also a **relationship structure**.
- Intended parents and surrogates often maintain **positive relationships** during pregnancy and sometimes *after birth.*
- **Relationship styles** vary:
- Some stay warm and open.
- Some stay structured and bounded.
- Some stay limited and practical.
- Ongoing satisfaction tends to be ***highest*** when:
- **Expectations are clear.**
- Respect is mutual.
- Communication is steady.
- Roles are *well defined.*

- ☐ Mismatch can create disappointment, especially if one side expects long-term closeness and the other expects a more transactional dynamic.
- ☐ Contact often ***decreases*** over time, especially in arrangements that began with less personal familiarity.

☆ *Talking To Your **Spouse** Or **Partner** About Surrogacy*

- ☐ If you have a spouse or partner, surrogacy deserves a **sit-down conversation**, not a quick *"what do you think?"* in passing.
- ☐ A pregnancy for someone else can affect the whole household emotionally, practically, relationally, and financially.
- ☐ It can place demands on:
  - ☐ Routines.
  - ☐ Appointments and scheduling.
  - ☐ Childcare.
  - ☐ Work life.
  - ☐ Household roles.
  - ☐ Recovery after birth.
  - ☐ The emotional atmosphere of the family.
- ☐ A spouse or partner should understand the implications of the arrangement and the responsibilities that may come with it.
  - ☐ **Willingness** and **informed agreement** matter. Confusion, pressure, or vague support are ***not*** a sturdy enough foundation for something this layered.

☆ ***What That Partner Conversation Should Actually Cover***

- ☐ Why you are considering surrogacy in the first place.
- ☐ What it means to you personally.
- ☐ What worries each of you has.
- ☐ What kind of relationship feels comfortable with the **intended parents**.
- ☐ How much communication or contact feels right during pregnancy *and* after birth.
- ☐ What role your partner would realistically play.

- ☐ How this could affect your children, work, schedule, body, and recovery.
- ☐ What boundaries matter most to you.
- ☐ What kind of **support** you would need **before**, **during**, and **after** the process.
- ☐ How you would want to handle privacy, disclosure, criticism, or extended-family opinions.
- ☐ Whether your expectations actually match on the ***emotional*** side, not just the logistical one.

It's important to note that **mismatched assumptions** can build up into ***major*** problems later. One person may imagine a warm, close relationship with intended parents, while the other may want something much more structured and bounded. One may feel comfortable with frequent updates and shared milestones, while the other may find that level of involvement *emotionally draining*. **It's better to discuss these thoughts and opinions out in the open to avoid conflict later.**

☆ ***Hard Topics Should Be Discussed Before A Crisis Happens***

- ☐ Some of the most important conversations are the *least* fun ones. (⌒ _ ⌒ ;)
- ☐ These can include:
  - ☐ Embryo transfer decisions.
  - ☐ Prenatal testing.
  - ☐ **Multifetal reduction.**
  - ☐ Pregnancy termination.
  - ☐ **Miscarriage.**
  - ☐ **Preterm labor.**
  - ☐ Maternal complications.
  - ☐ Labor and delivery preferences.
  - ☐ **Postpartum** expectations.
  - ☐ Leftover embryo issues when relevant.
    - ☐ Surrogacy can also bring outside pressure from family, friends, religion, or community opinions.

- ☐ Talk about how you would want to handle criticism, privacy, disclosure, or misunderstanding together.

☆ *The Gestational Carrier Keeps **Final Authority** Over Her Body*

- ☐ Even when a spouse or partner is involved, the **gestational carrier** remains the sole source of consent for her own medical care.
- ☐ She keeps final decision-making authority over procedures involving her body from **embryo transfer** through **pregnancy**, **delivery**, and **aftercare**.
- ☐ A partner may have feelings, fears, and opinions, but **bodily autonomy still belongs to the gestational carrier.**
  - ☐ Contracts can guide expectations, but they ***cannot*** ethically erase her authority over her own body.

☆ ***Psychological Support For The Partner Matters Too***

- ☐ Spouse or partner concerns should ***not*** be brushed aside.
- ☐ **Psychological evaluation** and counseling can help uncover:
  - ☐ Unrealistic expectations.
  - ☐ Emotional vulnerabilities.
  - ☐ Likely family stress points.
  - ☐ Conflict around values or boundaries.
  - ☐ Pressure or coercion.
  - ☐ Places where the couple is not actually on the same page.
- ☐ **Emotional support** should ideally be available before, during, and after the process.

☆ ***Mental Health Support Should Continue After Birth***

- ☐ **Emotional support** should not end the moment the baby is delivered.
- ☐ The **postpartum period** can bring hormonal shifts, physical recovery, sleep disruption, identity reflection, and complicated emotions.
- ☐ Some gestational carriers may feel deeply proud and peaceful.

- ☐ Others may feel tender, emotionally drained, or unexpectedly unsettled for a while.
  - ☐ **Both experiences deserve care rather than judgment.**
- ☐ Follow-up support can include check-ins with the agency, counseling, postpartum medical care, partner support, and honest space to process the experience.

This is not meant to make surrogacy sound gloomy. It doesn't have to be! ⊂(·∇·⊂) It is meant to make the **support system** stronger. A wonderful journey can still deserve aftercare. In fact, it *should*.

☆ *Coercion Should Never Be Ignored*

- ☐ The decision to become a **gestational carrier** should be free from coercion.
- ☐ Pressure can be:
  - ☐ **Financial.**
  - ☐ **Emotional.**
  - ☐ **Social.**
- ☐ That includes pressure that may come from inside the home.
- ☐ A spouse or partner should not be guilt-tripping, pushing, cornering, or controlling the woman into surrogacy.
- ☐ The decision should be **informed, voluntary, and genuinely her own**.

☆ *Talking To Your Own Children About Surrogacy*

- ☐ If you have children, surrogacy can affect the ***whole family*** emotionally, not just you.
- ☐ It often helps to introduce the idea early instead of dropping everything on them at once.
- ☐ Explain it in **age-appropriate language**.
  - ☐ One gentle framing is that you are helping care for a baby for another family until the baby is ready to go home with them.
- ☐ Keep the conversation open throughout the pregnancy.
  - ☐ Let your child ask questions.

- ☐ Let them have mixed feelings, including **pride**, **confusion**, **sadness**, **jealousy**, or **curiosity**.
- ☐ If a child feels upset that the baby will not stay with your family, acknowledge the feeling instead of brushing it away.

☐ Helping your child feel included, informed, **and** emotionally supported is the **overarching objective**.

You see, kids do not need a perfect **TED Talk**. If they're young, that'd likely be *way* too much for their little, growing brains to process! [◜ ◡ ◝]All they really need is honesty, steadiness, and room to feel what they feel.

☆ **Many Surrogates Use Clear Mental Framing**

- ☐ Surrogates often describe themselves in role-based ways that help preserve emotional clarity.
- ☐ Common framings include:
  - ☐ **Babysitter.**
  - ☐ **Caretaker.**
  - ☐ **Oven.**
- ☐ These kinds of mental frameworks can help reinforce that the surrogate is carrying the pregnancy for the intended parents, not becoming the child's social mother.

To round things out, here are a few more **surrogacy-related facts** that are helpful to keep in mind!

☆ ***Motivations Are Often Layered***

☐ **Common motivations include:**

- ☐ **Altruism.**
- ☐ Empathy for **infertility.**
- ☐ Emotional meaning.
- ☐ Personal fulfillment.
- ☐ **Financial compensation.**

- In **compensated** surrogacy, money may matter without erasing the relational or altruistic aspects.
- In **altruistic** surrogacy, warmth and good intentions do ***not*** automatically remove the need for legal and ethical structure.

- Some women are drawn to surrogacy because helping create a family feels deeply meaningful.
- Some also value the compensation.
- **Some feel both very clearly at once.**

☆ ***Gestational Carriers Vs. Traditional Surrogates***

- Obstetric outcomes between **gestational carriers** and **traditional surrogates** have looked broadly comparable in some U.S. data.
  - One major difference is that **gestational carriers** often *travel more* for **IVF**-related care.
    - **Gestational carriers** have also tended to receive higher compensation on average.
  - Traditional surrogates showed somewhat higher **subthreshold depressive symptoms** in one survey sample.
- **Traditional surrogates** were also more likely to *directly* breastfeed, while gestational carriers were more likely to pump rather than breastfeed directly.
- **Traditional surrogates** made up a much smaller share of more recent U.S. surrogacy samples, reflecting the modern dominance of ***gestational surrogacy.***

☆ ***Global And Ethical Realities***

- Surrogacy is practiced in many countries, but the legal and ethical structure varies ***widely.***
- Some countries allow **compensated arrangements**, some allow only **altruistic ones**, and others prohibit surrogacy entirely.
- **Reproductive tourism** has emerged in lower-cost hubs, which raises real ethical concerns about inequality, vulnerability, and exploitation.
- **Surrogacy is not inherently ethical or unethical all in all.**

- ☐ Ethical quality depends ***heavily*** on how relationships, rights, boundaries, contracts, support, **and** economic conditions are handled.
- ☐ Commercial systems with large **power imbalances** can create special risks around disposability, pressure, and loss of control for the surrogate.

☆ *A Few **Myths** That Need To Go*

- ☐ Gestational surrogates are ***not*** being paid to give up their own baby.
- ☐ Surrogacy is ***not*** only for the wealthy or for celebrities.
- ☐ Intended parents do ***not*** automatically struggle to bond with their baby because someone else carried the pregnancy.
- ☐ **Psychological screening**, **legal contracts**, and **structured support** are not there to *"gatekeep."* Instead, they're important ***safety measures.***

☆ *What Often Makes A Journey **Safer, Healthier,** And **More Stable***

- ☐ Healthy surrogate selection.
- ☐ Prior successful pregnancy.
- ☐ Strong **psychological** and **medical** screening.
- ☐ Good legal structure.
- ☐ Thoughtful matching.
- ☐ **Single embryo transfer** when appropriate.
- ☐ Clear communication.
- ☐ Realistic expectations.
- ☐ Emotional support before, during, and after birth.
- ☐ Continued **postpartum** medical and emotional follow-up.
- ☐ Honest counseling about newer research without fear-based framing.

☆ ***If You Are Wondering Whether Surrogacy Could Be For You***

- ☐ Start with ***questions***, not pressure.
- ☐ Learn the process from beginning to end.
- ☐ Be honest about your health, support system, family life, motivations, and boundaries.
- ☐ Do ***not*** romanticize the role, but do ***not*** demonize it either.
- ☐ Respect both the **beauty** and the **responsibility** of it.

- ☐ If you ever choose to explore further, make sure the process around you is structured, transparent, and protective of your wellbeing too.

Conclusion ☆ · ₊ °

When all is said and done, **gestational surrogacy** isn't just a tiny favor, a flashy internet trend, or something you can easily sum up in a catchy headline. It is a highly structured reproductive path that asks ***a lot*** of the woman carrying the pregnancy while also making family-building possible in situations where pregnancy may be impossible or unsafe. The best way to look at it is through an honest lens: There are real risks, real logistics, real emotions, and also **many reassuring outcomes** when **screening**, **support**, **communication**, and **medical care** are steady. If surrogacy is an idea that's been hanging out in the back of your mind, don't worry about figuring everything out today. Let your next step simply be about getting some clarity, ***zero pressure attached.*** That is more than enough for now! (◡ ◡)

Sources ☆ · ₊ °

Patel, N. H., Jadeja, Y. D., Bhadarka, H. K., Patel, M. N., Patel, N. H., & Sodagar, N. R. (2018). Insight into different aspects of surrogacy practices. *Journal of Human Reproductive Sciences, 11(3)*, 212–218. https://doi.org/10.4103/jhrs.JHRS_138_17

Yau, A., Friedlander, R. L., Petrini, A. C., Holt, M. C., White, D. E., II, Shin, J., Kalantry, S., & Spandorfer, S. D. (2021). Medical and mental health implications of gestational surrogacy. *American Journal of Obstetrics and Gynecology, 225(3)*, 264–269. https://doi.org/10.1016/j.ajog.2021.04.213

Söderström-Anttila, V., Wennerholm, U. B., Loft, A., Pinborg, A., Aittomäki, K., Romundstad, L. B., & Bergh, C. (2016). Surrogacy: Outcomes for surrogate mothers, children and the resulting families: A systematic review. *Human Reproduction Update, 22(2),* 260–276. https://doi.org/10.1093/humupd/dmv046

Parkinson, J., Tran, C., Tan, T., Nelson, J., Batzofin, J., & Serafini, P. (1999). Perinatal outcome after in-vitro fertilization-surrogacy. *Human Reproduction, 14(3),* 671–676. https://doi.org/10.1093/humrep/14.3.671

Simopoulou, M., Sfakianoudis, K., Tsioulou, P., Rapani, A., Anifandis, G., Pantou, A., Bolaris, S., Bakas, P., Deligeoroglou, E., Pantos, K., & Koutsilieris, M. (2018). Risks in surrogacy considering the embryo: From the preimplantation to the gestational and neonatal period. *BioMed Research International,* 2018, Article 6287507. https://doi.org/10.1155/2018/6287507

Fuchs, E. L., & Berenson, A. B. (2018). Outcomes for gestational carriers versus traditional surrogates in the United States. *Journal of Women's Health, 27(5),* 640–645. https://doi.org/10.1089/jwh.2017.6540

Gunnarsson Payne, J., Korolczuk, E., & Mezinska, S. (2020). Surrogacy relationships: A critical interpretative review. *Upsala Journal of Medical Sciences, 125(2),* 183–191. https://doi.org/10.1080/03009734.2020.1725935

Patel, A., Kumar, P., & Sharma, P. S. V. N. (2020). "The miracle mothers and marvelous babies": Psychosocial aspects of surrogacy: A narrative review. *Journal of Human Reproductive Sciences, 13(2),* 89–99. https://doi.org/10.4103/jhrs.JHRS_33_20

Ethics Committee of the American Society for Reproductive Medicine. (2023). Consideration of the gestational carrier: An Ethics Committee opinion. *Fertility and Sterility, 119(4),* 583–588. https://doi.org/10.1016/j.fertnstert.2023.01.015

Velez, M. P., Ivanova, M., Ray, J. G., et al. (2024). Severe maternal and neonatal morbidity among gestational carriers: A cohort study. *Annals of Internal Medicine.* https://doi.org/10.7326/M24-0417

Velez, M. P., Ivanova, M., Ray, J. G., et al. (2025). New-onset mental illness among gestational carriers. *JAMA Network Open, 8(7),* Article e2523428. https://doi.org/10.1001/jamanetworkopen.2025.23428

Worldwide Surrogacy Specialists. (2016, May 2). *How to talk to your children about becoming a surrogate.* https://www.worldwidesurrogacy.org/blog/how-to-talk-to-your-children-about-becoming-a-surrogate

Copyright & Sharing Notice . ⁺ ⊹

This guide was created with a lot of care, research, time, and **original organization** by **FruitsofLife.xo**. Please do ***not*** copy, reproduce, resell, upload, distribute, share, or repost this guide, in full or in part, without written permission. This includes sharing the PDF in group chats, online forums, social media groups, shared drives, resale platforms, or public websites. Your purchase gives you ***personal access*** to the guide **for your own use only**. However, you are *always* welcome to share the official Fruitsoflife.xo page or purchase link with someone who may benefit from it. Thank you so much for respecting the work that went into creating this resource.

© 2026 FruitsofLife.xo. All rights reserved.