

Same Message $\neq$ Same Meaning



THE PROBLEM



Traditional ambiguity detection looks at the **message**.



AOT-GOAT looks at the **message + recipient context**.

Meet AOT-GOAT



AOT

= Should we intervene?



GOAT

= What should we minimally change?



AOT-GOAT detects **recipient-conditioned ambiguity** and performs **minimal, evidence-grounded adaptation** only when needed.



Message

(e.g., offer, update, alert)



Recipient Context

(e.g., profile, history, behaviour)



AOT

(Should we intervene?)



GOAT

(What should we minimally change?)



Clearer Message

(more relevant, less ambiguous)

Recipient-Aware NLP Pipeline

Context. Safety. The right message for the right person.



The pipeline ensures each message is checked for risk, adapted to the recipient's context, and delivered safely with minimal changes.

From Ambiguity → Minimal Adaptation


Don't explain the architecture again. Actually demonstrate it.



The system does not rewrite the entire message. **It targets the risky span.**

Why Did AOT-GOAT Intervene?

Every intervention can be traced from the risky span to the recipient/context evidence and the resulting adaptation.



EXAMPLE





Findings & Takeaway



01

Recipient context matters

Ambiguity cannot always be determined from the message alone.



02

Minimal intervention is possible

GOAT focuses adaptation on risky spans rather than rewriting the entire message.



03

Decisions are traceable

The pipeline provides an interpretable path from context → risk → decision → edit.



04

Current scope is a research prototype

The evaluation is synthetic and the retained record does not support detailed subgroup performance analysis.



AOT-GOAT moves NLP from “Is this message ambiguous?” toward “Is this message ambiguous for this recipient?”