Demo: Three doors - two controls each

The frontpage is IGNored - anything you place here is ignored in parts and components lists

PCSCHEMATIC Automation

Project title:	**Demo: Three doors - two controls each**	**Project no.:**	**Project rev.:**		**Page** **1**
Customer:		DCC:			Scale: 1:1
Page title:	Front page	Dwg. no.:	Page rev.:		Previous page:
File name:	PCSmotordemo2	Eng. (proj/page):	Last print:	29.10.2026	Next page: 2
Page ref.:		Appr. (date/init):	Last edit:	21.02.2022	Total no. of pages: 29

Demo: Three doors - two controls each

Diagrams	1 Pages 5 - 8		11
Layout	2 Pages 9 - 10		12
Lists	3 Pages 11 - 23		13
Graphical plans	4 Pages 24 - 26		14
	5		15
	6		16
	7		17
	8		18
	9		19
	10		20

The index here i a TOC - Table of Contents - set up to show divider pages only

Title	Page size	Engineer	Created	Last edit	Page
Front page	A3		11/02/2022 08.40.48	21/02/2022 15.01.58	1
Index - A3	A3		11/02/2022 08.40.48	21/02/2022 16.46.06	2
Table of Contents	A3		11/02/2022 08.40.48	21/02/2022 16.46.08	3
Diagrams					
Diagram	A3		11/02/2022 08.40.52	21/02/2022 16.44.58	5
Diagram	A3		11/02/2022 08.40.52	21/02/2022 16.40.10	6
Control circuit diagram	A3		11/02/2022 08.40.52	21/02/2022 16.44.12	7
Control circuit diagram	A3		11/02/2022 08.40.52	21/02/2022 16.43.24	8
Layout					
Arrangement - A4 - 1:4 - CompList	A4		11/02/2022 08.40.48	21/02/2022 16.46.08	9
Arrangement - A3 - 1:4 - CompList	A3		11/02/2022 08.40.48	21/02/2022 16.46.06	10
Lists					
Parts list	A3		11/02/2022 08.40.48	21/02/2022 16.44.22	11
Parts list	A3		11/02/2022 08.40.48	21/02/2022 16.46.06	13
Components list	A3		11/02/2022 08.40.48	21/02/2022 16.46.06	14
Terminal list - External connections	A3		11/02/2022 08.40.48	21/02/2022 16.46.06	16
Cable list	A3		11/02/2022 08.40.48	21/02/2022 16.46.06	18
Connection list	A3		11/02/2022 08.40.48	21/02/2022 16.46.06	20
Graphical plans					
Terminal plan	A3	kh	11/02/2022 08.40.48	21/02/2022 15.04.16	24
Cable plan	A3	kh	11/02/2022 08.40.48	21/02/2022 15.04.16	25
Connection plan	A3		11/02/2022 08.40.48	21/02/2022 15.04.16	26

The TOC - Table of Contents - is set up to show all pages.
A list can be designed in many ways depending on the selected drawing headers, and the list can be sorted and setup in many ways; see List settings.

The DIVidersets up chapters in the prooject.
You can open and close the chapters by clicking on the icon on the page tab.

Pages 5 - 8

Diagrams

-UC1

1 2 3 4 5 6 7 8

A

B

C

D

E

F



The DIAgram is where all schematics are made.
The default DIAgram page uses default diagram symbols from as defined in the database.

PCSCHEMATIC Automation

PC | SCHEMATIC

Project title:	**Demo: Three doors - two controls each**	**Project no.:**	**Project rev.:**		**Page** **5**
Customer:		DCC:			Scale: 1:1
Page title:	Diagram	Dwg. no.:	Page rev.:		Previous page: 3
File name:	PCSmotordemo2	Eng. (proj/page):	Last print:	29.10.2026	Next page: 6
Page ref.:	Main panel	Appr. (date/init):	Last edit:	21.02.2022	Total no. of pages: 29

-UC1

1 2 3 4 5 6 7 8

A

B

C

D

E

F

/5.8 L1

/5.8 L2

/5.8 L3

L1 /7.1

L2

L3

-Q1

/7.3

-Q2

/7.6

-F2

7A

/7.1

/8.1

/5.8 PE

-Q3

-X1

-W1

BK BN GY GNYE

>-M1

M

3~

PE


The F1 has a symbol datafield showing the component setting, here to 7A.
It is recommended to use extra datafields for extra data, in order to be able to control where to this data in lists and more.

The DIAgram is where all schematics are made.
This page shows the power circuit of the project.
Some components have symbols also on the following pages, and if so, you can see cross references to those beside the symbols on this page.

PCSCHEMATIC Automation


PC | SCHEMATIC

Project title:	**Demo: Three doors - two controls each**	**Project no.:**	**Project rev.:**	**Page**	**6**
Customer:		DCC:		Scale:	1:1
Page title:	Diagram	Dwg. no.:	Page rev.:	Previous page:	5
File name:	PCSmotordemo2	Eng. (proj/page):	Last print: 29.10.2026	Next page:	7
Page ref.:	Main panel	Appr. (date/init):	Last edit: 22.02.2022	Total no. of pages:	29



PCSCHEMATIC Automation

Project title:	**Demo: Three doors - two controls each**	**Project no.:**	**Project rev.:**	**Page**	**7**
Customer:		DCC:		Scale:	1:1
Page title:	Control circuit diagram	Dwg. no.:	Page rev.:	Previous page:	6
File name:	PCSmotordemo2	Eng. (proj/page):	Last print: 29.10.2026	Next page:	8
Page ref.:	Main panel	Appr. (date/init):	Last edit: 22.02.2022	Total no. of pages:	29



We make the schematics according to the rules: naming follows the rules laid down in the ISO/IEC 81346-series. That means that an object is named after the object it is a consituent of- and that is not the page!
Pushbuttons are named after the external control they are in, and in this way we get identical controls: all six controls have the components S1-S3, P1-P3. And this makes it easy to copy, to manufacture, to think 'modules', to maintain manuals etc.


The DIAgram is where all schematics are made. This page shows part of the control circuit of the project.

All connections are shown with dots, meaning that you can't see HOW the connections are made, only that the components ARE connected.

Project title:	**Demo: Three doors - two controls each**	**Project no.:**	**Project rev.:**	**Page**	**8**
Customer:		DCC:		Scale:	1:1
Page title:	Control circuit diagram	Dwg. no.:	Page rev.:	Previous page:	7
File name:	PCSmotordemo2	Eng. (proj/page):	Last print: 29.10.2026	Next page:	9
Page ref.:	Main panel	Appr. (date/init):	Last edit: 22.02.2022	Total no. of pages:	29

Layout


-UC1



The GRP page is a mechanical page where all components are placed as symbols with the right size. In order to make everything fit on the paper, we use a scale, here 1:5. All measurements will remain true if the scale is changed.

PCSCHEMATIC Automation

Project title:	**Demo: Three doors - two controls each**	**Project no.:**	**Project rev.:**	**Page**	**9**
Customer:		DCC:		Scale:	1:5
Page title:	Arrangement - A4 - 1:4 - CompList	Dwg. no.:	Page rev.:	Previous page:	8
File name:	PCSmotordemo2	Eng. (proj/page):	Last print: 29.10.2026	Next page:	10
Page ref.:		Appr. (date/init):	Last edit: 21.02.2022	Total no. of pages:	29



Component	Position	Type	Function
-P4	5B	PCS-RDLAMP1	Emergency STOP
-P5	5D	PCS-GNLAMP1	Door up
-P6	5E	PCS-GNLAMP1	Door down
-S1	3B	PCS-EMRPB-NC01	Emergency STOP
-S2	3D	PCS-PB01	Door up
-S3	3E	PCS-PB01	Door down
-UC2	4E	Panel2	
-X1	4G	PCS-XX1GY	
-X1	3G	PCS-XXSK1	
-X1	3G	PCS-XXEN1	
-P4	10B	PCS-RDLAMP1	Emergency STOP
-P5	10D	PCS-GNLAMP1	Door up
-P6	10E	PCS-GNLAMP1	Door down
-S1	9B	PCS-EMRPB-NC01	Emergency STOP
-S2	9D	PCS-PB01	Door up
-S3	9E	PCS-PB01	Door down
-UC3	9E	Panel2	
-X1	10G	PCS-XX1GY	
-X1	9G	PCS-XXSK1	
-X1	9G	PCS-XXEN1	

This page contains the two controls for system 1.
The following two pages are for systems 2 and 3, respectively.

The page contains a Component list for the actual page. The list symbol is scaled with the same numberto make it fit on the page, ie on this page it is scaled with a factor 4.

PC | SCHEMATIC

Project title:	**Demo: Three doors - two controls each**	**Project no.:**	**Project rev.:**	**Page**	**10**
Customer:		DCC:		Scale:	1:4
Page title:	Arrangement - A3 - 1:4 - CompList	Dwg. no.:	Page rev.:	Previous page:	9
File name:	PCSmotordemo2	Eng. (proj/page):	Last print: 29.10.2026	Next page:	11
Page ref.:		Appr. (date/init):	Last edit: 21.02.2022	Total no. of pages:	29

Lists

Components used in the project

PCS212001
PCS-XX1GY

PCSCHEMATIC

1 layer Through terminal - 1 x 1 in 1 out GY

PCS212003
PCS-XX1GNYE

PCSCHEMATIC

1 layer Through terminal - 1 x 1 in 1 out GNYE

PCS217001
PCS-XXSK1

PCSCHEMATIC

Divider for PCSXX1

PCS217002
PCS-XXEN1

PCSCHEMATIC

Endplate for PCSXx

PCS330002
PCS-CBL02

PCSCHEMATIC

4 conductors without screen

PCS500001
PCS-RDLAMP1

PCSCHEMATIC

Red lamp with built-in resistor

PCS500003
PCS-GNLAMP1

PCSCHEMATIC

Green lamp with built-in resistor

PCS600005
PCS-MOTOR2A

PCSCHEMATIC

3 phases + PE motor 1.1 kW

PCS2220017
PCS-MCB-017

PCSCHEMATIC

Circuit Breaker (MCB) 4P 10A

PCS2250001
PCS-MV001A

PCSCHEMATIC

Thermal overload type 1a

PCS2250101
PCS-CON01

PCSCHEMATIC

Contactor 3POL 1NO 1NC type1

PCS2250121
PCS-CON-AUX01

PCSCHEMATIC

Aux contacts 1NO 1NC type1

PCS2250301
PCS-SERDISCON01

PCSCHEMATIC

PCS service disconnect type 1

PCS2250401
PCS-PB01

PCSCHEMATIC

Push button NO, type1

Components used in the project

PCS02250411

PCS-EMRPB-NC01

PCSCHEMATIC

Emergency stop, NC, type1

Endstop

Panel1

Panel1

Panel2

Panel2

Project title:	**Demo: Three doors - two controls each**	**Project no.:**	**Project rev.:**	**Page**	**12**
Customer:		DCC:		Scale:	1:1
Page title:	Parts list	Dwg. no.:	Page rev.:	Previous page:	11
File name:	PCSmotordemo2	Eng. (proj/page):	Last print: 29.10.2026	Next page:	13
Page ref.:		Appr. (date/init):	Last edit: 21.02.2022	Total no. of pages:	29

Article no.	Type	Manufacturer	Quantity
PCS212001	PCS-XX1GY	PCSCHEMATIC	45
PCS212003	PCS-XX1GNYE	--	1
PCS217001	PCS-XXSK1	--	4
PCS217002	PCS-XXEN1	--	6
PCS330002	PCS-CBL02	--	-
PCS500001	PCS-RDLAMP1	--	4
PCS500003	PCS-GNLAMP1	--	8
PCS600005	PCS-MOTOR2A	--	1
PCS2220017	PCS-MCB-017	--	1
PCS2250001	PCS-MV001A	--	1
PCS2250101	PCS-CON01	--	2
PCS2250121	PCS-CON-AUX01	--	2
PCS2250301	PCS-SERDISCON01	--	1
PCS2250401	PCS-PB01	--	4
PCS02250411	PCS-EMRPB-NC01	--	2
			-
Endstop			2
Panel1	Panel1		1
Panel2	Panel2		2

Article no.	Type	Manufacturer	Quantity

PC | SCHEMATIC

Project title:	**Demo: Three doors - two controls each**	**Project no.:**	**Project rev.:**	**Page**	**13**
Customer:		DCC:		Scale:	1:1
Page title:	Parts list	Dwg. no.:	Page rev.:	Previous page:	12
File name:	PCSmotordemo2	Eng. (proj/page):	Last print: 29.10.2026	Next page:	14
Page ref.:		Appr. (date/init):	Last edit: 21.02.2022	Total no. of pages:	29

Component	Article no.	Type	Function	Description	Manufacturer	Position
-UC1.F1	PCS2220017	PCS-MCB-017		Circuit Breaker (MCB) 4P 10A	PCSCHEMATIC	/9.6
-UC1.F2	PCS2250001	PCS-MV001A		Thermal overload type 1a	--	/6.1
-UC1.Q1	PCS2250101	PCS-CON01		Contactor 3POL 1NO 1NC type1	--	/7.3
-UC1.Q1	PCS2250121	PCS-CON-AUX01		Aux contacts 1NO 1NC type1	--	/8.3
-UC1.Q2	PCS2250101	PCS-CON01		Contactor 3POL 1NO 1NC type1	--	/7.6
-UC1.Q2	PCS2250121	PCS-CON-AUX01		Aux contacts 1NO 1NC type1	--	/8.5
-UC1.Q3	PCS2250301	PCS-SERDISCON01		PCS service disconnect type 1	--	/6.1
-UC1.W1	PCS330002	PCS-CBL02		4 conductors without screen	--	/6.1
-UC1.W2						/7.3
-UC1.X1	PCS212001	PCS-XX1GY		1 layer Through terminal - 1 x 1 in 1 out GY	PCSCHEMATIC	/6.1
-UC1.X1	PCS212003	PCS-XX1GNYE		1 layer Through terminal - 1 x 1 in 1 out GNYE	--	/6.1
-UC1.X1	PCS217001	PCS-XXSK1		Divider for PCSXX1	--	/9.3
-UC1.X1	PCS217002	PCS-XXEN1		Endplate for PCSXx	--	/9.3
-UC1.X2	PCS212001	PCS-XX1GY		1 layer Through terminal - 1 x 1 in 1 out GY	--	/8.5
-UC1.X2	PCS217001	PCS-XXSK1		Divider for PCSXX1	--	/9.3
-UC1.X2	PCS217002	PCS-XXEN1		Endplate for PCSXx	--	/9.5
=SYS0/+1.1/-UC1.UC1	Panel1	Panel1				/9.11
-UC2.P1	PCS500001	PCS-RDLAMP1		Red lamp with built-in resistor	PCSCHEMATIC	/8.1
-UC2.P2	PCS500003	PCS-GNLAMP1		Green lamp with built-in resistor	--	/8.3
-UC2.P3	PCS500003	--		Green lamp with built-in resistor	--	/8.5
-UC2.P4	PCS500001	PCS-RDLAMP1	Emergency STOP	Red lamp with built-in resistor	--	/10.5
-UC2.P5	PCS500003	PCS-GNLAMP1	Door up	Green lamp with built-in resistor	--	/10.5
-UC2.P6	PCS500003	--	Door down	Green lamp with built-in resistor	--	/10.5
-UC2.S1	PCS02250411	PCS-EMRPB-NC01	Emergency STOP	Emergency stop, NC, type1	--	/7.1
-UC2.S2	PCS2250401	PCS-PB01	Door up	Push button NO, type1	--	/7.4
-UC2.S3	PCS2250401	--	Door down	Push button NO, type1	--	/7.7
-UC2.UC2	Panel2	Panel2				/10.4

Component	Article no.	Type	Function	Description	Manufacturer	Position
-UC2.W1						/7.1
-UC2.X1	PCS212001	PCS-XX1GY		1 layer Through terminal - 1 x 1 in 1 out GY	PCSCHEMATIC	/8.5
-UC2.X1	PCS217001	PCS-XXSK1		Divider for PCSXX1	--	/10.3
-UC2.X1	PCS217002	PCS-XXEN1		Endplate for PCSXx	--	/10.3
-UC3.P1	PCS500001	PCS-RDLAMP1		Red lamp with built-in resistor	--	/8.2
-UC3.P2	PCS500003	PCS-GNLAMP1		Green lamp with built-in resistor	--	/8.4
-UC3.P3	PCS500003	--		Green lamp with built-in resistor	--	/8.6
-UC3.P4	PCS500001	PCS-RDLAMP1	Emergency STOP	Red lamp with built-in resistor	--	/10.10
-UC3.P5	PCS500003	PCS-GNLAMP1	Door up	Green lamp with built-in resistor	--	/10.10
-UC3.P6	PCS500003	--	Door down	Green lamp with built-in resistor	--	/10.10
-UC3.S1	PCS02250411	PCS-EMRPB-NC01	Emergency STOP	Emergency stop, NC, type1	--	/7.1
-UC3.S2	PCS2250401	PCS-PB01	Door up	Push button NO, type1	--	/7.5
-UC3.S3	PCS2250401	--	Door down	Push button NO, type1	--	/7.8
-UC3.UC3	Panel2	Panel2				/10.9
-UC3.W1						/7.5
-UC3.X1	PCS212001	PCS-XX1GY		1 layer Through terminal - 1 x 1 in 1 out GY	PCSCHEMATIC	/8.6
-UC3.X1	PCS217001	PCS-XXSK1		Divider for PCSXX1	--	/10.9
-UC3.X1	PCS217002	PCS-XXEN1		Endplate for PCSXx	--	/10.9
-M1	PCS600005	PCS-MOTOR2A		3 phases + PE motor 1.1 kW	--	/6.1
-S1	Endstop		Endstop UP			/7.3
-S2	Endstop		Endstop DOWN			/7.6

Terminal	Cable	Conn. component (ext.)
-UC1.X1:U	-UC1.W1:BK	-M1:U
-UC1.X1:V	-UC1.W1:BN	-M1:V
-UC1.X1:W	-UC1.W1:GY	-M1:W
-UC1.X1:PE	-UC1.W1:GNYE	-M1:PE
-UC1.X2:1	-UC2.W1:1	-UC2.X1:1
-UC1.X2:2	-UC2.W1:2	-UC2.X1:2
-UC1.X2:3	-UC3.W1:1	-UC3.X1:1
-UC1.X2:4	-UC3.W1:2	-UC3.X1:2
-UC1.X2:5	-UC3.W1:3	-UC3.X1:3
-UC1.X2:5	-UC2.W1:3	-UC2.X1:3
-UC1.X2:6	-UC3.W1:4	-UC3.X1:4
-UC1.X2:6	-UC2.W1:4	-UC2.X1:4
-UC1.X2:7	-UC1.W2:1	-S1:1
-UC1.X2:8	-UC1.W2:2	-S1:2
-UC1.X2:9	-UC3.W1:5	-UC3.X1:5
-UC1.X2:9	-UC2.W1:5	-UC2.X1:5
-UC1.X2:10	-UC3.W1:6	-UC3.X1:6
-UC1.X2:10	-UC2.W1:6	-UC2.X1:6
-UC1.X2:11	-UC1.W2:3	-S2:1
-UC1.X2:12	-UC1.W2:4	-S2:2
-UC1.X2:13	-UC3.W1:7	-UC3.X1:7
-UC1.X2:13	-UC2.W1:7	-UC2.X1:7
-UC1.X2:14	-UC3.W1:8	-UC3.X1:8
-UC1.X2:14	-UC2.W1:8	-UC2.X1:8
-UC1.X2:15	-UC3.W1:9	-UC3.X1:9
-UC1.X2:15	-UC2.W1:9	-UC2.X1:9
-UC1.X2:16	-UC3.W1:10	-UC3.X1:10

Terminal	Cable	Conn. component (ext.)
-UC1.X2:16	-UC2.W1:10	-UC2.X1:10
-UC1.X2:17	-UC3.W1:11	-UC3.X1:11
-UC1.X2:17	-UC2.W1:11	-UC2.X1:11
-UC1.X2:18	-UC3.W1:12	-UC3.X1:12
-UC1.X2:18	-UC2.W1:12	-UC2.X1:12
-UC2.X1:1	-UC2.W1:1	-UC1.X2:1
-UC2.X1:2	-UC2.W1:2	-UC1.X2:2
-UC2.X1:3	-UC2.W1:3	-UC1.X2:5
-UC2.X1:4	-UC2.W1:4	-UC1.X2:6
-UC2.X1:5	-UC2.W1:5	-UC1.X2:9
-UC2.X1:6	-UC2.W1:6	-UC1.X2:10
-UC2.X1:7	-UC2.W1:7	-UC1.X2:13
-UC2.X1:8	-UC2.W1:8	-UC1.X2:14
-UC2.X1:9	-UC2.W1:9	-UC1.X2:15
-UC2.X1:10	-UC2.W1:10	-UC1.X2:16
-UC2.X1:11	-UC2.W1:11	-UC1.X2:17
-UC2.X1:12	-UC2.W1:12	-UC1.X2:18
-UC3.X1:1	-UC3.W1:1	-UC1.X2:3
-UC3.X1:2	-UC3.W1:2	-UC1.X2:4
-UC3.X1:3	-UC3.W1:3	-UC1.X2:5
-UC3.X1:4	-UC3.W1:4	-UC1.X2:6
-UC3.X1:5	-UC3.W1:5	-UC1.X2:9
-UC3.X1:6	-UC3.W1:6	-UC1.X2:10
-UC3.X1:7	-UC3.W1:7	-UC1.X2:13
-UC3.X1:8	-UC3.W1:8	-UC1.X2:14
-UC3.X1:9	-UC3.W1:9	-UC1.X2:15

Terminal	Cable	Conn. component (ext.)
-UC3.X1:10	-UC3.W1:10	-UC1.X2:16
-UC3.X1:11	-UC3.W1:11	-UC1.X2:17
-UC3.X1:12	-UC3.W1:12	-UC1.X2:18

Terminal	Cable	Conn. component (ext.)

PCSCHEMATIC Automation

Project title:	**Demo: Three doors - two controls each**	**Project no.:**	**Project rev.:**	**Page**	**17**
Customer:		DCC:		Scale:	1:1
Page title:	Terminal list - External connections	Dwg. no.:	Page rev.:	Previous page:	16
File name:	PCSmotordemo2	Eng. (proj/page):	Last print: 29.10.2026	Next page:	18
Page ref.:		Appr. (date/init):	Last edit: 21.02.2022	Total no. of pages:	29

Cable			From				To				Type	Description
-UC1	**-W1**	BK	-UC1	-X1	U	/6.1	-M1	U	/6.1		PCS-CBL02	4 conductors without screen
-UC1	**-W1**	BN	-UC1	-X1	V	/6.1	-M1	V	/6.1		PCS-CBL02	4 conductors without screen
-UC1	**-W1**	GNYE	-UC1	-X1	PE	/6.1	-M1	PE	/6.1		PCS-CBL02	4 conductors without screen
-UC1	**-W1**	GY	-UC1	-X1	W	/6.1	-M1	W	/6.1		PCS-CBL02	4 conductors without screen
-UC1	**-W2**	1	-UC1	-X2	7	/7.3	-S1	1	/7.3			
-UC1	**-W2**	2	-UC1	-X2	8	/7.3	-S1	2	/7.3			
-UC1	**-W2**	3	-UC1	-X2	11	/7.6	-S2	1	/7.6			
-UC1	**-W2**	4	-UC1	-X2	12	/7.6	-S2	2	/7.6			
-UC2	**-W1**	1	-UC1	-X2	1	/7.1	-UC2	-X1	1	/7.1		
-UC2	**-W1**	2	-UC1	-X2	2	/7.1	-UC2	-X1	2	/7.1		
-UC2	**-W1**	3	-UC1	-X2	5	/7.3	-UC2	-X1	3	/7.4		
-UC2	**-W1**	4	-UC1	-X2	6	/7.3	-UC2	-X1	4	/7.4		
-UC2	**-W1**	5	-UC1	-X2	9	/7.6	-UC2	-X1	5	/7.7		
-UC2	**-W1**	6	-UC1	-X2	10	/7.6	-UC2	-X1	6	/7.7		
-UC2	**-W1**	7	-UC1	-X2	13	/8.1	-UC2	-X1	7	/8.1		
-UC2	**-W1**	8	-UC1	-X2	14	/8.1	-UC2	-X1	8	/8.1		
-UC2	**-W1**	9	-UC1	-X2	15	/8.3	-UC2	-X1	9	/8.3		
-UC2	**-W1**	10	-UC1	-X2	16	/8.3	-UC2	-X1	10	/8.3		
-UC2	**-W1**	11	-UC1	-X2	17	/8.5	-UC2	-X1	11	/8.5		
-UC2	**-W1**	12	-UC1	-X2	18	/8.5	-UC2	-X1	12	/8.5		
-UC3	**-W1**	1	-UC1	-X2	3	/7.1	-UC3	-X1	1	/7.1		
-UC3	**-W1**	2	-UC1	-X2	4	/7.1	-UC3	-X1	2	/7.1		
-UC3	**-W1**	3	-UC1	-X2	5	/7.3	-UC3	-X1	3	/7.5		
-UC3	**-W1**	4	-UC1	-X2	6	/7.3	-UC3	-X1	4	/7.5		
-UC3	**-W1**	5	-UC1	-X2	9	/7.6	-UC3	-X1	5	/7.8		

Cable			From			To			Type	Description
-UC3	**-W1**	6	-UC1	-X2	10 /7.6	-UC3	-X1	6 /7.8		
-UC3	**-W1**	7	-UC1	-X2	13 /8.1	-UC3	-X1	7 /8.2		
-UC3	**-W1**	8	-UC1	-X2	14 /8.1	-UC3	-X1	8 /8.2		
-UC3	**-W1**	9	-UC1	-X2	15 /8.3	-UC3	-X1	9 /8.4		
-UC3	**-W1**	10	-UC1	-X2	16 /8.3	-UC3	-X1	10 /8.4		
-UC3	**-W1**	11	-UC1	-X2	17 /8.5	-UC3	-X1	11 /8.6		
-UC3	**-W1**	12	-UC1	-X2	18 /8.5	-UC3	-X1	12 /8.6		

FROM	TO	Wire no	Signal	Cable	Jumper	Line name	Line type	Routing class
-UC1.T1:L1	-UC1.Q1:1		L1					Power
-UC1.Q1:1	-UC1.Q2:1		L1					power
-UC1.F2:95	-UC1.F2:97		L1					
-UC1.F2:97	-UC1.Q1:63		L1					power
-UC1.Q2:1	-UC1.F2:95		L1					power
-UC1.Q1:63	-UC1.Q2:63		L1					power
-UC1.F2:1	-UC1.Q1:2							xx
-UC1.F2:1	-UC1.Q2:6							xx
-UC1.Q3:1	-UC1.F2:2							
-UC1.X1:U	-UC1.Q3:2							
-UC1.T1:L2	-UC1.Q1:3		L2					Power
-UC1.Q1:3	-UC1.Q2:3		L2					power
-M1:U	-UC1.X1:U			-W1:BK				
-UC1.X2:1	-UC1.F2:96							
-UC1.X2:13	-UC1.F2:98							
-UC1.X2:13	-UC3.X1:7			-W1:7				
-UC2.X1:7	-UC1.X2:13			-W1:7				
-UC2.X1:1	-UC1.X2:1			-W1:1				
-UC2.S1:1	-UC2.X1:1							
-UC1.F2:3	-UC1.Q1:4							xx
-UC1.F2:3	-UC1.Q2:4							xx
-UC2.X1:2	-UC2.S1:2							
-UC1.X2:2	-UC2.X1:2			-W1:2				
-UC2.P1:X1	-UC2.X1:7							
-UC1.X2:3	-UC1.X2:2				Laske			
-UC1.Q3:3	-UC1.F2:4							
-UC3.X1:1	-UC1.X2:3			-W1:1				
-UC2.X1:8	-UC2.P1:X2							

FROM	TO	Wire no	Signal	Cable	Jumper	Line name	Line type	Routing class
-UC3.S1:1	-UC3.X1:1							
-UC1.X1:V	-UC1.Q3:4							
-UC3.X1:2	-UC3.S1:2							
-UC1.T1:L3	-UC1.Q1:5		L3					Power
-UC1.Q1:5	-UC1.Q2:5		L3					power
-UC1.X2:14	-UC2.X1:8			-W1:8				
-UC1.X2:14	-UC3.X1:8			-W1:8				
-UC1.X2:4	-UC3.X1:2			-W1:2				
-UC1.X2:14	-UC1.X2:16		N					power
-UC1.T1:N	-UC1.Q1:A2		N					Power
-UC1.X2:16	-UC1.X2:18		N					power
-UC1.Q1:A2	-UC1.Q2:A2		N					power
-UC1.Q2:A2	-UC1.X2:14		N					power
-UC1.X2:4	-UC1.Q2:21							
-UC1.Q2:21	-UC1.Q1:21							
-M1:V	-UC1.X1:V			-W1:BN				
-UC1.F2:5	-UC1.Q1:6							xx
-UC1.F2:5	-UC1.Q2:2							xx
-UC1.Q3:5	-UC1.F2:6							
-UC1.X1:W	-UC1.Q3:6							
-M1:W	-UC1.X1:W			-W1:GY				
-UC1.X1:PE	-UC1.Q3:8							
-UC1.T1:PE	-UC1.Q3:7		PE					
-M1:PE	-UC1.X1:PE			-W1:GNYE				
-UC3.P1:X1	-UC3.X1:7							
-UC3.X1:8	-UC3.P1:X2							
-UC1.Q2:22	-UC1.X2:5							
-UC1.Q1:13	-UC1.Q2:22							

FROM	TO	Wire no	Signal	Cable	Jumper	Line name	Line type	Routing class
-UC1.X2:15	-UC1.Q1:64							
-UC1.X2:15	-UC3.X1:9			-W1:9				
-UC2.X1:9	-UC1.X2:15			-W1:9				
-UC2.P2:X1	-UC2.X1:9							
-UC1.X2:7	-UC1.Q1:14							
-UC1.X2:7	-UC1.X2:6				Laske			
-S1:1	-UC1.X2:7			-W2:1				
-UC2.X1:10	-UC2.P2:X2							
-UC1.X2:8	-S1:2			-W2:2				
-UC1.Q1:A1	-UC1.X2:8							
-UC1.X2:16	-UC2.X1:10			-W1:10				
-UC1.X2:16	-UC3.X1:10			-W1:10				
-UC1.X2:5	-UC2.X1:3			-W1:3				
-UC1.X2:5	-UC3.X1:3			-W1:3				
-UC1.X2:6	-UC2.X1:4			-W1:4				
-UC1.X2:6	-UC3.X1:4			-W1:4				
-UC2.S2:3	-UC2.X1:3							
-UC2.X1:4	-UC2.S2:4							
-UC3.P2:X1	-UC3.X1:9							
-UC3.X1:10	-UC3.P2:X2							
-UC1.X2:17	-UC1.Q2:64							
-UC1.X2:17	-UC3.X1:11			-W1:11				
-UC2.X1:11	-UC1.X2:17			-W1:11				
-UC3.S2:3	-UC3.X1:3							
-UC3.X1:4	-UC3.S2:4							
-UC2.P3:X1	-UC2.X1:11							
-UC2.X1:12	-UC2.P3:X2							
-UC1.X2:18	-UC2.X1:12			-W1:12				

FROM	TO	Wire no	Signal	Cable	Jumper	Line name	Line type	Routing class
-UC1.X2:18	-UC3.X1:12			-W1:12				
-UC1.Q1:22	-UC1.X2:9							
-UC1.Q2:13	-UC1.Q1:22							
-UC1.X2:11	-UC1.Q2:14							
-UC1.X2:11	-UC1.X2:10				Laske			
-UC3.P3:X1	-UC3.X1:11							
-S2:1	-UC1.X2:11			-W2:3				
-UC3.X1:12	-UC3.P3:X2							
-UC1.X2:12	-S2:2			-W2:4				
-UC1.Q2:A1	-UC1.X2:12							
-UC1.X2:9	-UC2.X1:5			-W1:5				
-UC1.X2:9	-UC3.X1:5			-W1:5				
-UC1.X2:10	-UC2.X1:6			-W1:6				
-UC1.X2:10	-UC3.X1:6			-W1:6				
-UC2.S3:3	-UC2.X1:5							
-UC2.X1:6	-UC2.S3:4							
-UC3.S3:3	-UC3.X1:5							
-UC3.X1:6	-UC3.S3:4							

Graphical plans

This page is a TERMINAL plan.
To update it, go to the Tools menu,
select the Terminal plan and Update.

PC | SCHEMATIC

Project title:	**Demo: Three doors - two controls each**	**Project no.:**	**Project rev.:**	**Page**	**24**
Customer:		DCC:		Scale:	1:1
Page title:	Terminal plan	Dwg. no.:	Page rev.:	Previous page:	23
File name:	PCSmotordemo2	Eng. (proj/page): / kh	Last print: 29.10.2026	Next page:	25
Page ref.:		Appr. (date/init):	Last edit: 21.02.2022	Total no. of pages:	29

This page is a CABLE plan.
To update it, go to the Tools menu,
select the Cable plan and Update.

This page is a CONNECTION plan.
To update it, go to the Tools menu,
select the Connection plan and Update.

PC | SCHEMATIC

Project title:	**Demo: Three doors - two controls each**	**Project no.:**	**Project rev.:**	**Page**	**26**
Customer:		DCC:		Scale:	1:1
Page title:	Connection plan	Dwg. no.:	Page rev.:	Previous page:	25
File name:	PCSmotordemo2	Eng. (proj/page):	Last print: 29.10.2026	Next page:	
Page ref.:		Appr. (date/init):	Last edit: 21.02.2022	Total no. of pages:	29