

INDEX

1.0 PRELIMINARY	1	15.0 CREW QUALITY AND MORAL	10
Filling out the Registration Sheet		16.0 LOWER THE FLAG 17.0 BOARDING	10
Area designated for cannons	11		10
Obtaining the BGN (Basic Gun Shot Number)	1	Forming boarding parties (FB)	10
Movement Zone	1	Boarding parties prepared (BR)	10
2.0 GAME SEQUENCE REINFORCEMENT	1	Stampede	10
3.0 PHASE AND ATMOSPHERIC WEATHER	2	Reporting boarding parties	10
Wind direction Wind speed Sea state	2	Boarding procedure	10
	2	Boarding resolution	11
	2	Casualties from artillery fire	11
4.0 SCORING PHASE	2	To untangle oneself during Boarding	11
Assigning Crew to Tasks 5.0	2	Winning the Boarding Action	11
MOVEMENT	2	Counterattack	11
Using the movement table	2	Boarding Actions on Multiple Vessels	11
Turns	3	18.0 REORGANIZATION	11
Turning with allowed movement 0, tacking and chained vessels	3	Actions Permitted During Reorganization	12
Vessel facing L (TACK)	3	19.0 PREY CREW	
Chained ships	3	Assignment of Prey Crew CAPTURED VESSEL	12
Acceleration and deceleration	3	OPERATIONS Captured Vessels and Crews	12
6.0 SAILS	3	21.0 SIGNALS	12
Changing the sail level Blocked wind 7.0	3		12
EXECUTION OF THE	4	Signaling sequence	12
MOVEMENT	4	Signal Print 12 Players Carrying Multiple Vessels 12	
Overlapping	4	Talking Between Vessels 13 22.0 TOW 13	Preparing to Tow 13
Contested Hexes	4		
Emergency Turn	4		
Possibility of making the turn and procedure Deciding to make the emergency turn by more than one vessel 8.0	4		
COLLISIONS AND	5	Starting to tow	13
ENTANGLEMENT	5	Movements of towed vessels	13
Sail losses due to collision	5	Planning the trailer movement	13
Possible	5	Spinning	13
entanglement 9.0 POOR MANEUVERABILITY	5	Cutting the tow cable	13
Poor maneuverability and turning with permitted movement 0	5	Contested hexes	13
10.0 ILLEGAL MOVEMENT	5	Collision of towed vessel and tug vessel	13
11.0 CANNON FIRING Arc of Fire and Line of Sight Tracing THE	5	23.0 ANCHORING	
	5	Preparing to anchor	13
	6	Anchoring procedure Anchoring and change in wind direction	14
Cannon fire	6	Releasing/returning VO/VI cable	14
Artillery Fire Procedure Description of	6		14
Artillery Fire Modifiers 12.0 ARTILLERY FIRE	6	Wind speed 0	14
DAMAGE	6	Cutting the cable	14
Damage to the sails	7	24.0 SHALLOW WATER Casting the Line	14
Condition of the sails for damage	7	OPTIONAL RULES	14
Loss of a sail section	7	STAGE RULES	14
Hull damage	7		15
Damage to crew	7		
Critical impacts	7		
Sweeps	7		
Effects of stern sweeps	7		
Lower deck guns	7		
13.0 MARINE FIRE 14.0 HOLD PHASE Drift	8		
and Turn Anchoring Engaging and Unengaging	8		
	8		
	8		
Untangle	8		
Fire and explosions	9		
Repairs	9		
Reconciliation	9		

CLOSE ACTION

1.0 PRELIMINARY

Each ship token represents a single ship and occupies 2 hexes, represents the ship with a combat sail on one side and on the other another at half sail.

Each ship is of a class ranging from 1 to 4 and has a letter from **A** to **Z**, in addition, the letter and number can be colored red and yellow. A combination of number, letter, and color allows each ship to be identified in the game.

2d6 and 2d10 are used. The d6 give results between 2 (11) and 12 (66) and the d10 give results between 0 (00) and 18 (99).

Filling Out the Record Sheet For each ship participating in the battle, a record sheet is filled out. registration. The green, blue, and red cards are used for this. The class is listed at the top. There are 4 classes from 1 to 2. 4. See column C on the green card.

ID: Enter the letter of the chosen ship's card, it can range from A to Z.

COUNTRY: The nationality of the vessel is entered.

RATE: It is the class according to the original number of cannons. Finally, the name of the ship and the player is entered.

DRAFT: It is the minimum depth that the ship needs to browse.

CH MODIFIER: Critical hit modifier. Ranges from +1 to -4. Appears in the CH column of the green card.

VP: It is the cost of each ship depending on the quality and morale of the crew.

CQ and **MR:** Crew quality and morale respectively. Quality ranges from A to E and morale from 2 to 6, both data are are given on the stage. After entering the initial **CQ** level, the lines corresponding to the letters just above are crossed out in the **CQ/SK** column, so for a B level we would cross out the line corresponding to A. Then the corresponding morale number is entered in the **MR box**.

SAILS: All vessels have 4 sections. The number of Unchecked boxes appear in the "rigging" column. Just above each section are letters indicating the sail level. displayed.

HULL: All vessels have four hull sections. The number of unchecked boxes appears in the "hull" column.

CREW: All ships have 5 sections. The first 4 operate the cannons, while the 5th, in addition to performing various tasks, acts as marine infantry.

Area designated for cannons

There's an area on the log sheet for managing everything related to cannons. There are three classes of cannons: large, medium, and carronades. Most ships don't have medium cannons.

The number of cannons is entered, according to their class, in the boxes next to the letters LG, MG, and CR. This number is taken from the green card. There are two numbers in parentheses in the F:L column; both numbers are entered in the "freeboard" and LDGM boxes.

Obtaining the BGN (Basic Shot Number canon).

There are 15 boxes, in each box you put a number that you get as follows. 1. Obtain the TGF (total gun factor) number. To do this Each number of cannons of each type is multiplied for each range by the indicated multiplier, the total is added and what is obtained is the TGF for each range. 2º Once we have the TGF for each range we go to the BGN table of the blue card. The TGF for each range is crossed with the range to get a BGN for each scope.

GRADES

- If a multiplier appears as y the ship cannot shoot at that range. • If when calculating the BGN we get a grey box, At that range the ship cannot fire.
- If two numbers appear in the BGN box, make them smaller. applies to French ships.

There are 2 columns to keep track of firing modifiers, one for port (left) and one for starboard (right).

At the beginning of the game the only modifier that is set is the one that corresponds to the CQ of the crew, this modifier appears in the CQ/SK column.

Movement Zone There is a zone on the record sheet for movement.

TYPE OF MANEUVER: All ships have a type of Maneuver from "a" to "d". The type of maneuver appears on the green card in column M. The acceleration and deceleration values depend on the type of maneuver the vessel is under (see red card). The cost of turning in the same direction or in the opposite direction opposite also depends on the type of maneuver and can also be seen on the red card.

SPEED TYPE: All ships have one of three possible speed types: L, ship of the line; F, frigate; and C, corvette.

Within each category there are 3 possible speeds: f (fast), s (slow) and vs (very slow)

Combining speed type with speed gives us 9 possibilities to determine the speed of a vessel without having take into account the wind.

ALLOWED MOVEMENT: Movement is expressed in points of movement that the ship can use depending on how it faces to the wind, depending on the sails deployed and the wind speed. Thus, each type of speed is crossed with the wind speed and the deployed sail and we obtain the permitted movement. depending on how the ship faces the wind.

2.0 PLAY SEQUENCE

Each turn is divided into 5 phases, the phases can be divided into subphases.

Phase 1. Reinforcement and Weather Phase. First, reinforcements are placed in the designated hexes on the scenario, then the changes in wind direction and intensity that occurred the previous turn are implemented. Finally, the wind change and direction for the next turn are checked.

Phase 2. Recording Phase. Most ship actions must be recorded in this phase. This includes moving, changing sails, preparing for towing and anchoring, all boarding actions, repairs, firefighting, and writing signals. A few actions, such as firing cannons, firing by marines, hooking, and most efforts to disentangle themselves, do not need to be recorded.

Phase 3 Movement Phase. All ships now execute the movement they had planned in the previous phase. Each ship uses its movement allowance simultaneously, 1 MP at a time, until all ships have used all the MPs noted.

Finally, in this phase, all planned changes to the level of sail deployed are announced.

Phase 4. Combat Phase. Combat is resolved by performing the following steps in order.

1. Announce all planned boarding attempts. objectives to be addressed can react by allocating crew sections to FB if not already formed.
2. Resolve all artillery fire and critical impacts from such fire and all fire from the seamen.
3. Resolve the entire combat by boarding in pairs of ships or by group of connected vessels.

Phase 5. Maintenance phase. The following are done: actions in this order.

Drift & Turn. All drifts and turns are done in this subphase. Check for snags and entanglement of gear if a drift or turn causes one vessel to collide with another.

Anchoring & Towing. Vessels planning to anchor, cut anchor cables, or cut tow cables do so in this subphase.

Hold on. Each ship can try to hold on to each other. adjacent, except to those to which it is already attached.

Breaking free. Each vessel may attempt to break free from each other. vessel to which it is clinging. Note: Attempts to break free come after attempts to hold on.

Untangle and fix unwanted situations. Check the actions that need to check the untangling table. The Most of these actions can be checked in the same shift in which they occur to the extent that they do not need sections of crew (CS) to be executed.

Fires and explosions. Fires, fire damage, fire spread and propagation, and explosions are addressed in this subphase.

Reconciliation. In this subphase, the effects of the repairs, then all ships that comply any of the conditions to escape or that they exploited are removed from the map. Morale checks are now made and signals reach their destination.

Finally, each player checks their ship log to ensure any changes have been recorded.

3.0 REINFORCEMENT PHASE AND ATMOSPHERIC WEATHER

The scenarios indicate the entry turn, entry hex, and direction of reinforcements. The entry hex is where the ship's bow is placed.

Weather affects wind direction and speed and the state of the the sea.

The initial wind direction is indicated on the stage. It should be place the arrow in the same direction according to the "rose of the winds" printed on the map.

Wind speed is also indicated in each scenario, which will affect the ships' seamanship.

The state of the sea affects the firing of the cannons; **never** changes during the scenario.

Any change in wind direction and speed has effect at the beginning of the reinforcement phase and time atmospheric of the next turn.

Wind direction

The frequency with which the wind changes can be oceanic or coastal. Roll 2d10; if there is a change, you may need to roll 1d10 to determine which direction.

Even if the wind speed is 0, you should check whether the wind direction changes to see which way it blows if its speed increases.

Wind speed The frequency with which the wind speed changes can be: calm or streaks. Roll 2D10; if there are changes it is necessary check what the change is.

Wind speed is between 0 and 4. Changes beyond these ranges are not taken into account.

The wind speed can reach 0 only if the scenario starts with a speed y 1.

In scenarios where the speed is equal to 1, a result of -1 in the speed change table is considered as "no change".

A speed of 0 causes ships to be unable to move or turn but can shoot. Any change in speed means that the speed increases by 1 if the die is rolled.

If the wind speed is increased by 1, vessels facing L are not considered immobilized in the first turn.

Sea state Does not vary during the scenario; a sea state y 3 may have negative effects on the firing of the cannons.

4.0 SCORING PHASE

All ships secretly and simultaneously plan the Most of the actions you're going to take on your turn are done during the scoring phase. A few actions like firing cannons, firing marines, and some maintenance phase activities like grappling and

Unraveling and attempts to disentangle do not have to be planned since their existence is due to how they develop. the movement phase.

Crew assignment to tasks. All tasks require one or more crew sections (CS). The vessel's log specifies these tasks, their codes, and duration.

in turns to carry them out, it also specifies how many CS are necessary.

Those tasks that require more than one turn to be completed must be carried out by the same CS that started them. If there is a change in the CS, the task is not completed and the turns dedicated to it are lost.

Signaling. Each player can write a signal for others. players on their side. Signals are given at the end of the turn.

Assigning crew to tasks First you must establish which CS will perform which tasks. In In general, each task is covered in rules. The most common rule Important is that **any CS can perform any task except boarding, because when a vessel is boarding or defending against a boarding, the first ones to be used are sections with the lowest order number.**

Each CS can only do one task in a single turn. If a CS has been designated for a task it cannot be assigned to any other task in the same shift.

If a CS is deleted, the task it was performing is not completed and the accumulated records for that task must be deleted.

Unassigned crews. CSs not assigned to tasks can be used to fire cannons, in the same way if the CS of marines has not been assigned to a task can fire at adjacent enemy vessels.

Although all CS are assigned to tasks, the vessel may move normally.

5.0 MOVEMENT

The movement allowed is the maximum number of MP,s that a ship may use in the turn before considering acceleration and deceleration. The allowed movement of a ship is determined in the scoring phase of each turn. **Except for the restrictions imposed by acceleration and deceleration, A ship can use one, some, or all of its MPs allowed.**

The permitted movement depends on five factors: 1. **Speed type.** It can be one of three types: L, F, or C.

2. **Wind speed.** It ranges from 0 to 4.

3. **Vessel facing into the wind.** There are four possible options: L, C, B and R.

4. **Sail level.** There are 5 levels: PS (full sail), MS (half sail), FS (fighting sail), Furlid (sails up) and unmasted. Furlid and unmasted are essentially the same thing.

5. **Damage to sails.** For each sail section lost, In general, a ship loses movement capacity. The loss of a square in a section has no effect. unless the entire section is lost.

Using the movement table The interaction of the 5 factors seen above gives us the maximum theoretical movement capacity of a ship, which is expressed in a block of numbers. However, the number of MPs that a ship can move is conditioned by the

acceleration and deceleration, giving rise to a RANGE OF ALLOWED MOVEMENT. This range goes: • Above, to the speed of the ship in the previous turn plus the acceleration.

- From below, at the speed of the ship in the previous turn less the slowdown.
- The permitted movement of the vessel cannot be exceeded according to their orientation with respect to the wind.

After deciding how many MPs to spend, the movement is written of the vessel in the space designated for that purpose in the vessel's register for the current shift.

A ship can do one of 3 possible actions with each MP, Each action costs 1 MP. These actions are:

1. Move forward (indicated by the number of hexes you moves forward).
2. Turn right 60° according to the direction of travel (S).
3. Turn left 60° in the direction of travel (P).

The maximum number a ship can move in a straight line is conditioned by the direction of the vessel with respect to the wind.

If a ship moves in a straight line the maximum allowed for that facing, it cannot move any further. If it moves less
You can turn to another facing and move until you run out of space.
PM,s that you have available.

A ship that does not move forward in a turn (even if it turns) is "stopped", its speed is 0 to calculate acceleration and deceleration.

Turns

Turning facing L: A vessel that turns and faces L immediately ends its movement. The moment it do this does not spend more PM,s.

If a ship has allowed movement 0 it will never be able to move forward but will be able to turn.

Ships have a level of maneuverability ranging from “a” (not very maneuverable) to “d” (very maneuverable).
A ship can make a maximum of 2 turns per turn and in
In some cases, they can only make one turn. Each turn is 60°. Vessels turn by pivoting their bow, meaning the stern moves and the bow remains in the hex where it was. Exception: Anchoring with turnbuckles at the stern.

After turning, a ship must move straight ahead a certain number of hexes before it can turn again; this number
The number of hexes will depend on the ship's maneuverability, its speed, and whether the turn is made in the same direction as the previous turn. **A ship can never make two turns.**
consecutive even if you want to do it between 2 shifts
(Exception: tacking).
In the vessel's log, in the movement zone it must be noted the number of hexes to move straight before turning in the same or opposite direction.

The speed taken to know how many hexes there are moving in a straight line before turning is the current turn, that is, the one that has been decided to take after applying acceleration and deceleration.

Note: All vessels, regardless of their Maneuverability has a 1* for a speed of 1. This
It means that even if they only have 1 MP they must move 1 hex of front before turning or not moving a turn before being able to turn.

Turning with allowed movement 0, tacking and ships immobilized Any

vessel not dismasted with permitted movement 0
You may make a turn as long as you do not violate any rules of movement. Unlike any movement, this turn is not automatic because the “TACKING” table must be checked. If it fails, the may attempt again on the next turn, the turn entry is erased as no turn occurs and is replaced by 0 as there is no movement. • Ships may not turn with wind speed 0. •
Dismasted ships
may not turn voluntarily,

They may turn if they are towed or when they drift partially.

Procedure for turning with allowed movement 0. It is thrown 1D10 and is modified according to the “TACKING” table, if the total result is y the required number, the spin occurs.
Explanation of modifiers:
It is assumed that 3 CS are used and “T” is written on the turn in which the ship wants to play. For each CS that is not in the task, an addition is made 2 up to a maximum of +6 if no CS applies to the task (the table says +8 and should say +6).
A modifier of -2 must be added if the ship's facing it's not L.

Vessel facing L (TACK)

A vessel which during movement is brought facing L stops immediately. On the next turn you can do one of the following 3 actions: 1. Try to continue turning in the same direction, this is a tacked, being an exception to the general rule that says that A vessel cannot make two consecutive turns. The tack It is a form of spin with allowed movement 0.
2. Attempting to turn in the opposite direction, this is a “false” turn and is also an exception to the general rule of prohibit 2 consecutive turns. Vessels that are attempting a “false” tack, apply the “Reversing Tack” modifier.

3. Set movement to 0, this could cause it to become immobilized.

Immobilized vessels Any vessel facing L that does not turn on the next movement phase is immobilized. There are 3 exceptions to this ruler:
1. Anchored vessels.
2. A vessel that cuts its anchor cables is not immobilized on the turn following the turn in which it cuts the anchor cables.
3. A vessel is never immobilized when the speed of the vessel is wind is 0 since technically there is no facing L. **By that the ships with facing L are not immobilized in the first turn after the wind speed increases from 0 to 1; in that turn it must use turning rules when movement is permitted is 0.**

Turning while immobilized. Like any vessel with movement 0, an immobilized ship cannot turn automatically. He must write “T” and check the “TACKING” table with a +1 modifier for being immobilized.

Continue immobilized. A vessel that fails to turn around may make a new attempt on the next turn. The ship does not It cannot turn or move, although it may drift until it succeeds in its attempt to turn, the wind direction changes, it is towed, or it releases its anchor.

NOTE: A vessel facing L that collided or was grabbed onto another vessel, even momentarily is automatically immobilized, even if the vessel has just turn to face L.

Acceleration and deceleration

Ships that have moved at least 1 hex in a straight line are “on the move”, whereas ships that did not spend any MP to move straight and only turn are “stopped”.
A vessel is also considered stopped if: • It was grappled or entangled at any time during the turn former.
• Wind speed dropped to 0. • The vessel was involved in a collision on the previous shift.
Vessels stopped for acceleration and deceleration purposes have moved 0 in the previous turn.

A stationary ship, if it turns after spending its first MP, cannot move further.

A ship's acceleration is reduced by 1 if it has lost 2 sail sections, if you are towing another vessel, if the wind speed is 1 or if you have received a critical hit
“BRACES CUT”. **For these reasons, a vessel can never see its acceleration reduced to 0.**
If a ship with acceleration 1 receives a critical hit “SHEETS CUT” it remains with acceleration 0.

6.0 SAILS

A ship can have its sails set in 4 ways depending on the level of deployment: Sails furled or dismantled, combat sail, Half sail and full sail. The more sail, the faster it goes, but the easier it is to damage it and have other adverse effects.
FULL SAIL: The ship token is placed on its reverse side and places a full sail marker on it. A ship can go full sail sail until the first section of sails is lost.
HALF SAIL: The ship's token is placed on its reverse side. It may be half-sailed until it loses the second section of its sails.
COMBAT SAIL: The ship token is placed by its obverse. You can use this setting unless you are dismantled.
SAILS FURRIED OR DISMANTLED: When a vessel no longer needs propulsion, its sails are furled. A vessel It may also have its sails stripped by combat.
A “FURLED” or “DISMASTED” marker is placed on the front of the ship's token.

Changing the sail level Vessels can change their sail level to a higher or lower level.

The alteration and the CS used in the task are noted during the scoring phase. This task may require 1 to 3 turns and requires 1 to 2 CS to be dedicated continuously. A ship that is Changing the sail level must have a marker of "MEN AT THE SAILS" to indicate that he is changing sails.

A ship may switch between FSMS, MSFS, FSFURL and FURLFS using a CS during 1 turn, although the Crews with E, F and G quality need 2 turns. A vessel can change MSPS, and PSMS using 2 CS for 2 turns, although crews with E, F and G quality need 3 turns.

Procedure: In the annotation phase the task is written and in the subsequent movement phase it is announced by placing a "MEN ON SAILS" marker on the ship, if not announces by placing the marker on it, it is as if the task had not been written down.

The change takes effect in the maintenance phase of the turn in which the sail change task is completed. **Until then, the sail level prior to the change is used.**

Each CS that begins a sail change task must continue until the change is completed, unless one of the following situations occurs, in which case the other CS, if any, abandons the job: • A CS receives a critical hit that forces it to

- reorganize or be eliminated.
- The vessel is dismantled during the sail change.
- The vessel receives a critical hit "LINES JAMMED"

Blocked Wind A vessel is blocked by the wind if her windward side is occupied by a vessel with a full sail or more sails. Thus: Vessels facing C and B must have their 2 windward hexes occupied.

Vessels with R facing will only need to have another vessel attached to its stern with a sail level equal to or greater than sail of combat.

A vessel with the wind blocked is allowed to move reduced by 1. A ship can never run out of movement allowance for this reason therefore, wind blocking is determined after applying all other modifiers to the ship's allowed movement.

7.0 EXECUTION OF THE MOVEMENT

During the movement phase, ships execute the movement noted in the scoring phase. Ships must move exactly as established in the scoring phase, except when a detour is permitted due to an emergency turn or when

a detour is forced by a collision. There are 10 movement segments in each movement phase already that the maximum movement allowed is 10, so each segment consumes 1 PM. The ships move simultaneously, this movement must be done with due care as other ships may interfere with the movement by a collision, a contested hex or a

overlap. The general rule is that only one ship can occupy a hex in each segment, so it is necessary to regulate the cases in which 2 or more vessels try to occupy the same hex in the same movement segment. These situations can be of 3 types: • When the stern of a vessel turns to an already occupied hex or turns

- at the moment when another ship is going to occupy that hex it is given an overlapping situation . If either of the two ships continue moving, the situation will be resolved in the next movement segment.
- When the bows of 2 or more vessels attempt to enter simultaneously in the same hex, it is a **contested hex**. Only one of the two ships may enter the hex. The losing ship has to resolve a **collision potential**. There is a special contested hex situation. It occurs when two or more ships **use their last MP planned** to turn their sterns toward the same hex.
- When the bow of a ship moves forward towards a hex already occupied by another vessel, a collision situation occurs . The A ramming vessel may attempt an emergency turn but cannot exceed its turn limit; this emergency turn is a "BEARING OFF". If it fails or if the vessel

ram does not want or cannot perform a "BEARING OFF" produces a collision.

Overlap There are several situations in which this situation can occur. The stern of a vessel turns towards a hex occupied by another vessel or about to be occupied by another vessel. In this case there is a overlap situation if it occurs in the same segment although it is an exception to the rule that prohibits 2 vessels from occupying the same hex.

If the hex where the overlap occurs is not vacated in the next segment of the same turn or if the ships move simultaneously in the next segment and the overlap continues, then one of the vessels must change its planned movement as follows: 1. **The hex was already occupied.** If one of the vessels was already

in the hex where the overlap occurs, the vessel that was trying to enter with its stern for its movement in the position immediately before the overlap. **If this violated the deceleration limits and would move straight ahead. minimum necessary to meet the limits of deceleration.** Changing the movement entry in the vessel's log.

2. **Bow to stern.** The bow always has priority over the stern of the turning vessel and returns to its previous position. **If this violated the deceleration limits and would move straight ahead. minimum necessary to meet the limits of deceleration.** There is no contested hex as the bow always wins the position.

3. **Sterns turning at the same time.** If both vessels turn towards a same hex simultaneously, that hex becomes a contested hex. Only one of the ships will get the hex but not There is a collision. The movement of both vessels ends at that moment. **If this violates the deceleration limits, the o The ships move forward the minimum necessary to meet their deceleration limits.** All records are changed to reflect the noted movements.

Contested hexes

A hex is contested if: • The bows of 2 or more ships attempt to enter the same hex in the same movement segment. • The sterns of 2 or more ships attempt to enter the same hex in the same segment **and neither ship intends to move more.**

Each ship involved in this situation rolls 1d6, the one that gets the The highest roll enters the hex, if some ships get the same roll, roll again until one gets a roll higher. Roll modifiers:

- +1 For each level of CQ better than the other ship.
 - +1 For the vessel with a higher planned speed.
 - +1 For each class higher than the opposing ship.
- The ship that wins the contested hex may choose who enters it. hex.

Bow to bow: In this situation, the losing vessel must make an emergency turn or collide with the winner. **Stern to stern:** No collision, the ship not winning the hex adjusts the planned movement. **More than 2 vessels:** If there are more than 2 vessels, the same procedure is followed. procedure, if everyone gets the same result, everyone pulls New, if only 2 have the same result, throw those 2 away ships, the process continues until there is only one winner.

Emergency turn

A potential collision occurs when a vessel attempts to move from facing a hex occupied by another vessel, either because the vessel is hex occupied by another vessel at the beginning of the segment or due to losing a contested hex, in this case, the vessel that loses a contested hex can make an emergency turn to avoid collide with the other vessel.

Possibility of making the turn and procedure To see if you can make the turn you have to consult the movement carried out so far, taking into account the following factors: • A ship cannot turn twice in the same turn. • A ship cannot make two consecutive turns.

• A ship must move in a straight line a certain number of
of hexes to be able to rotate in the same direction of rotation
previous or in a different sense.

The speed taken is the one noted in the scoring phase of the current turn.

If after carrying out the previous checks it is seen that emergency rotation is possible,
the "BEARING" table is checked.
"OFF".

A ship may only make one emergency turn per turn.

If the emergency turn is successful, it is done and the vessel is stopped unless it
contravenes the rules of
deceleration; in this case you must move the hexes forward
necessary.

If you do not make the emergency turn or fail the attempt you will collide
with another vessel.

Deciding to make the emergency turn for more than one vessel

If two or more emergency turn situations occur in the
Same turn but in different segments. Turn attempts and decisions are made in order
according to the segment number.

If the turn attempts occur in the same segment, the order is established randomly.

8.0 COLLISIONS AND ENTANGLEMENTS

A potential collision occurs when a vessel attempts to enter the
hex already occupied by another vessel.

If a vessel fails an emergency turn or chooses not to do so, the potential collision
becomes an actual collision.

Ships involved in a collision stop their movement for the entire turn, even if they
violate the deceleration laws. In addition, both ships are intentionally "stopped" for the
next turn.

planned movement.

Loss of sails due to collision A vessel that
collides with another vessel and rams it loses
1d6-1 candle squares if it has a combat candle, 1d6+1 if it is within
half sail and 2d6 if it is under full sail.

If the two vessels are bow to bow, both check for loss of sail.

A ship drifting towards another ship does not lose sail.

The effects of losing sails due to a collision are the same as losing sails due to cannon
fire.

Possible entanglement

After applying collision damage, the collision table is checked. If the score is ≥ 6 , both
ships become entangled, and an entanglement marker is placed between the two
ships.

indicates that they are tangled up in the notes section of the shift in
course.

The sail level taken is the one the ship has before
the collision.

A ship that is dismasted at the start of the turn cannot entangle with other ships.

A vessel that is entangled with a vessel if it results
dismantled remains tangled.

Entangled vessels may attempt to disentangle themselves by checking
the detangling board during the maintenance phase. **Each**

**An attempt to disentangle must be recorded in the notes area on the turn in
which it is attempted, as subsequent attempts
are easier.**

9.0 POOR MANEUVERABILITY

Damage to a vessel's maneuvering mechanisms reduces the
maneuverability of said vessel.

Vessels have poor maneuverability when specified in the critical hull impact table as

They can be due to having the rudder destroyed or the steering wheel hit,
or due to the special rules of the scenario.

Procedure: A vessel with poor maneuverability, increasingly
who attempts to make a turn must check the table with 1d10
poor maneuverability.

If the result is $\geq$ the number, you can turn as planned,
otherwise the ship must move 1 hex straight **and then make the turn.**

The vessel's log must be adjusted to the actual movement
made.

Ships whose last planned MP was intended to turn and fail the check on the poor
maneuverability table must
move straight and the first thing he does in the next turn is make the planned turn.

Poor maneuverability and turning with movement allowed 0

A ship that, in addition to poor maneuverability, has
allowed movement 0 must check both tables:
Poor maneuverability and tacking. Only if the check is successful.
both tables may turn, otherwise the ship must wait for the next turn (with a modifier
for being immobilized if necessary)
that had facing L) but does not check the low maneuverability table, because for that
reason, the turn would be made
automatically forms the next turn. **Important:** If the ship
If the check fails, on that next turn, the TACKING table would have to start the process
again.

In a situation of movement capacity 0 if the
Low maneuverability check does not mean having to move 1 MP in a straight line
since the movement capacity is 0.

10.0 ILLEGAL MOVEMENTS

If a player does not make his move, the ship will move straight
using the speed from the previous turn.

If a move is illegal, it is not made, nor are any subsequent moves planned for the
current turn, ending the move at that moment. If this would violate the deceleration
rules, it will move straight as little as necessary to comply with the deceleration rules.

11.0 CANNON FIRING

At the beginning of the combat phase, each ship individually and simultaneously
decides whether to fire. This is
not mandatory.

If there is more than one target, which enemy ship(s) will it fire at.

If you shoot at the hull or the sails.
What type of ammunition does it use?

To ensure that the choice to shoot is simultaneous, each
Each side may require that all fire be recorded at the beginning of the combat phase.
To do so, the following information must be entered in the GUN FIRE column of the
current turn in the ship's log.

Target of the shot. An identification letter of the target vessel may be used.

Artillery fire modifier (MGN).

Ammunition type: round or chain bullet.

High shot (candles) or low shot (hull)

The roll of the dice.

A ship can fire at one or two ships in the same phase
combat. Marines can fire at any ship
adjacent.

**At short and medium range (≥ 9 hexes) you can aim high (sails) or low (hull), if
nothing is indicated it is considered to be shooting low.**

At long range (≥ 10 hexes) you should always shoot high.

Firing Arc and Line of Sight Each ship
occupies 2 hexes. For firing purposes, each ship is divided into 4 batteries: port and
starboard, and bow and stern.

Each battery may fire separately; the arc of fire and line of sight (LOS) of each battery
are judged separately.

For a battery to fire, 2 conditions must be met:
conditions.

- At least part of the target vessel must be in the arc
of battery fire.
- The firing battery must be able to trace a LOS to the
vessel that is within its firing arc.

The firing arc of each battery is a 60° arc and 15 hexes of
scope.

For an enemy ship to be a target it must be complete
or partially within at least one of the 4 arches. If at least

An enemy ship is within a battery arc, now you have to determine if it is in LOS. Each firing battery traces regardless of the LOS to the target vessel. Note: It is common that one battery can trace LOS to a target ship while another on the same side cannot.

Plotting LOS LOS is determined by drawing a straight line from the center of the firing battery hex toward the centers of the firing battery hexes. bow and stern of the target vessel.

The firing battery must have LOS to each hex of the ship target that is within its firing arc in order to shoot.

Important: The battery only needs to be able to trace LOS to the target ship hexes within its arc, so it ignores those parts of the target vessel that are not within its arc of fire.

LOS is blocked if it passes through a land hex, along a blocked hexside or across an occupied hex by a vessel other than the target, in addition to a friendly vessel Too close can also block LOS.

Blocked Hexside: LOS passing through a hexside is blocked if both hexes are adjacent to the hexside block the LOS.

Friendly ships blocking LOS: Friendly ships at certain distances (ÿ 5 hexes) from the firing vessel generate hexes that block the LOS.

Friendly Ships 5-9 Hexes Away: Hexes adjacent to the blocking friendly ship, at equal or greater distance from the blocking ship. shoots that the friendly ship are hexes that block the LOS.

Friendly ships ÿ 10 hexes away: In this case they are hexes Blocking hexes adjacent to the friendly ship up to 2 hexes away, which are equal to or greater distance from the firing ship than the friendly ship.

To calculate the distance, the shortest distance is taken from the vessel that shoots at the friendly ship that is causing LOS problems. It is enough that part of the ship is within the arc of fire of the battery to block the firing of that battery, friendly ships that are completely outside the arc of the battery do not block the firing. THE ONES from that battery.

A friendly vessel blocks at a certain distance **if the entire vessel is within that distance or if only part of the vessel** is at that distance because the other part of the vessel is outside the battery arch.

Cannon fire Fire from one ship to another depends on many factors including the firing vessel's BNG, damage sustained by the firing vessel, ammunition type, and other considerations. Each factor that conditions the artillery fire of a ship is located in the artillery area in the ship's log. Artillery fire and marine fire are simultaneous, the damage suffered by the ship during the combat phase does not affect the shot in that same combat phase. After the fire has been announced it is resolved in any order, except that the stern sweeps are resolved first, then the bow sweeps and then the rest of the fire including the marine fire.

Artillery Fire Procedure The artillery fire of each ship is resolved as follows.
Determine the range.
Determine the BNG. Find the basic fire number.
Determine the MGN. Find the artillery modifier number.
Roll 1d6 and get the FGN (final artillery number).
Determine damage. Cross the FGN with the selected target (hull or sails) according to the sail level to determine the damage caused to the target.

Range
Hexes are counted from the firing ship to the firing hex. closest target ship, using the shortest path requiring the fewest hexes.

Determine the basic fire number (BNG).
Depending on the rank obtained, take the number that appears in the box below that rank.
Determine the (MGN) modifier number to artillery fire.
Add or subtract all modifiers applicable to the band or battery, the result is the MGN. The modifiers are collected to port and starboard.

Note: Save the total modifier to the BNG for each band, so that can quickly calculate MGN. The modifiers are: CQ modifier for artillery by crew quality. Number of CSs dedicated to firing cannons. Cannons dismantled. Bonus for initial shot. Band darkened. Other modifiers. Sweeps.

Description of the modifiers to artillery fire CQ artillery modifier: Can range from +6 to -6. This modifier depends on the quality of the crew.
Number of CS dedicated to shooting: The normal situation is that are all 4 CS dedicated to shooting. For each CS not dedicated to this task there is a -3. If all 4 CS are dedicated to other tasks the ship cannot fire. Marines cannot fire cannons, nor can CSs that are on another task.

Dismounted guns: When a ship loses a section of hull or when the hull receives certain critical damage, certain number of cannons dismantled. The dismantled cannons must be located on one or both sides. All dismantled cannon results are cumulative.

Band's Initial Shot Bonus: When a ship fires a band for the first time (either full or just a drum kit) and If the target ship is ÿ 5 hexes away, the BNG increases by +4 to +1 depending on the range. For longer ranges, there is no modifier and if you shoot at a higher range this bonus is lost. There is one indicator per band in the artillery fire area which is crossed out when you shoot, whether you get the bonus or not.
Darkened Band (Temporarily): A darkened band caused by a critical hit on the sails causes a -2 penalty when shooting along that darkened band (mark -2P or -2S). This penalty lasts until fixed with a die roll.

the unraveling and arrangement subphase. Each darkened band must be marked with a marker and the fact must be recorded in the vessel's log.

Other Modifiers: There are a variety of modifiers that can be applied to the BNG, such as: **Vessel under full sail firing:** A vessel under full sail with a Wind speed ÿ 2 has a -1 for being steeper than normal.
Firing Dismantling Shot: A ship firing with dismantling shot has a +1 but only causes one hit to the hull and crew and does not cause any critical hits to the hull. Some critical hits to the sails are not taken into account.

counts if fired with a dismantling bullet. The dismantling round has a range of 7 hexes. A ship can fire any type of weapon at different targets. Round bullets are always used as ammunition unless specifically designated as dismantling bullets (DS).
Wind speed: If the wind speed is 4, there is a -1 to the BNG.
Anchored Vessel: An anchored vessel, whether normal or with turnbuckles, has a +1 to the BNG.

Dismantled vessel: If a firing vessel was dismantled at the beginning of the turn, its BNG is reduced by the sea state number.
Whole band vs half band: If you only trigger one drum at a time The target is said to shoot halfway. Shooting with half band has a -8 to the BNG.

Firing at two targets: If the ship fires at 2 targets already Whether with the full band or with half band, it has a -10 in each shot. This modifier overrides the previous modifier, i.e. no stacks with the modifier for firing only one battery at a time target. This modifier also applies if shooting from both bands. All modifiers are cumulative. The MGN modifier can be reduced to the firer's discretion in order to do the least possible damage if the ship is to be captured. After determining the MGN, roll 1d6 to obtain the FGN (final artillery shot number). The table for that FGN gives the results depending on whether the shot was fired at the hull or at sails.

12.0 ARTILLERY FIRE DAMAGE

A ship can receive damage to the sails (r), the hull (h) and the crew (c). If a • appears, there has been no damage. The number before the letter indicates how many boxes are crossed out; a letter alone indicates that only one box is crossed out.

Results separated by a slash: Results separated by a slash means that only one of the two results are recorded.

results adjacent to the bar, for this 1d6 is rolled: 1-3 is taken the result on the left, 4-6, is taken as the result on the right.

If there is more than one "barred" result, all results are check separately.

The damage shown on the side of the bar is always applied obtained by rolling 1d6. Example: rch/• 1 is lost of sails, 1 of crew and 1 of hull (if 1-3 is rolled) or 1 of sails and 1 of crew is lost (if 4-6 is rolled).

All damage is recorded in the section with the lowest ordinal number. The turn number in which the damage occurred must be written in the affected box. This action is considered the crossed-out box.

Sail Damage Ships suffer sail damage according to their sail level.

Decommissioned vessels. A decommissioned vessel does not suffer any damage to its sails as it has no sails left. However, any impact on the sails cancels out any repairs.

candles in progress.

Sails furled. This is the least vulnerable situation. A vessel that has its sails furled consults the column "FS" already whether the hull or sails have been shot at and the damage caused to the sails is divided by 2. For cases where this means ½, that is, it means crossing out half a square, 1d6 is rolled: 1-3 is crossed out the entire box; 4-6 the box is not crossed out.

FS: Damage is taken normally.

MS: Combines FS damage plus the damage indicated in the MS column.

PS: The damage indicated in the MS and PS columns is added to the FS damage.

Sail status for damage Sometimes there is a difference between the sail status for damage and the sail status for movement.

A vessel that loses the ability to go under full sail or half sail, continues at those levels for the purpose of taking damage if any

Of these levels, this is the one that appears in your last status entry.

of sails. That is, for damage purposes, a vessel is following at half sail, for example, if this is what is recorded in its log, for movement purposes it must check its movement capacity according to its actual sail status.

To show the level of sail for damage when it is different of the damage level for movement, HP markers are placed or MS near the vessel. These markers do not indicate capacity.

of the ship's movement, if instead, they indicate its level of sails for the purpose of receiving damage.

The sail level for all purposes (movement, drift, wind block, etc.) is determined by the sail status noted in the vessel's log. The sail status for damage is changed by the normal procedure for changing sail status.

sail status.

Exception: If a vessel is decommissioned, it shall be decommissioned for any purpose and any PS or MS marker is removed.

Loss of a sail section When a sail section is completely struck out, the vessel

You must immediately check for a critical hit. Use the RC column and apply the result, then cross out the R inside the diamond next to the missing section to

remember that critical damage perception has been checked.

Hull damage

When a hull section is completely crossed out, the Ship: •

Must immediately perform a critical damage check on the hull using the HC column, applying the result and crossing out the H inside the diamond next to the section

now lost to remember that the appropriate has been done check.

- You must add the indicated modifier (-1,-2,-3) depending on of the destroyed hull section. This modifier by dismantled cannons are added to the port side as well the starboard one.
- You must make one or two morale checks (MC), depending on the number of M that are next to the destroyed hull section. The number of checks made is noted in the corresponding column in the ship's log.

Crew Damage Each lost crew space must be taken from the marine sections or marine section.

Roll 1d6 and check the crew loss table for each lost crew space. The firing line must be used.

gunner to the hull when shooting low with a round bullet and using the "Other causes" line for any other cause that causes crew to be lost: high shot, low shot with ball dismantling, marine fire and boarding combat.

If only one type of crew remains then it takes the entire loss.

All crew lost for any reason must be recorded. first in the section with the lowest order number.

Critical Hits In addition to damage taken, a vessel may also suffer damage Critical. **Procedure:** Whenever a 6 is obtained to calculate the FGN, there is a possibility of obtaining a critical hit.

If 1d6 ± CH (critical damage modifier) ÷ number of critical hits in the FGN line used.

If there is a critical impact, roll 2d6 and consult the impact table.

critical on hull or sails depending on where it was fired.

All critical hits take effect immediately on the combat phase. Like any other damage, damage from Critical hits do not prevent the target ship from returning fire.

Loss of extra squares due to critical impact: Some critical impacts indicate the loss of additional squares.

In addition to losses caused by artillery fire. The number and type of squares marked by critical damage must be immediately crossed out. If the crossed out boxes result in the loss of a section, the rules for the entire loss of a section of hull, sails, and crew must apply.

Sweeps A

sweep occurs when the firing vessel is able to shoot more or less along the entire length of the ship Target. This type of shot does more damage than normal, as each cannonball penetrates the ship through its weakest point and destroys everything in its path, hitting more men and cannons than a bullet that hits the ship through its side.

Sweep definition: If the target ship is ÷ 5 hexes from the firing ship and any of the following situations occur

on the firing vessel, there is a sweep. • Can fire at the target and is outside all firing arcs of the target vessel. • Occupies an adjacent hex forward of the bow or stern of the target vessel and can fire at the target. In this situation

the target may be able to return fire.

Sweeps provide a modifier to shots at ÷ 5 hexes equal to the initial shot modifier. Both the sweep and initial shot modifiers can be used in the same turn.

Effects of stern sweeps

If the target vessel is fired upon in a stern sweep the effects They are deadly because the stern of most ships was constructed of light plates and glazing, as follows: • All lost crew squares are doubled (no double the losses due to critical damage).

- If a result of dismantled guns occurs by check for critical hull damage, both bands are affected.

The critical hit "rudder destroyed/damaged" cannot occur from a cannon shot from a vessel that is fully on the bow of the target vessel. If this result occurs in such a circumstance, this critical impact becomes in an extra impact on the helmet.

Lower deck guns A ship, which is hit by the wind from one side, can take a slope that makes shooting difficult. To calculate this effect, the distance between the waterline and the line of the lower battery ports (freeboard no.) is compared with the state of the sea.

Sea state no. < Freeboard no.: No effect.

Sea state no. = Freeboard no.: Subtract the LDGM from the BGN for the side away from the wind. This does not affect vessels in a position L and R with respect to the wind.

Sea state number > Freeboard number: Subtract the LDGM from the BGN for both sides regardless of the position of the vessel with respect to the wind.

13.0 MARINE FIRE

Only the marine section can fire and they can only fire at adjacent enemy ships and those that are within 2 hexes of them. distance with a +1.

Marine sections engaged in any task other than boarding may not fire in that turn.

This means that Marine sections that have planned FB, BR, and BD actions can fire, but Marines doing BA duties or engaged in a continued boarding action

they can't shoot. Only one ship can be shot at. Procedure: The number of available boxes is counted. start of the turn and roll 1d6 on the marines' fire table, applying modifiers cumulatively. The result This is the number of crew boxes crossed out on the enemy ship. For each box, a check must be made to determine whether a sailor or marine box is crossed out using the "Other Causes" line. This check must be made unless:

- The target vessel only has one type of crew.
- The target vessel is forming or has formed parties of boarding consisting only of sections of sailors, in this case the "hull shot" line is used.

Modifiers. All are cumulative. If the firing ship (class) is larger than the target ship: -1. The quality of the marines is E or F: +1. The quality of the marines is G: +2. The firing vessel is grappled or entangled with the target vessel: -1.

The target vessel has prepared or is preparing parties of approach: -1. All fire from the Marines is simultaneous. FIX: Can shoot at an enemy ship at 2 hexes away, but for each hit they get if 1d6 ≥ 3 they score a loss, otherwise there are no effects.

14.0 MAINTENANCE PHASE

In the maintenance phase the ships do a variety of actions. These actions are performed in the following order.

Drift and turn

A ship that is stationary on a turn and is not aground can drift. Whether it drifts depends on its sail status and the wind speed. If 1d10 ± modifiers ≥ number, the

vessel drifts. The smaller the vessel, the easier it is to derive. The order to check the drift is as follows. It goes from greater wind exposure to lower exposure, that is, it starts with the ships in B and if you follow those in R, C and L. Inside Each facing is taken from lowest to highest class of vessel, that is, from 1 to 4. A drifting vessel moves 1 hex downwind and without changing the vessel's facing relative to the wind. Exception: partial drift. If a vessel drifts into a hex occupied by another vessel it cannot drift and stays where it is. Exception: Partial drift. It can become entangled with the vessel blocking its drift unless any of the ships are dismantled. Roll on the table of collision to see if the vessels become entangled. Note: Drifting vessels never suffer an additional loss of sail.

Partial drift: If the drifting vessel has its drift path partially blocked by the bow or stern of another vessel, it may drift, but not the whole vessel, only the part of the vessel that is blocked will do so. can do so by turning on the part that cannot drift. In this case the orientation of the vessel with respect to the wind can change. The collision table should be checked to see if they are tangled up but an additional candle loss is not checked.

Vessels that are caught and entangled cannot partially drift.

Drifting group of vessels: A group of vessels entangled, Vessels that are clinging, towing, or being towed always drift as a group. Vessels in a group cannot change course. their facing if they derive or cannot derive partially. If the group drift is blocked (totally or partially) the whole group stays as it is, checking for entanglement. If there may be a drift, only check one vessel, the one that has a lower probability. If he succeeds, the entire group derives.

Turn: It is a controlled drift that anchored vessels can make.

Anchoring: Because anchoring is rare and occurs in very few scenarios, all anchoring rules will be covered later. However, setting and removing anchors occurs during the anchoring subphase of the maintenance phase.

Grasping and letting go

At the beginning of the grasping subphase, vessels may attempt to engage each adjacent vessel once, provided that in the previous movement phase both vessels, the one attempting to grapple and the one targeted by the grapple, each spend ≥ 2 PM,s.

If the vessel is entangled with another vessel it will not affect the probability of holding on. Friendly ships may grapple each other, but check the same way as when trying to hold on to a ship enemy. Procedure: Roll 1d10 on the grapple table. If successful, place a grapple marker between the ships. Only one cling marker can connect each pair of ships. Vessels on fire, with F or G crew, that have lowered the ensign may not attempt a grapple. Held vessels cannot move or turn, they can drift but not partially.

Disengagement: After engagement attempts are made, the engaged vessels may attempt to disengage. rolling 1d10 on the disentanglement table, applying only the modifiers that have to do with the attempt to disentangle, as well as the other modifiers. Detachment does not require the presence of CS.

Friendly vessels do not automatically disengage, they check the table, even if the vessel that originally initiated the engagement attempts to do so.

A vessel fighting in a boarding action may not attempt disengage from that vessel until the boarding action is resolved.

A ship may attempt to disengage from all enemy ships with which it is not in a boarding action. There is a +1 to the disengagement attempt if the marine section is unavailable, for example due to being in a boarding action. A surrendered vessel is considered to have a crew quality of G. A vessel attempting to disengage from a surrendered vessel and has a crew quality better than G receives a -1 per each level of quality difference in its attempt to break free.

Unraveling After all the grasping and ungrasping has been resolved, the entangled vessels may attempt to disentangle itself from each vessel with which it is entangled. Each A ship rolls 1d10 for each ship it wishes to disentangle itself with, consulting the disentanglement table and applying the appropriate modifiers. No crew section is required to disentangle itself. try to untangle yourself. If two vessels are entangled, both vessels may attempt to disentangle themselves from each other. Attempts by both vessels shall not be are an automatic success, even if both ships are friends.

Remembering the disentanglement attempts: A vessel must carry a record of the number of times he has attempted to disentangle himself from each vessel as the probability of success increases with each successive attempt. UF should be entered along with the description of the

ship in the turn log each time it attempts to disentangle itself of that ship.

Disentanglement during boarding actions: A vessel fighting in a boarding action with an enemy vessel may attempt to disentangle itself from that vessel until the action of boarding is resolved. You can try to disentangle yourself from the rest of the vessels with which it is involved in a boarding action.

Resolving other issues during the subphase of

Disentanglement: In addition to disentangling and unentangling, the Disentanglement table is also used to resolve the consequences of a variety of critical hits. This includes obscured risers, severed turnbuckles, jammed cables, severed signal halyards, and a jammed rudder. Roll 1d10 on the Disentanglement table; a successful result resolves the issue.

Fire and explosions

A vessel can catch fire for several reasons.

- **Critical hits to the hull.** Critical hits to hull numbers 10 and 12 can set the vessel on fire.
- **Spreading fire.** There is a 50% chance that fire will spread to a vessel entangled or caught in a burning ship.
- **Ship explosion.** When a ship explodes it throws burning debris in a radius of 6 hexes. All ships that are within this radius they can burn.

Putting out fires. A burning ship must put out the fire. You should note that a CS is extinguishing the fire (FF) in phase of scoring. Each fire must be extinguished by a CS. A CS must be dedicated to putting out the fire, even if this forces another planned task to be aborted before that task is completed complete. **Exception:** CSs currently involved in a boarding or reorganizing (RO) do not leave these tasks to put out the fire. However, the crew sections that have scored FB or BR but are not yet committed are automatically disbanded and a CS could score FF on the next scoring phase.

Anticipate. Ships that are not yet burning can voluntarily plan FF. The advantage is that if a fire breaks out, it can be extinguished before it causes any damage.

Check that the fire is out. During the maintenance phase of each turn, the ship that has scored FF rolls 1d10 on the untangling table for each fire you try to put out. If the modified number is $\bar{y} n^{\circ}$, the fire is extinguished. Surrendered ships may attempt to extinguish their fires.

Fire spread. Fire can spread from a vessel. on fire all those ships with which it is attached or tangled. In the fire and explosions subphase of the maintenance there is a moment (see extended game sequence at the end of these rules) in which this situation is resolved. $1d10 \pm SK \bar{y} 4$ (take the ship's crew modifier (toward which the fire spreads) The fire spreads toward the entangled or gripped vessel.

Note: Fire may spread to already burning vessels.

Multiple fires. A vessel may have more than one fire burning at the same time. There is no maximum number of fires.

In addition to the normal causes of fire (critical impacts On hulls 10 and 12, fire spread from burning vessels and by burning remains) additional fires grow from fires existing if the original fire is not extinguished.

If a fire has been burning for 5 turns including the turn it started, it generates an additional fire. An additional CS must be assigned to extinguish the new fire, in addition to the ship must check morale. The new CS should plan FF2 to keep track of this section's firefight.

The ship loses 1R and 1H for each turn and for each fire. In addition Each unextinguished fire generates another fire every 5 turns.

There are not enough crew sections. A ship that does not have enough CS to extinguish all existing fires must check morale every turn for each fire that is not attempted to be extinguished, until the ship collapses or all fires can be extinguished.

be simultaneously turned off.

Effects of fire. A ship must check morale every time it a fire breaks out on the ship.

Each turn a ship is on fire, including the turn the fire starts, it loses 1 H and 1 R for each fire. This damage is noted in the fire and explosions subphase of the maintenance.

If the ship loses all its hull squares and the fire is still burns, the ship collapses and starts checking if it explodes: $2d6 \bar{y} 2$ the ship explodes.

If the ship continues burning, the explosion is checked during the fire and blast subphase of the upkeep phase of the turn with a -1 modifier for each additional turn it is ablaze.

Explosion effects. Exploding ships affect other ships in two ways:

- Damage from the blast wave.
- Damage from burning debris flying into the air.

The blast wave affects all ships within $\bar{y} 2$ hexes of range. This damage is calculated using the following table: Exploding ship class

1	2	3	4	Range 1	hex	40	35	30	25
				Range 2	hexes	25	20	15	10

The class of the exploding ship is crossed with the range at which the affected ship is, the number is the FGN as a high shot to see the damage and is only modified by 1d6.

All ships $\bar{y} 6$ hexes from the exploding ship roll 1d6 to see if a fire breaks out. The ship will catch fire if $1d6 \bar{y}$ the range at which the exploding ship is located. A 1 never causes a fire.

The ships clinging and entangled with the exploding vessel They always end up burned.

Repairs Two types of damage can be repaired: Hull and sails. The critical hit "broken shrouds" can also be repaired.

Each type of repair is noted during the annotation phase and each type of repair requires a crew section. for several turns. The repair codes are: candles (RR), hull (RH), shrouds (RS).

A vessel cannot begin repairing a type of damage until that damage occurs or the critical damage "broken shrouds" occurs.

Repairing sails. Ships in the following status of sails can be repaired: combat sail, furled sails and dismantled sails.

Only ships that move $\bar{y} 4$ MP in one turn can repair helmet.

Only one CS can be allocated to repair a type of damage. Different CS can repair different types of damage at the same time. time. Thus, one CS can repair 1 RR and another CS can repair 1 RH, but there cannot be 2CS each repairing 1 RR or 2 RR.

The number of turns required to repair is modified according to the crew quality modifier (SK).

For the repair to take place, repair shifts are must be fulfilled in an uninterrupted manner.

Completing the repair. After the number of repair turns are fulfilled, the ship that was repairing recovers a space of the type indicated in the repair of the section that is currently taking the damage. If the current section has no damage it should be deleted from the immediately preceding one. **Note: If a section that has been restored is lost again a morale check should not be made to the extent that was already made when that section was first lost.**

Repairing the sails of a dismasted vessel. Vessels with all sail sections crossed out take longer. longer to repair than ships that have at least some mast. Thus, a dismasted vessel that suffers a hit to the sails cancels all accumulated sail repair turns.

Reconciliation At the end of the turn each player must review the status of each ship and that the markers and notes in the ship's log correspond to its status. In this subphase

- They must carry out the following checks: Check the
- markers that the vessel has on darkened sides, sail changes, etc.
 - Review completed repairs.

- Adjust crew status due to reorganization the same or by the formation of a prize crew.
- Check morale.

Check morale (M) and place a

flag lowered marker on surrendering ships.

- Deliver signals. The signals written during the planning are delivered.
- Remove

ships. Remove escaping ships from the map or that explode.

- Review artillery modifiers, by CS on tasks, dismantled guns, and crew quality.
- Review changes in permitted movement due to loss of sails, broken tensioners and any other cause.

15.0 CREW QUALITY AND MORALE

The effectiveness of a ship is a mixture of the quality of the crew and its morale. Quality measures the effectiveness of the crew operating a warship which includes firing the cannons, repairs, securing and unraveling, changing sail status, etc. The SK modifier reflects the crew's effectiveness (CQ) in performing certain tasks. See the boarding combat and skill factor table.

There are 7 quality levels from A to G, with A being the best. crew and G the worst.

Ship morale is a measure of how men conduct themselves in battle.

Quality and morale are correlated, although not always; generally, good quality is paired with good morale.

Note: While quality tends to drop during battle, morale never changes.

Use of the SK modifier. The SK modifier normally determines the duration of various tasks. It also affects the probability of the vessel to become entangled or disentangled. The range of This modifier ranges from -3 to +3, from best to worst. When the quality drops, so does this modifier.

Use of morale. Unlike the SK modifier, a ship's morale is only used to check the crew's willingness to continue fighting. A ship's morale never changes.

A ship must check its morale whenever a morale check situation is reached. These times appear in the ship's log marked with an (M). The loss of a

crew or hull section requires a check.

Cross out the (M) next to the missed section to remind yourself that the check was done.

Morale is also checked in the following cases: • A ship is dismantled,

i.e. the last space of the last sail section is crossed out. • A ship that was already dismantled at the beginning of the turn

is swept. If the decommissioned vessel is being towed, it does not check morale, unless the vessel towing it is also decommissioned.

Sweeping a decommissioned vessel that

is anchored causes a morale check. • A ship

starts burning. Burning ships that catch fire again check morale for the new fire. • A ship that does not have enough CS to fight

all

their fires.

- The ship receives a critical hit that forces it to check moral.

Repairs and Morale Checks. If completing a repair adds a square to a hull section or the last sail section, the ship should not check morale for losing the section again.

To pass the check you must get 1d10 $\geq$ Morale.

If the check fails, its quality drops one level. The line corresponding to the lost quality is crossed out. The vessel uses the new quality, and the new SK, for all purposes until it fails another check.

16.0 LOWER THE FLAG

Before the 20th century it was normal and honorable for a ship to lower its flag when its commander understood that the situation was desperate. A ship surrenders if:

- Has lost all hull sections.
- Has lost all crew sections.

- Fail a morale check with a G quality.

A surrendered ship can do nothing except put out fires; if it has no crew, it may explode.

Surrendered ships have a crew quality of G, this quality is what determines the success of actions such as fighting fire or disengaging from other ships.

17.0 BOARDING

Boarding can only occur between enemy vessels that are entangled or grappled at the start of the turn. Ships with F or G crew quality may not board. Ships

burning vessels may not board or be boarded. Friendly vessels may not board each other.

Surrendered ships can be boarded in this case; the boarders automatically win and do not have to reorganize. One reason for doing so is to capture the ship.

surrendered before he stops surrendering.

Forming boarding parties (FB)

It takes time to organize the men who are going to form the boarding parties; they have to go up on deck, get weapons boarding and go to their stations. In Close Action this is simulated requiring CS to form boarding parties before they can board or defend against boarding.

A ship forming boarding parties notes task FB for one or more CS in the scoring phase. Sailors must FB

in order, i.e., with the lowest numbered CS first.

Marine CS is a special case and they can FB regardless of which CS they have been assigned to FB.

Each CS must plan FB for one turn, those CS are then available to defend against boarding parties

enemies during the boarding phase of that same turn and

They may board enemy ships on any subsequent turn.

Prepared boarding parties (BR)

CSs on FB tasks are prepared to board and will remain so until they board an enemy vessel or are

routs. Each CS that was scored FB in a previous turn must

score BR on the next turn unless they board (BA) or are routed (BD).

CSs annotated with FB or BR cannot do anything except board or defend against enemy boarding parties.

Exception: Marines may shoot and are available to attempt grapples and disengagements.

Stampede

A prepared CS can disband if it scores BD (boarding party disbanded). It takes one turn to disband; during this turn the disbanding CS cannot

perform any tasks. **Exception:** Marines may do fire and are available to grasp and let go.

In the next turn CS can be used normally.

Note: A prepared CS that is disbanded by a combat result is considered disbanded immediately and may be normally used on the next turn.

Reporting boarding parties

Any ship forming boarding parties must announce the number of CS formed to the other players and place a

Boarding party ready marker. The marker remains until the ship has no FB, BR, or BA.

Boarding procedure

A vessel with a boarding party ready (BR) that

is also grappled or entangled with an enemy vessel at the start of a turn must score BA (boarding party forward)

for one or at most two CS per turn. No more than 2 CS BR

can score BA in a single turn, even if more CS are prepared.

The CS of sailors who scored BA must attack in order, that is, starting with the lowest numbered section that still has available boxes.

CSs who scored BA must perform an approach.

Exception: the 4th CS can do FB and BR but cannot do

BA, this represents the need to leave a minimum number of crew to steer the ship.

The boarding occurs after all the artillery fire and the fire of Marines. All losses from artillery fire and Marine fire are deducted before resolving the boarding engagement.

To defend itself against boarding, the ship had to note crew sections of sailors as FB. The CS will be prepared to repel a boarding but will not be able to board a ship until the next turn.

The Marines if they are performing any other task not proper to a boarding action (such as FB, BR, or BA) is automatically left to repel a boarding by noting that they are in FB.

Determining the attacker. There is an attacker and a defender in each boarding action.

- If only one vessel recorded BA, that vessel is the one attacker.
- If both ships scored BA in the same turn, the ship with the total boarding combat factor (TBCF) greater is the attacker.
- If both ships have the same TBCF, the one with the best quality is the attacker, if they also have the same quality, the attacker is the one with the best quality. determines the attacker randomly.

Boarding resolution

Each side must calculate its TBCF using the values given in the boarding combat table and the skill factors (BCF). The BCF depending on whether it is sailors or marines is multiplied by the number of squares of each type.

The number of BCFs for each sailor and marine space depends on the current crew quality. Add all spaces involved in the boarding to determine the TBCF of the boarding.

vessel.
Modifiers

Each side checks the ratio of the attacker's and defender's TBCF, rounding the ratio to the lowest. The ratio modifier applies to both the attacker and the defender.

The attacker applies other modifiers regarding the type of attacked ship and the difference in size between the ships.

After calculating all modifiers each side rolls 2d6 on the boarding combat table. The result is divided into two parts: Crew casualties and special results.

Crew casualties. Crew loss is a percentage calculated on the own TBCF that is applied to the enemy crew's BCF. Thus, if a ship has a TBCF of 70 and rolls a 7 on 2d6, 8% of 70 is applied to the enemy's BCF,

That is, the enemy must lose squares worth 5.6.

BCF loss carries over to crew square losses.

Enter the "other causes" table in the crew loss table.

and cross out the crew box that is obtained, sailors or marines. If there is only one type of crew in the action of boarding cross out that type.

This process is repeated until the required loss BCF is satisfy. Normally more BCF is lost than required because It is normal for the result not to match an integer BCF.

Special Results. Only one side can receive a special result in a given turn. If both sides receive a special result, special only one will be applied, the one that is the highest modified roll, the other result is ignored.

If both sides get the same result once modified then the side with the higher TBCF value (before the losses) takes the result. If both TBCF are equal, neither side takes the result. Special results are:

- Attacker repulsed. The attacker's CS are routed and they must score FB again before they can board. Any

other CS scored by the attacker such as FB or BR are also dispersed. Cross out your previous notes.

- The attacker must check morale to see if he is repelled.
- The defending ship is either captured or has to check morale to see if it is captured.

CS involved in a boarding action suffer all negative results and if their ship lowers its flag they surrender.

Casualties from artillery fire

If a vessel only has crews of FB, BR, BA sailors involved in a boarding combat, i.e. the Marines has not been designated for any of these tasks, it Use the "hull shot" line to determine the losses of crew by artillery fire and marine fire. In the rest of cases, that is, when you sign up for the marine section you Use the "other causes" line to determine losses. For the purposes of this rule, it doesn't matter whether artillery fire is high or low.

Disengaging/Disentanglement During Boarding Vessels involved in a boarding action may not attempt to disengage or disentangle from each other until the boarding action is resolved.

Winning the Boarding Action Once a boarding action has begun, it continues until one side wins. CS involved in a boarding action are "locked" in combat and cannot retreat; only defeat.

on one hand causes the boarding action to end. Additional CS can be added to the approach, they must first be FB (if they are defending) and then they can BA (if they are tackling).

The attacker wins. The attacker can win in 5 ways:

- If the defending ship has already surrendered.
- If the defending vessel does not have or cannot assign at least a CS for FB.
- If the defending vessel lowers its flag due to damage to the helmet or by failing the morale check during an action approach.
- If the attacker captures the defending ship due to a special result "defending ship captured".
- If all defending squares are eliminated.

Defender wins. A defender win means the attacker is repulsed. The boarding action ends and both sides return to their respective ships. The defender can win in 2 ways.

- If you eliminate all the attacking CS.
- If you get a special attacker repelled result.

Counterattack

In the turn after the attacker is repelled, the defender can score those CSs that were defending in the previous turn.

boarding combat to counterattack.

The annotation is BA and all rules apply to the CS that

These BAs apply with one exception. **All CS involved in the previous combat can do BAs, not just two,** which, as you may recall, was the maximum number of CSs that could do BAs per turn.

Boarding actions on several vessels

It almost never happened that more than one ship per side took part.

In a boarding action, however, the following rules permit boarding actions by more than one vessel at a time.

Whenever more than one vessel per side is involved in a boarding action, the entire boarding combat must be divided into a number of individual boarding engagements. Each engagement will involve one attacking vessel and one defending vessel.

Each of these combats is resolved separately. Vessels that board or are boarded by more than one vessel must indicate which CS they are engaged with which enemy vessel.

CS must be dedicated to a single, specific enemy vessel. Therefore, a ship can defend itself against up to five enemy vessels.

If a sixth ship attacked the defending ship it would be automatically captured.

Resolving a Multiple Boarding Action. As when resolving a two-vessel collision, a multi-vessel boarding action, once started, cannot be terminated until it is resolved. All boarding actions are resolved separately but are considered simultaneous, and the results of one

boarding actions do not affect any other boarding actions in the same turn.

18.0 REORGANIZATION

After a victorious boarding action, the defeated ship It's chaos, with the crew on both ships mixed on the decks, from the hold to the quarterdeck. It takes time to gather the

prisoners and mount a guard over them and vital points such as warehouses and finally send out a prize crew.

The victorious boarding party cannot do any of this.

until its reorganization is completed.

All attacking CSs that won in a boarding action

They must begin to reorganize and cannot stop until they finish, unless they are attacked by a boarding party.

Since the attacker's CS are on the captured vessel, if the captured vessel and the vessel from which the boarding party came become disentangled or uncoupled during the reorganization period, all of the attacker's CS are struck from his vessel's record.

A defending ship that repulses the attacker does not need to reorganize, instead the defender's CS may score that they disperse.

To reorganize each CS must write RO, the time required is equal to 5 ± SK in turns.

Actions allowed during reorganization CSs that are reorganizing may do nothing except defend the captured vessel against boarding attempts.

If the captured vessel were boarded while in progress reorganizing, such reorganization is aborted and the original crew of the captured vessel may participate in the new boarding action with a G quality.

If the boarding party that captured the ship succeeds in defending their prey against the new approach, they will be able to begin to reorganize again as soon as the new boarding action ends.

19.0 PREY CREW

The minimum crew of a prize depends on the class of vessel

Captured. Class 1 = 4 crew spaces; Class 2 = 3 crew spaces; Class 3 = 2 crew spaces; and Class 4 = 1

Crew box. The capturing ship may designate additional crew. The main reason is to prevent the captured ship from being released if the prey crew suffers casualties in combat later.

After allocating the crew of the prize of the party of boarding, additional crew may be taken from other CS that did not board the ship of origin, but said CS must also reorganize.

Prize Crew Assignment During the status update phase of a turn in which reorganization is completed, the prize crew spaces are crossed off from the lowest-numbered platoon and the marine platoon of the winning ship.

Crew boxes will fill the section boxes

of the crew and marines of the captured ship, starting with S4 up to the maximum it originally had. Thus, if the captured ship's sailor sections are 4-4-5-5:4 and it is assigned 7

prize crew squares, being 6 of sailors and 1 of Marines, the prize crew would be as follows 0-0-1-5:1.

Quality and morale of the press crew. The quality and morale that the prey crew receives are those of the capturing vessel. If a vessel was captured simultaneously by more than one vessel, the Prize crew may be taken from among the capturing vessels, but will receive quality and morale (calculated by separated) lowest of the crews that have formed the prize crew.

At the start of the turn, after reorganizing has been completed, the boarding party less the crew of prey returns to its vessel and is fully functional.

20.0 CAPTURED VESSEL OPERATIONS

A captured vessel is one that lost a defensive boarding action; to the extent that the vessel is now friendly to the side that captured it, the side that originally controlled the ship is now the enemy and can fire at the captured ship.

Captured ships are not able to sail or fight for hours after their capture. To reflect this, captured ships cannot move or plan for any other task except

boarding and repair for the rest of the game. They can also

disentangle and cling/uncling. Captured vessels may also be towed by friendly vessels.

Captured Ships and Crews The original crew of a captured ship were sent below decks and the hatches were sealed to prevent recapture.

the ship. For this reason, the original crew of the captured vessel can do nothing except use the bilge pumps.

(critical impact on the waterline) and extinguish fires.

All losses in the crew of the captured vessel are

They take from the prey crew. If the prey crew is reduced below the minimum allowed, the ship's original crew regains control of the ship at the beginning of any turn in which the original crew has at least twice the number of crew spaces as the prize crew. The ship

will have a quality of G and a morale of 6, but will be able to perform all actions normally.

21.0 SIGNAGE

The biggest problem the admirals had was coordinating the actions of their fleets without instant communications.

Flagging allowed for a practical method of communication at this time, but this cumbersome system had strong limitations on the amount of control that admirals had over their fleets. This problem alone explains the use of the often ridiculed "line of battle" that maintained as standard formation for warships for 25 years.

Signaling rules apply only when a side has multiple players.

Players on the same side can transmit relevant information using the form included in the game for this purpose. purpose. Signs must follow exact rules regarding content and format.

Each player may send only one signal per turn. Talking to each other players from opposing sides is not prohibited but should be limited to threats and insults.

Signaling sequence

Signals must be written during the scoring phase. At the end of the turn, each signal may be given to the players to whom it was sent. Players are allowed to read

any signal sent by any other player on the same side.

Signal Print

Each signal consists of two parts: the recipient and the message. Signals could only be directed to certain groups of vessels, reflecting the inflexible signaling that was the hallmark of the era.

The signals can be directed to one of the following groups of ships: To

the entire fleet, noting the fleet as the recipient.

To a part of the friendly force. Such as to the vanguard, the center or the rear. Another way could be ships windward and leeward vessels. Players may use other divisions.

To a single vessel. A signal may also be given to a single vessel. vessel.

The area for the message contains the information that is being sent. Messages can be 3 to 7 words long.

Thus: **Flagships:** Until 1802, all flagships could send 5 words per message. From 1803 onward, British flagships could send up to 7 words; flagships of other nationalities were limited to 5 words per message.

Players commanding any other ship may send 3-word messages.

Each space in the message can contain a word or a Numbers, contractions, and hyphenated words are not allowed. allow ship names). The words must be written in capital letters, it is not allowed to emphasize words with underlines, bold or italics. Punctuation marks are allowed, each punctuation mark uses a space. References to the movement system, numerical hex references, and speeds in MP are prohibited. Numbers may be used to indicate distances.

Players who carry multiple ships

These rules prevent a player with multiple ships from coordinating actions beyond what was historically the case. possible.

No matter how many ships a player has, they may only send one signal per turn. If they control a flagship, they may send 5 or 7 words per message, otherwise you can use only 3 words.

A player may only send one signal per turn, but it may be sent by any of the ships they control. They may also "read" signals sent by any of their own ships. • Surrendered and decommissioned ships may not send signals.

- If any of the player's ships receives a critical hit "signal halyard cut" this player cannot send any messages until I fix it.

Talking between ships

When the sterns of 2 ships occupy adjacent hexes at the start of the turn, the players commanding these ships can communicate directly in the next phase of annotation. One of the two players can write a message of 5 words which immediately reaches the other player, the other player can then respond in a similar manner. Direct communication between them is limited to this one message exchange. Randomly check which player write first.

22.0 TOW

Towing another vessel was common as it was quite useful for save many ships that would otherwise be lost to the enemy or by the dangers of the sea. Indeed, several actions were partial or total fights to protect towed vessels. Only friendly vessels, including vessels captured from the enemy, may be towed. A vessel may only tow another vessel and a vessel may be towed only by a single vessel. A towed vessel cannot tow another vessel.

Preparing for towing A vessel must prepare for 5 ± SK consecutive shifts before being able to tow. A CS must plan PT (prepared to tow) in the gliding phase to indicate it and cannot do nothing during those turns.

Starting to tow

To tow, the tug vessel must first send the cable towing the vessel to be towed. This procedure It is simulated as follows: • The stern of the tugboat

must be in the opposite hex to the bow of the vessel to be towed at the end of the phase of movement. Both vessels do not have to have the same facing to the wind.

- The tugboat only then attempts to hold onto the vessel which is going to be towed during the grabbing subphase. Entanglement is not automatic and must be checked normally by applying the towing vessel's SK modifier. No vessel may be entangled or entangled by any other vessel (including each other) when is trying to start towing.
- If the grabbing attempt is successful, both are joined together. vessels with a towing marker. Vessels from then they move as a single unit until the cable of the trailer is cut off.

Movements of towed vessels

A towed vessel follows the path of the tug vessel. In order of priority, the towed vessel: • Must always be adjacent to the tug vessel.

- If possible, point your bow toward the tugboat. • You can move forward one hex and then turn in a single segment, or turn and then move forward to accomplish both of the above points.

Planning the trailer movement

Only the tugboat plans the movement because the vessel towed must follow the tug vessel.

The towed vessel does not contribute its own movement allowed, only the towing vessel is used to calculate the speed of both vessels. **Note: If either the towing vessel or the**

towed vessel receives the critical hit "structural damage to hull" the affected vessel rolls 1d6; if a 1 is obtained the towing cable trailer is cut off.

Tugboats move more slowly because they must to drag the towed vessel.

- The tugboat loses 1 MP due to being towing.
- If the towing vessel is of a smaller class than the towed vessel, the towing vessel loses 1 additional MP for each class difference. c. If the towed vessel is dismasted or with sails furled, the towing vessel loses another MP cumulative with cases a and b.

Turning A

tug vessel that has a movement allowance of 0 may attempt to turn but must check the tacking table of the vessel. the same way a ship does when it has a movement allowance of 0.

Cutting the tow cable

Either vessel, the towed vessel or the tug, may cut the towline if it scores TX during the planing phase. This task requires 1 CS. The cut is effective during the planing phase. maintaining the same shift.

Contested hexes

When the bow of a towed vessel and any other vessel contests a hex, the towed vessel always wins the hex.

Collision between a towed vessel and a tug vessel Both vessels can collide for two reasons: • The towing vessel decelerates more than the towed vessel can. • The tug vessel collides with another vessel.

In both cases the towed vessel cannot make a turn of emergency and automatically collides with the vessel towing it. The towed vessel suffers corresponding damage to its sails and both vessels may become entangled. The tow cable does not breaks.

23.0 ANCHORING

Anchoring is useful for several reasons. The most important is to avoid The ship could drift toward the shore and sink. Anchoring also makes ships more stable as gun platforms and allows sails to be furled, helping to reduce damage.

A vessel may anchor normally or with turnbuckles. Vessels Anchored vessels usually have a single cable connected to the vessel's anchor. An anchored vessel cannot normally turn and therefore Warships only anchored in this way when they were not expected to fight or in emergencies.

Anchoring with turnbuckles allows a vessel to pivot and fire her sides in any direction and was therefore preferred.

Usually ships anchored by the bow, however, it was It is also possible to anchor from the stern.

A vessel anchored by the bow will turn towards facing L, while if anchored by the stern it will turn towards a facing R.

Vessels can be anchored in one of 4 ways, normal bow and stern anchoring or with turnbuckles at the bow or stern. Each vessel can anchor up to 2 times in a scenario, without take into account the type of anchor used.

Preparing to anchor A vessel cannot anchor until it is ready to do so.

If you are going to anchor from the bow, write PBA or PSA if you are going to anchor from the stern. Both actions require 1 CS.

Anchoring from the bow (PBA) takes 2 to 3 turns depending on the quality of the crew and anchoring from the stern takes 6 ± SK turns. Preparing an anchor with tensioners is a different task than the task to anchor normally. To anchor with tensioners, these can be prepared before or after anchoring. If anchoring is done after anchoring, anchoring with tensioners is effective to the extent that the tensioners are prepared.

A vessel prepares the turnbuckles by scoring 1 CS for the PBS task (bow turnbuckle anchoring) for 2 X (5 ± SK) turns and for

the PSS task (anchoring with stern tensioners) for 2 X (6 ± SK) shifts.

A vessel may only prepare or be prepared to anchor bow or stern, either normally or with turnbuckles. That is, it can be anchored both bow and stern.

Once the preparation for anchoring is complete, the anchors and turnbuckles remain ready forever until they are used.

Anchoring Procedure A vessel anchors using 1 CS scoring A. The vessel cannot score any MP in the turn in which he anchors (he can derive the drift is not recorded). If the vessel records any MP the anchor record is erased and this does not occur. Anchoring is announced during the movement phase but becomes effective in the drift subphase of the turn in which the anchor is scored. Anchoring action. After checking the drift, an anchor marker is placed in the bow or stern hex of the anchored vessel, depending on whether the vessel was written PBA or PSA. The vessel is now described as anchored by the bow or the stern. An anchored ship cannot use any MP until the anchor cable. Vessels at anchor may turn and must drift. Vessels anchored with turnbuckles can rotate. **Important:** A ship automatically drifts one hex to leeward (where the wind is going) in the drift sub-phase of the turn following the one in which it anchored.

After anchoring normally a vessel turns towards L if is anchored bow-first or towards R if anchored stern-first. The ship turns 60° per turn during the drift phase until it is in the appropriate facing. This should be done as soon as possible number of shifts.

If a ship is anchored by the bow and the wind blows from R or if you are anchored by the stern and the wind is blowing from L you must roll 1d6; At 1-3 the ship turns to port (left) and at 4-6 it turns to starboard (right).

Once it has started to spin, it continues to spin at a rate of 60° per turn until the appropriate facing is reached.

Anchoring and changing wind direction

If the wind changes direction, the vessel turns in the drift phase from that same turn to maintain the appropriate heading. The vessel also simultaneously drifts so that its bow or stern is directly behind the anchor counter. This means it will drift at an oblique angle to the wind.

If the vessel is anchored with tensioners it does not turn towards the wind, maintains its facing until you voluntarily turn towards a new facing. The vessel, however, still drifts one hex as if it had anchored normally.

After anchoring with tensioners the vessel can turn 60° by turn, like any movement, this turn must be noted. If The ship anchored by the bow, the ship turns on the bow and if it anchored by the stern it will turn on its stern. These spins do not follow the spin rules but like any other movement vessels that are entangled or caught cannot turn. Additionally, in order to make a turn with turnbuckles, the ship must score HS on each turn it wishes to turn using 1 CS.

Releasing/Taking in Cable VO/VI Releasing cable (VO). Normally the distance from the vessel to its anchor is 1 hex, but a ship can lay out more cable, this is called laying out cable. Procedure: 1. A ship scores VO using 1 CS for 1 turn.

- 2. The ship drifts 1 hex for each VO in the drift sub-phase in the same turn in which VO was scored. Markers must be used of cable connected to the anchor. These markers do not prevent the movement of other vessels through them.
- 3. A ship can have up to 3 VO at a time.
- 4. A ship cannot score VO in the same turn it turns.

Wind speed 0

A ship may anchor and weigh anchor but remain where it is was when the wind reached speed 0. The ships did not They do not derive or release cable, nor can they use tensioners. However, they can collect cable.

Cutting the cable

There were 2 ways to get going: Weigh anchor or cut the anchor cable. Ships at anchor always cut the anchor cable to save time when an enemy ship approached. Only in this case was cutting the cable permitted. The ship

may not turn or make VI or VO on the turn in which the cable is cut.

A ship cuts the anchor using 1 CS for 1 turn scoring AX in the scoring phase. The anchor marker is removed in the anchor subphase of that turn and may move in the next turn. If the ship has anchored a second time, it may not anchor again during the scenario. An L-oriented ship at the beginning of a turn after cutting The anchor cable is not considered immobilized in that turn. In In other words, he has one free turn to turn to C. If he fails to do so then he will be immobilized at the start of the next turn.

24.0 SHALLOW WATERS

The vessel's draft appears on the vessel's data chart or on stage. Draft is the depth of water required for the vessel to float and navigate.

A vessel runs aground if its bow enters a hex whose depth is y the vessel's draft, or whether its bow or stern enters a hex of land. In any case, the vessel stops and loses sails as if it had collided with another vessel. **Exception:** A vessel that runs aground or ashore does not lose sails.

Consequences of running aground: A ship that runs aground cannot fire its cannons. Marines may fire and board other ships. The ship may be considered destroyed (see scenario special rules) and remains on the map.

Throwing the cable

Dropping the cable allows a vessel to check the depth of the water and thus avoid running aground. A ship checks the depth as

continues: The vessel scores y 2 PM and writes "cast" in the notes section during the scoring phase. The depth of the water in each hex is determined just before the vessel enters the hex. In most scenarios, the depth can vary within a given range, and must be checked each time a vessel enters a water hex.

If the depth is too shallow for the vessel's draft, it automatically makes an emergency turn instead of moving straight into the hex. **The vessel always succeeds in its**

emergency turn unless the vessel has a maneuver poor, then in this case you should check the maneuver table poor.

OPTIONAL RULES

MOVEMENT BY IMPULSES

Standard movement rules allow both slow and fast ships to move at the same time. To prevent this, each movement phase is divided into 4 impulses. Each ship will spend

from 0 to 3 PM for each impulse. The vessel records the movement normally and follows this record without deviation except for emergency turns and collisions. All the motion of each impulse must be resolved before making the motion of the next impulse. **Overlapping vessels:** A vessel may still overlap another vessel as long as the situation becomes clear at the end of the movement.

Collisions and emergency turns: If two vessels have scored enter the same hex in the same movement segment and in the same momentum, collision and emergency turn rules apply.

SPEED	IMPULSE			
	1	2	3	4
	-	-	-	-
1	-		-	1
2	-			1
3	1			1
4	1		1	1
5	1	1		2
6	1	1	1	2
7	2	1	2	2
8 9	2	1 2 2 2	1 2 2 3	2

OPTIONAL FIRE RULES In actions with 1 or 2 ships per side, players may fire at the end of each impulse. The following rules must be observed when using this method.

The movement of each vessel must be read aloud to the beginning of each turn.
A ship can only fire once per turn.
A ship may not fire in consecutive impulses, even different turns. The number of impulses required before the ship can fire again depends on the quality of the crew.

Crew quality	Number of impulses to reload A and BC and DE, F and G
	1
	2 3

VOLUNTARY SURRENDER
If a ship with F or G quality has lost 5 sections in any combination of sail, hull and crew, may decide to surrender before being forced to strike the flag. A vessel that voluntarily surrenders is treated exactly like any other ship that surrenders for other reasons. Therefore, the surrendered ship can do nothing except fight the fire and cannot be fired upon.
Surrendered vessels may be boarded like other vessels. They have lowered the flag, it happens automatically and once captured the surrendered ship cannot be recovered.

A surrendered ship may attempt to recover at any time after surrendering. To do so, it must check morale. If you pass the check you can start moving and fighting new normally.

If it fails, the ship drops 1 quality level. The ship may attempt recover until he succeeds or until he repeatedly fails the check and the flag is raised.

A ship cannot be recovered twice, if it surrenders twice, the second time he remains permanently surrendered.

LIMITED INFORMATION
Players may only give the following information to both friends and enemies.

Candles. Only the number of missing sections is given.
Hull. Only the number of missing sections is stated.
Crew. Only the number of lost sections is given, and if it's marines, that's also stated.

Cannons. All information must be provided as the players Enemies can check the accuracy of artillery fire. Critical impacts, repairs and other information should be provided.

In tournament games no player is allowed to save information.

FATIGUE
After a ship has fired its guns for the 5th time, all artillery fire the ship makes is reduced by 1. To reflect this, add 1 to the modifier for dismounted guns.

Note that a record must be kept of the number of times a vessel has fired its cannons.
Every 10 turns, starting with the 5th turn, the ship suffers a -1 fatigue penalty. This modifier is placed in the dismounted guns section.

HISTORICAL LIMITS ON ARTILLERY FIRE The standard rules allow for the choice in most cases between firing high or low: **French historical doctrine.** Both the French and the Spanish used to fire high. Thus, crews of these nationalities with E, F, and G qualities that wish to fire low have a 50% chance of doing so (firing high is always possible).

So if 1d6 ÷ 4 you should shoot high.

ALTERNATIVE RULE
Alternative rule for French and Spanish (if used)
This rule is not used (the previous one is not used and vice versa). Vessels facing the wind by C or B that fire towards the side by where the wind comes from and they want to shoot low they only have 50% of probability of doing it (they can always shoot high) like this, yes 1d6 ÷ 4 must shoot high.

STAGE RULES

Weather Conditions Wind Direction.
The number indicates the wind direction at the start of the scenario. If both maps are used, the wind rose Winds from map A are used to determine direction. Wind direction may change during the stage.

Wind speed. The number represents the wind speed at the beginning of the scenario.

Sea state. This number comes immediately after the wind speed. The sea state should be compared with The life of each ship to determine when the lowest battery is available for firing. The state of the sea does not change. along the stage.

Change in wind direction. It can be "ocean," "coastal," or "none." Both oceanic and coastal serve to Identify the column used to check wind direction changes.

The score "none" means there were no significant changes during the historical action. If the players are novices, checking for changes in wind direction can be omitted to make the game easier.

Wind speed change. Identify the column used to check wind speed changes. Any

The value in parentheses is the range that is allowed for the speed. of the wind.
yThe wind speed cannot fall below that number. y The wind speed cannot exceed the indicated number.

Special Rules Special rules are used to adjust to the historical peculiarities of the setting. These rules are only applicable apply to the scenario where they appear.

Sail level at the beginning. The canopy level is specified for some or all ships. These ships start the game at that sail rating. If no sail rating is specified, sails for some or all vessels, these vessels can start at any sail level of the player's choice. This is done by typing the sail level into the

SS column on turn 1 of each ship's log. Ships can start a scenario by changing from one sail level to another.

Anchoring. Anchoring is not permitted unless expressly stated.

Disperse. Some scenarios indicate that ships begin dispersed. Each ship rolls 1d6 and modifies its final position (use the diagram in the scenario book). Modifiers: **Crew Quality:** A +2, B +1, D -1, and E -2.

Class: Class 3 +1 and Class 4 +2.
Speed: Fast +1 and very slow -1.

Conditions for escape. Vessels that are allowed to escape in a given scenario will escape if any of the following conditions are met: the following conditions at the end of a turn: • **Map edge.** The ship moves off the map through an edge of the map specified in the scenario. • **Distance.** Must be ÷ 31 hexes from the nearest enemy ship nearby.
• **Relative speed.** The escaping vessel is within 20-30 hexes of the nearest enemy vessel and the maximum speed allowed for the current engagement, assuming full sail, is greater than that of any enemy vessel within 20-30 hexes.

30 hexes of the same class or a higher class. **Note:** It should be assumed that to see the speed of the enemy ship there is

to compare it with a sail level equal to the maximum sail level that the escaping vessel can have and that both are in the same position with respect to the wind.

Escape Procedure. Each vessel wishing to escape must write "escape" in the notes section during the escape phase.

annotation. If at the end of that turn the ship meets any of the conditions mentioned above, it will be removed from the map.

Note that any ship that wrote "escape" and that gets any of the conditions to escape at the end of the turn, must be met escape, even if you no longer wish to escape.

Escaped vessels and PVs. Escaping vessels do not count as destroyed, however, the enemy receives HP for damage done according to the normal rules for determining the victory.

In some scenarios, the escaped ship also gives its owner VP for escaping.

Report escape attempts. Any vessel that has attempted escape, that is, those who wrote "escape" must inform the enemy of the fact at the end of each turn in which they try to escape.

Special victory conditions

Ending a scenario. A scenario ends when some of the following conditions occur: • One side achieves a special victory condition. • Both sides agree to end the scenario. • All ships of one side, except those that escaped,

lower the flag.

Normal victory determination. Each ship is worth a certain number of VPs, which are indicated in the scenario's order of battle. VPs are obtained from enemy ships that are significantly outnumbered.

damaged, destroyed or captured. The portion of VP,s that are gets from each ship depends on the amount of damage suffered by the ship.

Lowering the flag against a damaged vessel. All vessels are divided into 2 categories for the purpose of determining the PV,s. Ships that are damaged.

Vessels that have surrendered, destroyed or captured by boarding, From now on, the terms "striking the flag" and "forced to surrender" are used to describe them.

Each ship can give PV,s for one of both categories but not for both.

PV,s for vessels that have lowered their flag. A vessel that has When the flag is lowered, it gives 100% of its HP to the enemy.

HP for damaged ships. The HP awarded by a damaged ship depends on the amount of damage to the hull, sails, or crew.

Ships can give VPs for more than one area. The VPs it gives A damaged ship only gives them complete destroyed sections.

No VPs are earned for crossed out squares or sections that They are not completely destroyed, or in sections that have been destroyed but subsequently repaired.

The percentage of Pv,s that a ship gives is detailed below.

• Sail sections 1 to 3 destroyed • Sail section 4 destroyed •	5% for each section destroyed.
Hull sections 1 to 3 destroyed	10%.
	10% for each section destroyed. 10% for
• Each crew section destroyed, up to a maximum of 4	each destroyed section.

HP of escaped ships. A ship can give HP to its side for escaping and give HP to the enemy for damage suffered. Both things happen simultaneously.

Determining victory. Each VP total is compared; the player with the highest number wins. Fractions are not rounded.

Special victory conditions. In many scenarios, forces are unbalanced. In these cases, special victory conditions are given to both sides to equalize the odds of victory. Changes to the order of battle can also be made for players who want to fight more.

naturally and thus avoid the use of special conditions of victory.

If one side achieves a special victory condition, it automatically wins. This does not prevent the side that has to achieve a special victory condition, being able to win by scoring more VPs than the other side; however, in most scenarios the side with a special victory condition will have

some disadvantage unless he can achieve his special victory condition.

Order of battle

All the information of each ship necessary to play the scenario is shown in the order of battle. Each column's data means the following.

Starting with the leftmost column, it looks something like this as A1635:3². This means the following: **1st letter.** The map where the ship's bow is placed.

The next 4 numbers. Hex where the ship's bow is placed.

The number after the .: The direction it points to the bow using the compass rose from map A. **Last number:** Game turn when it reaches the map. If it is not **This number the ship starts at the beginning of the game.** **Rate:** Refers to the number of cannons it initially carried. Small letters appear before and after this number. If it is before indicates the original nationality of the ship and if it is after indicates the size within the classification (this was used for English ships).

Vessel name: If a symbol appears next to the vessel name: flag indicates that it is the flagship of the fleet and if it appears an ensign is a subordinate flagship.

CQ/MR: Crew quality and morale. The rest of the columns are the same as those that appear in the letter. of vessel data.

Missing sections: In some cases a vessel may appear with entire sections of hull, sails, or crew lost. **No morale checks or cannon modifiers should be applied.** **dismantled because of these missing sections of in advance.** However, the lost candle sections reduce Movement and loss of crew sections cause negative modifiers to artillery fire.

Reinforcements: All ships that enter the scenario after the game starts are reinforcements. They enter under full sail unless otherwise specified in the scenario and are always understands that they have moved straight ahead to their maximum movement capacity at full sail speed in the turn prior to the one they enter on the map. They must accelerate, decelerate, and turn based on that limitation.

Translation: Jesus Garcia
Review: Alberto Romero

For inquiries and comments:
www.clubdragon.com



:: CLOSE ACTION : GAMEPLAY SEQUENCE ::

1.- REINFORCEMENTS AND TIME PHASE. a.

Reinforcements. Place the ships entering the turn in the appropriate entry hexes on the map. **b. Apply wind changes.** Apply the changes in wind direction and wind speed obtained in the previous shift.

- **Wind direction.** Roll 2d10 to see if there are any changes in wind direction for the next turn.
- **Wind speed.** Roll 2d10 to see if there are any changes in wind speed for the next turn.

2.- RECORDING PHASE. a.

Recording movement. Each ship simultaneously records its movement for the current turn.

b. Record crew usage. Each vessel may record one task for each crew section for the current shift.

All tasks require at least 1 CS for one or more turns (untangling and unclaspings do not require CS). **c. Writing messages.** Each player may write 1 message.

3.- MOVEMENT PHASE. a. Turning

with 0 movement allowed. Each ship with 0 movement allowed that has scored turning checks the table. of "tacking".

b. Movement. Carry out all recorded movements. Each ship announces any recorded sail changes, then moves and places a "men on sail" marker. Resolve movement conflicts and perform the following steps in order.

1. **Contested hexes.** Determine which ships get the contested hex.
2. **Emergency turn.** Any vessel about to ram another vessel may attempt an emergency turn. if you wish to do so.
3. **Collisions.** If the emergency turn doesn't occur, a collision occurs. Determine the loss of sails.
4. **Check for entanglement.** Check whether vessels involved in a collision are entangled.

4.- COMBAT PHASE. a. Boarding

Declaration. Each vessel grappled or entangled with an enemy vessel with at least one CS listed as BA declares "boarding party ahead." Each defending vessel lists FB marines if not already prepared. **b. Artillery Fire and Marine Fire.** Each vessel may fire its cannons simultaneously at one or two enemy vessels. Sweeps are fired first. Marine CS not listed for tasks other than FB or BR may fire at an enemy vessel. Resolve critical hits and morale checks. Place a flag down marker on vessels surrendered due to loss of hull or crew. **c. Boarding Combat.** Resolve boarding attempts.

5.- MAINTENANCE PHASE. a. Drifts and

tacks. Resolve the drift for each stationary vessel, checking from leeward to windward and in a specific order depending on the vessel's facing to the wind and its size (1d10 on the drift table). If a vessel while drifting collides with another vessel, check for entanglement. Simultaneously, execute the tacks noted for vessels anchored with turnbuckles.

b. Anchoring and towing. Vessels shall note anchor, cut anchor or towing cables. Place or remove the bookmarks.

c. Engaging. Each vessel may attempt to engage with any adjacent vessel with which she is not engaged. **d. Unengaging.** Each vessel may attempt to unengage with any vessel she wishes. **e. Disentangle and Repair Damage.** All actions requiring a check on the disentanglement table are performed now. Any of the following actions do not require CSs recorded and may be checked in the same turn they occur: Cut shrouds (BC), damaged rudder (RJ), damaged cables (LJ), cut signal halyard (SH), entangled vessels, and darkened gunwales. **f. Fire and Explosions.**

1. **Fight the fire.** Each burning ship that has 1 CS scored for FF rolls 1d10 on the table. untangling to fight the fire.
2. **Fire damage.** Each burning ship crosses out 1 hull square and 1 sail square for each fire. asset.
3. **Fire growth and spread.** For each fire burning for 5 turns, a new fire marker is added to the same vessel. Each vessel grappled or entangled with a burning vessel is set ablaze on a 1d6 ÷ 3.
4. **Ship Explosion.** Burning ships that have no hull spaces are checked to see if they explode. chance of explosion is 2d6 ÷ 2, with a -1 from the 2nd turn when checking if it explodes.

6.- RECONCILIATION. a.

Record repairs. Each ship that has completed a repair regains one space of hull or sails. **b. Withdraw ships.** Remove from the map ships that have escaped or exploded in the previous turn. **c. Adjust the crew.** Note crew changes due to the formation of a prize crew or a reorganization.

completed.

d. Morale Checks. Check morale. Place a flag down marker on surrendering ships. **e. Delivering Signals.** Signals written during the scoring phase reach their destination. **f. Status Updates.** Check whether the markers on ships reflect their current status. Check the modifiers applicable to artillery fire to see if they reflect the current situation.