

SDP 1/63

join code
XRAP7L




<https://canvas.instructure.com/enroll/XRAP7L>



Chapter 1- Introduction

14287 Software Engineering



Topics covered

- ❖ **ສົດທະນະ**
 - What is meant by software engineering.
 - ❖ **Software engineering ethics**
 - A brief introduction to ethical issues that affect software engineering.
 - ❖ **Case studies ການສິ່ງເຫຼຸດ**
 - An introduction to three examples that are used in later chapters in the book.
 - ວິຊານີ້ແມ່ນ ປົນເປົ້າ ພວກເຮົານີ້ ນີ້ແມ່ນ ນັບຖື
- ❖ ❖ ຍິ້ນ ມີລູກ ຢີ້ນ ມີລູກ



Software engineering


- ✧ The economies of ALL developed nations are
(ລັດ ປະເທດ)
ຕົ້ນ dependent on software.
- ✧ More and more systems are software controlled
- ✧ Software engineering is concerned with theories, methods and tools for professional software development.
- ✧ Expenditure on software represents a significant fraction of GNP in all developed countries.

Software costs

តម្លៃ

ការវិភាគ
Programmer

ស្ថាការអំពី នរណ៍ការបង្កើតផលិតផលទៅលាងកាល




- ✧ Software costs often dominate computer system costs.
The costs of software on a PC are often greater than the hardware cost.
- ✧ Software costs more to maintain than it does to develop.
For systems with a long life, maintenance costs may be several times development costs. នៅពេលវេចនូវ នៅ 1 Project
- ✧ Software engineering is concerned with cost-effective software development.

តម្លៃ គឺ ត្រូវ ត្រូវ ត្រូវ

ការរំលែកអនុលោ

Software project failure




ផែន ផ្តល់ពេលវេលា ✧ *Increasing system complexity* សម្របចងចាំនៅការកើតឡើង

- As new software engineering techniques help us to build larger, more complex systems, the demands change. Systems have to be built and delivered more quickly; larger, even more complex systems are required; systems have to have new capabilities that were previously thought to be impossible.

✧ *Failure to use software engineering methods* ផ្សេងៗក្នុងវឌ្ឍន៍^{soft Eng}


- It is fairly easy to write computer programs without using software engineering methods and techniques. Many companies have drifted into software development as their products and services have evolved. They do not use software engineering methods in their everyday work. Consequently, their software is often more expensive and less reliable than it should be.




Professional software development

Frequently asked questions about software engineering

မှတ်ယော်




Question	Answer
What is software?	Computer programs and associated documentation. Software products may be developed for a particular customer or may be developed for a general market.
What are the attributes of good software? <i>ခုနှစ်မျက်နှာ</i>	Good software should deliver the required functionality and performance to the user and should be maintainable, dependable and usable. <i>အရေအတွက်၊ ပိုမိုဆိုလေသည့် စီမံချက်များ၊ ပိုမိုဆိုလေသည့် စီမံချက်များ၊ ပိုမိုဆိုလေသည့် စီမံချက်များ၊ ပိုမိုဆိုလေသည့် စီမံချက်များ၊ ပိုမိုဆိုလေသည့် စီမံချက်များ</i>
What is software engineering? <i>အုပ်စုများ၏ ပိုမိုဆိုလေသည့် စီမံချက်များ</i>	Software engineering is an engineering discipline that is concerned with all aspects of software production.
What are the fundamental software engineering activities? <i>အုပ်စုများ၏ ပိုမိုဆိုလေသည့် စီမံချက်များ</i>	Software specification, software development, software validation and software evolution. <i>အုပ်စုများ၏ ပိုမိုဆိုလေသည့် စီမံချက်များ၊ အုပ်စုများ၏ ပိုမိုဆိုလေသည့် စီမံချက်များ၊ အုပ်စုများ၏ ပိုမိုဆိုလေသည့် စီမံချက်များ၊ အုပ်စုများ၏ ပိုမိုဆိုလေသည့် စီမံချက်များ</i>
What is the difference between software engineering and computer science? <i>အုပ်စုများ၏ ပိုမိုဆိုလေသည့် စီမံချက်များ၊ အုပ်စုများ၏ ပိုမိုဆိုလေသည့် စီမံချက်များ</i>	Computer science focuses on theory and fundamentals; software engineering is concerned with the practicalities of developing and delivering useful software.
What is the difference between software engineering and system engineering? <i>အုပ်စုများ၏ ပိုမိုဆိုလေသည့် စီမံချက်များ၊ အုပ်စုများ၏ ပိုမိုဆိုလေသည့် စီမံချက်များ</i>	System engineering is concerned with all aspects of computer-based systems development including hardware, software and process engineering. Software engineering is part of this more general process.



Frequently asked questions about software engineering

Question	Answer
What are the key challenges facing software engineering?	Coping with increasing diversity, demands for reduced delivery times and developing trustworthy software.
What are the costs of software engineering? 100,000 ← 60,000 40,000	Roughly 60% of software costs are development costs, 40% are testing costs. For custom software, evolution costs often exceed development costs. ផែវការ Project
What are the best software engineering techniques and methods? ក្រសួងទីនេះត្រូវបាន និរនោយ ពាណិជ្ជកម្ម នូវខ្លួន	While all software projects have to be professionally managed and developed, different techniques are appropriate for different types of system. For example, games should always be developed using a series of prototypes whereas safety critical control systems require a complete and analyzable specification to be developed. You can't, therefore, say that one method is better than another.
What differences has the web made to software engineering? • វឌ្ឍសុវត្ថិភាព-គម្រោង	The web has led to the availability of software services and the possibility of developing highly distributed service-based systems. Web-based systems development has led to important advances in programming languages and software reuse.



Software products

ព័ត៌មាន

✧ Generic products — សេចក្តីជា

គ្មានអង្គភាព


- Stand-alone systems that are marketed and sold to any customer who wishes to buy them. (ផលិតផលដែលមានអាជីវកម្មបំផុត)
- Examples – PC software such as graphics programs, project management tools; CAD software; software for specific markets such as appointments systems for dentists.

✧ Customized products — សេចក្តីជាអ្នកផ្ទាល់ខ្លួន

កំណើនរបៀបទូទាត់

- Software that is commissioned by a specific customer to meet their own needs. (កំណើនរបៀបទូទាត់ដែលត្រូវក្នុងវឌ្ឍន៍)
- Examples – embedded control systems, air traffic control software, traffic monitoring systems.

គ្មានផាណាម៉ារោង



Product specification

✧ Generic products

- The specification of what the software should do is owned by the software developer and decisions on software change are made by the developer.

✧ Customized products

- The specification of what the software should do is owned by the customer for the software and they make decisions on software changes that are required.



Essential attributes of good software

anatomy

Product characteristic	Description
Maintainability	Software should be written in such a way so that it can evolve to meet the changing needs of customers. This is a critical attribute because software change is an inevitable requirement of a changing business environment.
Dependability and security	Software dependability includes a range of characteristics including reliability, security and safety. Dependable software should not cause physical or economic damage in the event of system failure. Malicious users should not be able to access or damage the system.
Efficiency	Software should not make wasteful use of system resources such as memory and processor cycles. Efficiency therefore includes responsiveness, processing time, memory utilisation, etc.
Acceptability	Software must be acceptable to the type of users for which it is designed. This means that it must be understandable, usable and compatible with other systems that they use.




Software engineering

- ✧ Software engineering is an engineering discipline that is concerned with all aspects of software production from the early stages of system specification through to maintaining the system after it has gone into use.
- ✧ Engineering discipline
 - Using appropriate theories and methods to solve problems bearing in mind organizational and financial constraints.
- ✧ All aspects of software production
 - Not just technical process of development. Also project management and the development of tools, methods etc. to support software production.




Importance of software engineering

- ✧ More and more, individuals and society rely on advanced software systems. We need to be able to produce reliable and trustworthy systems economically and quickly.
- ✧ It is usually cheaper, in the long run, to use software engineering methods and techniques for software systems rather than just write the programs as if it was a personal programming project. For most types of system, the majority of costs are the costs of changing the software after it has gone into use.



Software process activities

- 1) ✦ Software specification, where customers and engineers define the software that is to be produced and the constraints on its operation. **កំណត់ការងារ**
- 2) ✦ Software development, where the software is designed and programmed. **ការរួមការកិច្ច**
- 3) ✦ Software validation, where the software is checked to ensure that it is what the customer requires. **ការត្រួតពន្លាកំណត់**
- 4) ✦ Software evolution, where the software is modified to reflect changing customer and market requirements. **ការអនុវត្តការងារ**



General issues that affect software


✧ Heterogeneity ការអនុសាយ

- Increasingly, systems are required to operate as distributed systems across networks that include different types of computer and mobile devices.

✧ Business and social change ផែកអក

- Business and society are changing incredibly quickly as emerging economies develop and new technologies become available. They need to be able to change their existing software and to rapidly develop new software.

ស្ថានិភ័យ ពេលវេលាដែលមានការប្រើប្រាស់បានច្បាស់ នៅតាំង ដែលមានការរៀបចំ និងការរៀបចំ



General issues that affect software

✧ Security and trust ຂារអនុវត្ត កំណត់ការនៃគម្រោងទូទៅរបៀប


- As software is intertwined with all aspects of our lives, it is essential that we can trust that software.

✧ Scale ទហេ / រាយរាយស្ថាប័ន

- Software has to be developed across a very wide range of scales, from very small embedded systems in portable or wearable devices through to Internet-scale, cloud-based systems that serve a global community.



Software engineering diversity



- ✧ There are many different types of software system and there is no universal set of software techniques that is applicable to all of these.
- ✧ The software engineering methods and tools used depend on the type of application being developed, the requirements of the customer and the background of the development team.



Application types

- ✧ Stand-alone applications *បានកែងក្រុងមិនមែនរូបសាដា*
 - These are application systems that run on a local computer, such as a PC. They include all necessary functionality and do not need to be connected to a network. *នៅលើកម្ពស់*
- ✧ Interactive transaction-based applications *ត្រូវចូលរួមទូទាត់*
 - Applications that execute on a remote computer and are accessed by users from their own PCs or terminals. These include web applications such as e-commerce applications.
រាបស្របយោជន៍
- ✧ Embedded control systems
 - These are software control systems that control and manage hardware devices. Numerically, there are probably more embedded systems than any other type of system.



Application types

✧ Batch processing systems

ບັນລາຍງານ

- These are business systems that are designed to process data in large batches. They process large numbers of individual inputs to create corresponding outputs.


✧ Entertainment systems

- These are systems that are primarily for personal use and which are intended to entertain the user.

✧ Systems for modeling and simulation

GAME / ໂມງນິຫງານ

- These are systems that are developed by scientists and engineers to model physical processes or situations, which include many, separate, interacting objects.



Application types

✧ Data collection systems

- These are systems that collect data from their environment using a set of sensors and send that data to other systems for processing.


✧ Systems of systems

- These are systems that are composed of a number of other software systems.



Software engineering fundamentals

- ✧ Some fundamental principles apply to all types of software system, irrespective of the development techniques used:
 - Systems should be developed using a managed and understood development process. Of course, different processes are used for different types of software.
 - Dependability and performance are important for all types of system.
 - Understanding and managing the software specification and requirements (what the software should do) are important.
 - Where appropriate, you should reuse software that has already been developed rather than write new software.



Internet software engineering

- ✧ The Web is now a platform for running application and organizations are increasingly developing web-based systems rather than local systems.
- ✧ Web services (discussed in Chapter 19) allow application functionality to be accessed over the web.
- ✧ Cloud computing is an approach to the provision of computer services where applications run remotely on the ‘cloud’.
 - Users do not buy software but pay according to use.



Web-based software engineering

- ✧ Web-based systems are complex distributed systems but the fundamental principles of software engineering discussed previously are as applicable to them as they are to any other types of system.
- ✧ The fundamental ideas of software engineering apply to web-based software in the same way that they apply to other types of software system.



Web software engineering

✧ Software reuse

- Software reuse is the dominant approach for constructing web-based systems. When building these systems, you think about how you can assemble them from pre-existing software components and systems.

✧ Incremental and agile development

- Web-based systems should be developed and delivered incrementally. It is now generally recognized that it is impractical to specify all the requirements for such systems in advance.




Web software engineering

✧ Service-oriented systems

- Software may be implemented using service-oriented software engineering, where the software components are stand-alone web services.


✧ Rich interfaces

- Interface development technologies such as AJAX and HTML5 have emerged that support the creation of rich interfaces within a web browser.



Software engineering ethics

1.3



วิชาชีพ

Software
Engineering


ความรับผิดชอบ

- ความดับเบิลค้า
- ความสามารถ
 - คาดเดินเร็ว
 - รับภาระไว้ก่อนคนอื่น
- ทบทวนและแก้ไข
- ใช้ computer ผลิต

ACM/IEEE ร่างงานออกแบบ

- 1 หัวงาน คำขอถึง ประจำชั้น ต้องสั่งรวม
- 2  ลูกค้า, หน่วยงาน
- 3 ผลิตงานตามมาตรฐานสูงสุด ตามหลักวิชาการ
- 4 เป็นตัวกลางโดยยุติธรรมมั่นในหลักวิชาการ
- 5 สับเปลี่ยน เผยแพร่ รักษา ไว้ในรัฐ
- 6 จัดซื้อขาย คุณภาพรวม วิชาชีพ ลดคือส่วนรวม
- 7 สับเปลี่ยน ให้กันกันวิชาชีพ
- 8 พัฒนา ตนและผู้สนับสนุน

Software engineering ethics



- ✧ Software engineering involves wider responsibilities than simply the application of technical skills.
- ✧ Software engineers must behave in an honest and ethically responsible way if they are to be respected as professionals.
- ✧ Ethical behaviour is more than simply upholding the law but involves following a set of principles that are morally correct.




Issues of professional responsibility

✧ Confidentiality

- Engineers should normally respect the confidentiality of their employers or clients irrespective of whether or not a formal confidentiality agreement has been signed.

✧ Competence

- Engineers should not misrepresent their level of competence. They should not knowingly accept work which is outwith their competence.




Issues of professional responsibility

✧ Intellectual property rights

- Engineers should be aware of local laws governing the use of intellectual property such as patents, copyright, etc. They should be careful to ensure that the intellectual property of employers and clients is protected.

✧ Computer misuse

- Software engineers should not use their technical skills to misuse other people's computers. Computer misuse ranges from relatively trivial (game playing on an employer's machine, say) to extremely serious (dissemination of viruses).




ACM/IEEE Code of Ethics

- ✧ The professional societies in the US have cooperated to produce a code of ethical practice.
- ✧ Members of these organisations sign up to the code of practice when they join.
- ✧ The Code contains eight Principles related to the behaviour of and decisions made by professional software engineers, including practitioners, educators, managers, supervisors and policy makers, as well as trainees and students of the profession.



Rationale for the code of ethics

- *Computers have a central and growing role in commerce, industry, government, medicine, education, entertainment and society at large. Software engineers are those who contribute by direct participation or by teaching, to the analysis, specification, design, development, certification, maintenance and testing of software systems.*
- *Because of their roles in developing software systems, software engineers have significant opportunities to do good or cause harm, to enable others to do good or cause harm, or to influence others to do good or cause harm. To ensure, as much as possible, that their efforts will be used for good, software engineers must commit themselves to making software engineering a beneficial and respected profession.*



The ACM/IEEE Code of Ethics

Software Engineering Code of Ethics and Professional Practice

ACM/IEEE-CS Joint Task Force on Software Engineering Ethics and Professional Practices

PREAMBLE


The short version of the code summarizes aspirations at a high level of the abstraction; the clauses that are included in the full version give examples and details of how these aspirations change the way we act as software engineering professionals. Without the aspirations, the details can become legalistic and tedious; without the details, the aspirations can become high sounding but empty; together, the aspirations and the details form a cohesive code.

Software engineers shall commit themselves to making the analysis, specification, design, development, testing and maintenance of software a beneficial and respected profession. In accordance with their commitment to the health, safety and welfare of the public, software engineers shall adhere to the following Eight Principles:




Ethical principles

1. PUBLIC - Software engineers shall act consistently with the public interest.
2. CLIENT AND EMPLOYER - Software engineers shall act in a manner that is in the best interests of their client and employer consistent with the public interest.
3. PRODUCT - Software engineers shall ensure that their products and related modifications meet the highest professional standards possible.
4. JUDGMENT - Software engineers shall maintain integrity and independence in their professional judgment.
5. MANAGEMENT - Software engineering managers and leaders shall subscribe to and promote an ethical approach to the management of software development and maintenance.
6. PROFESSION - Software engineers shall advance the integrity and reputation of the profession consistent with the public interest.
7. COLLEAGUES - Software engineers shall be fair to and supportive of their colleagues.
8. SELF - Software engineers shall participate in lifelong learning regarding the practice of their profession and shall promote an ethical approach to the practice of the profession.



Case studies




Ethical dilemmas

- ✧ Disagreement in principle with the policies of senior management.
- ✧ Your employer acts in an unethical way and releases a safety-critical system without finishing the testing of the system.
- ✧ Participation in the development of military weapons systems or nuclear systems.



Case studies

- ✧ A personal insulin pump *ຕິດຕັ້ງນຳກົມພິຈາລະນາ*
 - An embedded system in an insulin pump used by diabetics to maintain blood glucose control. *ຖຸກຄອນຈູ່ໃນກັບປະຕິ*
- ✧ A mental health case patient management system
 - Mentcare. A system used to maintain records of people receiving care for mental health problems. *ອຸປະກອນກັບປະຕິ / ວິວທີກັບປະຕິ / ອຸປະກອນ*
- ✧ A wilderness weather station *ເຕັກຫຼວງລາຄານ ສື່ບັນຫາມ*
 - A data collection system that collects data about weather conditions in remote areas.
- ✧ iLearn: a digital learning environment *ເຮືອນຮັກສານໄລດລົວ*
 - A system to support learning in schools




Insulin pump control system


បានសារពុលរម្យនៃវគ្គធម្មតា
និង


ទៅ

- ✧ Collects data from a blood sugar sensor and calculates the amount of insulin required to be injected. ឯកសារ Insulin និង
- ✧ Calculation based on the rate of change of blood sugar levels.
- ✧ Sends signals to a micro-pump to deliver the correct dose of insulin. ផ្លាស់ស្រាវជ្រាវ
- ✧ Safety-critical system as low blood sugars can lead to brain malfunctioning, coma and death; high-blood sugar levels have long-term consequences such as eye and kidney damage.




Insulin pump hardware architecture





Activity model of the insulin pump







Essential high-level requirements

ສຳຄັນ " Shall "

- ❖ The system shall be available to deliver insulin when required. *ພຽກ*
- ❖ The system shall perform reliably and deliver the correct amount of insulin to counteract the current level of blood sugar. *ອຸປະກອດ*
- ❖ The system must therefore be designed and implemented to ensure that the system always meets these requirements. *ຕໍ່ານຸ້າ ແກ້ໄຂຕາມທີ່ຈະກຳ*






Mentcare: A patient information system for mental health care

ឧប់បង្កើតពីយន្តុទាហរណ៍


សរសើរ

- ✧ A patient information system to support mental health care is a medical information system that maintains information about patients suffering from mental health problems and the treatments that they have received.
- ✧ Most mental health patients do not require dedicated hospital treatment but need to attend specialist clinics regularly where they can meet a doctor who has detailed knowledge of their problems.
- ✧ To make it easier for patients to attend, these clinics are not just run in hospitals. They may also be held in local medical practices or community centres.



Mentcare

- ✧ Mentcare is an information system that is intended for use in clinics.
- ✧ It makes use of a centralized database of patient information but has also been designed to run on a PC, so that it may be accessed and used from sites that do not have secure network connectivity.
- ✧ When the local systems have secure network access, they use patient information in the database but they can download and use local copies of patient records when they are disconnected.




Mentcare goals


- ✧ To generate management information that allows health service managers to assess performance against local and government targets. តាមរបៀបវិភាគផ្តល់ព័ត៌មានអនុវត្តន៍យកសម្រាប់ប្រធានបទបង្កើតផល
- ✧ To provide medical staff with timely information to support the treatment of patients.

ជំនាញដែលអាចបង្កើតផល



The organization of the Mentcare system





Key features of the Mentcare system

- ✧ **Individual care management** សម្រេចបានអាជីវកម្ម
▪ Clinicians can create records for patients, edit the information in the system, view patient history, etc. The system supports data summaries so that doctors can quickly learn about the key problems and treatments that have been prescribed.
- ✧ **Patient monitoring** គ្រប់គ្រង
▪ The system monitors the records of patients that are involved in treatment and issues warnings if possible problems are detected.
- ✧ **Administrative reporting** សម្រេចប្រើប្រាស់
▪ The system generates monthly management reports showing the number of patients treated at each clinic, the number of patients who have entered and left the care system, number of patients sectioned, the drugs prescribed and their costs, etc.



Mentcare system concerns

✧ Privacy *ຂ່າຍເປົ້າປະກາດທີ່ຈະບໍ່ໄດ້*


- It is essential that patient information is confidential and is never disclosed to anyone apart from authorised medical staff and the patient themselves.

✧ Safety *ຂ່າຍຈົດກັບ*

- Some mental illnesses cause patients to become suicidal or a danger to other people. Wherever possible, the system should warn medical staff about potentially suicidal or dangerous patients.
ຕີ່ຈະຕ່າງອະນຸມາດໃຫຍ່
- The system must be available when needed otherwise safety may be compromised and it may be impossible to prescribe the correct medication to patients.

Wilderness weather station

گردشگری




- ✧ The government of a country with large areas of wilderness decides to deploy several hundred weather stations in remote areas. گردشگری
- ✧ Weather stations collect data from a set of instruments that measure temperature and pressure, sunshine, rainfall, wind speed and wind direction.
 - The weather station includes a number of instruments that measure weather parameters such as the wind speed and direction, the ground and air temperatures, the barometric pressure and the rainfall over a 24-hour period. Each of these instruments is controlled by a software system that takes parameter readings periodically and manages the data collected from the instruments.






The weather station's environment





Weather information system

- ✧ The weather station system *ពីរ - ខ្សោយ*
 - This is responsible for collecting weather data, carrying out some initial data processing and transmitting it to the data management system.
- ✧ The data management and archiving system *ពីរ — ការអាជីវកិច្ច*
 - This system collects the data from all of the wilderness weather stations, carries out data processing and analysis and archives the data.
- ✧ The station maintenance system *ពីរ ដែលជាការអាជីវកិច្ចរបស់សម្រាប់ផ្លូវការ*
 - This system can communicate by satellite with all wilderness weather stations to monitor the health of these systems and provide reports of problems.



Additional software functionality

- ✧ Monitor the instruments, power and communication hardware and report faults to the management system.
សារិយភាពកែវ
- ✧ Manage the system power, ensuring that batteries are charged whenever the environmental conditions permit but also that generators are shut down in potentially damaging weather conditions, such as high wind.
គាំទ្វាស
- ✧ Support dynamic reconfiguration where parts of the software are replaced with new versions and where backup instruments are switched into the system in the event of system failure.
អាជីវ




iLearn: A digital learning environment

မြန်မာ


- ✧ A digital learning environment is a framework in which a set of general-purpose and specially designed tools for learning may be embedded plus a set of applications that are geared to the needs of the learners using the system.
- ✧ The tools included in each version of the environment are chosen by teachers and learners to suit their specific needs.
 - These can be general applications such as spreadsheets, learning management applications such as a Virtual Learning Environment (VLE) to manage homework submission and assessment, games and simulations.

စုစုပေါင်မြန်မာ



Service-oriented systems

-
- with service*
- ✧ The system is a service-oriented system with all system components considered to be a replaceable service.
 - ✧ This allows the system to be updated incrementally as new services become available.
 - ✧ It also makes it possible to rapidly configure the system to create versions of the environment for different groups such as very young children who cannot read, senior students, etc.




iLearn services

ສາທາລະນະກຳ

- ✧ **Utility services** that provide basic application-independent functionality and which may be used by other services in the system.
- ✧ **Application services** that provide specific applications such as email, conferencing, photo sharing etc. and access to specific educational content such as scientific films or historical resources.
- ✧ **Configuration services** that are used to adapt the environment with a specific set of application services and do define how services are shared between students, teachers and their parents.




iLearn architecture




iLearn service integration

ເນື້ອໃນບົດກົດໄວ້ແລ້ວ?




- ✧ *Integrated services* are services which offer an API (application programming interface) and which can be accessed by other services through that API. Direct service-to-service communication is therefore possible.
- ✧ *Independent services* are services which are simply accessed through a browser interface and which operate independently of other services. Information can only be shared with other services through explicit user actions such as copy and paste; re-authentication may be required for each independent service.



Key points

- ✧ Software engineering is an engineering discipline that is concerned with all aspects of software production.
- ✧ Essential software product attributes are maintainability, dependability and security, efficiency and acceptability.
- ✧ The high-level activities of specification, development, validation and evolution are part of all software processes.
- ✧ The fundamental notions of software engineering are universally applicable to all types of system development.



Key points

- ✧ There are many different types of system and each requires appropriate software engineering tools and techniques for their development.
- ✧ The fundamental ideas of software engineering are applicable to all types of software system.
- ✧ Software engineers have responsibilities to the engineering profession and society. They should not simply be concerned with technical issues.
- ✧ Professional societies publish codes of conduct which set out the standards of behaviour expected of their members.