

1. What is CSS?

CSS = Cascading Style Sheets

CSS is used to **style and design HTML pages**.

HTML → Structure

CSS → Design / Appearance

JavaScript → Behavior / Functionality

For example:

HTML

```
<h1>Hello World</h1>
```

HTML

Hello World

Without CSS, it looks very basic.

With CSS:

```
</> CSS
h1 {
  color: blue;
  text-align: center;
  font-size: 40px;
}
```

Now the heading becomes blue, centered, and larger.

2. Basic CSS Syntax

```
</> CSS
selector {
  property: value;
}
```

Example:

```
</> CSS
p {
  color: red;
  font-size: 20px;
}
```

Here:

Part	Meaning
p	Selector
color	Property
red	Value
font-size	Property
20px	Value

***selector* → WHAT to style**

***property* → WHAT aspect to change**

***value* → HOW to change it**

3. Three Ways to Add CSS

There are 3 types of CSS.

A. Inline CSS

CSS is written directly inside the HTML element.

```
HTML
<h1 style="color: red;">Hello</h1>
```

Here `style` is used.

Example:

```
HTML
<p style="color: blue; font-size: 20px;">
  Welcome
</p>
```

B. Internal CSS

CSS is written inside the `<style>` tag.

```
HTML
<!DOCTYPE html>
<html>
<head>
  <style>
    h1 {
      color: red;
    }

    p {
      color: blue;
    }
  </style>
</head>

<body>

  <h1>Hello</h1>
  <p>Welcome to CSS</p>

</body>
</html>
```

The `<style>` tag is normally placed inside `<head>`.

C. External CSS

CSS is written in a separate `.css` file.

HTML

HTML

```
<!DOCTYPE html>
<html>
<head>
  <link rel="stylesheet" href="style.css">
</head>

<body>

  <h1>Hello</h1>

</body>
</html>
```

style.css

CSS

```
h1 {
  color: red;
}
```

This is generally the **best method** for larger websites.