




Spring Framework



Date _____
Page 1



→ HTTP data by default non-encrypted.

• HTTP: Hyper Text Transfer Protocol

→ Request structure?


→ Response structure?

→ GET, POST, DELETE, PUT, PATCH.

→ How data will be sent?

→ HTTPS → Hyper Text Transfer Protocol
Secure

Only diff the response, request is encrypted.



Request:

→ Method Name
→ URL/Path
→ Headers
→ Body




Headers:
accept: application/json
auth: (-)

POST /login
HOST: www.coderarmy.in


Content-Type: application/json



□ HTTP Response:



GET /courses
HOST: www.cooler army.in






Date

Page

4



ServerSocket server = new ServerSocket(8080);

→ Using core Java

Problem

→ Why the above method cannot be used?

GET /courses

HOST: localhost:8080 (127.0.0.1)

[java.net] (My java code does not understand HTTP format)

BR

① Read I/P streams

② Parse request manually

③ Map a method to an end point.

④ ~~if~~ Manually build HTTP Response

⑤ Multi-Threading Manually.

Server
Date
Page 5

→ Solution → Servlet & Servlet Container

1998 Java EE

[Servlet] → Java Class
↓
that runs inside Servlet Container


→ Tomcat
→ Jetty
→ Undertow

→ Now all the boiler plate manual heavy task is done by Tomcat
[Servlet Container]

→ Servlet Container (Tomcat)

- ↳ Open port (say 8080)
- ↳ Read Incoming bytes
- ↳ Pass HTTP Req.
- ↳ Manage Threads
- ↳ Create HTTP Response

→ Tomcat is one real product that implements it and A servlet container is a concept (a specification)






□ Spring Frameworks

Ecosystem


Under which many frameworks come




Date
Page



→ Full structure



Full Structure




Architecture → Java full stack developer

Monolithics

or


Microservices



Full Structure



Date _____
Page _____



Architecture

→ Java full stack developer

Monolithics

or

Microservices

