

Instalarea și configurarea WordPress pe Apache Server

1. Am actualizat sistemul Ubuntu pentru a mă asigura că toate pachetele sunt la zi și compatibile cu instalarea WordPress.

```
paladicalin@paladicalin:~$ sudo apt update && apt upgrade -y
[sudo] password for paladicalin:
Hit:1 http://ports.ubuntu.com/ubuntu-ports noble InRelease
Get:2 http://ports.ubuntu.com/ubuntu-ports noble-updates InRelease [126 kB]
Get:3 http://ports.ubuntu.com/ubuntu-ports noble-backports InRelease [126 kB]
Get:4 http://ports.ubuntu.com/ubuntu-ports noble-security InRelease [126 kB]
Get:5 http://ports.ubuntu.com/ubuntu-ports noble-updates/main arm64 Packages [1,839 kB]
Get:6 http://ports.ubuntu.com/ubuntu-ports noble-updates/main Translation-en [324 kB]
Get:7 http://ports.ubuntu.com/ubuntu-ports noble-updates/main arm64 Components [172 kB]
```

2. Am instalat PHP și extensiile necesare pentru funcționarea corectă a platformei WordPress.

```
paladicalin@paladicalin:~$ sudo apt install -y php php-{common,mysql,xm
l,gd,mbstring,zip,intl,soap,imagick}
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  imagemagick-6-common libapache2-mod-php8.3 liblqr-1-0
  libmagickcore-6.q16-7t64 libmagickwand-6.q16-7t64 libzip4t64 php8.3
  php8.3-cli php8.3-common php8.3-curl php8.3-gd php8.3-imagick php8.3-intl
  php8.3-mbstring php8.3-mysql php8.3-opcache php8.3-readline php8.3-soap
  php8.3-xml php8.3-zip
Suggested packages:
  php-pear libmagickcore-6.q16-7-extra
```

Verific instalarea PHP

```
paladicalin@paladicalin:~$ php -v
PHP 8.3.6 (cli) (built: Jan 7 2026 08:40:32) (NTS)
Copyright (c) The PHP Group
Zend Engine v4.3.6, Copyright (c) Zend Technologies
with Zend OPcache v8.3.6, Copyright (c), by Zend Technologies
```

3. Am instalat și pornit serverul de baze de date MySQL pentru stocarea informațiilor WordPress.

```
paladicalin@paladicalin:~$ sudo apt install mysql-server -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  libcgi-fast-perl libcgi-pm-perl libevent-pthreads-2.1-7t64 libfcgi-bin
  libfcgi-perl libfcgi0t64 libhtml-template-perl libmecab2
  libprotobuf-lite32t64 mecab-ipadic mecab-ipadic-utf8 mecab-utils
  mysql-client-8.0 mysql-client-core-8.0 mysql-common mysql-server-8.0
  mysql-server-core-8.0
```

Pornire server

```
no VM guests are running nested hypervisors (qemu) binaries on this host.
paladicatalin@paladicatalin:~$ sudo systemctl enable --now mysql
Synchronizing state of mysql.service with SysV service script with /usr/lib/syste
emd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable mysql
```

4. Securizez BD MySQL

```
paladicatalin@paladicatalin:~$ sudo mysql_secure_installation

Securing the MySQL server deployment.

Connecting to MySQL using a blank password.

VALIDATE PASSWORD COMPONENT can be used to test passwords
and improve security. It checks the strength of password
and allows the users to set only those passwords which are
secure enough. Would you like to setup VALIDATE PASSWORD component?

Press y|Y for Yes, any other key for No: y

There are three levels of password validation policy:
```

La toate întrebările răspund ca în exemplu

```
Enter current password for root (enter for none): Press ENTER
Set root password? [Y/n]: Y
New password: Set-your-new-password
Re-enter new password: Set-your-new-password
Remove anonymous users? [Y/n] Y
Disallow root login remotely? [Y/n] Y
Remove test database and access to it? [Y/n] Y
Reload privilege tables now? [Y/n] Y
```

5. Am creat o bază de date dedicată WordPress și un utilizator MySQL cu drepturi complete asupra acesteia.

Accesez mysql

```
paladicatalin@paladicatalin:~$ sudo mysql -u root -p
```

Creez baza de date **wordpress_db**

```
mysql> CREATE DATABASE wordpress_db;
Query OK, 1 row affected (0.05 sec)
```

Creez utilizator

```
mysql> CREATE USER 'wp_user'@'localhost' IDENTIFIED BY "ParolaSerioasa123!";
Query OK, 0 rows affected (0.05 sec)
```

Îi ofer privilegii

```
mysql> GRANT ALL PRIVILEGES ON wordpress_db.* TO 'wp_user'@'localhost';
Query OK, 0 rows affected (0.03 sec)

mysql> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.02 sec)
```

Ieșim

```
mysql> EXIT;
Bye
```

- Am descărcat și instalat fișierele WordPress în directorul web Apache și am configurat permisiunile corespunzătoare.

```
Bye
paladicalin@paladicalin:~$ sudo apt install wget unzip -y
[sudo] password for paladicalin:
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
wget is already the newest version (1.21.4-1ubuntu4.1).
wget set to manually installed.
unzip is already the newest version (6.0-28ubuntu4.1).
unzip set to manually installed.
0 upgraded, 0 newly installed, 0 to remove and 90 not upgraded.
```

Descarc Wordpress

```
paladicalin@paladicalin:~$ wget https://wordpress.org/latest.zip
--2026-02-10 10:23:12-- https://wordpress.org/latest.zip
Resolving wordpress.org (wordpress.org)... 198.143.164.252, 2607:f978:5:8002::c6
8f:a4fc
Connecting to wordpress.org (wordpress.org)|198.143.164.252|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 28685823 (27M) [application/zip]
Saving to: 'latest.zip'

latest.zip          24%[====>          ] 6.60M  1.44MB/s   eta 15s
```

Dezarhivez și pun în dosarul de la Apache

```
inflating: wordpress/wp-comments-post.php
paladicalin@paladicalin:~$ sudo unzip latest.zip
paladicalin@paladicalin:~$ sudo mv wordpress /var/www/html/
paladicalin@paladicalin:~$
```

Permisiunile

```
paladicalin@paladicalin:~$ sudo mv wordpress /var/www/html/
paladicalin@paladicalin:~$ sudo chown -R www-data:www-data /var/www/html/wordpress
paladicalin@paladicalin:~$ sudo chown -R 755 /var/www/html/wordpress
```

- Am configurat un Virtual Host Apache pentru WordPress și am activat modulul rewrite necesar pentru URL-uri prietenoase.

```
paladicalin@paladicalin:~$ sudo nano /etc/apache2/sites-available/wordpress.conf
```

Accesez fișierul de configurare și îl completez

```
GNU nano 7.2 /etc/apache2/sites-available/wordpress.conf *
<VirtualHost *:80>
ServerName localhost
DocumentRoot /var/www/html/wordpress

<Directory /var/www/html/wordpress>
AllowOverride All
Require all granted
</Directory>


ErrorLog ${APACHE_LOG_DIR}/wordpress_error.log
CustomLog ${APACHE_LOG_DIR}/wordpress_access.log combined
</VirtualHost>
```

Activare

```
paladicalin@paladicalin:~$ sudo a2ensite wordpress.conf
Enabling site wordpress.
To activate the new configuration, you need to run:
  systemctl reload apache2
paladicalin@paladicalin:~$ sudo a2enmod rewrite
Enabling module rewrite.
To activate the new configuration, you need to run:
  systemctl restart apache2
paladicalin@paladicalin:~$ sudo a2dissite 000-default.conf
Site 000-default disabled.
To activate the new configuration, you need to run:
  systemctl reload apache2
paladicalin@paladicalin:~$ sudo systemctl restart apache2
```

8. Am configurat WordPress prin interfața web și am realizat conexiunea cu baza de date MySQL.

Accesez pagina , <http://ip-ulmeu/wordpress> , ip-ul îl găsim folosind comanda ip a



Completam formularul cu datele setate anterior la configurare MySQL.



Below you should enter your database connection details. If you are not sure about these, contact your host.

Database Name
The name of the database you want to use with WordPress.

Username
Your database username.

Password [Show](#)
Your database password.

Database Host
You should be able to get this info from your web host, if localhost does not work.

Table Prefix
If you want to run multiple WordPress installations in a single database, change this.

[Submit](#)

9. WordPress nu a putut genera automat fișierul **wp-config.php**, astfel am creat manual fișierul de configurare și am introdus datele bazei de date MySQL, apoi am setat permisiunile corecte.

Unable to write to wp-config.php file.
You can create the wp-config.php file manually and paste the following text into it.

Configuration rules for wp-config.php:

```
<?php
/**
 * The base configuration for WordPress
 *
 * The wp-config.php creation script uses this file during the installation.
 * You don't have to use the website, you can copy this file to "wp-config.php"
 * and fill in the values.
 *
 * This file contains the following configurations:
 *
 * * Database settings
 * * Secret keys
 * * Database table prefix
 * * ABSPATH
 *
 * @link https://developer.wordpress.org/advanced-administration/wordpress/wp-config.php
 */

// ** Database settings ** //
$database = 'wordpress_db';
$hostname = 'localhost';
$username = 'wp_user';
$password = 'wp_password';

// ** Secret keys ** //
$secret_keys = array(
    'a1b2c3d4e5f6g7h8i9j0k1l2m3n4o5p6',
    'q7r8s9t0u1v2w3x4y5z6a7b8c9d0e1f2',
    'g3h4i5j6k7l8m9n0o1p2q3r4s5t6u7v8',
    'w9x0y1z2a3b4c5d6e7f8g9h0i1j2k3l4',
    'm5n6o7p8q9r0s1t2u3v4w5x6y7z8a9b0',
    'c1d2e3f4g5h6i7j8k9l0m1n2o3p4q5r6',
    's7t8u9v0w1x2y3z4a5b6c7d8e9f0g1h2',
    'i3j4k5l6m7n8o9p0q1r2s3t4u5v6w7x8',
    'y9z0a1b2c3d4e5f6g7h8i9j0k1l2m3n4',
    'o5p6q7r8s9t0u1v2w3x4y5z6a7b8c9d0',
    'e1f2g3h4i5j6k7l8m9n0o1p2q3r4s5t6',
    'u7v8w9x0y1z2a3b4c5d6e7f8g9h0i1j2',
    'k3l4m5n6o7p8q9r0s1t2u3v4w5x6y7z8',
    'a9b0c1d2e3f4g5h6i7j8k9l0m1n2o3p4',
    'q5r6s7t8u9v0w1x2y3z4a5b6c7d8e9f0'
);

// ** Database table prefix ** //
$table_prefix = 'wp_';

// ** ABSPATH ** //
$ABSPATH = '/var/www/html/';

// ** @link https://developer.wordpress.org/advanced-administration/wordpress/wp-config.php ** //
```

After you've done that, click "Run the installation".

[Run the installation](#)

Creezi manual fișierul wp-config.php

```
paladicalin@paladicalin:/var/www/html/wordpress$ sudo cp wp-config-sample.php wp-config.php
paladicalin@paladicalin:/var/www/html/wordpress$ sudo nano wp-config.php
```

Editezi manual

```
/** Database settings - You can get this info from your web host */
/** The name of the database for WordPress */
define( 'DB_NAME', 'wordpress_db' );

/** Database username */
define( 'DB_USER', 'wp_user' );

/** Database password */
define( 'DB_PASSWORD', 'ParolaSerioasa123!' );

/** Database hostname */
define( 'DB_HOST', 'localhost' );


/** Database charset to use in creating database tables. */
define( 'DB_CHARSET', 'utf8mb4' );
```

Setezi permisiunile

```
paladicalin@paladicalin:/var/www/html/wordpress$ sudo chown www-data:www-data wp-config.php
paladicalin@paladicalin:/var/www/html/wordpress$ chmod 640 wp-config.php
640: command not found
paladicalin@paladicalin:/var/www/html/wordpress$ sudo chmod 640 wp-config.php
```


Acuma revin in browser si apas „Run the installation”

10. Am finalizat instalarea WordPress prin configurarea site-ului, crearea contului de administrator și accesarea panoului de administrare (wp-admin).




The image shows the WordPress installation 'Welcome' screen. At the top is the WordPress logo. Below it, a 'Welcome' heading is followed by a paragraph: 'Welcome to the famous five-minute WordPress installation process! Just fill in the information below and you'll be on your way to using the most extendable and powerful personal publishing platform in the world.' A section titled 'Information needed' contains the instruction: 'Please provide the following information. Do not worry, you can always change these settings later.' There are four input fields: 'Site Title' with the value 'Site_Catalin', 'Username' with 'admincatalin', 'Password' with 'ParolaSerioasa123!' (marked as 'Strong'), and 'Your Email' with 'paladi.catalin02@gmail.com'. Below the email field is a checkbox for 'Search engine visibility' which is checked, with the text 'Discourage search engines from indexing this site' and 'It is up to search engines to honor this request.' At the bottom left is an 'Install WordPress' button.

Wordpress instalat



M-am logat in Dashboard introducând user&parola la log in



WORK DONE 🍌