Datadriven

Execution Environment

Host name Suhagi - 192.168.1.124 Local OS Windows 10 64bit

Katalon version 9.1.0.212

Browser Chrome 120.0.0.0

Summary

ID Test Suites/Datadriven

Description

Total 2

Passed 0 Failed 2
Error 0 Incomplete 0

Skipped 0

Start 25-12-2023 12:55:17 End 25-12-2023 12:55:29

Elapsed 11.310s

#	ID	Description	Status
1	Test Cases/Test/DatadrivenTesting		FAILED
2	Test Cases/Test/DatadrivenTesting		FAILED

Information

ID Test Cases/Test/DatadrivenTesting

Description

Tag

Start 25-12-2023 12:55:18 End 25-12-2023 12:55:24

Elapsed 6.034s Status FAILED

Details

Description Elapsed Status

Description	Elapsed	Status
Start listener action : sampleBeforeTestCase	0.099s	ERROR
groovy.lang.MissingPropertyException: No such property: inputyourconditionhere for class:		
SkipTestCase		
at SkipTestCase.sampleBeforeTestCase(SkipTestCase.groovy:34)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.in		
java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)		
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:268)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)		
at TempTestSuite1703489109592.run(TempTestSuite1703489109592.groovy:36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		

2	Start listener action : beforeTestCase	0.017s	PASSED
3	openBrowser("")	2.350s	PASSED

Browser is opened with url: "

#	Description	Elapsed	Status
4	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")	3.045s	PASSED
	Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully		

Description	Elapsed	Status
acceptAlert()	0.251s	FAILED
Unable to accept alert (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to accept alert		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeywor	d	
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert		
(AcceptAlertKeyword.groovy:71)		
at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.execute		
(AcceptAlertKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.acceptAlert		
(WebUiBuiltInKeywords.groovy:1561)		
at DatadrivenTesting.run(DatadrivenTesting:24)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.iouc;430)		
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase)	
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java	o.	
106)	a.	
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)		
at TempTestSuite1703489109592.run(TempTestSuite1703489109592.groovy:36	5)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: No alert found		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUlKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.builtin.		
AcceptAlertKeyword\$_acceptAlert_closure1.doCall(AcceptAlertKeyword.groovy:78)		
at com.kms.katalon.core.webui.keyword.builtin.		
AcceptAlertKeyword\$_acceptAlert_closure1.call(AcceptAlertKeyword.groovy)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeywor	d	
(WebUIKeywordMain.groovy:20)		
20 more		

#	Description	Elapsed	Status

#	Description	Elapsed	Status
6	Start listener action : afterTestCase	0.003s	PASSED

Information

ID Test Cases/Test/DatadrivenTesting

Description

Tag

Start 25-12-2023 12:55:24 End 25-12-2023 12:55:29

Elapsed 4.511s Status FAILED

Details

Description Elapsed Status

Description	Elapsed	Status
Start listener action : sampleBeforeTestCase	0.083s	ERROR
groovy.lang.MissingPropertyException: No such property: inputyourconditionhere for class:		
SkipTestCase		
at SkipTestCase.sampleBeforeTestCase(SkipTestCase.groovy:34)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.invokem.in		
java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)		
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:268)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
$at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. java: test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case$		
180)		
at TempTestSuite1703489109592.run(TempTestSuite1703489109592.groovy:36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		

2	Start listener action : beforeTestCase	0.001s	PASSED
3	openBrowser("")	1.298s	PASSED

Browser is opened with url: "

#	Description	Elapsed	Status
4	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")	0.626s	PASSED
	Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully		

Description	Elapsed	Stat
acceptAlert()	2.225s	FAIL
Unable to accept alert (Root cause: com.kms.	katalan cara avaantian StanEailadEvaantian	
Unable to accept alert (Root cause, com.kms.	.katalon.core.exception.otepralledException.	
·	word internal Webl IIV owwerd Main stan Failed	
	word.internal.WebUIKeywordMain.stepFailed	
(WebUIKeywordMain.groovy:64)	word internal Webl IIV ourserd Main run Kourserd	
	word.internal.WebUIKeywordMain.runKeyword	
(WebUIKeywordMain.groovy:26)		
	word.builtin.AcceptAlertKeyword.acceptAlert	
(AcceptAlertKeyword.groovy:71)		
	word.builtin.AcceptAlertKeyword.execute	
(AcceptAlertKeyword.groovy:66)	tamal Managari Europe tam	
at com.kms.katalon.core.keyword.in		
executeKeywordForPlatform(KeywordExecuto		
	word.WebUiBuiltInKeywords.acceptAlert	
(WebUiBuiltInKeywords.groovy:1561)	T (1 0 0)	
at DatadrivenTesting.run(Datadriver		
at com.kms.katalon.core.main.Scrip		
· · · · · · · · · · · · · · · · · · ·	otEngine.runScriptAsRawText(ScriptEngine.	
java:119)		
	CaseExecutor.runScript(TestCaseExecutor.	
java:448)		
	CaseExecutor.doExecute(TestCaseExecutor.	
java:439)		
	CaseExecutor.processExecutionPhase	
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.Test0	CaseExecutor.accessMainPhase	
(TestCaseExecutor.java:410)		
	CaseExecutor.execute(TestCaseExecutor.	
java:285)		
	CommonExecutor.accessTestCaseMainPhase	
(CommonExecutor.java:65)		
	SuiteExecutor.accessTestSuiteMainPhase	
(TestSuiteExecutor.java:148)		
	SuiteExecutor.execute(TestSuiteExecutor.java:	
106)		
	CaseMain.startTestSuite(TestCaseMain.java:	
180)		
	run(TempTestSuite1703489109592.groovy:36)	
	veMethodAccessorImpl.invoke0(Native	
Method)		
at java.base/jdk.internal.reflect.Nativ	veMethodAccessorImpl.invoke	
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.Dele	egatingMethodAccessorImpl.invoke	
(DelegatingMethodAccessorImpl.java:43)		
Caused by: com.kms.katalon.core.exception.S		
	word.internal.WebUIKeywordMain.stepFailed	
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyv		
AcceptAlertKeyword\$_acceptAlert_closure1.d		
at com.kms.katalon.core.webui.keyv		
AcceptAlertKeyword\$_acceptAlert_closure1.c		
	word.internal.WebUIKeywordMain.runKeyword	
(WebUIKeywordMain.groovy:20)		
20 more		

#	Description	Elapsed	Status

#	Description	Elapsed	Status
6	Start listener action : afterTestCase	0.001s	PASSED