listener demo

Execution Environment

Host name	Suhagi - 192.168.1.124
Local OS	Windows 10 64bit
Katalon version	9.1.0.212
Browser	Chrome 120.0.0.0

Summary

ID	Test Suites/listener demo
Description	

Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	03-01-2024 15:23:27	End	03-01-2024 15:23:38
Elapsed	11.179s		

#	ID	Description	Status
1	Test Cases/Test4_ScriptMode		FAILED

Test4_ScriptMode

Information

ID	Test Cases/Test4_ScriptMode		
Description			
Tag			
Start	03-01-2024 15:23:28	End	03-01-2024 15:23:38
Elapsed	9.879s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTest	0.008s	PASSED

#	Description	Elapsed	Status
2	Start listener action : sampleBeforeTestCase	0.128s	ERROR

	groovy.lang.MissingPropertyException: No such property: inputyourconditionhere for class: SkipTestCase
	    at SkipTestCase.sampleBeforeTestCase(SkipTestCase.groovy:34)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
	    at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)
	    at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java: 95)
	    at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
	    at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
	    at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
	    at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
	    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)
	    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
	    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
	    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
	    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
	    at TempTestSuite1704275599846.run(TempTestSuite1704275599846.groovy:36)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		

3	Start listener action : beforeTestCase	0.016s	PASSED
4	Start setup action : setupTestCase	0.005s	PASSED
	Method 'setupTestCase' complete successfully		

Test4_ScriptMode

#	Description	Elapsed	Status
5	openBrowser("")	2.988s	PASSED
	Browser is opened with url: ''		
6	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")	4.681s	PASSED
	Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully		
7	setText(findTestObject("Object Repository/Page_OrangeHRM/input_Username_username"), "Admin")	1.285s	PASSED
	Text 'Admin' is set on object 'Object Repository/Page_OrangeHRM/input_Username_username'		

Test4_ScriptMode

#	Description	Elapsed	Status
8	setText(findTestObject("Object Repository/Page_OrangeHRM/input_Password_password"), PWD)	0.419s	FAILED

Unable to set text 'null' of object 'Object Repository/Page_OrangeHRM/input_Password_password' (Root cause: com.kms.katalon. core.exception.StepFailedException: Unable to set text 'null' of object 'Object Repository/Page_OrangeHRM/input_Password_password'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
        at Test4_ScriptMode.run(Test4_ScriptMode:26)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
        at TempTestSuite1704275599846.run(TempTestSuite1704275599846.groovy:36)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: java.lang.IllegalArgumentException: Text is null
        at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:48)
        at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute

#	Description	Elapsed	Status
	(SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at Script1700568294935.run(Script1700568294935.groovy:26) ... 15 more)		

#	Description	Elapsed	Status
9	Start listener action : aftreTest	0.007s	PASSED
10	Start listener action : afterTestCase	0.003s	PASSED