TestSuiteOne

Execution Environment

Host name Suhagi - 192.168.1.124 Local OS Windows 10 64bit

Katalon version 9.0.0.212

Browser Chrome 120.0.0.0

Summary

ID Test Suites/TestSuiteOne

Description

Total 2

Passed 2 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 2023-12-19 17:32:43 End 2023-12-19 17:33:11

Elapsed 27.677s

# ID	Description	Status
1 Test Cases/Test4_ScriptMode		PASSED
2 Test Cases/Test3_manual		PASSED

Test4_ScriptMode

Information

ID Test Cases/Test4_ScriptMode

Description

Tag

Start 2023-12-19 17:32:43 End 2023-12-19 17:32:58

Elapsed 14.548s Status PASSED

Details

Description Elapsed Status

Test4_ScriptMode

Description	Elapsed	Status
Start listener action : sampleBeforeTestCase	0.112s	ERROR
groovy.lang.MissingPropertyException: No such property: inputyourconditionhere for class:		
SkipTestCase		
at SkipTestCase.sampleBeforeTestCase(SkipTestCase.groovy:34)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95)		
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:268)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)		
at TempTestSuite1702987350026.run(TempTestSuite1702987350026.groovy:36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		

2	Start listener action : beforeTestCase	0.006s	PASSED
3	openBrowser("")	3.624s	PASSED

Browser is opened with url: "

Test4_ScriptMode

#	Description	Elapsed	Status
4	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login") Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully	3.364s	PASSED
5	setText(findTestObject("Object Repository/Page_OrangeHRM/input_Username_username"), "Admin") Text 'Admin' is set on object 'Object Repository/Page_OrangeHRM/input_Username_username'	1.652s	PASSED
6	setText(findTestObject("Object Repository/Page_OrangeHRM/input_Password_password"), Password) Text 'hUKwJTbofgPU9eVlw/CnDQ==' is set on object 'Object Repository/Page_OrangeHRM/input_Password_password'	1.518s	PASSED
7	click(findTestObject("Object Repository/Page_OrangeHRM/button_Login")) Object: 'Object Repository/Page_OrangeHRM/button_Login' is clicked on	1.522s	PASSED
8	closeBrowser() Browser is closed	0.396s	PASSED
9	Start listener action : afterTestCase	0.009s	PASSED

Test3_manual

Information

ID Test Cases/Test3_manual

Description

Tag

Start 2023-12-19 17:32:58 End 2023-12-19 17:33:11

Elapsed 12.861s Status PASSED

Details

Description Elapsed Status

Test3_manual

Description	Elapsed	Status
Start listener action : sampleBeforeTestCase	0.022s	ERROR
groovy.lang.MissingPropertyException: No such property: inputyourconditionhere for class:		
SkipTestCase		
at SkipTestCase.sampleBeforeTestCase(SkipTestCase.groovy:34)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95)		
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:268)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
$at\ com.kms. katalon.core.main. Test Suite Executor. access Test Suite Main Phase$		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)		
at TempTestSuite1702987350026.run(TempTestSuite1702987350026.groovy:36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
(Bologalingmethod/10000001111ph/java10)		

2	Start listener action: beforeTestCase	0.008s	PASSED
_		0.000	
3	openProvince/""\	1.296s	PASSED
3	openBrowser("")	1.2908	FASSED

Browser is opened with url: "

Test3_manual

#	Description	Elapsed	Status
4	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login") Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully	2.444s	PASSED
5	setText(findTestObject("Page_OrangeHRM/input_Username_username"), "Admin") Text 'Admin' is set on object 'Object Repository/Page_OrangeHRM/input_Username_username'	1.173s	PASSED
6	setText(findTestObject("Page_OrangeHRM/input_Password_password"), "admin123") Text 'admin123' is set on object 'Object Repository/Page_OrangeHRM/input_Password_password'	0.677s	PASSED
7	click(findTestObject("Page_OrangeHRM/button_Login")) Object: 'Object Repository/Page_OrangeHRM/button_Login' is clicked on	2.187s	PASSED
8	delay(2) Delayed 2 second(s)	2.059s	PASSED
9	closeBrowser() Browser is closed	0.635s	PASSED
10	Start listener action : afterTestCase	0.004s	PASSED