Datadriven

Execution Environment

Host name	Suhagi - 192.168.1.124
Local OS	Windows 10 64bit
Katalon version	9.1.0.212
Browser	Chrome 120.0.0.0

Summary

ID	Test Suites/Datadriven
Description	

Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	25-12-2023 13:13:11	End	25-12-2023 13:13:21
Elapsed	10.599s		

#	ID	Description	Status
1	Test Cases/Test/DatadrivenTesting		FAILED
2	Test Cases/Test/DatadrivenTesting		FAILED

DatadrivenTesting

Information

ID	Test Cases/Test/DatadrivenTesting		
Description			
Tag			
Start	25-12-2023 13:13:11	End	25-12-2023 13:13:17
Elapsed	5.999s		
Status	FAILED		

Details

#	Description	Elapsed	Status

DatadrivenTesting

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.070s	ERROR

groovy.lang.MissingPropertyException: No such property: inputyourconditionhere for class: SkipTestCase
       at SkipTestCase.sampleBeforeTestCase(SkipTestCase.groovy:34)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
       at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
       at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)
       at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java:95)
       at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
       at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
       at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
       at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
       at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268)
       at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
       at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
       at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
       at TempTestSuite1703490184902.run(TempTestSuite1703490184902.groovy:36)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
       at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

#	Description	Elapsed	Status
2	Start listener action : beforeTestCase	0.015s	PASSED
3	openBrowser("")	1.975s	PASSED

Browser is opened with url: ''

DatadrivenTesting

#	Description	Elapsed	Status
4	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login") Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully	3.418s	PASSED

DatadrivenTesting

#	Description	Elapsed	Status
5	acceptAlert()	0.294s	FAILED

Unable to accept alert (Root cause: com.kms.katalon.core.exception.StepFailedException:
Unable to accept alert
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert
(AcceptAlertKeyword.groovy:71)
      at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.execute
(AcceptAlertKeyword.groovy:66)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.acceptAlert
(WebUiBuiltInKeywords.groovy:1561)
      at DatadrivenTesting.run(DatadrivenTesting:24)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
      at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
180)
      at TempTestSuite1703490184902.run(TempTestSuite1703490184902.groovy:36)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: No alert found
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.builtin.
AcceptAlertKeyword$_acceptAlert_closure1.doCall(AcceptAlertKeyword.groovy:78)
      at com.kms.katalon.core.webui.keyword.builtin.
AcceptAlertKeyword$_acceptAlert_closure1.call(AcceptAlertKeyword.groovy)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
      ... 20 more
)

DatadrivenTesting

#	Description	Elapsed	Status

#	Description	Elapsed	Status
6	Start listener action : afterTestCase	0.006s	PASSED

DatadrivenTesting

Information

ID	Test Cases/Test/DatadrivenTesting		
Description			
Tag			
Start	25-12-2023 13:13:17	End	25-12-2023 13:13:21
Elapsed	4.147s		
Status	FAILED		

Details

#	Description	Elapsed	Status

DatadrivenTesting

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.040s	ERROR

groovy.lang.MissingPropertyException: No such property: inputyourconditionhere for class: SkipTestCase
      at SkipTestCase.sampleBeforeTestCase(SkipTestCase.groovy:34)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
      at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)
      at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java:95)
      at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
      at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
      at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
      at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268)
      at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
      at TempTestSuite1703490184902.run(TempTestSuite1703490184902.groovy:36)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

#	Description	Elapsed	Status
2	Start listener action : beforeTestCase	0.002s	PASSED
3	openBrowser("")	1.264s	PASSED

Browser is opened with url: ''

DatadrivenTesting

#	Description	Elapsed	Status
4	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login") Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully	2.444s	PASSED

DatadrivenTesting

#	Description	Elapsed	Status
5	acceptAlert()	0.212s	FAILED

Unable to accept alert (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to accept alert
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert (AcceptAlertKeyword.groovy:71)
        at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.execute (AcceptAlertKeyword.groovy:66)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.acceptAlert (WebUiBuiltInKeywords.groovy:1561)
        at DatadrivenTesting.run(DatadrivenTesting:24)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
        at TempTestSuite1703490184902.run(TempTestSuite1703490184902.groovy:36)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: No alert found
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.builtin. AcceptAlertKeyword$_acceptAlert_closure1.doCall(AcceptAlertKeyword.groovy:78)
        at com.kms.katalon.core.webui.keyword.builtin. AcceptAlertKeyword$_acceptAlert_closure1.call(AcceptAlertKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
        ... 20 more
)

DatadrivenTesting

#	Description	Elapsed	Status

#	Description	Elapsed	Status
6	Start listener action : afterTestCase	0.001s	PASSED