

TestSuiteOne

Execution Environment

Host name	Suhagi - 192.168.1.124
Local OS	Windows 10 64bit
Katalon version	9.0.0.212
Browser	null

Summary

ID	Test Suites/TestSuiteOne		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2023-12-19 17:32:52	End	2023-12-19 17:33:26
Elapsed	34.119s		

#	ID	Description	Status
1	Test Cases/Test4_ScriptMode		FAILED
2	Test Cases/Test3_manual		FAILED

Test4_ScriptMode

Information

ID	Test Cases/Test4_ScriptMode		
Description			
Tag			
Start	2023-12-19 17:33:07	End	2023-12-19 17:33:11
Elapsed	3.584s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Test4_ScriptMode

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase groovy.lang.MissingPropertyException: No such property: inputyourconditionhere for class: SkipTestCase at SkipTestCase.sampleBeforeTestCase(SkipTestCase.groovy:34) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at TempTestSuite1702987352539.run(TempTestSuite1702987352539.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)	0.009s	ERROR
2	Start listener action : beforeTestCase	0.001s	PASSED

Test4_ScriptMode

#	Description	Elapsed	Status
---	-------------	---------	--------

Test4_ScriptMode

#	Description	Elapsed	Status
3	openBrowser("")	1.502s	FAILED
	Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at Test4_ScriptMode.run(Test4_ScriptMode:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at TempTestSuite1702987352539.run(TempTestSuite1702987352539.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of Microsoft Edge WebDriver only supports Microsoft Edge version 118 Current browser version is 120.0.2210.77 with binary path C:\Program Files (x86) \Microsoft\Edge\Application\msedge.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'SUHAGI', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		

Test4_ScriptMode

#	Description	Elapsed	Status
	Driver info: driver.version: CEdgeDriver		
	remote stacktrace: GetHandleVerifier [0x00007FF77CFB6B12+59570]		
	Microsoft::Applications::Events::ILogConfiguration::operator*		
	[0x00007FF77CF3D8D2+254210]		
	(No symbol) [0x00007FF77CD31189]		
	(No symbol) [0x00007FF77CD675E5]		
	(No symbol) [0x00007FF77CD66C90]		
	(No symbol) [0x00007FF77CD626D7]		
	(No symbol) [0x00007FF77CD5EA79]		
	(No symbol) [0x00007FF77CD9C640]		
	(No symbol) [0x00007FF77CD949E3]		
	(No symbol) [0x00007FF77CD6A5A6]		
	(No symbol) [0x00007FF77CD69C70]		
	(No symbol) [0x00007FF77CD6AD24]		
	Microsoft::Applications::Events::EventProperty::to_string		
	[0x00007FF77D1768D9+1118137]		
	(No symbol) [0x00007FF77CDD7504]		
	Microsoft::Applications::Events::EventProperty::~~EventProperty		
	[0x00007FF77CE9B55A+34762]		
	Microsoft::Applications::Events::EventProperty::~~EventProperty		
	[0x00007FF77CE93BA9+3609]		
	Microsoft::Applications::Events::EventProperty::to_string		
	[0x00007FF77D175954+1114164]		
	Microsoft::Applications::Events::ILogConfiguration::operator*		
	[0x00007FF77CF48498+298184]		
	Microsoft::Applications::Events::ILogConfiguration::operator*		
	[0x00007FF77CF42AD4+275204]		
	Microsoft::Applications::Events::ILogConfiguration::operator*		
	[0x00007FF77CF42C02+275506]		
	Microsoft::Applications::Events::ILogConfiguration::operator*		
	[0x00007FF77CF36141+223601]		
	BaseThreadInitThunk [0x00007FFF862C7344+20]		
	RtlUserThreadStart [0x00007FFF875226B1+33]		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0		
	(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance		
	(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance		
	(DelegatingConstructorAccessorImpl.java:45)		
	at org.openqa.selenium.remote.W3CHandshakeResponse.		
	lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)		
	at org.openqa.selenium.remote.HandshakeResponse.		
	lambda\$getResponseFunction\$0(HandshakeResponse.java:30)		
	at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0		
	(ProtocolHandshake.java:126)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession		
	(ProtocolHandshake.java:128)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession		
	(ProtocolHandshake.java:74)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:136)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
	java:552)		
	at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession		

Test4_ScriptMode

#	Description	Elapsed	Status
	<pre>(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:154) at com.kms.katalon.selenium.driver.CEdgeDriver.<init>(CEdgeDriver.java:14) at com.kms.katalon.core.webui.driver.DriverFactory. createNewEdgeChromiumDriver(DriverFactory.java:675) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:390) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:264) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at Script1700568294935.run(Script1700568294935.groovy:20) ... 18 more)</pre>		
4	Start listener action : afterTestCase	0.002s	PASSED
5	Video	0.000s	PASSED
	Video recording for test case 'Test Cases/Test4_ScriptMode' .		

Test3_manual

Information

ID	Test Cases/Test3_manual		
Description			
Tag			
Start	2023-12-19 17:33:23	End	2023-12-19 17:33:26
Elapsed	3.049s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Test3_manual

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase groovy.lang.MissingPropertyException: No such property: inputyourconditionhere for class: SkipTestCase at SkipTestCase.sampleBeforeTestCase(SkipTestCase.groovy:34) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at TempTestSuite1702987352539.run(TempTestSuite1702987352539.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)	0.006s	ERROR
2	Start listener action : beforeTestCase	0.001s	PASSED

Test3_manual

#	Description	Elapsed	Status
---	-------------	---------	--------

Test3_manual

#	Description	Elapsed	Status
3	openBrowser("")	1.002s	FAILED
	Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at Test3_manual.run(Test3_manual:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at TempTestSuite1702987352539.run(TempTestSuite1702987352539.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of Microsoft Edge WebDriver only supports Microsoft Edge version 118 Current browser version is 120.0.2210.77 with binary path C:\Program Files (x86) \Microsoft\Edge\Application\msedge.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'SUHAGI', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		

Test3_manual

#	Description	Elapsed	Status
	Driver info: driver.version: CEdgeDriver		
	remote stacktrace: GetHandleVerifier [0x00007FF77CFB6B12+59570]		
	Microsoft::Applications::Events::ILogConfiguration::operator*		
	[0x00007FF77CF3D8D2+254210]		
	(No symbol) [0x00007FF77CD31189]		
	(No symbol) [0x00007FF77CD675E5]		
	(No symbol) [0x00007FF77CD66C90]		
	(No symbol) [0x00007FF77CD626D7]		
	(No symbol) [0x00007FF77CD5EA79]		
	(No symbol) [0x00007FF77CD9C640]		
	(No symbol) [0x00007FF77CD949E3]		
	(No symbol) [0x00007FF77CD6A5A6]		
	(No symbol) [0x00007FF77CD69C70]		
	(No symbol) [0x00007FF77CD6AD24]		
	Microsoft::Applications::Events::EventProperty::to_string		
	[0x00007FF77D1768D9+1118137]		
	(No symbol) [0x00007FF77CDD7504]		
	Microsoft::Applications::Events::EventProperty::~~EventProperty		
	[0x00007FF77CE9B55A+34762]		
	Microsoft::Applications::Events::EventProperty::~~EventProperty		
	[0x00007FF77CE93BA9+3609]		
	Microsoft::Applications::Events::EventProperty::to_string		
	[0x00007FF77D175954+1114164]		
	Microsoft::Applications::Events::ILogConfiguration::operator*		
	[0x00007FF77CF48498+298184]		
	Microsoft::Applications::Events::ILogConfiguration::operator*		
	[0x00007FF77CF42AD4+275204]		
	Microsoft::Applications::Events::ILogConfiguration::operator*		
	[0x00007FF77CF42C02+275506]		
	Microsoft::Applications::Events::ILogConfiguration::operator*		
	[0x00007FF77CF36141+223601]		
	BaseThreadInitThunk [0x00007FFF862C7344+20]		
	RtlUserThreadStart [0x00007FFF875226B1+33]		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0		
	(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance		
	(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance		
	(DelegatingConstructorAccessorImpl.java:45)		
	at org.openqa.selenium.remote.W3CHandshakeResponse.		
	lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)		
	at org.openqa.selenium.remote.HandshakeResponse.		
	lambda\$getResponseFunction\$0(HandshakeResponse.java:30)		
	at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0		
	(ProtocolHandshake.java:126)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession		
	(ProtocolHandshake.java:128)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession		
	(ProtocolHandshake.java:74)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:136)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
	java:552)		
	at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession		

Test3_manual

#	Description	Elapsed	Status
	<pre>(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:154) at com.kms.katalon.selenium.driver.CEdgeDriver.<init>(CEdgeDriver.java:14) at com.kms.katalon.core.webui.driver.DriverFactory. createNewEdgeChromiumDriver(DriverFactory.java:675) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:390) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:264) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at Script1700477476234.run(Script1700477476234.groovy:20) ... 18 more)</pre>		
4	Start listener action : afterTestCase	0.002s	PASSED
5	Video	0.001s	PASSED
	Video recording for test case 'Test Cases/Test3_manual' .		