### **Test**

#### **Execution Environment**

Host name Suhagi - 192.168.1.124 Local OS Windows 10 64bit

Katalon version 9.1.0.212

Browser Chrome 120.0.0.0

Summary

ID Test Suites/Test

Description

Total 3

Passed 3 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 04-01-2024 18:03:54 End 04-01-2024 18:04:56

Elapsed 1m - 2.212s

| # | ID                      | Description | Status |
|---|-------------------------|-------------|--------|
| 1 | Test Cases/Login        |             | PASSED |
| 2 | Test Cases/Test5_manual |             | PASSED |
| 3 | Test Cases/Test5_manual |             | PASSED |

### Login

### Information

ID Test Cases/Login

Description

Tag

Start 04-01-2024 18:03:55 End 04-01-2024 18:04:11

Elapsed 15.990s Status PASSED

#### **Details**

| # | Description                        | Elapsed | Status |
|---|------------------------------------|---------|--------|
| 1 | Start listener action : beforeTest | 0.029s  | PASSED |

# Login

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 2 | Start listener action : sampleBeforeTestCase   | 0.083s  | ERROR  |
| 2 | Start listener action : sampleBeforeTestCase  groovy.lang.MissingPropertyException: No such property: inputyourconditionhere for class: SkipTestCase | 0.083s  | ERROR  |
| 3 | Start listener action : beforeTestCase   | 0.012s  | PASSED |
| 4 | openBrowser("")  | 7.794s  | PASSED |
|   | Browser is opened with url: "  |         |        |

# Login

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 5  | navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully                           | 0.700s  | PASSED |
| 6  | setText(findTestObject("Object Repository/Page_OrangeHRM/input_username (2)"), "Admin")  Text 'Admin' is set on object 'Object Repository/Page_OrangeHRM/input_username (2)'                                 | 5.002s  | PASSED |
| 7  | setEncryptedText(findTestObject("Object Repository/Page_OrangeHRM/input_password (2)"), "hUKwJTbofgPU9eVlw/CnDQ==")  Text ***** has been set on object 'Object Repository/Page_OrangeHRM/input_password (2)' | 0.490s  | PASSED |
| 8  | click(findTestObject("Object Repository/Page_OrangeHRM/button_Login (3)"))  Object: 'Object Repository/Page_OrangeHRM/button_Login (3)' is clicked on  | 1.504s  | PASSED |
| 9  | Start listener action : aftreTest  | 0.011s  | PASSED |
| 10 | Start listener action : afterTestCase  | 0.004s  | PASSED |

### Information

ID Test Cases/Test5\_manual

Description

Tag

Start 04-01-2024 18:04:11 End 04-01-2024 18:04:31

Elapsed 20.795s Status PASSED

#### **Details**

| # | Description                        | Elapsed | Status |
|---|------------------------------------|---------|--------|
| 1 | Start listener action : beforeTest | 0.001s  | PASSED |

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 2 | Start listener action : sampleBeforeTestCase  | 0.004s  | ERROR  |
| 2 | Start listener action: sampleBeforeTestCase  groovy.lang.MissingPropertyException: No such property: inputyourconditionhere for class: SkipTestCase | 0.004s  | ERROR  |
| 3 | Start listener action : beforeTestCase  | 0.002s  | PASSED |
| 4 | openBrowser("")   | 7.072s  | PASSED |
|   | Browser is opened with url: "   |         |        |

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 5  | navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully | 3.130s  | PASSED |
| 6  | setText(findTestObject("Page_OrangeHRM/input_Username_username"), "Admin")  Text 'Admin' is set on object 'Object Repository/Page_OrangeHRM/input_Username_username'               | 2.082s  | PASSED |
| 7  | setText(findTestObject("Page_OrangeHRM/input_Password_password"), "Admin123")  Text 'Admin123' is set on object 'Object Repository/Page_OrangeHRM/input_Password_password'         | 0.518s  | PASSED |
| 8  | click(findTestObject("Page_OrangeHRM/button_Login"))  Object: 'Object Repository/Page_OrangeHRM/button_Login' is clicked on  | 1.373s  | PASSED |
| 9  | delay(5)  Delayed 5 second(s)  | 5.070s  | PASSED |
| 10 | closeBrowser() Browser is closed   | 1.400s  | PASSED |
| 11 | Start listener action : aftreTest  | 0.004s  | PASSED |
| 12 | Start listener action : afterTestCase  | 0.004s  | PASSED |

### Information

ID Test Cases/Test5\_manual

Description

Tag

Start 04-01-2024 18:04:31 End 04-01-2024 18:04:56

Elapsed 24.897s Status PASSED

#### **Details**

| # | Description                        | Elapsed | Status |
|---|------------------------------------|---------|--------|
| 1 | Start listener action : beforeTest | 0.007s  | PASSED |

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 2 | Start listener action : sampleBeforeTestCase   | 0.006s  | ERROR  |
| 2 | groovy.lang.MissingPropertyException: No such property: inputyourconditionhere for class: SkipTestCase at SkipTestCase.sampleBeforeTestCase(SkipTestCase.groovy:34) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:38) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:35) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (CommonExecutor.java:36) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at TempTestSuite1704371620098.run(TempTestSuite1704371620098.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) | 0.0068  | ERROR  |
| 3 | Start listener action : beforeTestCase   | 0.001s  | PASSED |
| 4 | openBrowser("")  | 6.708s  | PASSED |
|   | Browser is opened with url: "  |         |        |

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 5  | navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully | 4.312s  | PASSED |
| 6  | setText(findTestObject("Page_OrangeHRM/input_Username_username"), "Admin")  Text 'Admin' is set on object 'Object Repository/Page_OrangeHRM/input_Username_username'               | 4.952s  | PASSED |
| 7  | setText(findTestObject("Page_OrangeHRM/input_Password_password"), "Admin123")  Text 'Admin123' is set on object 'Object Repository/Page_OrangeHRM/input_Password_password'         | 0.683s  | PASSED |
| 8  | click(findTestObject("Page_OrangeHRM/button_Login"))  Object: 'Object Repository/Page_OrangeHRM/button_Login' is clicked on  | 1.877s  | PASSED |
| 9  | delay(5)  Delayed 5 second(s)  | 5.017s  | PASSED |
| 10 | closeBrowser()  Browser is closed  | 1.267s  | PASSED |
| 11 | Start listener action : aftreTest  | 0.018s  | PASSED |
| 12 | Start listener action : afterTestCase  | 0.009s  | PASSED |