Test Report

92.48%
Total Coverage

390	**390**	**0**	**0**
TOTAL TESTS	PASSED	FAILED	SKIPPED

0	**0**	**0**
XFAILED	XPASSED	ERRORS

PASSED   tests/test_aggregation.py::TestAggregator::test_aggregate_all_policy   2ms   🛡 3

COVERAGE

src/pytest_llm_report/aggregation.py	69 lines (ranges: 52, 55-56, 59, 61-63, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 130-131, 134, 141, 146, 148-153, 155, 157-159, 170, 217, 219-223, 235, 245, 248-249, 251, 253, 275-278, 280)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_dir_not_ex ists   4ms 🛡 3

COVERAGE

src/pytest_llm_report/aggregation.py	7 lines (ranges: 52, 55-57, 109-111)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_latest_pol icy   4ms 🛡 3

COVERAGE

src/pytest_llm_report/aggregation.py	77 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 130-131, 134, 141, 146, 148-153, 155, 157-159, 170, 182, 184-188, 190-191, 194, 217, 219-223, 235, 245, 248-249, 251, 253, 275-278, 280)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_no_dir_con figured   1ms 🛡 3

COVERAGE

src/pytest_llm_report/aggregation.py	3 lines (ranges: 44, 52-53)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_no_reports 1ms 🛡 3

COVERAGE

src/pytest_llm_report/aggregation.py	9 lines (ranges: 52, 55-57, 109-110, 113-114, 170)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_with_coverage_and_llm_annotations 2ms 🛡 4

COVERAGE

src/pytest_llm_report/aggregation.py	81 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 130-131, 134-137, 141-144, 146, 148-153, 155, 157-159, 170, 182, 184-188, 194, 217, 219-223, 235, 245, 248-249, 251, 253, 275-278, 280)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	32 lines (ranges: 40-43, 104-107, 109-111, 113, 115, 161-165, 167, 169, 171, 173, 176-180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_aggregation.py::TestAggregator::test_aggregate_with_source_coverage` 2ms 🛡 3

COVERAGE

src/pytest_llm_report/aggregation.py	66 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 148-155, 157-159, 170, 182, 184-186, 194, 217, 219-220, 235, 245, 248-249, 251, 253, 275-278, 280)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_aggregation.py::TestAggregator::test_load_coverage_from_source` 3ms 🛡 3

COVERAGE

src/pytest_llm_report/aggregation.py	19 lines (ranges: 245-246, 248-249, 251, 253-257, 259, 262-263, 265-266, 269-271, 273)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_aggregation.py::TestAggregator::test_recalculate_summary` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/aggregation.py	17 lines (ranges: 217, 219-233, 235)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_aggregation.py::TestAggregator::test_skips_invalid_json` 3ms 🛡 3

COVERAGE

`src/pytest_llm_report/aggregation.py`	71 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119-120, 125, 127-128, 148-153, 155, 157-159, 162, 164-166, 168, 170, 182, 184-186, 194, 217, 219-220, 235, 245, 248-249, 251, 253, 275-278, 280)
`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_aggregation_maximal.py::TestAggregationMaximal::test_recalculate_summary_coverage` 1ms 🛡 4

COVERAGE

`src/pytest_llm_report/aggregation.py`	10 lines (ranges: 44, 217, 219-225, 235)
`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/options.py`	2 lines (ranges: 102, 141)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED | tests/test_annotator.py::TestAnnotateTests::test_cached_tests_are_skipped | 1ms 🛡 5

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-81, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED | tests/test_annotator.py::TestAnnotateTests::test_concurrent_annotation | 3ms 🛡 5

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	65 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105-114, 128-133, 135, 137, 231-233, 235, 237-238, 240, 246-248, 250-255, 257, 263, 268)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_annotator.py::TestAnnotateTests::test_concurrent_annotation_handles_failures` 2ms 🛡 5

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105-114, 128-133, 135-137, 231-233, 235, 237-238, 240, 246-248, 250-255, 257, 263-266, 268)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_annotator.py::TestAnnotateTests::test_progress_reporting` 2ms 🛡 5

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192-195, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_annotator.py::TestAnnotateTests::test_sequential_annotation   12.00s   🛡 5

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181-184, 186-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_annotator.py::TestAnnotateTests::test_skips_if_disabled   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	2 lines (ranges: 45-46)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_annotator.py::TestAnnotateTests::test_skips_if_provider_unavailable   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_annotator_maximal.py::TestAnnotatorAdvanced::test_annotate_concurrent_with_progress_and_errors   2ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	28 lines (ranges: 231-233, 235, 237-238, 240-243, 246-248, 250-255, 257-260, 263-266, 268)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_annotator_maximal.py::TestAnnotatorAdvanced::test_annotate_sequential_rate_limit_wait 2ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	22 lines (ranges: 165-167, 169-170, 172-173, 175, 177-178, 181-184, 186-190, 192, 198, 203)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_annotator_maximal.py::TestAnnotatorAdvanced::test_annotate_tests_cached_progress 2ms 🛡 5

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	36 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-84, 97-99, 101, 128-133, 135, 137)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_annotator_maximal.py::TestAnnotatorAdvanced::test_annotate_tests_provider_unavailable 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_base_maximal.py::TestGetProvider::test_get_gemini_provider 1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 52-53, 245, 247, 249, 252, 257, 262-263, 265)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_base_maximal.py::TestGetProvider::test_get_invalid_provider   2ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 245, 247, 249, 252, 257, 262, 267)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_base_maximal.py::TestGetProvider::test_get_litellm_provider   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 52-53, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_base_maximal.py::TestGetProvider::test_get_noop_provider   1ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 245, 247, 249-250)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_base_maximal.py::TestGetProvider::test_get_ollama_provider   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 245, 247, 249, 252-253, 255)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_base_maximal.py::TestLlmProviderDefaults::test_available_caches_result   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 107-108, 110-111)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_base_maximal.py::TestLlmProviderDefaults::test_get_model_name_defaults_to_config   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 52-53, 136)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_base_maximal.py::TestLlmProviderDefaults::test_get_rate_limits_defaults_to_none   1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 52-53, 128)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_base_maximal.py::TestLlmProviderDefaults::test_is_local_defaults_to_false   1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 52-53, 147)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_cache.py::TestHashSource::test_consistent_hash   1ms 🛡 3

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_cache.py::TestHashSource::test_different_source_different_hash   1ms 🛡 3

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_cache.py::TestHashSource::test_hash_length   1ms 🛡 3

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_cache.py::TestLlmCache::test_clear   1ms 🛡 4

COVERAGE

src/pytest_llm_report/cache.py	26 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 129, 132-136, 141)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_cache.py::TestLlmCache::test_does_not_cache_errors   1ms   🛡 4

COVERAGE

src/pytest_llm_report/cache.py	11 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_cache.py::TestLlmCache::test_get_missing   2ms   🛡 4

COVERAGE

src/pytest_llm_report/cache.py	9 lines (ranges: 39-41, 53, 55-56, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_cache.py::TestLlmCache::test_set_and_get   1ms   🛡 4

COVERAGE

src/pytest_llm_report/cache.py	28 lines (ranges: 39-41, 53, 55, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector.py::TestCollectorCollectionErrors::test_collection_error_structure 1ms 🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector.py::TestCollectorCollectionErrors::test_get_collection_errors_initially_empty 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 285)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector.py::TestCollectorMarkerExtraction::test_llm_context_override_default_none 1ms 🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector.py::TestCollectorMarkerExtraction::test_llm_opt_out_default_false 1ms 🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_collector.py::TestCollectorOutputCapture::test_capture_disabled_by_default   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_collector.py::TestCollectorOutputCapture::test_capture_max_chars_default   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_collector.py::TestCollectorXfailHandling::test_xfail_failed_is_xfailed   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212, 216, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector.py::TestCollectorXfailHandling::test_xfail_passed_is_xpassed 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	26 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212-214)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector.py::TestTestCollector::test_create_collector 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector.py::TestTestCollector::test_get_results_sorted 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_collector.py::TestTestCollector::test_handle_collection_finish   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 78-79, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_disabled_via_handle_report   2ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_stderr   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264, 268-269)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_stdout 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_truncated 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector_maximal.py::TestCollectorInternals::test_create_result_with_item_markers 2ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	35 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163-164, 167-169, 171, 181-182, 185-189, 198-200, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector_maximal.py::TestCollectorInternals::test_extract_error_repr_crash   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector_maximal.py::TestCollectorInternals::test_extract_error_string   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector_maximal.py::TestCollectorInternals::test_extract_skip_reason_fallback   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250, 252)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector_maximal.py::TestCollectorInternals::test_extract_skip_reason_string 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector_maximal.py::TestCollectorInternals::test_extract_skip_reason_tuple 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_collection_report_failure 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	21 lines (ranges: 58, 60-65, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtest_rerun   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtest_setup_failure   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99-103, 109-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtest_teardown_failure   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	38 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127-128, 130, 132-133, 135-137, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_coverage_boosters.py::TestCoverageBoosters::test_gemini_model_parsing_edge_cases 1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	17 lines (ranges: 134, 136-139, 141-142, 377, 379, 409-416)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_coverage_boosters.py::TestCoverageBoosters::test_gemini_rate_limiter_edge_math 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	35 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_coverage_boosters.py::TestCoverageBoosters::test_models_to_dict_variants 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	46 lines (ranges: 71-78, 104-107, 109, 111-113, 115, 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_coverage_map.py::TestCoverageMapper::test_create_mapper 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	2 lines (ranges: 44-45)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_coverage_map.py::TestCoverageMapper::test_get_warnings 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	3 lines (ranges: 44-45, 308)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_coverage_map.py::TestCoverageMapper::test_map_coverage_no_coverage_file   2ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_all_phases   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_empty_context   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_filters_setup 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 216, 220, 224-225, 228-230)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_with_run_phase 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_contexts_full_logic 2ms 🛡 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	57 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 137-140, 144, 148, 150, 152-153, 156, 160-163, 165, 167-168, 173, 176, 178-184, 187-189, 191-194, 196, 199-200, 202, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	13 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65-67)

PASSED tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_contexts_no_contexts 1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 144-146)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_nodeid_variants   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231-234, 236, 239)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_no_files   1ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_read_error   2ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	17 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94-96, 107-111, 114)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_with_parallel_files   3ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	15 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94, 98, 101-104, 106)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_coverage_no_data   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	5 lines (ranges: 44-45, 58-60)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_source_coverage_analysis_error 1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	22 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259, 261, 263-268, 271, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_source_coverage_comprehensive 2ms 🛡 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	32 lines (ranges: 44-45, 243-244, 246-248, 250, 252, 259-261, 273, 276-279, 281-283, 285-293, 295, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)

PASSED | tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_known_code | 1ms | 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED | tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_unknown_code | 1ms | 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED | tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_with_detail | 1ms | 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_errors_maximal.py::TestWarningCodes::test_codes_are_strings   1ms   2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_errors_maximal.py::TestWarningDataClass::test_warning_to_dict_no_detail   1ms   3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	5 lines (ranges: 70-72, 74, 76)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_errors_maximal.py::TestWarningDataClass::test_warning_to_dict_with_detail   1ms   3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	6 lines (ranges: 70-72, 74-76)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_fs.py::TestIsPythonFile::test_non_python_file   1ms   3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED   tests/test_fs.py::TestIsPythonFile::test_python_file   1ms   3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED   tests/test_fs.py::TestMakeRelative::test_makes_path_relative   1ms   3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64)

PASSED tests/test_fs.py::TestMakeRelative::test_returns_normalized_with_no_base 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/fs.py	7 lines (ranges: 30, 33, 36, 39, 42, 55-56)

PASSED tests/test_fs.py::TestNormalizePath::test_already_normalized 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED tests/test_fs.py::TestNormalizePath::test_forward_slashes 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED tests/test_fs.py::TestNormalizePath::test_strips_trailing_slash 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED tests/test_fs.py::TestShouldSkipPath::test_custom_exclude_patterns 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/fs.py	15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123)

PASSED tests/test_fs.py::TestShouldSkipPath::test_normal_path 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED `tests/test_fs.py::TestShouldSkipPath::test_skips_git` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED `tests/test_fs.py::TestShouldSkipPath::test_skips_pycache` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED `tests/test_fs.py::TestShouldSkipPath::test_skips_venv` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED `tests/test_gemini_advanced.py::TestGeminiRateLimiter::test_pruning` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	11 lines (ranges: 39-42, 81-85, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_gemini_advanced.py::TestGeminiRateLimiter::test_rpm_limit` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	26 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95, 97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_gemini_advanced.py::TestGeminiRateLimiter::test_tpm_limit` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	33 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-94, 100-101, 103, 105, 107-108, 110-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_gemini_advanced.py::TestGeminiRateLimiter::test_wait_for_slot   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	31 lines (ranges: 39-42, 45-46, 48, 52-54, 58-59, 61-63, 73, 76-78, 81-82, 84, 87-88, 92-93, 95, 97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_hashing.py::TestComputeConfigHash::test_different_config   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED tests/test_hashing.py::TestComputeConfigHash::test_returns_short_hash   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED   tests/test_hashing.py::TestComputeFileSha256::test_consistent_with_bytes   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/hashing.py	6 lines (ranges: 32, 44-48)

PASSED   tests/test_hashing.py::TestComputeFileSha256::test_hashes_file   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 44-48)

PASSED   tests/test_hashing.py::TestComputeHmac::test_different_key   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED tests/test_hashing.py::TestComputeHmac::test_with_key 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED tests/test_hashing.py::TestComputeSha256::test_consistent 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED tests/test_hashing.py::TestComputeSha256::test_length 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED   `tests/test_hashing.py::TestGetDependencySnapshot::test_includes_pytest`   72ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/hashing.py`	8 lines (ranges: 113-114, 116-121)

PASSED   `tests/test_hashing.py::TestGetDependencySnapshot::test_returns_dict`   76ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/hashing.py`	8 lines (ranges: 113-114, 116-121)

PASSED   `tests/test_hashing.py::TestLoadHmacKey::test_loads_key`   1ms   🛡 4

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/options.py`	2 lines (ranges: 102, 141)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/hashing.py`	5 lines (ranges: 73, 76-77, 80-81)

PASSED `tests/test_hashing.py::TestLoadHmacKey::test_missing_key_file` 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/hashing.py	4 lines (ranges: 73, 76-78)

PASSED `tests/test_hashing.py::TestLoadHmacKey::test_no_key_file` 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/hashing.py	2 lines (ranges: 73-74)

PASSED `tests/test_integration_gate.py::TestConfigDefaults::test_aggregation_defaults` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 225)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_integration_gate.py::TestConfigDefaults::test_capture_failed_output_default_false` 1ms 🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/options.py`	3 lines (ranges: 102, 141, 225)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_integration_gate.py::TestConfigDefaults::test_context_mode_default_minimal` 1ms 🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/options.py`	3 lines (ranges: 102, 141, 225)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_integration_gate.py::TestConfigDefaults::test_llm_not_enabled_by_default` 1ms 🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/options.py`	4 lines (ranges: 102, 141, 216, 225)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED   `tests/test_integration_gate.py::TestConfigDefaults::test_omit_tests_default_true`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/options.py`	3 lines (ranges: 102, 141, 225)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED   `tests/test_integration_gate.py::TestConfigDefaults::test_provider_default_none`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/options.py`	3 lines (ranges: 102, 141, 225)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED   `tests/test_integration_gate.py::TestConfigDefaults::test_secret_exclude_globs`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/options.py`	3 lines (ranges: 102, 141, 225)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_integration_gate.py::TestFullPipeline::test_deterministic_output   7ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	78 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	117 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED   tests/test_integration_gate.py::TestFullPipeline::test_empty_test_suite   7ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	67 lines (ranges: 229-231, 233, 235, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510-512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	118 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED   tests/test_integration_gate.py::TestFullPipeline::test_empty_test_suite   7ms   🛡 5

PASSED tests/test_integration_gate.py::TestFullPipeline::test_html_report_generation   34ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	113 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED   tests/test_integration_gate.py::TestFullPipeline::test_json_report_generation   57ms   🛡 7

COVERAGE

src/pytest_llm_report/_git_info.py	2 lines (ranges: 2-3)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	78 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	133 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-322, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

tests/test_integration_gate.py::TestFullPipeline::test_json_report_generation   57ms   🛡 7

PASSED tests/test_integration_gate.py::TestSchemaCompatibility::test_report_root_has_required_fields   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_integration_gate.py::TestSchemaCompatibility::test_run_meta_has_aggregation_fields   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_integration_gate.py::TestSchemaCompatibility::test_run_meta_has_status_fields   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_integration_gate.py::TestSchemaCompatibility::test_schema_version_defined 1ms 🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_integration_gate.py::TestSchemaCompatibility::test_test_case_has_required_fields 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm.py::TestGetProvider::test_gemini_returns_provider 1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 52-53, 245, 247, 249, 252, 257, 262-263, 265)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm.py::TestGetProvider::test_litellm_returns_provider   1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 52-53, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm.py::TestGetProvider::test_none_returns_noop   1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 245, 247, 249-250)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm.py::TestGetProvider::test_ollama_returns_provider   1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 245, 247, 249, 252-253, 255)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_llm.py::TestGetProvider::test_unknown_raises` 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 245, 247, 249, 252, 257, 262, 267)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_llm.py::TestLlmProviderContract::test_noop_implements_interface` 1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_llm.py::TestNoopProvider::test_annotate_returns_empty` 1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_llm.py::TestNoopProvider::test_get_model_name_empty   1ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 66)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_llm.py::TestNoopProvider::test_is_available   1ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 107, 110-111)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 58)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_llm_annotator.py::test_annotate_tests_emits_summary   2ms   🛡 6

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	65 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED   tests/test_llm_annotator.py::test_annotate_tests_emits_summary   2ms   🛡 6

PASSED   tests/test_llm_annotator.py::test_annotate_tests_reports_progress   1ms   🛡 6

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192-195, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED   tests/test_llm_annotator.py::test_annotate_tests_reports_progress   1ms   🛡 6

PASSED   tests/test_llm_annotator.py::test_annotate_tests_respects_opt_out_and_limit   1ms   🛡 6

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	65 lines (ranges: 45, 48-49, 56-57, 59, 61-62, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED tests/test_llm_annotator.py::test_annotate_tests_respects_rate_limit 1ms 🛡 6

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-172, 175, 177-178, 181-184, 186-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED tests/test_llm_annotator.py::test_annotate_tests_skips_unavailable_provider 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_llm_annotator.py::test_annotate_tests_uses_cache   1ms   🛡 6

COVERAGE

src/pytest_llm_report/cache.py	30 lines (ranges: 39-41, 53, 55-56, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-81, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED   tests/test_llm_contract.py::TestAnnotationSchema::test_required_fields   1ms   🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_llm_contract.py::TestAnnotationSchema::test_schema_from_dict   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_llm_contract.py::TestAnnotationSchema::test_schema_handles_empty   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_llm_contract.py::TestAnnotationSchema::test_schema_handles_partial   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_llm_contract.py::TestAnnotationSchema::test_schema_has_required_fields   1ms   🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_llm_contract.py::TestAnnotationSchema::test_schema_to_dict   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 90-92, 94-96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_llm_contract.py::TestNoopProvider::test_noop_from_factory   1ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 245, 247, 249-250)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_contract.py::TestNoopProvider::test_noop_is_llm_provider 1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_contract.py::TestNoopProvider::test_noop_returns_empty_annotation 1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_contract.py::TestProviderContract::test_annotate_returns_annotation   1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_contract.py::TestProviderContract::test_provider_handles_empty_code   1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_contract.py::TestProviderContract::test_provider_handles_none_context · 1ms · 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_contract.py::TestProviderContract::test_provider_has_annotate_method · 2ms · 🛡 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	15 lines (ranges: 52-53, 245, 247, 249-250, 252-253, 255, 257-258, 260, 262-263, 265)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_handles_context_too_large 1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 52-53, 72, 75-76, 80, 165, 167, 175)
src/pytest_llm_report/llm/gemini.py	154 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-220, 224, 236, 239-241, 266-269, 272-275, 278-282, 284-287, 289-290, 292-293, 307, 309-312, 314-317, 319-320, 338, 340-342, 344-347, 352-355, 366-369, 373-374, 377-379, 383-384, 388-391, 393-394, 397, 400-402, 404-406, 409-410, 420, 422-426, 429-432, 434-435, 437-439)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_dependency 1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/gemini.py	12 lines (ranges: 134, 136-139, 141-142, 160-164)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_token   1ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/gemini.py	12 lines (ranges: 134, 136-139, 141-142, 160-161, 167-169)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_token

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_records_tokens 1ms 🛡 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	180 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-223, 266-269, 272-275, 278-282, 284-287, 289-290, 292-293, 307, 309-312, 314-317, 319-320, 322, 327-335, 338, 340-342, 344-347, 352-358, 360, 362-363, 366-369, 373-374, 377-379, 383-384, 388-391, 393-394, 397, 400-402, 404-406, 409, 411, 413-416, 420, 422-426, 429-432, 434-435, 437-439)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_records_tokens 1ms 🛡 6

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_retries_on_rate_limit   1ms   🛡 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	178 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-221, 223-225, 229-231, 233-234, 266-269, 272-275, 278, 284-287, 289-290, 292-293, 307, 309-312, 314-317, 319-320, 322-325, 327-333, 335, 338, 340-342, 344-347, 352-358, 360-361, 366-369, 373-374, 377-379, 383-384, 388-391, 393-394, 397, 400-402, 404-406, 409, 411, 413-416, 420, 422-426, 429-432, 434-435, 437-439)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_rotat es_models_on_daily_limit   1ms   🛡 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	174 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-208, 210, 213-214, 217-221, 223, 266-269, 272-275, 278-282, 284-287, 289-290, 292-293, 307, 309-312, 314-317, 319-320, 322, 327-333, 335, 338, 340-342, 344-347, 352-358, 360, 362, 364-369, 373-374, 377-379, 383-385, 388-391, 393-394, 397, 400-402, 404-406, 409, 411-412, 420, 422-426, 429-432, 434-435, 437-439)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_rotat es_models_on_daily_limit

PASSED   tests/test_llm_providers.py::TestGeminiProvider::test_annotate_skips_on_daily_limit   1ms   🛡 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	181 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-208, 210-211, 213-214, 217-221, 223, 244-246, 266-269, 272-275, 278-282, 284-287, 289-290, 292-293, 307, 309-312, 314-317, 319-320, 322, 327-333, 335, 338, 340-342, 344-347, 352-358, 360, 362, 364-369, 373-374, 377-379, 383-385, 388-391, 393-394, 397, 400-402, 404-406, 409, 411, 413-416, 420, 422-426, 429-432, 434-435, 437-439)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_llm_providers.py::TestGeminiProvider::test_annotate_success_with_mock_response   1ms   🛡 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	174 lines (ranges: 39-42, 45-46, 48-49, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-221, 223, 266-269, 272-275, 278, 284-287, 289-290, 292-293, 307, 309-312, 314-317, 319-320, 322, 327-333, 335, 338, 340-342, 344-347, 352-358, 360-369, 373-374, 377-379, 383-384, 388-391, 393-394, 397, 400-402, 404-406, 409, 411, 413-416, 420, 422-426, 429-432, 434-435, 437-439)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_exhausted_model_recovers_after_24h 1ms 🛡 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	187 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-188, 190-191, 193-194, 196, 200-208, 210-211, 213-214, 217-221, 223, 244-246, 266-269, 272-275, 278-282, 284-287, 289-290, 292-293, 307, 309-312, 314-317, 319-320, 322, 327-333, 335, 338, 340-342, 344-347, 352-358, 360, 362, 364-369, 373-374, 377-379, 383-385, 388-391, 393-394, 397, 400-402, 404-406, 409, 411, 413-416, 420, 422-426, 429-432, 434-435, 437-439)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED | tests/test_llm_providers.py::TestGeminiProvider::test_fetch_availabl e_models_error | 1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	65 lines (ranges: 134, 136-139, 141-142, 272, 274-275, 278-282, 284-287, 289-290, 292-293, 338, 340-342, 344-347, 352-355, 366-369, 377, 379, 383-384, 388-394, 397, 400-402, 404-406, 409-410, 420, 422-424, 427-428)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_model_list_refreshes_after_interval — 1ms 🛡 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	166 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-221, 223, 266-269, 272-275, 278, 284-287, 289-290, 292-293, 307, 309-312, 314-317, 319-320, 322, 327-333, 335, 338, 340-342, 344-347, 352-358, 360-361, 366-369, 373-374, 377-379, 383-385, 388-391, 393-394, 397, 400-402, 404-406, 409, 411, 413-416, 420, 422-426, 429-432, 434-435, 437-439)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_handles_completion_error   1ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175)
src/pytest_llm_report/llm/litellm_provider.py	16 lines (ranges: 37-38, 44, 47, 50-55, 57-58, 63-64, 66, 69)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_invalid_key_assertions   1ms   🛡 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207-209)
src/pytest_llm_report/llm/litellm_provider.py	14 lines (ranges: 37-38, 44, 47, 50-55, 57-58, 61-62)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_missing_dependency   1ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/litellm_provider.py	5 lines (ranges: 37-41)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_success_with_mock_response   1ms   🛡 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/litellm_provider.py	14 lines (ranges: 37-38, 44, 47, 50-55, 57-58, 61-62)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestLiteLLMProvider::test_is_available_with_module   1ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 107, 110-111)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 77-78, 80)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_annotate_fallbacks_on_context_length_error   1ms   🛡 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	33 lines (ranges: 52-53, 72, 75-76, 78, 165, 167-173, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/ollama.py	15 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-60, 62-63, 66-67)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_annotate_handles_call_error 1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-59, 71-72, 74-75, 77-78)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_annotate_missing_httpx 1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 40-44)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_annotate_success_full_flow   1ms   🛡 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/ollama.py	29 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-60, 62-63, 114, 116-123, 127-130, 132, 134-135)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_call_ollama_success   1ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 114, 116-123, 127-130, 132, 134-135)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_call_ollama_uses_default_model   1ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 114, 116-123, 127-130, 132, 134-135)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_check_availability_failure   1ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	6 lines (ranges: 87-88, 90-91, 93-94)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_check_availability_non_200   1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 87-88, 90-92)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_check_availability_success   1ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 87-88, 90-92)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_is_local_returns_true `1ms` 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	1 lines (ranges: 102)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_parse_response_invalid_json `1ms` 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 52-53, 186-187, 190-192)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_parse_response _invalid_key_assertions   1ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	16 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207-209)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_parse_response _json_in_code_fence   1ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_parse_response_json_in_plain_fence   1ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_parse_response_success   1ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestArtifactEntry::test_to_dict   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 254-257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestCollectionError::test_to_dict   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	3 lines (ranges: 207-209)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestCoverageEntry::test_to_dict   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 40-43)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestLlmAnnotation::test_empty_annotation   1ms 🛡 2

COVERAGE

| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 429-430, 433, 437-439) |

PASSED tests/test_models.py::TestLlmAnnotation::test_to_dict_minimal   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	8 lines (ranges: 104-107, 109, 111, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestLlmAnnotation::test_to_dict_with_all_fields   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	10 lines (ranges: 104-107, 109-111, 113-115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestReportRoot::test_default_report   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   `tests/test_models.py::TestReportRoot::test_report_with_collection_errors`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/models.py`	58 lines (ranges: 207-209, 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508-510, 512, 514, 516, 518, 520, 522)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED   `tests/test_models.py::TestReportRoot::test_report_with_warnings`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/models.py`	60 lines (ranges: 229-231, 233, 235, 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510-512, 514, 516, 518, 520, 522)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED   `tests/test_models.py::TestReportRoot::test_tests_sorted_by_nodeid`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/models.py`	71 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED   `tests/test_models.py::TestReportWarning::test_to_dict_with_detail`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/models.py`	6 lines (ranges: 229-231, 233-235)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED   `tests/test_models.py::TestReportWarning::test_to_dict_without_detail`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/models.py`	5 lines (ranges: 229-231, 233, 235)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestRunMeta::test_aggregation_fields_present 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	39 lines (ranges: 277-279, 281-283, 364-380, 382, 385, 387, 390, 393, 395, 397, 399-405, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestRunMeta::test_llm_fields_excluded_when_disabled 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestRunMeta::test_llm_traceability_fields 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	40 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407-419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestRunMeta::test_non_aggregated_excludes_source_reports 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestRunMeta::test_run_meta_to_dict_full 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	49 lines (ranges: 277-279, 281-283, 364-380, 382-405, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestRunMeta::test_run_status_fields 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_models.py::TestSchemaVersion::test_schema_version_format   1ms   🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_models.py::TestSchemaVersion::test_schema_version_in_report_root   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_models.py::TestSourceCoverageEntry::test_to_dict   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	8 lines (ranges: 71-78)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_models.py::TestSourceReport::test_to_dict_minimal` 1ms 🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/models.py`	5 lines (ranges: 277-279, 281, 283)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_models.py::TestSourceReport::test_to_dict_with_run_id` 1ms 🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/models.py`	6 lines (ranges: 277-279, 281-283)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_models.py::TestSummary::test_to_dict` 1ms 🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/models.py`	11 lines (ranges: 449-457, 459, 461)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestTestCaseResult::test_minimal_result 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestTestCaseResult::test_result_with_coverage 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	22 lines (ranges: 40-43, 161-165, 167, 169, 171, 173, 176-178, 180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestTestCaseResult::test_result_with_llm_opt_out 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	18 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180-182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestTestCaseResult::test_result_with_rerun   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	19 lines (ranges: 161-165, 167, 169, 171, 173-176, 178, 180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_models.py::TestTestCaseResult::test_result_without_rerun_excludes_fields   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options.py::TestConfigAggregationFields::test_aggregate_dir_defaults_to_none   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options.py::TestConfigAggregationFields::test_aggregate_group_id_defaults_to_none 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options.py::TestConfigAggregationFields::test_aggregate_include_history_defaults_to_false 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options.py::TestConfigAggregationFields::test_aggregate_run_id_defaults_to_none 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   `tests/test_options.py::TestConfigDefaults::test_aggregate_policy_defaults_to_latest`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/options.py`	2 lines (ranges: 102, 141)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED   `tests/test_options.py::TestConfigDefaults::test_capture_failed_output_defaults_to_false`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/options.py`	2 lines (ranges: 102, 141)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED   `tests/test_options.py::TestConfigDefaults::test_context_mode_defaults_to_minimal`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/options.py`	2 lines (ranges: 102, 141)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options.py::TestConfigDefaults::test_default_exclude_globs_include_secrets 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options.py::TestConfigDefaults::test_llm_include_param_values_defaults_to_false 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options.py::TestConfigDefaults::test_llm_requests_per_minute_defaults_to_five 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_options.py::TestConfigDefaults::test_omit_tests_from_cove rage_defaults_to_true   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_options.py::TestConfigDefaults::test_provider_defaults_to _none   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_options.py::TestConfigIsLlmEnabled::test_gemini_provider_ is_enabled   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options.py::TestConfigIsLlmEnabled::test_litellm_provider
_is_enabled 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options.py::TestConfigIsLlmEnabled::test_none_provider_no
t_enabled 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options.py::TestConfigIsLlmEnabled::test_ollama_provider_
is_enabled 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options.py::TestConfigValidation::test_context_bytes_too_small_produces_error   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203-205, 207, 209, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options.py::TestConfigValidation::test_invalid_aggregate_policy_produces_error   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	19 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-191, 195-196, 203, 205, 207, 209, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options.py::TestConfigValidation::test_invalid_context_mode_produces_error   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	19 lines (ranges: 102, 141, 169, 172-173, 179-183, 187-188, 195-196, 203, 205, 207, 209, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_options.py::TestConfigValidation::test_invalid_include_phase_produces_error` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	19 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-199, 203, 205, 207, 209, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_options.py::TestConfigValidation::test_invalid_provider_produces_error` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	18 lines (ranges: 102, 141, 169, 172-175, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_options.py::TestConfigValidation::test_max_tests_negative_produces_error` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205-207, 209, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_options.py::TestConfigValidation::test_multiple_errors_reported` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	21 lines (ranges: 102, 141, 169, 172-175, 179-183, 187-188, 195-196, 203, 205, 207, 209, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_options.py::TestConfigValidation::test_requests_per_minute_too_small_produces_error` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207-209, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_options.py::TestConfigValidation::test_timeout_too_small_produces_error` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209-210, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_options.py::TestConfigValidation::test_valid_config_has_no_errors   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	16 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_options.py::TestGetDefaultConfig::test_returns_config_instance   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 225)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_options.py::TestGetDefaultConfig::test_returns_defaults   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 225)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options_extended.py::TestConfigAnnotations::test_aggregation_settings 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options_extended.py::TestConfigAnnotations::test_all_output_paths 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options_extended.py::TestConfigAnnotations::test_capture_settings 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options_extended.py::TestConfigAnnotations::test_complliance_settings 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options_extended.py::TestConfigAnnotations::test_coverage_settings 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options_extended.py::TestConfigAnnotations::test_custom_exclude_globs 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_options_extended.py::TestConfigAnnotations::test_include_globs   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_options_extended.py::TestConfigAnnotations::test_invocation_settings   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_options_extended.py::TestConfigAnnotations::test_llm_execution_settings   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options_extended.py::TestConfigAnnotations::test_llm_param_settings   1ms   3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options_extended.py::TestConfigAnnotations::test_llm_settings   1ms   3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options_extended.py::TestConfigAnnotations::test_repo_root_path   1ms   3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options_extended.py::TestConfigAnnotations::test_valid_phase_values   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	16 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options_maximal.py::TestConfigDefaultsMaximal::test_default_exclude_globs   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options_maximal.py::TestConfigDefaultsMaximal::test_default_redact_patterns   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options_maximal.py::TestConfigDefaultsMaximal::test_default_values 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 225)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options_maximal.py::TestConfigHelpersMaximal::test_is_llm_enabled 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_invalid_aggregate_policy 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	19 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-191, 195-196, 203, 205, 207, 209, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_invalid_context_mode` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	19 lines (ranges: 102, 141, 169, 172-173, 179-183, 187-188, 195-196, 203, 205, 207, 209, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_invalid_include_phase` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	19 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-199, 203, 205, 207, 209, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_invalid_provider` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	18 lines (ranges: 102, 141, 169, 172-175, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_numeric_bounds   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203-210, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_valid_config   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	16 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_plugin_integration.py::TestPluginConfigLoading::test_config_defaults   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	33 lines (ranges: 159, 162-170, 172, 176, 178-182, 184, 186, 190, 192, 194-196, 198, 202, 204, 429-430, 433, 437-439)

PASSED   tests/test_plugin_integration.py::TestPluginConfigLoading::test_markers_exist_in_config   1ms   🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_plugin_integration.py::TestPluginIntegration::test_llm_context_marker   1ms   🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_plugin_integration.py::TestPluginIntegration::test_llm_opt_out_marker   1ms   🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_plugin_integration.py::TestPluginIntegration::test_requirement_marker   1ms   🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_plugin_integration.py::TestReportGeneration::test_report_writer_integration` 34ms 🛡 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	79 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	131 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED `tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_disabled` 1ms 🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	10 lines (ranges: 429-430, 433, 437-439, 450-451, 457-458)

PASSED tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_enabled   2ms   🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	12 lines (ranges: 429-430, 433, 437-439, 450-451, 457, 461-463)

PASSED tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_no_session   1ms   🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 429-430, 433, 437-439, 450, 454)

PASSED tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_session_none   1ms   🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 429-430, 433, 437-439, 450, 454)

PASSED tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_llm_enabled_warning   3ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212, 216)
src/pytest_llm_report/plugin.py	50 lines (ranges: 159, 162-168, 170, 172, 176, 178, 180, 182, 184, 186, 190, 192, 194, 196, 198-199, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-238, 245-247, 249-250, 254-255, 429-430, 433, 437-439)

PASSED tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_validation_errors   3ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	18 lines (ranges: 102, 141, 169, 172-175, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212)
src/pytest_llm_report/plugin.py	44 lines (ranges: 159, 162-164, 166, 168, 170, 172, 176, 178, 180, 182, 184, 186, 190, 192, 194, 196, 198-199, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-241, 429-430, 433, 437-439)

PASSED `tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_worker_skip`   1ms 🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	17 lines (ranges: 216-218, 220-222, 224-226, 230-231, 429-430, 433, 437-439)

PASSED `tests/test_plugin_maximal.py::TestPluginLoadConfig::test_load_config_all_ini_options`   2ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	33 lines (ranges: 159, 162-173, 176, 178, 180, 182, 184, 186, 190, 192, 194, 196, 198-199, 202, 204, 429-430, 433, 437-439)

PASSED `tests/test_plugin_maximal.py::TestPluginLoadConfig::test_load_config_cli_overrides_ini`   3ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	39 lines (ranges: 159, 162, 164, 166, 168, 170-173, 176-187, 190-199, 202, 204, 429-430, 433, 437-439)

PASSED   `tests/test_plugin_maximal.py::TestPluginMaximal::test_load_config_from_pytest`   3ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/options.py`	2 lines (ranges: 102, 141)
`src/pytest_llm_report/plugin.py`	37 lines (ranges: 159, 162, 164, 166, 168, 170, 172, 176-187, 190-199, 202, 204, 429-430, 433, 437-439)

PASSED   `tests/test_plugin_maximal.py::TestPluginMaximal::test_terminal_summary_disabled`   1ms   🛡 2

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	9 lines (ranges: 280, 284-285, 429-430, 433, 437-439)

PASSED   `tests/test_plugin_maximal.py::TestPluginMaximal::test_terminal_summary_worker_skip`   1ms   🛡 2

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	8 lines (ranges: 280-281, 429-430, 433, 437-439)

PASSED   tests/test_plugin_maximal.py::TestPluginRuntest::test_runtest_makere
port_disabled   2ms   🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	7 lines (ranges: 429-430, 433-434, 437-439)

PASSED   tests/test_plugin_maximal.py::TestPluginRuntest::test_runtest_makere
port_enabled   2ms   🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)

PASSED   tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_co
llection_finish_disabled   1ms   🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 429-430, 433, 437-439, 473-474)

PASSED   tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_co
llection_finish_enabled   2ms   🛡 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	10 lines (ranges: 429-430, 433, 437-439, 473, 477-479)

PASSED `tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_sessionstart_disabled`   1ms 🛡 2

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	8 lines (ranges: 429-430, 433, 437-439, 490-491)

PASSED `tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_sessionstart_enabled`   1ms 🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/options.py`	2 lines (ranges: 102, 141)
`src/pytest_llm_report/plugin.py`	11 lines (ranges: 429-430, 433, 437-439, 490, 494, 497, 499-500)

PASSED `tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_pytest_addoption`   2ms 🛡 2

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	88 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 106-110, 114-117, 119-122, 124-127, 129-133, 135-138, 140-143, 429-430, 433, 437-439)

PASSED tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_coverage_calculation 3ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	58 lines (ranges: 280, 284, 288, 291, 310-311, 313, 315, 318-319, 322-323, 325-326, 329-333, 335, 338-339, 341, 344-347, 349, 351-357, 359-360, 373-374, 379-380, 407-417, 429-430, 433, 437-439)

PASSED tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_llm_enabled 3ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	59 lines (ranges: 280, 284, 288, 291, 310-311, 313, 315, 318-319, 322-323, 325-326, 329-333, 335, 338-339, 341, 344-345, 373-374, 379-382, 385, 387, 390-392, 399-404, 407-417, 429-430, 433, 437-439)

PASSED tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_no_collector   3ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 141, 216)
src/pytest_llm_report/plugin.py	45 lines (ranges: 280, 284, 288, 291, 310-311, 313, 315, 318-319, 322-323, 325-326, 329-333, 335, 338-339, 341, 344-345, 373, 379-380, 407-417, 429-430, 433, 437-439)

PASSED tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_with_aggregation   3ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	21 lines (ranges: 280, 284, 288, 291-292, 294-295, 298-299, 301, 303-307, 429-430, 433, 437-439)

PASSED `tests/test_prompts.py::TestContextAssembler::test_balanced_mode_includes_coverage` 8ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	33 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-155, 158-159, 163, 191-192, 194)

PASSED `tests/test_prompts.py::TestContextAssembler::test_context_override_from_marker` 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	15 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 132-133)

PASSED `tests/test_prompts.py::TestContextAssembler::test_create_assembler` 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	1 lines (ranges: 33)

PASSED tests/test_prompts.py::TestContextAssembler::test_minimal_mode_returns_empty_context 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	25 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-107, 116)

PASSED tests/test_prompts.py::TestContextAssemblerComplete::test_complete_mode_includes_coverage 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	34 lines (ranges: 33, 49, 52, 55, 58, 60, 63, 65, 78-79, 82-84, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-155, 158-159, 163, 180, 191-192, 194)

PASSED tests/test_prompts.py::TestContextAssemblerExcludes::test_excludes_secret_files   1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	28 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 132, 135-138, 140-141, 144-145, 148-149, 163, 191-193)

PASSED tests/test_prompts.py::TestContextAssemblerLimits::test_context_limited_by_file_count   2ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	33 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-155, 158-159, 163, 191-192, 194)

PASSED tests/test_prompts.py::TestContextAssemblerLimits::test_context_skips_nonexistent_files 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	34 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 132, 135-138, 140-141, 144-146, 148, 151-152, 154-155, 158-159, 163, 191-192, 194)

PASSED tests/test_prompts.py::TestContextAssemblerLimits::test_context_truncated_at_max_bytes 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	34 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-156, 158-159, 163, 191-192, 194)

PASSED   tests/test_prompts.py::TestContextAssemblerRepoRoot::test_uses_config_repo_root   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	25 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-107, 116)

PASSED   tests/test_prompts.py::TestContextAssemblerRepoRoot::test_uses_cwd_if_no_repo_root   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	25 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-107, 116)

PASSED   tests/test_prompts.py::TestContextAssemblerSource::test_get_test_sou rce_class_method   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	30 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116)

PASSED   tests/test_prompts.py::TestContextAssemblerSource::test_get_test_sou rce_empty_nodeid   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	15 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-89)

PASSED   tests/test_prompts.py::TestContextAssemblerSource::test_get_test_sou rce_nonexistent_file   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED `tests/test_prompts.py::TestContextAssemblerSource::test_get_test_source_parametrized`   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	31 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94-95, 98-101, 103-112, 116)

PASSED `tests/test_prompts.py::TestContextAssemblerSource::test_get_test_source_simple`   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/prompts.py	30 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116)

PASSED `tests/test_ranges.py::TestCompressRanges::test_consecutive_lines`   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED   `tests/test_ranges.py::TestCompressRanges::test_duplicates`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/ranges.py`	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED   `tests/test_ranges.py::TestCompressRanges::test_empty_list`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/ranges.py`	2 lines (ranges: 29-30)

PASSED   `tests/test_ranges.py::TestCompressRanges::test_mixed_ranges`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/ranges.py`	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED   `tests/test_ranges.py::TestCompressRanges::test_non_consecutive_lines`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/ranges.py`	14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)

PASSED   `tests/test_ranges.py::TestCompressRanges::test_single_line`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/ranges.py`	10 lines (ranges: 29, 33, 35-37, 39, 50, 52, 65-66)

PASSED   `tests/test_ranges.py::TestCompressRanges::test_two_consecutive`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/ranges.py`	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED   `tests/test_ranges.py::TestCompressRanges::test_unsorted_input`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/ranges.py`	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED   `tests/test_ranges.py::TestExpandRanges::test_empty_string`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/ranges.py`	2 lines (ranges: 81-82)

PASSED   `tests/test_ranges.py::TestExpandRanges::test_mixed`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/ranges.py`	11 lines (ranges: 81, 84-91, 93, 95)

PASSED `tests/test_ranges.py::TestExpandRanges::test_range`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/ranges.py`	10 lines (ranges: 81, 84-91, 95)

PASSED `tests/test_ranges.py::TestExpandRanges::test_roundtrip`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/ranges.py`	27 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67, 81, 84-91, 93, 95)

PASSED `tests/test_ranges.py::TestExpandRanges::test_single_number`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/ranges.py`	7 lines (ranges: 81, 84-87, 93, 95)

PASSED tests/test_render.py::TestFormatDuration::test_milliseconds   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/render.py	2 lines (ranges: 65, 67)

PASSED tests/test_render.py::TestFormatDuration::test_seconds   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/render.py	2 lines (ranges: 65-66)

PASSED tests/test_render.py::TestOutcomeToCssClass::test_all_outcomes   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED `tests/test_render.py::TestOutcomeToCssClass::test_unknown_outcome` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED `tests/test_render.py::TestRenderFallbackHtml::test_renders_basic_report` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/render.py	52 lines (ranges: 65-67, 79-85, 87, 121-124, 126-127, 131-132, 141-143, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED `tests/test_render.py::TestRenderFallbackHtml::test_renders_coverage` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/render.py	52 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-129, 131-132, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED   tests/test_render.py::TestRenderFallbackHtml::test_renders_llm_annotation   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/render.py	54 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-134, 136-137, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED   tests/test_render.py::TestRenderFallbackHtml::test_renders_source_coverage   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/render.py	63 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-164, 166-172, 177, 192, 196, 229-236, 239-245, 248-249)

PASSED `tests/test_render.py::TestRenderFallbackHtml::test_renders_xpass_summary` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/render.py	50 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED `tests/test_report_writer.py::TestComputeSha256::test_different_content` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED `tests/test_report_writer.py::TestComputeSha256::test_empty_bytes` 1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED   tests/test_report_writer.py::TestReportWriter::test_build_run_meta   5ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	67 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300)

PASSED   tests/test_report_writer.py::TestReportWriter::test_build_summary_all_outcomes   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	19 lines (ranges: 156-158, 312, 314-315, 317-328, 330)

PASSED tests/test_report_writer.py::TestReportWriter::test_build_summary_counts 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	13 lines (ranges: 156-158, 312, 314-315, 317-322, 330)

PASSED tests/test_report_writer.py::TestReportWriter::test_create_writer 1ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 156-158)

PASSED tests/test_report_writer.py::TestReportWriter::test_write_report_assembles_tests 5ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	93 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330)

PASSED tests/test_report_writer.py::TestReportWriter::test_write_report_includes_coverage_percent 6ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	93 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-199, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330)

PASSED tests/test_report_writer.py::TestReportWriter::test_write_report_includes_source_coverage 5ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	92 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330)

PASSED tests/test_report_writer.py::TestReportWriter::test_write_report_merges_coverage 5ms 🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	94 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186-189, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330)

PASSED tests/test_report_writer.py::TestReportWriterWithFiles::test_atomic_write_fallback 7ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	67 lines (ranges: 229-231, 233, 235, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510-512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	125 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506-507, 509-512, 515-516)

PASSED tests/test_report_writer.py::TestReportWriterWithFiles::test_atomic_write_fallback

PASSED tests/test_report_writer.py::TestReportWriterWithFiles::test_creates_directory_if_missing   7ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	84 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 229-231, 233, 235, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510-512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	123 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-477, 495, 497, 499-501, 503, 506)

PASSED tests/test_report_writer.py::TestReportWriterWithFiles::test_ensure_dir_failure   1ms   🛡 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	12 lines (ranges: 156-158, 470-473, 480-484)

PASSED tests/test_report_writer.py::TestReportWriterWithFiles::test_git_info_failure   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 67-73, 85-86)

PASSED tests/test_report_writer.py::TestReportWriterWithFiles::test_write_html_creates_file   32ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	115 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED tests/test_report_writer.py::TestReportWriterWithFiles::test_write_html_includes_xfail_summary 33ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	118 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317, 319, 321, 323-326, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED | tests/test_report_writer.py::TestReportWriterWithFiles::test_write_json_creates_file | 6ms 🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	78 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/report_writer.py	117 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED   tests/test_report_writer.py::TestReportWriterWithFiles::test_write_pdf_creates_file   36ms   🛡 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 141)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	125 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 401, 410, 412, 414-423, 434-435, 437-443, 448, 453, 455, 458-462, 470-471)

PASSED `tests/test_report_writer.py::TestReportWriterWithFiles::test_write_pdf_missing_playwright_warns`   6ms   🛡 4

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/options.py`	2 lines (ranges: 102, 141)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/report_writer.py`	98 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 401-405, 408)

PASSED `tests/test_schemas.py::TestAnnotationSchema::test_from_dict_full`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/llm/schemas.py`	5 lines (ranges: 77-81)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED `tests/test_schemas.py::TestAnnotationSchema::test_to_dict_full`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/llm/schemas.py`	8 lines (ranges: 90-92, 94-98)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)

PASSED tests/test_smoke_pytester.py::TestBasicReportGeneration::test_html_report_created 86ms 🛡 7

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212, 216)
src/pytest_llm_report/plugin.py	176 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 106-110, 114-117, 119-122, 124-127, 129-133, 135-138, 140-143, 159, 162-164, 166-170, 172, 176-178, 180, 182, 184, 186, 190, 192, 194, 196, 198, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-238, 245, 254-255, 280, 284, 288, 291, 310-311, 318-319, 322-323, 325-326, 329-333, 335, 338-339, 341, 344-345, 373, 379-380, 407-417, 429-430, 433, 437-439, 450, 454, 473, 477-479, 490, 494, 497, 499-500)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	101 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED   tests/test_smoke_pytester.py::TestBasicReportGeneration::test_html_summary_counts_all_statuses   122ms   🛡 7

COVERAGE

src/pytest_llm_report/collector.py	65 lines (ranges: 78-79, 90, 93-94, 96, 99-104, 106-107, 109-112, 114-119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212-214, 216, 227-228, 230-236, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212, 216)
src/pytest_llm_report/plugin.py	176 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 106-110, 114-117, 119-122, 124-127, 129-133, 135-138, 140-143, 159, 162-164, 166-170, 172, 176-178, 180, 182, 184, 186, 190, 192, 194, 196, 198, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-238, 245, 254-255, 280, 284, 288, 291, 310-311, 318-319, 322-323, 325-326, 329-333, 335, 338-339, 341, 344-345, 373, 379-380, 407-417, 429-430, 433, 437-439, 450, 454, 473, 477-479, 490, 494, 497, 499-500)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	111 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-328, 330, 376, 378-379, 382, 385, 388, 391-395, 470-

471, 495, 497, 499-501, 503, 506)

PASSED tests/test_smoke_pytester.py::TestBasicReportGeneration::test_json_
report_created 69ms 🛡 7

COVERAGE

src/pytest_llm_report/collector.py	51 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-118, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212, 216)
src/pytest_llm_report/plugin.py	176 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 106-110, 114-117, 119-122, 124-127, 129-133, 135-138, 140-143, 159, 162-164, 166-170, 172, 176, 178-180, 182, 184, 186, 190, 192, 194, 196, 198, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-238, 245, 254-255, 280, 284, 288, 291, 310-311, 318-319, 322-323, 325-326, 329-333, 335, 338-339, 341, 344-345, 373, 379-380, 407-417, 429-430, 433, 437-439, 450, 454, 473, 477-479, 490, 494, 497, 499-500)
src/pytest_llm_report/report_writer.py	107 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-

297, 299-300, 312, 314-315,
317-320, 330, 340, 343-345,
348-349, 352-354, 357, 360-
364, 470-471, 495, 497, 499-
501, 503, 506)

PASSED tests/test_smoke_pytester.py::TestBasicReportGeneration::test_llm_ annotations_in_report 62ms 🛡 13

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192-195, 198, 203)
src/pytest_llm_report/llm/base.py	39 lines (ranges: 52-53, 72, 75, 80, 107, 110-111, 128, 136, 147, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/llm/litellm_provider.py	17 lines (ranges: 37-38, 44, 47, 50-55, 57-58, 61-62, 77-78, 80)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/models.py	94 lines (ranges: 104-107, 109-111, 113, 115, 161-165, 167, 169, 171, 173, 176, 178-180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407-419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212, 216)

src/pytest_llm_report/plugin.py	197 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 106-110, 114-117, 119-122, 124-127, 129-133, 135-138, 140-143, 159, 162-170, 172, 176, 178-180, 182, 184, 186, 190, 192, 194, 196, 198, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-238, 245-247, 249-250, 254-255, 280, 284, 288, 291, 310-311, 318-319, 322-323, 325-326, 329-333, 335, 338-339, 341, 344-345, 373, 379-382, 385, 387, 390-394, 397, 399-404, 407-417, 429-430, 433, 437-439, 450, 454, 473, 477-479, 490, 494, 497, 499-500)
src/pytest_llm_report/prompts.py	29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-296, 298-299, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED   tests/test_smoke_pytester.py::TestBasicReportGeneration::test_llm_error_is_reported   85ms   🛡 12

COVERAGE

src/pytest_llm_report/cache.py	12 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/llm/annotator.py	73 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135-137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192-195, 198-201, 203)
src/pytest_llm_report/llm/base.py	21 lines (ranges: 52-53, 72, 75, 80, 107, 110-111, 128, 136, 147, 165, 167, 175, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/llm/litellm_provider.py	19 lines (ranges: 37-38, 44, 47, 50-55, 57-58, 63-64, 66, 69, 77-78, 80)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212, 216)
src/pytest_llm_report/plugin.py	197 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 106-110, 114-117, 119-122, 124-127, 129-133, 135-138, 140-143, 159, 162-170, 172, 176-178, 180, 182, 184, 186, 190, 192, 194, 196, 198, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-238, 245-247, 249-250, 254-255, 280, 284, 288, 291, 310-311, 318-319, 322-323, 325-326, 329-333, 335, 338-339,

	341, 344-345, 373, 379-382, 385, 387, 390-395, 399-404, 407-417, 429-430, 433, 437-439, 450, 454, 473, 477-479, 490, 494, 497, 499-500)
src/pytest_llm_report/prompts.py	29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	101 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-296, 298-299, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED tests/test_smoke_pytester.py::TestMarkers::test_llm_opt_out_marker   58ms 🛡 7

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181-182, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180-182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212, 216)
src/pytest_llm_report/plugin.py	176 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 106-110, 114-117, 119-122, 124-127, 129-133, 135-138, 140-143, 159, 162-164, 166-170, 172, 176, 178-180, 182, 184, 186, 190, 192, 194, 196, 198, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-238, 245, 254-255, 280, 284, 288, 291, 310-311, 318-319, 322-323, 325-326, 329-333, 335, 338-339, 341, 344-345, 373, 379-380, 407-417, 429-430, 433, 437-439, 450, 454, 473, 477-479, 490, 494, 497, 499-500)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345,

348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED tests/test_smoke_pytester.py::TestMarkers::test_requirement_marker 59ms 🛡 7

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-200, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188-190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212, 216)
src/pytest_llm_report/plugin.py	176 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 106-110, 114-117, 119-122, 124-127, 129-133, 135-138, 140-143, 159, 162-164, 166-170, 172, 176, 178-180, 182, 184, 186, 190, 192, 194, 196, 198, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-238, 245, 254-255, 280, 284, 288, 291, 310-311, 318-319, 322-323, 325-326, 329-333, 335, 338-339, 341, 344-345, 373, 379-380, 407-417, 429-430, 433, 437-439, 450, 454, 473, 477-479, 490, 494, 497, 499-500)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345,

348-349, 352-354, 357, 360-
364, 470-471, 495, 497, 499-
501, 503, 506)

PASSED | tests/test_smoke_pytester.py::TestOutcomes::test_multiple_xfail_outcomes | 64ms 🛡 7

COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212, 216)
src/pytest_llm_report/plugin.py	176 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 106-110, 114-117, 119-122, 124-127, 129-133, 135-138, 140-143, 159, 162-164, 166-170, 172, 176, 178-180, 182, 184, 186, 190, 192, 194, 196, 198, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-238, 245, 254-255, 280, 284, 288, 291, 310-311, 318-319, 322-323, 325-326, 329-333, 335, 338-339, 341, 344-345, 373, 379-380, 407-417, 429-430, 433, 437-439, 450, 454, 473, 477-479, 490, 494, 497, 499-500)
src/pytest_llm_report/report_writer.py	108 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-

297, 299-300, 312, 314-315,
317, 319, 321, 323-324, 330,
340, 343-345, 348-349, 352-
354, 357, 360-364, 470-471,
495, 497, 499-501, 503, 506)

PASSED   tests/test_smoke_pytester.py::TestOutcomes::test_skip_outcome   60ms   🛡 7

COVERAGE

src/pytest_llm_report/collector.py	43 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 106-107, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212, 216)
src/pytest_llm_report/plugin.py	176 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 106-110, 114-117, 119-122, 124-127, 129-133, 135-138, 140-143, 159, 162-164, 166-170, 172, 176, 178-180, 182, 184, 186, 190, 192, 194, 196, 198, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-238, 245, 254-255, 280, 284, 288, 291, 310-311, 318-319, 322-323, 325-326, 329-333, 335, 338-339, 341, 344-345, 373, 379-380, 407-417, 429-430, 433, 437-439, 450, 454, 473, 477-479, 490, 494, 497, 499-500)
src/pytest_llm_report/report_writer.py	107 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315,

317, 319, 321-322, 330, 340,
343-345, 348-349, 352-354,
357, 360-364, 470-471, 495,
497, 499-501, 503, 506)

PASSED tests/test_smoke_pytester.py::TestOutcomes::test_xfail_outcome 61ms 🛡 7

COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212, 216)
src/pytest_llm_report/plugin.py	176 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 106-110, 114-117, 119-122, 124-127, 129-133, 135-138, 140-143, 159, 162-164, 166-170, 172, 176, 178-180, 182, 184, 186, 190, 192, 194, 196, 198, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-238, 245, 254-255, 280, 284, 288, 291, 310-311, 318-319, 322-323, 325-326, 329-333, 335, 338-339, 341, 344-345, 373, 379-380, 407-417, 429-430, 433, 437-439, 450, 454, 473, 477-479, 490, 494, 497, 499-500)
src/pytest_llm_report/report_writer.py	108 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315,

317, 319, 321, 323-324, 330,
340, 343-345, 348-349, 352-
354, 357, 360-364, 470-471,
495, 497, 499-501, 503, 506)

PASSED tests/test_smoke_pytester.py::TestParametrization::test_parametrized_tests 87ms 🛡 7

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167, 169-171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212, 216)
src/pytest_llm_report/plugin.py	176 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 106-110, 114-117, 119-122, 124-127, 129-133, 135-138, 140-143, 159, 162-164, 166-170, 172, 176, 178-180, 182, 184, 186, 190, 192, 194, 196, 198, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-238, 245, 254-255, 280, 284, 288, 291, 310-311, 318-319, 322-323, 325-326, 329-333, 335, 338-339, 341, 344-345, 373, 379-380, 407-417, 429-430, 433, 437-439, 450, 454, 473, 477-479, 490, 494, 497, 499-500)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315,

317-318, 330, 340, 343-345,
348-349, 352-354, 357, 360-
364, 470-471, 495, 497, 499-
501, 503, 506)

PASSED tests/test_smoke_pytester.py::TestPluginRegistration::test_help_con
tains_examples   53ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212, 216)
src/pytest_llm_report/plugin.py	127 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 106-110, 114-117, 119-122, 124-127, 129-133, 135-138, 140-143, 159, 162-164, 166-170, 172, 176, 178, 180, 182, 184, 186, 190, 192, 194, 196, 198, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-238, 245, 254-255, 429-430, 433, 437-439)

PASSED   tests/test_smoke_pytester.py::TestPluginRegistration::test_markers_registered   45ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212, 216)
src/pytest_llm_report/plugin.py	127 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 106-110, 114-117, 119-122, 124-127, 129-133, 135-138, 140-143, 159, 162-164, 166-170, 172, 176, 178, 180, 182, 184, 186, 190, 192, 194, 196, 198, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-238, 245, 254-255, 429-430, 433, 437-439)

PASSED   tests/test_smoke_pytester.py::TestPluginRegistration::test_plugin_registered   52ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212, 216)
src/pytest_llm_report/plugin.py	127 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 106-110, 114-117, 119-122, 124-127, 129-133, 135-138, 140-143, 159, 162-164, 166-170, 172, 176, 178, 180, 182, 184, 186, 190, 192, 194, 196, 198, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-238, 245, 254-255, 429-430, 433, 437-439)

PASSED tests/test_smoke_pytester.py::TestSpecialCharacters::test_special_chars_in_nodeid   87ms 🛡 7

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 141, 169, 172-173, 179-180, 187-188, 195-196, 203, 205, 207, 209, 212, 216)
src/pytest_llm_report/plugin.py	176 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 106-110, 114-117, 119-122, 124-127, 129-133, 135-138, 140-143, 159, 162-164, 166-170, 172, 176-178, 180, 182, 184, 186, 190, 192, 194, 196, 198, 202, 204, 216-218, 220-222, 224-226, 230, 234, 237-238, 245, 254-255, 280, 284, 288, 291, 310-311, 318-319, 322-323, 325-326, 329-333, 335, 338-339, 341, 344-345, 373, 379-380, 407-417, 429-430, 433, 437-439, 450, 454, 473, 477-479, 490, 494, 497, 499-500)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	101 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED   tests/test_time.py::TestFormatDuration::test_boundary_one_minute   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED   tests/test_time.py::TestFormatDuration::test_microseconds_format   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)

PASSED   tests/test_time.py::TestFormatDuration::test_milliseconds_format   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED `tests/test_time.py::TestFormatDuration::test_minutes_format` 1ms 🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/time.py`	6 lines (ranges: 39, 41, 43, 46-48)

PASSED `tests/test_time.py::TestFormatDuration::test_multiple_minutes` 1ms 🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/time.py`	6 lines (ranges: 39, 41, 43, 46-48)

PASSED `tests/test_time.py::TestFormatDuration::test_one_second` 1ms 🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/time.py`	4 lines (ranges: 39, 41, 43-44)

PASSED   `tests/test_time.py::TestFormatDuration::test_seconds_format`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/time.py`	4 lines (ranges: 39, 41, 43-44)

PASSED   `tests/test_time.py::TestFormatDuration::test_small_milliseconds`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/time.py`	3 lines (ranges: 39, 41-42)

PASSED   `tests/test_time.py::TestFormatDuration::test_very_small_microseconds`   1ms   🛡 3

COVERAGE

`src/pytest_llm_report/collector.py`	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
`src/pytest_llm_report/plugin.py`	6 lines (ranges: 429-430, 433, 437-439)
`src/pytest_llm_report/util/time.py`	2 lines (ranges: 39-40)

PASSED   tests/test_time.py::TestIsoFormat::test_formats_datetime_with_utc   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED   tests/test_time.py::TestIsoFormat::test_formats_naive_datetime   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED   tests/test_time.py::TestIsoFormat::test_formats_with_microseconds   1ms   🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED `tests/test_time.py::TestUtcNow::test_has_utc_timezone`   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED `tests/test_time.py::TestUtcNow::test_is_current_time`   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED `tests/test_time.py::TestUtcNow::test_returns_datetime`   1ms 🛡 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 429-430, 433, 437-439)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

Source Coverage

FILE	STMTS	MISS	COVER	%	COVERED LINES	MISSED LINES
src/pytest_llm_report/_git_info.py	2	0	2	100.0%	2-3	-

File	Statements	Missing	Covered	Coverage	Missing Lines	Excluded Lines
src/pytest_llm_report/aggregation.py	116	5	111	95.69%	13, 15-19, 21, 35, 38, 44, 46, 52-53, 55-57, 59, 61-64, 69, 73-74, 77-80, 84, 87-89, 93, 103, 109-111, 113-117, 119-120, 125, 127-128, 130-131, 134-135, 141-144, 146, 148, 162, 164, 168, 170, 172, 182, 184-188, 190-191, 194, 196, 205, 217, 219-233, 235, 237, 245-246, 248-249, 251, 253-255, 259, 262-263, 265-266, 269-271, 273, 275-276, 280	66, 90-91, 192, 203
src/pytest_llm_report/cache.py	47	3	44	93.62%	13, 15-19, 21, 27, 33, 39-41, 43, 53, 55-56, 58, 60-62, 68-69, 78, 86, 88, 90, 92, 94, 97, 103, 107, 118-119, 121, 123, 129, 132-136, 141, 144, 153	64-65, 130
src/pytest_llm_report/collector.py	111	2	109	98.2%	19, 21-22, 24, 26-27, 33-34, 45-50, 52, 58, 60-62, 69, 78-79, 81, 90, 93-94, 96, 99-104, 106-107, 109-112, 114-119, 121-122, 124, 127-128, 130, 132-133, 135-137, 140, 143, 155, 163-164, 167-169, 171, 173, 181-182, 185-189, 191, 198-200, 202, 209-210, 212-214, 216, 218, 227-228, 230-236, 238, 241, 250-252, 254, 261, 264-265, 268-269,	141, 239

File	Statements	Missing	Covered	Coverage	Missing Lines	Partial Lines
					271, 277, 279, 285	
src/pytest_llm_report/coverage_map.py	135	10	125	92.59%	13, 15-17, 19-22, 30, 38, 44-45, 47, 58-60, 64, 72-73, 83, 86, 88-90, 92, 94-96, 98, 101-104, 106-108, 114, 116, 118, 121-122, 127, 131-135, 137-140, 144-146, 148, 150, 152-153, 156, 160-162, 165, 167-168, 173, 176, 178-184, 187-189, 191, 196, 199-200, 202, 204, 216-217, 220, 224-225, 228-234, 236, 239, 241, 243-244, 246-248, 250, 252-254, 259-260, 263-264, 271, 273, 276-279, 281-283, 285, 299-300, 302, 308	62, 123, 125, 128, 157, 221, 249, 251, 257, 274
src/pytest_llm_report/errors.py	35	0	35	100.0%	8-9, 12, 25-28, 31-36, 39-42, 45-46, 49-51, 54-55, 64-66, 68, 70, 74-76, 80, 129, 139	-
src/pytest_llm_report/llm/__init__.py	3	0	3	100.0%	4-5, 7	-
src/pytest_llm_report/llm/annotator.py	108	0	108	100.0%	4, 6-10, 12-15, 21-22, 25-28, 31, 45-46, 48-50, 54, 56-57, 59, 61-62, 64, 66-68, 71-72, 74-82, 87, 97-99, 101, 103, 105-106, 117, 128-130, 135-137, 140, 165-167, 169-170, 175, 177-178, 181-184, 186-190, 192-193, 198-201, 203, 206, 231-233,	-

					235, 237-238, 240-241, 246-248, 250-255, 257-258, 263-266, 268	
src/pytest_llm_report/llm/base.py	78	4	74	94.87%	13, 15-18, 26, 40, 46, 52-53, 55, 72, 75-76, 78, 80, 101, 107-108, 110-111, 122, 128, 130, 136, 138, 147, 149, 165, 167-173, 175, 177, 186-187, 190-192, 194-195, 198-200, 203, 205, 207-208, 212, 214, 224-225, 228-230, 233, 245, 247, 249-250, 252-253, 255, 257-258, 260, 262-263, 265, 267	204, 206, 220-221
src/pytest_llm_report/llm/gemini.py	270	22	248	91.85%	7, 9-13, 15-16, 23-27, 30-34, 37-42, 44-46, 48-50, 52, 57-59, 61-63, 65-66, 68-70, 72-73, 75-78, 80-85, 87-88, 91-97, 99-103, 105, 107-114, 121-122, 125, 128, 134, 136-139, 141-142, 144, 160-161, 167-169, 171-172, 174, 176-184, 186-188, 190-191, 193, 196, 200-208, 210-211, 213-214, 217-225, 229-230, 233-234, 236, 239-241, 244-245, 252, 265-269, 271-275, 278-279, 284-285, 292-293, 295, 307, 309-310, 314, 319, 322-324, 327-335, 337-338, 340, 344-347, 349, 352-358, 360-366, 372-374, 376-379, 381, 383-384,	60, 67, 89, 104, 106, 115-117, 199, 215, 226-228, 235, 242, 248, 258-259, 261, 359, 433, 436

File	Statements	Missing	Covered	Coverage	Missing Lines	Excluded Lines
					388-394, 397, 400-402, 404-406, 408-413, 419-420, 422-426, 429-432, 434-435, 437-439	
src/pytest_llm_report/llm/litellm_provider.py	23	1	22	95.65%	7, 9, 11-12, 18, 21, 37-38, 44, 47, 50-51, 61-64, 66, 69, 71, 77-78, 80	68
src/pytest_llm_report/llm/noop.py	13	0	13	100.0%	8, 10, 12-13, 20, 26, 32, 34, 50, 52, 58, 60, 66	-
src/pytest_llm_report/llm/ollama.py	43	1	42	97.67%	7, 9, 11-12, 18, 24, 40-41, 47, 50, 52, 54-55, 57-60, 62-63, 66-67, 71-72, 74-75, 77, 81, 87-88, 90-92, 96, 102, 104, 114, 116-117, 127, 132, 134-135	69
src/pytest_llm_report/llm/schemas.py	36	1	35	97.22%	8, 10-12, 16, 22, 38, 42-44, 46-47, 50-53, 55, 58-59, 62-65, 67-68, 77, 84, 90, 94-98, 102, 130	39
src/pytest_llm_report/models.py	240	10	230	95.83%	17-18, 21, 24-25, 34-36, 38, 40, 47-48, 61-67, 69, 71, 82-83, 95-100, 102, 104, 109-115, 118-119, 141-157, 159, 161, 167-171, 173-182, 184, 186, 188-190, 193-194, 202-203, 205, 207, 213-214, 223-225, 227, 229, 233-235, 238-239, 248-250, 252, 254, 261-262, 271-273, 275, 277, 281-283, 286-287, 324-353, 355-360, 362, 364, 382-405,	172, 183, 185, 187, 460, 513, 515, 517, 519, 521

				407-419, 422-423, 437-445, 447, 449, 459, 461, 464-465, 482-492, 494, 500, 502, 508-512, 514, 516, 518, 520, 522	
src/pytest_llm_report/options.py	68	42	26	38.24%	101, 140, 169, 172-174, 179-181, 187-189, 195-197, 203-210, 212, 216, 225	13-14, 17-18, 85-89, 92-94, 97-100, 117-118, 121-126, 129-131, 134-136, 139, 150-154, 157-158, 161, 163, 214, 219
src/pytest_llm_report/plugin.py	189	28	161	85.19%	40, 43, 49, 55, 61, 67, 73, 82, 88, 94, 100, 106, 114, 119, 124, 129, 135, 140, 159, 162-173, 176-187, 190-199, 202, 204, 216, 220, 224, 230-231, 234, 237-239, 245-246, 254-255, 280-281, 284-285, 288, 291-292, 294-295, 298-299, 301, 303-307, 310-311, 313, 315, 318-319, 322-323, 325-326, 329-333, 335, 338-339, 341, 344-347, 349, 351-356, 359-360, 373-374, 379-382, 385, 387, 390-395, 397, 399, 407-408, 429-430, 433-434, 437-439, 450-451, 454, 457-458, 461-463, 473-474, 477-479, 490-491, 494, 497, 499-500	13, 15-17, 19-20, 22, 28-31, 34, 147, 207, 258, 361, 364-365, 369-370, 375-376, 421-422, 442, 466, 482-483

					13, 15-17, 24, 27, 33, 35, 49, 52, 55, 58-61, 63, 65, 67, 78-79, 82-84, 86-87, 92, 94-95, 98-101, 103-112, 116, 118, 132-133, 135-138, 140-141, 144-146, 148-149, 151-152, 154-156, 158-159, 163, 165, 180, 182, 191-194	
src/pytest_llm_report/prompts.py	75	3	72	96.0%		80, 114, 142
src/pytest_llm_report/render.py	50	0	50	100.0%	13, 15-16, 18, 24, 30-31, 34, 40, 42, 50-51, 53, 56, 65-67, 70, 79, 87, 90, 99, 101-102, 107, 110, 121-124, 126-129, 131-134, 141-143, 145, 158-163, 177, 196	-
src/pytest_llm_report/report_writer.py	167	10	157	94.01%	13, 15-25, 27-29, 46, 55, 58, 67-68, 76, 83-84, 89, 98-100, 102, 105-108, 110, 116, 127-128, 130, 142, 150, 156-158, 160, 186-189, 192, 197-199, 202-203, 211, 222-223, 226-227, 230-231, 233, 235, 254, 256-259, 262-264, 266, 268, 303, 312, 314-315, 317-328, 330, 332, 340, 343-345, 348-349, 352-354, 357, 360, 368, 376, 378-379, 382, 385, 388, 391, 399, 401-402, 408, 410, 412, 414-423, 434-435, 437-439, 447-448, 453, 455, 458, 461-462, 464, 470-474, 480-481, 488, 495, 497,	113, 135-137, 424-425, 432, 449-451

				499-501, 503, 506-507, 509, 515-516	
src/pytest_llm_report/util/fs.py	34	3	31	91.18%	11, 13-14, 17, 30, 33, 36, 39, 42, 45, 55-56, 58-60, 63-64, 70, 79, 82, 100, 103, 111-113, 116-117, 119-121, 123	40, 65, 67
src/pytest_llm_report/util/hashing.py	36	0	36	100.0%	12, 14-17, 23, 32, 35, 44-48, 51, 61, 64, 73-74, 76-78, 80-81, 86, 96, 103-104, 107, 113-114, 116-121	-
src/pytest_llm_report/util/ranges.py	33	0	33	100.0%	12, 15, 29-30, 33, 35-37, 39-40, 42, 45-47, 50, 52, 55, 65-67, 70, 81-82, 84-91, 93, 95	-
src/pytest_llm_report/util/time.py	16	0	16	100.0%	4, 6, 9, 15, 18, 27, 30, 39-44, 46-48	-