

387

TOTAL TESTS

386

PASSED

1

FAILED

0

SKIPPED

0

XFAILED

0

XPASSED

0

ERRORS

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_all_policy2ms

3

COVERAGE

src/pytest_llm_report/aggregation.py	69 lines (ranges: 52, 55-56, 59, 61-63, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 130-131, 134, 141, 146, 148-153, 155, 157-159, 170, 217, 219-223, 235, 245, 248-249, 251, 253, 275-278, 280)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_dir_not_exists

4ms  3

COVERAGE

src/pytest_llm_report/aggregation.py	7 lines (ranges: 52, 55-57, 109-111)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_latest_policy

3ms  3

COVERAGE

src/pytest_llm_report/aggregation.py	77 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 130-131, 134, 141, 146, 148-153, 155, 157-159, 170, 182, 184-188, 190-191, 194, 217, 219-223, 235, 245, 248-249, 251, 253, 275-278, 280)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_no_dir_configured

1ms  3

COVERAGE

src/pytest_llm_report/aggregation.py	3 lines (ranges: 44, 52-53)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_no_reports

1ms



COVERAGE

src/pytest_llm_report/aggregation.py

9 lines (ranges: 52, 55-57, 109-110, 113-114, 170)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_with_coverage_and_llm_annotations

2ms



COVERAGE

src/pytest_llm_report/aggregation.py

81 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 130-131, 134-137, 141-144, 146, 148-153, 155, 157-159, 170, 182, 184-188, 194, 217, 219-223, 235, 245, 248-249, 251, 253, 275-278, 280)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

32 lines (ranges: 40-43, 104-107, 109-111, 113, 115, 161-165, 167, 169, 171, 173, 176-180, 182, 184, 186, 188, 190)

src/pytest_llm_report/plugin.py

6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_with_source_coverage

2ms



COVERAGE

src/pytest_llm_report/aggregation.py	66 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 148-155, 157-159, 170, 182, 184-186, 194, 217, 219-220, 235, 245, 248-249, 251, 253, 275-278, 280)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_aggregation.py::TestAggregator::test_load_coverage_from_source

3ms



COVERAGE

src/pytest_llm_report/aggregation.py	19 lines (ranges: 245-246, 248-249, 251, 253-257, 259, 262-263, 265-266, 269-271, 273)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_aggregation.py::TestAggregator::test_recalculate_summary

1ms



COVERAGE

src/pytest_llm_report/aggregation.py	17 lines (ranges: 217, 219-233, 235)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_aggregation.py::TestAggregator::test_skips_invalid_json

3ms



COVERAGE

src/pytest_llm_report/aggregation.py

71 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119-120, 125, 127-128, 148-153, 155, 157-159, 162, 164-166, 168, 170, 182, 184-186, 194, 217, 219-220, 235, 245, 248-249, 251, 253, 275-278, 280)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_aggregation_maximal.py::TestAggregationMaximal::test_recalculate_summary_coverage

1ms



COVERAGE

src/pytest_llm_report/aggregation.py

10 lines (ranges: 44, 217, 219-225, 235)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_cached_tests_are_skipped

2ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-81, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_concurrent_annotation

3ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	64 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104-112, 129-135, 137, 139, 229-232, 234, 236-237, 239, 245-246, 248-253, 255, 261, 266)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_concurrent_annotation_handles_failures

2ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104-112, 129-135, 137-139, 229-232, 234, 236-237, 239, 245-246, 248-253, 255, 261-264, 266)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_progress_reporting

2ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_sequential_annotation

12.00s  5

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180-183, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_skips_if_disabled

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	2 lines (ranges: 45-46)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_skips_if_provider_unavailable

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_annotator_maximal.py::TestAnnotatorAdvanced::test_annotate_concurrent_with_progress_and_errors

2ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	28 lines (ranges: 229-232, 234, 236-237, 239-242, 245-246, 248-253, 255-258, 261-264, 266)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_annotator_maximal.py::TestAnnotatorAdvanced::test_annotat
e_sequential_rate_limit_wait

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	23 lines (ranges: 165-168, 170-171, 173-174, 176, 178, 180-183, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_annotator_maximal.py::TestAnnotatorAdvanced::test_annotat
e_tests_cached_progress

2ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	37 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-84, 97-98, 100, 127, 129-135, 137, 139)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_annotator_maximal.py::TestAnnotatorAdvanced::test_annotat
e_tests_provider_unavailable1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_base_coverage_v2.py::test_base_parse_response_malformed_j
son_after_extract1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 52-53, 186-187, 190-191, 194-195, 220-221)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_base_coverage_v2.py::test_base_parse_response_non_string_fields

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203-207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_gemini_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 52-53, 245, 247, 249, 252, 257, 262-263, 265)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_invalid_provider

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 245, 247, 249, 252, 257, 262, 267)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_litellm_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 52-53, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_noop_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 245, 247, 249-250)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_ollama_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 245, 247, 249, 252-253, 255)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_available_caches_result

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 107-108, 110-111)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_get_model_name_defaults_to_config

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 52-53, 136)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_get_rate_l
imits_defaults_to_none

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 52-53, 128)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_is_local_d
efaults_to_false

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 52-53, 147)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_cache.py::TestHashSource::test_consistent_hash

1ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_cache.py::TestHashSource::test_different_source_different_hash

1ms  3

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_cache.py::TestHashSource::test_hash_length

1ms  3

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_cache.py::TestLlmCache::test_clear

1ms  4

COVERAGE

src/pytest_llm_report/cache.py	26 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 129, 132-136, 141)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_cache.py::TestLlmCache::test_does_not_cache_errors

1ms



COVERAGE

src/pytest_llm_report/cache.py	11 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_cache.py::TestLlmCache::test_get_missing

1ms



COVERAGE

src/pytest_llm_report/cache.py	9 lines (ranges: 39-41, 53, 55-56, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_cache.py::TestLlmCache::test_set_and_get

1ms



COVERAGE

src/pytest_llm_report/cache.py	28 lines (ranges: 39-41, 53, 55, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector.py::TestCollectorCollectionErrors::test_collection_error_structure

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector.py::TestCollectorCollectionErrors::test_get_collection_errors_initially_empty

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 285)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector.py::TestCollectorMarkerExtraction::test_llm_content_override_default_none

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector.py::TestCollectorMarkerExtraction::test_llm_output_default_false

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector.py::TestCollectorOutputCapture::test_capture_disabled_by_default

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector.py::TestCollectorOutputCapture::test_capture_max_chars_default

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector.py::TestCollectorXfailHandling::test_xfail_failed_is_xfailed

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212, 216, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector.py::TestCollectorXfailHandling::test_xfail_passed_is_xpassed

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	26 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212-214)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector.py::TestTestCollector::test_create_collector

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector.py::TestTestCollector::test_get_results_sorted

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector.py::TestTestCollector::test_handle_collection_finish

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 78-79, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_disabled_via_handle_report

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_stderr

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264, 268-269)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_stdout

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_truncated

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_create_result_with_item_markers

3ms  3

COVERAGE

src/pytest_llm_report/collector.py	35 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163-164, 167-169, 171, 181-182, 185-189, 198-200, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_error_repr_crash

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_error_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_skip_reason_fallback

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250, 252)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extrac
t_skip_reason_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extrac
t_skip_reason_tuple

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_h
andle_collection_report_failure

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	21 lines (ranges: 58, 60-65, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtest_rerun

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtest_setup_failure

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99-103, 109-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtest_teardown_failure

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	38 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127-128, 130, 132-133, 135-137, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_boosters.py::TestCoverageBoosters::test_gemini_model_parsing_edge_cases

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	17 lines (ranges: 134, 136-139, 141-142, 385, 387, 417-424)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_boosters.py::TestCoverageBoosters::test_gemini_rate_limiter_edge_math

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	35 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_boosters.py::TestCoverageBoosters::test_models_to_dict_variants

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	46 lines (ranges: 71-78, 104-107, 109, 111-113, 115, 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_map.py::TestCoverageMapper::test_create_mapper

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	2 lines (ranges: 44-45)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_map.py::TestCoverageMapper::test_get_warnings

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	3 lines (ranges: 44-45, 308)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_map.py::TestCoverageMapper::test_map_coverage_no_coverage_file

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_all_phases

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_empty_context

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_filters_setup

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 216, 220, 224-225, 228-230)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_with_run_phase

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_contexts_full_logic

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	57 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 137-140, 144, 148, 150, 152-153, 156, 160-163, 165, 167-168, 173, 176, 178-184, 187-189, 191-194, 196, 199-200, 202, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	13 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65-67)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_contexts_no_contexts

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 144-146)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_nodeid_variants

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231-234, 236, 239)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_no_files

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_read_error

2ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	17 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94-96, 107-111, 114)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_with_parallel_files

3ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	15 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94, 98, 101-104, 106)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_coverage_no_data

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	5 lines (ranges: 44-45, 58-60)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_source_coverage_analysis_error

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	22 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259, 261, 263-268, 271, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_source_coverage_comprehensive

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	32 lines (ranges: 44-45, 243-244, 246-248, 250, 252, 259-261, 273, 276-279, 281-283, 285-293, 295, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)

PASSED

tests/test_errors.py::test_make_warning

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_errors.py::test_warning_code_values

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_errors.py::test_warning_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	6 lines (ranges: 70-72, 74-76)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_known_code

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_unknown_code

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_with_detail

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_errors_maximal.py::TestWarningCodes::test_codes_are_strings

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_errors_maximal.py::TestWarningDataClass::test_warning_to_dict_no_detail

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	5 lines (ranges: 70-72, 74, 76)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_errors_maximal.py::TestWarningDataClass::test_warning_to_dict_with_detail

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	6 lines (ranges: 70-72, 74-76)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_fs.py::TestIsPythonFile::test_non_python_file

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test_fs.py::TestIsPythonFile::test_python_file

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test_fs.py::TestMakeRelative::test_makes_path_relative

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64)

PASSED

tests/test_fs.py::TestMakeRelative::test_returns_normalized_with_no_base

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/fs.py	7 lines (ranges: 30, 33, 36, 39, 42, 55-56)

PASSED

tests/test_fs.py::TestNormalizePath::test_already_normalized

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs.py::TestNormalizePath::test_forward_slashes

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs.py::TestNormalizePath::test_strips_trailing_slash

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs.py::TestShouldSkipPath::test_custom_exclude_patterns

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/fs.py	15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123)

PASSED

tests/test_fs.py::TestShouldSkipPath::test_normal_path

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_fs.py::TestShouldSkipPath::test_skips_git

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs.py::TestShouldSkipPath::test_skips_pycache

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs.py::TestShouldSkipPath::test_skips_venv

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_gemini_advanced.py::TestGeminiRateLimiter::test_pruning

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	11 lines (ranges: 39-42, 81-85, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_gemini_advanced.py::TestGeminiRateLimiter::test_rpm_limit

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	26 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95, 97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_gemini_advanced.py::TestGeminiRateLimiter::test_tpm_limit

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	33 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-94, 100-101, 103, 105, 107-108, 110-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_gemini_advanced.py::TestGeminiRateLimiter::test_wait_for_slot

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	31 lines (ranges: 39-42, 45-46, 48, 52-54, 58-59, 61-63, 73, 76-78, 81-82, 84, 87-88, 92-93, 95, 97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_gemini_coverage_v2.py::test_gemini_limiter_record_zero_to_kens

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	6 lines (ranges: 39-42, 66-67)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_gemini_coverage_v2.py::test_gemini_limiter_requests_per_day_exhaustion

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	24 lines (ranges: 32-34, 39-42, 45-46, 48-50, 58-60, 73, 76-78, 81-82, 84, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_gemini_coverage_v2.py::test_gemini_limiter_tpm_fallback_w
ait

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	24 lines (ranges: 39-42, 66, 68-70, 81-82, 84, 87-88, 100-101, 103, 105, 107-108, 110-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_gemini_coverage_v2.py::test_gemini_provider_rpm_cooldown
n

542ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	23 lines (ranges: 52-53, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	117 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-215, 217-223, 225-227, 233-234, 238-240, 242-243, 274-277, 280, 282-290, 292-295, 297-298, 300-301, 346, 348-350, 352-353, 381-382, 385-386)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_gemini_provider.py::TestGeminiProvider::test_annotate_rate_limit_retry

4ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	181 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-215, 217-222, 225-227, 233-234, 238-240, 242-243, 274-277, 280-283, 286-290, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330-333, 335-341, 343, 346, 348-350, 352-355, 360-363, 374-377, 381-382, 385-387, 391-392, 396-399, 401-402, 405, 408-410, 412-414, 417, 419, 421-424, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_gemini_provider.py::TestGeminiProvider::test_annotate_success

4ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	173 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-223, 225-227, 274-277, 280-283, 286-290, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330, 335-343, 346, 348-350, 352-355, 360-363, 374-377, 381-382, 385-387, 391-392, 396-399, 401-402, 405, 408-410, 412-414, 417, 419, 421-424, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_gemini_provider.py::TestGeminiProvider::test_availability

3ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	10 lines (ranges: 134, 136-139, 141-142, 266-267, 269)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_gemini_provider.py::TestGeminiRateLimiter::test_rpd_limit

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	18 lines (ranges: 39-42, 45-46, 48-50, 73, 76-78, 81-82, 84, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_gemini_provider.py::TestGeminiRateLimiter::test_rpm_limit

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	27 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_hashing.py::TestComputeConfigHash::test_different_config

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED

tests/test_hashing.py::TestComputeConfigHash::test_returns_short_hash

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED

tests/test_hashing.py::TestComputeFileSha256::test_consistent_with_bytes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/hashing.py	6 lines (ranges: 32, 44-48)

PASSED

tests/test_hashing.py::TestComputeFileSha256::test_hashes_file

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 44-48)

PASSED

tests/test_hashing.py::TestComputeHmac::test_different_key

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED

tests/test_hashing.py::TestComputeHmac::test_with_key

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED

tests/test_hashing.py::TestComputeSha256::test_consistent

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED

tests/test_hashing.py::TestComputeSha256::test_length

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED

tests/test_hashing.py::TestGetDependencySnapshot::test_includes_pytest

80ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED

tests/test_hashing.py::TestGetDependencySnapshot::test_returns_dict

83ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED

tests/test_hashing.py::TestLoadHmacKey::test_loads_key

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 73, 76-77, 80-81)

PASSED

tests/test_hashing.py::TestLoadHmacKey::test_missing_key_file

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/hashing.py	4 lines (ranges: 73, 76-78)

PASSED

tests/test_hashing.py::TestLoadHmacKey::test_no_key_file

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/hashing.py	2 lines (ranges: 73-74)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_aggregation_defaults

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_capture_failed_output_default_false

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_context_mode_default_minimal

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_llm_not_enabled_by_default

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	4 lines (ranges: 107, 147, 224, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_omit_tests_default_true

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_provider_default_none

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_secret_excl
ude_globs

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_deterministic
_output

7ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	78 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	117 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_empty_test_suite

6ms

5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	67 lines (ranges: 229-231, 233, 235, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510-512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	118 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_html_report_generation

31ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	113 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_json_report_generation

55ms



COVERAGE

src/pytest_llm_report/_git_info.py	2 lines (ranges: 2-3)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	78 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	133 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-322, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_report_root_has_required_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_run_meta_has_aggregation_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_run_meta_has_status_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_schema_version_defined

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_test_case_has_required_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm.py::TestGetProvider::test_gemini_returns_provider

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 52-53, 245, 247, 249, 252, 257, 262-263, 265)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm.py::TestGetProvider::test_litellm_returns_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 52-53, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm.py::TestGetProvider::test_none_returns_noop

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 245, 247, 249-250)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm.py::TestGetProvider::test_ollama_returns_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 245, 247, 249, 252-253, 255)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm.py::TestGetProvider::test_unknown_raises

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 245, 247, 249, 252, 257, 262, 267)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm.py::TestLlmProviderContract::test_noop_implements_interface

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm.py::TestNoopProvider::test_annotate_returns_empty

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm.py::TestNoopProvider::test_get_model_name_empty

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 66)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm.py::TestNoopProvider::test_is_available

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 107, 110-111)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 58)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	65 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED

tests/test_llm_annotator.py::test_annotate_tests_respects_opt_out_and_limit

1ms



COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	65 lines (ranges: 45, 48-49, 56-57, 59, 61-62, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED

tests/test_llm_annotator.py::test_annotate_tests_respects_rate_limit

1ms



COVERAGE

src/pytest_llm_report/cache.py

20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/annotator.py

68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-173, 176, 178, 180-183, 185-190, 192, 198, 203)

src/pytest_llm_report/options.py

3 lines (ranges: 107, 147, 224)

src/pytest_llm_report/plugin.py

6 lines (ranges: 387-388, 391, 395-397)

src/pytest_llm_report/prompts.py

12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED

tests/test_llm_annotator.py::test_annotate_tests_skips_unavailable_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/annotator.py

7 lines (ranges: 45, 48-52, 54)

src/pytest_llm_report/options.py

3 lines (ranges: 107, 147, 224)

src/pytest_llm_report/plugin.py

6 lines (ranges: 387-388, 391, 395-397)

COVERAGE

src/pytest_llm_report/cache.py	30 lines (ranges: 39-41, 53, 55-56, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-81, 87-92, 97-98, 100, 102, 104, 115-122, 127, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_from_d
ict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_handle
s_empty

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_handle
s_partial

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_has_required_fields

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 90-92, 94-96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_contract.py::TestNoopProvider::test_noop_from_factory

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 245, 247, 249-250)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_contract.py::TestNoopProvider::test_noop_is_llm_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_contract.py::TestNoopProvider::test_noop_returns_empty_annotation

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_contract.py::TestProviderContract::test_annotate_returns_annotation

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_contract.py::TestProviderContract::test_provider_handles_empty_code

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_contract.py::TestProviderContract::test_provider_handles_none_context

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_contract.py::TestProviderContract::test_provider_has_annotate_method

1ms  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	15 lines (ranges: 52-53, 245, 247, 249-250, 252-253, 255, 257-258, 260, 262-263, 265)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_handles_context_too_large

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 52-53, 72, 75-76, 80, 165, 167, 175)
src/pytest_llm_report/llm/gemini.py	155 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-221, 233, 245-248, 274-277, 280-283, 286-290, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 346, 348-350, 352-355, 360-363, 374-377, 381-382, 385-387, 391-392, 396-399, 401-402, 405, 408-410, 412-414, 417-418, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_dependency

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/gemini.py	12 lines (ranges: 134, 136-139, 141-142, 160-164)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_token

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/gemini.py	12 lines (ranges: 134, 136-139, 141-142, 160-161, 167-169)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	183 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-223, 225-227, 274-277, 280-283, 286-290, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330, 335-343, 346, 348-350, 352-355, 360-366, 368, 370-371, 374-377, 381-382, 385-387, 391-392, 396-399, 401-402, 405, 408-410, 412-414, 417, 419, 421-424, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	181 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-222, 225-227, 233-234, 238-240, 242-243, 274-277, 280-283, 286, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330-333, 335-341, 343, 346, 348-350, 352-355, 360-366, 368-369, 374-377, 381-382, 385-387, 391-392, 396-399, 401-402, 405, 408-410, 412-414, 417, 419, 421-424, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	177 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-208, 210, 213-214, 217-222, 225-227, 274-277, 280-283, 286-290, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330, 335-341, 343, 346, 348-350, 352-355, 360-366, 368, 370, 372-377, 381-382, 385-387, 391-393, 396-399, 401-402, 405, 408-410, 412-414, 417, 419-420, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	184 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-208, 210-211, 213-214, 217-222, 225-227, 252-254, 274-277, 280-283, 286-290, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330, 335-341, 343, 346, 348-350, 352-355, 360-366, 368, 370, 372-377, 381-382, 385-387, 391-393, 396-399, 401-402, 405, 408-410, 412-414, 417, 419, 421-424, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	177 lines (ranges: 39-42, 45-46, 48-49, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-222, 225-227, 274-277, 280-283, 286, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330, 335-341, 343, 346, 348-350, 352-355, 360-366, 368-377, 381-382, 385-387, 391-392, 396-399, 401-402, 405, 408-410, 412-414, 417, 419, 421-424, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	190 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-188, 190-191, 193-194, 196, 200-208, 210-211, 213-214, 217-222, 225-227, 252-254, 274-277, 280-283, 286-290, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330, 335-341, 343, 346, 348-350, 352-355, 360-366, 368, 370, 372-377, 381-382, 385-387, 391-393, 396-399, 401-402, 405, 408-410, 412-414, 417, 419, 421-424, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_fetch_available_models_error

1ms

5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	65 lines (ranges: 134, 136-139, 141-142, 280, 282-283, 286-290, 292-295, 297-298, 300-301, 346, 348-350, 352-355, 360-363, 374-377, 385, 387, 391-392, 396-402, 405, 408-410, 412-414, 417-418, 428, 430-432, 435-436)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	169 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-222, 225-227, 274-277, 280-283, 286, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330, 335-341, 343, 346, 348-350, 352-355, 360-366, 368-369, 374-377, 381-382, 385-387, 391-393, 396-399, 401-402, 405, 408-410, 412-414, 417, 419, 421-424, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_handles_completion_error

90.00s  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175)
src/pytest_llm_report/llm/litellm_provider.py	22 lines (ranges: 37-38, 44, 46, 49, 51-52, 54-60, 62-63, 78-79, 81-82, 84-85)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_in_valid_key_assertions

90.00s  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207-209)
src/pytest_llm_report/llm/litellm_provider.py	25 lines (ranges: 37-38, 44, 46, 49, 51-52, 54-60, 62-63, 66-67, 69, 73, 76, 81-82, 84-85)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_missing_dependency

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/litellm_provider.py	5 lines (ranges: 37-41)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_success_with_mock_response

1ms  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/litellm_provider.py	20 lines (ranges: 37-38, 44, 46, 49, 51-52, 54-60, 62-63, 66-67, 69-70)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_is_available_with_module

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 107, 110-111)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 94-95, 97)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_fallb
acks_on_context_length_error1ms  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	33 lines (ranges: 52-53, 72, 75-76, 78, 165, 167-173, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/ollama.py	15 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-60, 62-63, 66-67)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

FAILED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_handle
s_call_error

2ms



ERROR

AssertionError: assert 'Failed after...t error: boom' == 'Failed after...t error: boom'

COVERAGE

src/pytest_llm_report/collector.py	25 lines (ranges: 90, 93, 96, 99, 110-112, 114, 116-118, 124, 127, 140, 209-210, 227-228, 230-236)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-59, 71-72, 74-75, 77-78)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_missi
ng_httpx

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 40-44)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_success_full_flow

1ms  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/ollama.py	29 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-60, 62-63, 114, 116-123, 127-130, 132, 134-135)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_call_ollama_success

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 114, 116-123, 127-130, 132, 134-135)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_call_ollama_us
es_default_model

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 114, 116-123, 127-130, 132, 134-135)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_check_availabi
lity_failure

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	6 lines (ranges: 87-88, 90-91, 93-94)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_check_availability_non_200

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 87-88, 90-92)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_check_availability_success

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 87-88, 90-92)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_is_local_returns_true

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	1 lines (ranges: 102)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response_invalid_json

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 52-53, 186-187, 190-192)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_invalid_key_assertions1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	16 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207-209)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_json_in_code_fence1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_json_in_plain_fence1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_success1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestArtifactEntry::test_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 254-257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestCollectionError::test_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	3 lines (ranges: 207-209)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestCoverageEntry::test_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 40-43)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestLlmAnnotation::test_empty_annotation

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestLlmAnnotation::test_to_dict_minimal

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	8 lines (ranges: 104-107, 109, 111, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestLlmAnnotation::test_to_dict_with_all_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	10 lines (ranges: 104-107, 109-111, 113-115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestReportRoot::test_default_report

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestReportRoot::test_report_with_collection_errors

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	58 lines (ranges: 207-209, 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508-510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestReportRoot::test_report_with_warnings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	60 lines (ranges: 229-231, 233, 235, 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510-512, 514, 516, 518, 520, 522)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestReportRoot::test_tests_sorted_by_nodeid

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

71 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)

src/pytest_llm_report/plugin.py

6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestReportWarning::test_to_dict_with_detail

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

6 lines (ranges: 229-231, 233-235)

src/pytest_llm_report/plugin.py

6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestReportWarning::test_to_dict_without_detail

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

5 lines (ranges: 229-231, 233, 235)

src/pytest_llm_report/plugin.py

6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestRunMeta::test_aggregation_fields_present

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	39 lines (ranges: 277-279, 281-283, 364-380, 382, 385, 387, 390, 393, 395, 397, 399-405, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestRunMeta::test_llm_fields_excluded_when_disabled

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestRunMeta::test_llm_traceability_fields

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	40 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407-419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestRunMeta::test_non_aggregated_excludes_source_reports

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestRunMeta::test_run_meta_to_dict_full

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	49 lines (ranges: 277-279, 281-283, 364-380, 382-405, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestRunMeta::test_run_status_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestSchemaVersion::test_schema_version_format

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestSchemaVersion::test_schema_version_in_repo
rt_root

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestSourceCoverageEntry::test_to_dict

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	8 lines (ranges: 71-78)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestSourceReport::test_to_dict_minimal

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	5 lines (ranges: 277-279, 281, 283)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestSourceReport::test_to_dict_with_run_id

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	6 lines (ranges: 277-279, 281-283)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestSummary::test_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	11 lines (ranges: 449-457, 459, 461)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestTestCaseResult::test_minimal_result

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)

src/pytest_llm_report/plugin.py

6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestTestCaseResult::test_result_with_coverage

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

22 lines (ranges: 40-43, 161-165, 167, 169, 171, 173, 176-178, 180, 182, 184, 186, 188, 190)

src/pytest_llm_report/plugin.py

6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestTestCaseResult::test_result_with_llm_opt_out

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

18 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180-182, 184, 186, 188, 190)

src/pytest_llm_report/plugin.py

6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestTestCaseResult::test_result_with_rerun

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	19 lines (ranges: 161-165, 167, 169, 171, 173-176, 178, 180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_models.py::TestTestCaseResult::test_result_without_rerun_excludes_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options.py::TestConfig::test_default_values

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options.py::TestConfig::test_get_default_config

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options.py::TestConfig::test_is_llm_enabled

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_aggregate_policy

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-197, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_context_mod
e

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 107, 147, 175, 178-179, 185-189, 193-194, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_include pha
se

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-205, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_provider

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	19 lines (ranges: 107, 147, 175, 178-181, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options.py::TestConfig::test_validate_numeric_ranges

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	22 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209-218, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options.py::TestConfig::test_validate_valid_config

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options.py::TestLoadConfig::test_load_aggregation_options

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	28 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282, 286-294, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options.py::TestLoadConfig::test_load_config_invalid_int_ini

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	28 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263-267, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options.py::TestLoadConfig::test_load_coverage_source

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	25 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294-295, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options.py::TestLoadConfig::test_load_defaults

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	24 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options.py::TestLoadConfig::test_load_from_cli_overrides_
ini

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259-261, 263, 270-272, 274, 276, 278, 280-282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options.py::TestLoadConfig::test_load_from_cli_retries

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	25 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282-283, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options.py::TestLoadConfig::test_load_from_ini

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	32 lines (ranges: 107, 147, 248, 251-265, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_aggregation_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_all_output_paths

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_capture_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_compliance_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_coverage_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_custom_exclude_globs

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_include_globs

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_invocation_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 107)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_llm_execution_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_llm_param_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_llm_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_repo_root_path

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_valid_phase_values

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_maximal.py::TestConfigDefaultsMaximal::test_default_exclude_globs

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_maximal.py::TestConfigDefaultsMaximal::test_default_redact_patterns

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_maximal.py::TestConfigDefaultsMaximal::test_defaults_values

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_maximal.py::TestConfigHelpersMaximal::test_is_llm_enabled

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_invalid_aggregate_policy

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-197, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_invalid_context_mode

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 107, 147, 175, 178-179, 185-189, 193-194, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_invalid_include_phase

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-205, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_invalid_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	19 lines (ranges: 107, 147, 175, 178-181, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_numeric_bounds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	21 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209-217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_valid_config

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_plugin_integration.py::TestPluginConfigLoading::test_config_defaults

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	33 lines (ranges: 107, 147, 248, 251-259, 261, 263-265, 270, 272-276, 278, 280, 282, 286, 288, 290-292, 294, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_plugin_integration.py::TestPluginConfigLoading::test_markers_exist_in_config

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_plugin_integration.py::TestPluginIntegration::test_llm_content_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_plugin_integration.py::TestPluginIntegration::test_llm_output_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_plugin_integration.py::TestPluginIntegration::test_requirement_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_plugin_integration.py::TestReportGeneration::test_report_writer_integration

33ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	79 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	131 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_disabled

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	10 lines (ranges: 387-388, 391, 395-397, 408-409, 415-416)

PASSED

tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_enabled

2ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	12 lines (ranges: 387-388, 391, 395-397, 408-409, 415, 419-421)

PASSED

tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_no_session

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 387-388, 391, 395-397, 408, 412)

PASSED

tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_session_none

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 387-388, 391, 395-397, 408, 412)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_llm_enabled_warning

3ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	44 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294-295, 298, 300)
src/pytest_llm_report/plugin.py	29 lines (ranges: 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203-205, 207-208, 212-213, 387-388, 391, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_validation_errors

3ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	43 lines (ranges: 107, 147, 175, 178-181, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 248, 251-253, 255, 257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294-295, 298, 300)
src/pytest_llm_report/plugin.py	25 lines (ranges: 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-199, 387-388, 391, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_worker_skip

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	17 lines (ranges: 169-171, 173-175, 177-179, 183-184, 387-388, 391, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigureFallback::test_pytest_configure_fallback_load

3ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	29 lines (ranges: 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203-205, 207-208, 212-213, 387-388, 391, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginLoadConfig::test_load_config_all_ini_options

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	31 lines (ranges: 107, 147, 248, 251-263, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294-295, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginLoadConfig::test_load_config_cli_overrides_ini

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	38 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259-263, 270-283, 286-295, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginMaximal::test_terminal_summary_disabled

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	9 lines (ranges: 238, 242-243, 387-388, 391, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginMaximal::test_terminal_summary_worker_skip

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 238-239, 387-388, 391, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginMaximal::testload_config

3ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

36 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263, 270-283, 286-295, 298, 300)

src/pytest_llm_report/plugin.py

6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginRuntest::test_runtest_makereport_disabled

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

7 lines (ranges: 387-388, 391-392, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginRuntest::test_runtest_makereport_enabled

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_collection_finish_disabled

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 387-388, 391, 395-397, 431-432)

PASSED

tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_collection_finish_enabled


2ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	10 lines (ranges: 387-388, 391, 395-397, 431, 435-437)

PASSED

tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_sessionstart_disabled

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 387-388, 391, 395-397, 448-449)

PASSED

tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_sessionstart_enabled

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	11 lines (ranges: 387-388, 391, 395-397, 448, 452, 455, 457-458)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_pytest_addoption

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

99 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 387-388, 391, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_pytest_addoption_ini

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

99 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 387-388, 391, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_coverage_calculation

4ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	58 lines (ranges: 238, 242, 246, 249, 268-269, 271, 273, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-305, 307, 309-315, 317-318, 331-332, 337-338, 365-375, 387-388, 391, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_llm_enabled

3ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	59 lines (ranges: 238, 242, 246, 249, 268-269, 271, 273, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 331-332, 337-340, 343, 345, 348-350, 357-362, 365-375, 387-388, 391, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_no_collector

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	45 lines (ranges: 238, 242, 246, 249, 268-269, 271, 273, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 331, 337-338, 365-375, 387-388, 391, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_with_aggregation

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	21 lines (ranges: 238, 242, 246, 249-250, 252-253, 256-257, 259, 261-265, 387-388, 391, 395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummaryErrors::test_terminal_summary_coverage_error

4ms



COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	52 lines (ranges: 238, 242, 246, 249, 268-269, 271, 273, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-305, 322-325, 331-332, 337-338, 365-375, 387-388, 391, 395-397)

PASSED

tests/test_prompts.py::TestContextAssembler::test_assemble_balanced_context

7ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/prompts.py	51 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-155, 158-159, 163, 191-192, 194)

PASSED

tests/test_prompts.py::TestContextAssembler::test_assemble_complete_context

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/prompts.py	34 lines (ranges: 33, 49, 52, 55, 58, 60, 63, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116, 132-133, 180)

PASSED

tests/test_prompts.py::TestContextAssembler::test_assemble_minimal_context

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/prompts.py	30 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116)

PASSED

tests/test_prompts.py::TestContextAssembler::test_balanced_context_limits

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/prompts.py	34 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-156, 158-159, 163, 191-192, 194)

PASSED

tests/test_prompts.py::TestContextAssembler::test_get_test_source_edge_cases

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/prompts.py	26 lines (ranges: 33, 78-79, 82-84, 86-87, 92, 94-95, 98-101, 103-112, 116)

PASSED

tests/test_prompts.py::TestContextAssembler::test_should_exclude

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/prompts.py	5 lines (ranges: 33, 191-194)

PASSED

tests/test_ranges.py::TestCompressRanges::test_consecutive_lines

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED

tests/test_ranges.py::TestCompressRanges::test_duplicates

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED

tests/test_ranges.py::TestCompressRanges::test_empty_list

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/ranges.py	2 lines (ranges: 29-30)

PASSED

tests/test_ranges.py::TestCompressRanges::test_mixed_ranges

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED

tests/test_ranges.py::TestCompressRanges::test_non_consecutive_lines

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)

PASSED

tests/test_ranges.py::TestCompressRanges::test_single_line

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/ranges.py	10 lines (ranges: 29, 33, 35-37, 39, 50, 52, 65-66)

PASSED

tests/test_ranges.py::TestCompressRanges::test_two_consecutive

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED

tests/test_ranges.py::TestCompressRanges::test_unsorted_input

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED

tests/test_ranges.py::TestExpandRanges::test_empty_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/ranges.py	2 lines (ranges: 81-82)

PASSED

tests/test_ranges.py::TestExpandRanges::test_mixed

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/ranges.py	11 lines (ranges: 81, 84-91, 93, 95)

PASSED

tests/test_ranges.py::TestExpandRanges::test_range

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/ranges.py	10 lines (ranges: 81, 84-91, 95)

PASSED

tests/test_ranges.py::TestExpandRanges::test_roundtrip

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/ranges.py	27 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67, 81, 84-91, 93, 95)

PASSED

tests/test_ranges.py::TestExpandRanges::test_single_number

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/ranges.py	7 lines (ranges: 81, 84-87, 93, 95)

PASSED

tests/test_render.py::TestFormatDuration::test_milliseconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/render.py	2 lines (ranges: 65, 67)

PASSED

tests/test_render.py::TestFormatDuration::test_seconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/render.py	2 lines (ranges: 65-66)

PASSED

tests/test_render.py::TestOutcomeToCssClass::test_all_outcomes

1ms

3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED

tests/test_render.py::TestOutcomeToCssClass::test_unknown_outcome

1ms

3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_basic_report

1ms

3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/render.py	52 lines (ranges: 65-67, 79-85, 87, 121-124, 126-127, 131-132, 141-143, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_coverage

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/render.py	52 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-129, 131-132, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_llm_annotation

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/render.py	54 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-134, 136-137, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_source_coverage

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/render.py	63 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-164, 166-172, 177, 192, 196, 229-236, 239-245, 248-249)

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_xpass_summary

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/render.py	50 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED

tests/test_report_writer.py::TestComputeSha256::test_different_content

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED

tests/test_report_writer.py::TestComputeSha256::test_empty_bytes

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED

tests/test_report_writer.py::TestReportWriter::test_build_run_meta

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	67 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300)

PASSED

tests/test_report_writer.py::TestReportWriter::test_build_summary_and_outcomes

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	19 lines (ranges: 156-158, 312, 314-315, 317-328, 330)

PASSED

tests/test_report_writer.py::TestReportWriter::test_build_summary_co
unts

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	13 lines (ranges: 156-158, 312, 314-315, 317-322, 330)

PASSED

tests/test_report_writer.py::TestReportWriter::test_create_writer

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 156-158)

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_ass
embles_tests

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	93 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330)

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_inc
ludes_coverage_percent

6ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	93 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-199, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330)

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_includes_source_coverage

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	92 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330)

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_merges_coverage

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	94 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186-189, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_atomic_write_fallback

6ms

5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	67 lines (ranges: 229-231, 233, 235, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510-512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	125 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506-507, 509-512, 515-516)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_creates_directory_if_missing

6ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	84 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 229-231, 233, 235, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510-512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	123 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-477, 495, 497, 499-501, 503, 506)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_ensure_dir_failure

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	12 lines (ranges: 156-158, 470-473, 480-484)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_git_info_failure

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 67-73, 85-86)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_html_creates_file

31ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	115 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_html_includes_xfail_summary

31ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	118 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317, 319, 321, 323-326, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_j
son_creates_file

6ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	78 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	117 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_pdf_creates_file

33ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	125 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 401, 410, 412, 414-423, 434-435, 437-443, 448, 453, 455, 458-462, 470-471)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_p
df_missing_playwright_warns

6ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	98 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 401-405, 408)

PASSED

tests/test_report_writer_coverage_v2.py::test_report_writer_ensure_d
ir_creation

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	11 lines (ranges: 156-158, 470-477)

PASSED

tests/test_report_writer_coverage_v2.py::test_report_writer_metadata_skips

9ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	36 lines (ranges: 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/report_writer.py	67 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300)

PASSED

tests/test_schemas.py::TestAnnotationSchema::test_from_dict_full

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

PASSED

tests/test_schemas.py::TestAnnotationSchema::test_to_dict_full

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	8 lines (ranges: 90-92, 94-98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270-272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 331, 337-338, 365-375, 387-388, 391, 395-397, 408, 412, 431, 435-437, 448, 452, 455, 457-458)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	101 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-

COVERAGE

src/pytest_llm_report/collector.py	65 lines (ranges: 78-79, 90, 93-94, 96, 99-104, 106-107, 109-112, 114-119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212-214, 216, 227-228, 230-236, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270-272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 331, 337-338, 365-375, 387-388, 391, 395-397, 408, 412, 431, 435-437, 448, 452, 455, 457-458)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	111 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-328, 330, 376, 378-379,

382, 385, 388, 391-395, 470-
471, 495, 497, 499-501, 503,
506)

COVERAGE

src/pytest_llm_report/collector.py	51 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-118, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 331, 337-338, 365-375, 387-388, 391, 395-397, 408, 412, 431, 435-437, 448, 452, 455, 457-458)
src/pytest_llm_report/report_writer.py	107 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259,

262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 312, 314-315,
317-320, 330, 340, 343-345,
348-349, 352-354, 357, 360-
364, 470-471, 495, 497, 499-
501, 503, 506)

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198, 203)
src/pytest_llm_report/llm/base.py	39 lines (ranges: 52-53, 72, 75, 80, 107, 110-111, 128, 136, 147, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/llm/litellm_provider.py	23 lines (ranges: 37-38, 44, 46, 49, 51-52, 54-60, 62-63, 66-67, 69-70, 94-95, 97)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/models.py	94 lines (ranges: 104-107, 109-111, 113, 115, 161-165, 167, 169, 171, 173, 176, 178-180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407-419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	47 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-259, 261, 263-265, 270, 272-

274, 276, 278, 280, 282, 286,
288, 290, 292, 294, 298, 300)

src/pytest_llm_report/plugin.py

186 lines (ranges: 40, 43-47,
49-53, 55-59, 61-65, 67-71,
73-78, 80-85, 89-93, 95-99,
101-105, 107-111, 113-117,
121-124, 126-129, 131-134,
136-140, 142-145, 147-151,
153-156, 169-171, 173-175,
177-179, 183, 187-188, 190,
192, 195-196, 203-205, 207-
208, 212-213, 238, 242, 246,
249, 268-269, 276-277, 280-
281, 283-284, 287-291, 293,
296-297, 299, 302-303, 331,
337-340, 343, 345, 348-352,
355, 357-362, 365-375, 387-
388, 391, 395-397, 408, 412,
431, 435-437, 448, 452, 455,
457-458)

src/pytest_llm_report/prompts.py

29 lines (ranges: 33, 49, 52,
55, 58-59, 65, 78-79, 82-83,
86-87, 92, 94, 98-101, 103-
109, 111-112, 116)

src/pytest_llm_report/report_writer.py

105 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222-223,
226, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-296, 298-
299, 312, 314-315, 317-318,
330, 340, 343-345, 348-349,
352-354, 357, 360-364, 470-
471, 495, 497, 499-501, 503,
506)

COVERAGE

src/pytest_llm_report/cache.py	12 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/llm/annotator.py	73 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137-139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198-201, 203)
src/pytest_llm_report/llm/base.py	21 lines (ranges: 52-53, 72, 75, 80, 107, 110-111, 128, 136, 147, 165, 167, 175, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/llm/litellm_provider.py	25 lines (ranges: 37-38, 44, 46, 49, 51-52, 54-60, 62-63, 78-79, 81-82, 84-85, 94-95, 97)
src/pytest_llm_report/options.py	47 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-259, 261, 263-265, 270-272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	186 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203-205, 207-208, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-

	281, 283-284, 287-291, 293, 296-297, 299, 302-303, 331, 337-340, 343, 345, 348-353, 357-362, 365-375, 387-388, 391, 395-397, 408, 412, 431, 435-437, 448, 452, 455, 457-458)
src/pytest_llm_report/prompts.py	29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	101 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-296, 298-299, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181-182, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180-182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 331, 337-338, 365-375, 387-388, 391, 395-397, 408, 412, 431, 435-437, 448, 452, 455, 457-458)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-

297, 299-300, 312, 314-315,
317-318, 330, 340, 343-345,
348-349, 352-354, 357, 360-
364, 470-471, 495, 497, 499-
501, 503, 506)

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-200, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188-190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 331, 337-338, 365-375, 387-388, 391, 395-397, 408, 412, 431, 435-437, 448, 452, 455, 457-458)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-

297, 299-300, 312, 314-315,
317-318, 330, 340, 343-345,
348-349, 352-354, 357, 360-
364, 470-471, 495, 497, 499-
501, 503, 506)

COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 331, 337-338, 365-375, 387-388, 391, 395-397, 408, 412, 431, 435-437, 448, 452, 455, 457-458)
src/pytest_llm_report/report_writer.py	108 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259,

262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 312, 314-315,
317, 319, 321, 323-324, 330,
340, 343-345, 348-349, 352-
354, 357, 360-364, 470-471,
495, 497, 499-501, 503, 506)

COVERAGE

src/pytest_llm_report/collector.py	43 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 106-107, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 331, 337-338, 365-375, 387-388, 391, 395-397, 408, 412, 431, 435-437, 448, 452, 455, 457-458)
src/pytest_llm_report/report_writer.py	107 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-

278, 280-289, 291-294, 296-
297, 299-300, 312, 314-315,
317, 319, 321-322, 330, 340,
343-345, 348-349, 352-354,
357, 360-364, 470-471, 495,
497, 499-501, 503, 506)

COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 331, 337-338, 365-375, 387-388, 391, 395-397, 408, 412, 431, 435-437, 448, 452, 455, 457-458)
src/pytest_llm_report/report_writer.py	108 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-

278, 280-289, 291-294, 296-
297, 299-300, 312, 314-315,
317, 319, 321, 323-324, 330,
340, 343-345, 348-349, 352-
354, 357, 360-364, 470-471,
495, 497, 499-501, 503, 506)

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167, 169-171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 331, 337-338, 365-375, 387-388, 391, 395-397, 408, 412, 431, 435-437, 448, 452, 455, 457-458)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-

278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_smoke_pytester.py::TestPluginRegistration::test_help_contains_examples

50ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	45 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	118 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 387-388, 391, 395-397)

PASSED

tests/test_smoke_pytester.py::TestPluginRegistration::test_markers_registered

45ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

45 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)

src/pytest_llm_report/plugin.py

118 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 387-388, 391, 395-397)

PASSED

tests/test_smoke_pytester.py::TestPluginRegistration::test_plugin_registered

52ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

45 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)

src/pytest_llm_report/plugin.py

118 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 387-388, 391, 395-397)

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270-272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 331, 337-338, 365-375, 387-388, 391, 395-397, 408, 412, 431, 435-437, 448, 452, 455, 457-458)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	101 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-

471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_time.py::TestFormatDuration::test_boundary_one_minute

1ms

3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test_time.py::TestFormatDuration::test_microseconds_format

1ms

3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)

PASSED

tests/test_time.py::TestFormatDuration::test_milliseconds_format

1ms

3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED

tests/test_time.py::TestFormatDuration::test_minutes_format

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test_time.py::TestFormatDuration::test_multiple_minutes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test_time.py::TestFormatDuration::test_one_second

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED

tests/test_time.py::TestFormatDuration::test_seconds_format

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED

tests/test_time.py::TestFormatDuration::test_small_milliseconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED

tests/test_time.py::TestFormatDuration::test_very_small_microseconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)

PASSED

tests/test_time.py::TestIsoFormat::test_formats_datetime_with_utc

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED

tests/test_time.py::TestIsoFormat::test_formats_naive_datetime

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED

tests/test_time.py::TestIsoFormat::test_formats_with_microseconds

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED

tests/test_time.py::TestUtcNow::test_has_utc_timezone

1ms

3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED

tests/test_time.py::TestUtcNow::test_is_current_time

1ms

3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED

tests/test_time.py::TestUtcNow::test_returns_datetime

1ms

3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 387-388, 391, 395-397)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

Source Coverage

FILE	STMTS	MISS	COVER	%	COVERED LINES	MISSED LINES
src/pytest_llm_report/_git_info.py	2	0	2	100.0%	2-3	-

					13, 15-19, 21, 35, 38, 44, 46, 52-53, 55-57, 59, 61-64, 69, 73-74, 77-80, 84, 87-89, 93, 103, 109-111, 113-117, 119-120, 125, 127-128, 130-131, 134-135, 141-144, 146, 148, 162, 164, 168, 170, 172, 182, 184-188, 190-191, 194, 196, 205, 217, 219-233, 235, 237, 245-246, 248-249, 251, 253-255, 259, 262-263, 265-266, 269-271, 273, 275-276, 280	
src/pytest_llm_report/aggregation.py	116	5	111	95.69%	66, 90-91, 192, 203	

					13, 15-19, 21, 27, 33, 39-41, 43, 53, 55-56, 58, 60-62, 68-69, 78, 86, 88, 90, 92, 94, 97, 103, 107, 118-119, 121, 123, 129, 132-136, 141, 144, 153	
src/pytest_llm_report/cache.py	47	3	44	93.62%	64-65, 130	

					19, 21-22, 24, 26-27, 33-34, 45-50, 52, 58, 60-62, 69, 78-79, 81, 90, 93-94, 96, 99-104, 106-107, 109-112, 114-119, 121-122, 124, 127-128, 130, 132-133, 135-137, 140, 143, 155, 163-164, 167-169, 171, 173, 181-182, 185-189, 191, 198-200, 202, 209-210, 212-214, 216, 218, 227-228, 230-236, 238, 241, 250-252, 254, 261, 264-265, 268-269,	
src/pytest_llm_report/collector.py	111	2	109	98.2%	141, 239	

					271, 277, 279, 285	
src/pytest_llm_report/coverage_map.py	135	10	125	92.59%	13, 15-17, 19-22, 30, 38, 44-45, 47, 58-60, 64, 72-73, 83, 86, 88-90, 92, 94-96, 98, 101-104, 106-108, 114, 116, 118, 121-122, 127, 131-135, 137-140, 144-146, 148, 150, 152-153, 156, 160-162, 165, 167-168, 173, 176, 178-184, 187-189, 191, 196, 199-200, 202, 204, 216-217, 220, 224-225, 228-234, 236, 239, 241, 243-244, 246-248, 250, 252-254, 259-260, 263-264, 271, 273, 276-279, 281-283, 285, 299-300, 302, 308	62, 123, 125, 128, 157, 221, 249, 251, 257, 274
src/pytest_llm_report/errors.py	35	0	35	100.0%	8-9, 12, 25-28, 31-36, 39-42, 45-46, 49-51, 54-55, 64-66, 68, 70, 74-76, 80, 129, 139	-
src/pytest_llm_report/llm/__init__.py	3	0	3	100.0%	4-5, 7	-
src/pytest_llm_report/llm/annotator.py	110	0	110	100.0%	4, 6-10, 12-15, 21-22, 25-28, 31, 45-46, 48-50, 54, 56-57, 59, 61-62, 64, 66-68, 71-72, 74-82, 87, 97-98, 100, 102, 104-105, 115, 127, 129-132, 137-139, 142, 165-168, 170-171, 176, 178, 180-183, 185-190, 192-193, 198-201, 203, 206, 229-232,	-

					234, 236-237, 239-240, 245-246, 248-253, 255-256, 261-264, 266
					13, 15-18, 26, 40, 46, 52-53, 55, 72, 75-76, 78, 80, 101, 107-108, 110-111, 122, 128, 130, 136, 138, 147, 149, 165, 167-173, 175, 177, 186-187, 190-192, 194-195, 198-200, 203-208, 212, 214, 220-221, 224-225, 228-230, 233, 245, 247, 249-250, 252-253, 255, 257-258, 260, 262-263, 265, 267
src/pytest_llm_report/llm/base.py	78	0	78	100.0%	
					7, 9-13, 15-16, 23-27, 30-34, 37-42, 44-46, 48-50, 52, 57-63, 65-70, 72-73, 75-78, 80-85, 87-88, 91-97, 99-103, 105, 107-114, 121-122, 125, 128, 134, 136-139, 141-142, 144, 160-161, 167-169, 171-172, 174, 176-184, 186-188, 190-191, 193, 196, 200-208, 210-211, 213-215, 217-223, 225-227, 233-234, 238-239, 242-243, 245-248, 252-253, 260, 266-267, 269, 273-277, 279-283, 286-287, 292-293, 300-301, 303, 315, 317-318, 322, 327, 330-332, 335-343, 345-346, 348, 352-355, 357, 360-366, 368-374, 380-382, 384-387, 389, 391-392, 89, 104, 106, 115-117, 199, 230-231, 235-237, 244, 250, 256, 367, 441, 444
src/pytest_llm_report/llm/gemini.py	275	18	257	93.45%	

					396-402, 405, 408-410, 412-414, 416-421, 427-428, 430-434, 437-440, 442-443, 445-447
src/pytest_llm_report/llm/litellm_provider.py	32	1	31	96.88%	7, 9, 11-12, 18, 21, 37-38, 44, 46, 49, 51-52, 54-56, 66-67, 69-74, 70, 73, 76, 78-79, 81-82, 84, 88, 94-95, 97
src/pytest_llm_report/llm/noop.py	13	0	13	100.0%	8, 10, 12-13, 20, 26, 32, 34, 50, 52, 58, 60, 66
src/pytest_llm_report/llm/ollama.py	43	1	42	97.67%	7, 9, 11-12, 18, 24, 40-41, 47, 50, 52, 54-55, 57-60, 62-63, 66-67, 71-72, 74-75, 77, 81, 87-88, 90-92, 96, 102, 104, 114, 116-117, 127, 132, 134-135
src/pytest_llm_report/llm/schemas.py	36	1	35	97.22%	8, 10-12, 16, 22, 38, 42-44, 46-47, 50-53, 55, 58-59, 62-65, 67-68, 77, 84, 90, 94-98, 102, 130
src/pytest_llm_report/models.py	240	10	230	95.83%	17-18, 21, 24-25, 34-36, 38, 40, 47-48, 61-67, 69, 71, 82-83, 95-100, 102, 104, 109-115, 118-119, 141-157, 159, 161, 167-171, 173-182, 184, 186, 188-190, 193-194, 202-203, 205, 207, 213-214, 223-225, 227, 229, 233-235, 238-239, 248-250, 252, 254, 261-262, 271-273, 275, 277, 281-283, 286-287, 324-353, 172, 183, 185, 187, 460, 513, 515, 517, 519, 521

						355-360, 362, 364, 382-405, 407-419, 422-423, 437-445, 447, 449, 459, 461, 464-465, 482-492, 494, 500, 502, 508-512, 514, 516, 518, 520, 522
--	--	--	--	--	--	---

src/pytest_llm_report/op tions.py	117	45	72	61.54%	106, 146, 175, 178-180, 185-187, 193-195, 201-203, 209-218, 220, 224, 233, 248, 251-267, 270-283, 286-295, 298, 300	13-15, 21-22, 90- 94, 97-99, 102- 105, 122-123, 126-132, 135-137, 140-142, 145, 156-160, 163-164, 167, 169, 222, 227, 236
--------------------------------------	-----	----	----	--------	---	--

src/pytest_llm_report/pl ugin.py	156	25	131	83.97%	40, 43, 49, 55, 61, 67, 73, 80, 89, 95, 101, 107, 113, 121, 126, 131, 136, 142, 147, 153, 169, 173, 177, 183- 184, 187-188, 190, 192, 195- 197, 203-204, 212-213, 238-239, 242-243, 246, 249-250, 252-253, 256-257, 259, 261-265, 268-269, 271, 273, 276- 277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-305, 307, 309-314, 317-318, 322-323, 331-332, 337-340, 343, 345, 348- 353, 355, 357, 365-366, 387-388, 391-392, 395-397, 408-409, 412, 415-416, 419-421, 431-432, 435-437, 448-449, 452, 455, 457-458	13, 15-17, 19-20, 22, 28-31, 34, 160, 216, 319, 327-328, 333-334, 379-380, 400, 424, 440-441
-------------------------------------	-----	----	-----	--------	---	---

--	--	--	--	--	--	--

src/pytest_llm_report/prompts.py	75	5	70	93.33%	13, 15-17, 24, 27, 33, 35, 49, 52, 55, 58-61, 63, 65, 67, 78-79, 82-84, 86-87, 92, 94-95, 98-101, 103-112, 116, 118, 132-133, 135-138, 140-141, 144-145, 148, 151-152, 154-156, 158-159, 163, 165, 180, 182, 191-194	80, 114, 142, 146, 149
----------------------------------	----	---	----	--------	--	------------------------

src/pytest_llm_report/reader.py	50	0	50	100.0%	13, 15-16, 18, 24, 30-31, 34, 40, 42, 50-51, 53, 56, 65-67, 70, 79, 87, 90, 99, 101-102, 107, 110, 121-124, 126-129, 131-134, 141-143, 145, 158-163, 177, 196	-
---------------------------------	----	---	----	--------	---	---

src/pytest_llm_report/report_writer.py	167	10	157	94.01%	13, 15-25, 27-29, 46, 55, 58, 67-68, 76, 83-84, 89, 98-100, 102, 105-108, 110, 116, 127-128, 130, 142, 150, 156-158, 160, 186-189, 192, 197-199, 202-203, 211, 222-223, 226-227, 230-231, 233, 235, 254, 256-259, 262-264, 266, 268, 303, 312, 314-315, 317-328, 330, 332, 340, 343-345, 348-349, 352-354, 357, 360, 368, 376, 378-379, 382, 385, 388, 391, 399, 401-402, 408, 410, 412, 414-423, 434-435, 437-439, 447-448, 453, 455, 458, 461-462, 464, 470-474, 480-481, 488, 495, 497,	113, 135-137, 424-425, 432, 449-451
--	-----	----	-----	--------	--	-------------------------------------

					499-501, 503, 506-507, 509, 515-516
src/pytest_llm_report/ut il/fs.py	34	3	31	91.18%	11, 13-14, 17, 30, 33, 36, 39, 42, 45, 55-56, 58-60, 63-64, 70, 40, 65, 67 79, 82, 100, 103, 111-113, 116-117, 119-121, 123
src/pytest_llm_report/ut il/hashing.py	36	0	36	100.0%	12, 14-17, 23, 32, 35, 44-48, 51, 61, 64, 73- 74, 76-78, 80-81, - 86, 96, 103-104, 107, 113-114, 116-121
src/pytest_llm_report/ut il/ranges.py	33	0	33	100.0%	12, 15, 29-30, 33, 35-37, 39-40, 42, 45-47, 50, - 52, 55, 65-67, 70, 81-82, 84-91, 93, 95
src/pytest_llm_report/ut il/time.py	16	0	16	100.0%	4, 6, 9, 15, 18, 27, 30, 39-44, - 46-48